6980020
Effective Date November 2018
Supersedes 6980019

HAYDEN® AUTOMOTIVE

Cooling Products

2019 Application and Illustrated Guide



The Leader in Automotive Cooling

Warranty:

Hayden Automotive warrants to the purchaser of any unit that any Hayden automotive product is free of defects in materials and workmanship. Any units proved to be defective will be exchanged, free of charge, if returned to the seller (retail or commercial) of the unit who is authorized to perform this warranty within the warranty period stated below. Cost of removal, and incidental or consequential damages are expressly excluded. Hayden Automotive shall not be liable for any injury, loss or damage direct or consequential, arising out of the use or misuse of any product including abuse, negligence, or any application other than that for which the product is intended.

Fan Clutches (Thermal and Electronic):
One year (1) from the date of original purchase or 12,000 miles, whichever comes first.

Fan Clutches (Non-Thermal):
One year (1) from the date of original purchase or 12,000 miles, whichever comes first.

Electric Fans, Radiator Fan Motors and Accessories:
One year (1) from the date of original purchase or 12,000 miles, whichever comes first.

High-Flow Flex Fans:
Two years (2) from the date of original purchase or 24,000 miles, whichever comes first and are intended to be replaced within that time period.

Fan Clutch Fans:
Two years (2) from the date of original purchase or 24,000 miles, whichever comes first and are intended to be replaced within that time period.

Idler & Tensioner Pulleys
One-year (1) from the date of original purchase or 12,000 miles, whichever comes first.

High RPM Fans:
One year (1) from the date of original purchase or 12,000 miles, whichever comes first.

Transmission and Oil Coolers:
Two years (2) from the date of original purchase or 24,000 miles, whichever comes first.

2019 Cooling Products

Application Guide

Electric Fans 2
Fan Clutches 33
Pulleys 82
Transmission/Bypass Oil Coolers 136
Engine Oil Coolers 224

Illustrated Guide

Blue Streak Performance™ Specifications 255
Electric Fan and Controller Specifications 259
Fan Clutch Operation and Troubleshooting 262
Fan Clutch Specifications 265
Idler and Tensioner Pulley Specifications 272
Idler and Tensioner Pulley Illustrations 275
Transmission, Engine and Power Steering Oil Cooler Specifications 285

Competitive Interchange 295

Numerical Listing/Index 305

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
ACURA						
CAR						
15-08	6 Cyl.		3930	3910	3700 or 3710	3680
15-07	4 Cyl.		3920	3910	3690	3680
07-96	6 Cyl. 3.2L		3920	3910	3690	3680
	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
06-04	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.4L		3920	3910	3690	3680
05-04	4 Cyl. 1.7L		3910	3900	3680	3670
05-96	6 Cyl. 3.0L		3920	3910	3690	3680
03-00	4 Cyl.		3910	3900	3680	3670
99-98	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
98-92	5 Cyl.		3920	3910	3690	3680
97-86	4 Cyl.		3910	3900	3680	3670
95-86	6 Cyl.		3920	3910	3690	3680
LIGHT DUTY TRUCK						
14-13	All Eng.		3930	3910	3700 or 3710	3680
12-07	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
06-01	All Eng.		3930	3910	3700 or 3710	3680
99-98	All Eng.		3930	3910	3700 or 3710	3680
97-96	All Eng.		3920	3910	3690	3680
AM GENERAL						
LIGHT DUTY TRUCK						
01-92	All Eng.		(3)	3920	(3)	3690
74	6 Cyl. 3.8L		(3)	3910	(3)	3680
	6 Cyl. 4.2L		(3)	3920	(3)	3690
73-72	All Eng.		(3)	3910	(3)	3680
71-69	All Eng.		(3)	3900	(3)	3670
AMERICAN MOTORS						
CAR						
88-84	All Eng.		3920	3910	3690	3680
83-80	4 Cyl.		3920	3910	3690	3680
83-75	6 Cyl.		Two 3920s	3900	Two 3690s	3670
79-77	4 Cyl.		3910	3900	3680	3670
79-58	8 Cyl.		(3)	3900	(3)	3670
74-71	6 Cyl. 4.2L		3920	3900	3690 or 3700	3670
74-65	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
70-65	6 Cyl. 3.3L		3930	3910	3700 or 3710	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
AMERICAN MOTORS						
CAR						
65	6 Cyl. 3.2L		3930	3910	3700 or 3710	3680
64-58	6 Cyl.		3930	3910	3700 or 3710	3680
AUDI						
CAR						
92	All Eng.		3920	3900	3690	3670
91-88	5 Cyl. 2.2L		(3)	3900	(3)	3670
91-87	5 Cyl. 2.3L		3920	3900	3690	3670
89-84	4 Cyl.		3920	3900	3690	3670
87	5 Cyl. 2.2L	5000 SERIES; w/ Turbo	(3)	3900	(3)	3670
	5 Cyl. 2.2L	5000 SERIES; w/o Turbo	3920	3900	3690	3670
86-84	5 Cyl.	5000 SERIES; w/ Turbo	(3)	3900	(3)	3670
	5 Cyl.	5000 SERIES; w/o Turbo	3920	3900	3690	3670
83-82	4 Cyl. 1.6L	w/ Turbo	(3)	3900	(3)	3670
	4 Cyl. 1.6L	w/o Turbo	3920	3900	3690	3670
	4 Cyl. 1.7L		3920	3900	3690	3670
	5 Cyl. 2.0L		(3)	3900	(3)	3670
	5 Cyl. 2.2L	w/o Turbo	3920	3900	3690	3670
83-80	5 Cyl. 2.2L	5000 SERIES; w/ Turbo	(3)	3900	(3)	3670
81-80	4 Cyl.		3920	3900	3690	3670
	5 Cyl. 2.0L		3920	3900	3690	3670
	5 Cyl. 2.2L	5000 SERIES; w/o Turbo	3920	3900	3690	3670
79-75	All Eng.		3920	3900	3690	3670
BMW						
CAR						
15-12	4 Cyl.		(3)	3900	(3)	3670
15-07	6 Cyl.		(3)	3910	(3)	3680
15-03	12 Cyl.		(3)	3920	(3)	3690
15-96	8 Cyl.		(3)	3920	(3)	3690
13-12	6 Cyl.		3920	3900	3690	3670
11-09	6 Cyl.		(3)	3900	(3)	3670
11-06	10 Cyl.		(3)	3920	(3)	3690
10-05	4 Cyl.		3920	3900	3690	3670
09	6 Cyl.		3930	3910	3700	3680
08-01	6 Cyl. 2.5L		(3)	3900	(3)	3670
06-01	6 Cyl. 3.0L		(3)	3910	(3)	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
BMW						
CAR						
06-96	6 Cyl. 3.2L		(3)	3910	(3)	3680
05-01	6 Cyl. 2.2L		(3)	3900	(3)	3670
01-88	12 Cyl.		(3)	3920	(3)	3690
00	6 Cyl.		(3)	3900	(3)	3670
99	4 Cyl.		3920	3900	3690	3670
	6 Cyl. 2.5L		3920	3900	3690	3670
	6 Cyl. 2.8L	328I	(3)	3900	(3)	3670
	6 Cyl. 2.8L	328IS	3920	3900	3690	3670
	6 Cyl. 2.8L	528I	(3)	3900	(3)	3670
	6 Cyl. 2.8L	Z3	(3)	3900	(3)	3670
98	6 Cyl. 2.5L	Convertible / Sedan	(3)	3900	(3)	3670
	6 Cyl. 2.5L	Coupe	3920	3900	3690	3670
98-96	4 Cyl.	318 Series	3920	3900	3690	3670
	4 Cyl.	Z3	(3)	3900	(3)	3670
	6 Cyl. 2.8L		3920	3900	3690	3670
97-96	6 Cyl. 2.5L		(3)	3900	(3)	3670
95	6 Cyl. 2.0L		(3)	3900	(3)	3670
	6 Cyl. 2.5L	325i	(3)	3900	(3)	3670
	6 Cyl. 2.5L	325IS	3920	3900	3690	3670
	6 Cyl. 2.5L	525 Series	(3)	3900	(3)	3670
	6 Cyl. 3.0L		(3)	3910	(3)	3680
95-94	8 Cyl. 3.0L		(3)	3910	(3)	3680
	8 Cyl. 4.0L		(3)	3920	(3)	3690
95-92	4 Cyl.		3920	3900	3690	3670
94	6 Cyl.		(3)	3900	(3)	3670
	6 Cyl.		(3)	3910	(3)	3680
	6 Cyl.		3920	3900	3690	3670
93	6 Cyl. 2.0L		(3)	3900	(3)	3670
	8 Cyl.		(3)	3920	(3)	3690
93-91	6 Cyl. 3.6L		(3)	3910	(3)	3680
93-87	6 Cyl. 2.5L		3920	3900	3690	3670
93-85	6 Cyl. 3.5L		(3)	3910	(3)	3680
92	6 Cyl. 2.0L		3920	3900	3690	3670
91	4 Cyl. 1.8L		3920	3900	3690	3670
	4 Cyl. 2.3L		(3)	3900	(3)	3670
90-88	4 Cyl.		3920	3900	3690	3670
88-82	6 Cyl. 2.7L		3920	3900	3690	3670
86-85	6 Cyl. 2.4L		(3)	3900	(3)	3670
85-75	4 Cyl.		3920	3900	3690	3670
84-79	6 Cyl. 3.2L		(3)	3910	(3)	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
BMW						
CAR						
81-79	6 Cyl. 2.8L		3920	3900	3690	3670
78-75	6 Cyl.		(3)	3910	(3)	3680
74-73	4 Cyl.	w/ Turbo	(3)	3900	(3)	3670
	4 Cyl.	w/o Turbo	3920	3900	3690	3670
74-71	6 Cyl. 2.8L		3920	3900	3690	3670
	6 Cyl. 3.0L		(3)	3910	(3)	3680
72	4 Cyl.		3920	3900	3690	3670
71	6 Cyl. 2.5L		3920	3900	3690	3670
71-67	4 Cyl. 2.0L		3920	3900	3690	3670
71-66	4 Cyl. 1.6L		3910	3900	3680	3670
71-63	4 Cyl. 1.8L		3920	3900	3690	3670
70-68	6 Cyl.		3920	3900	3690	3670
66	4 Cyl. 2.0L	2000	(3)	3900	(3)	3670
	4 Cyl. 2.0L	2000C	3920	3900	3690	3670
	4 Cyl. 2.0L	2000CS	3920	3900	3690	3670
	4 Cyl. 2.0L	2000TI	3920	3900	3690	3670
65	4 Cyl. 2.0L		3920	3900	3690	3670
65-64	4 Cyl. 1.6L		(3)	3900	(3)	3670
	8 Cyl.		(3)	3910	(3)	3680
65-58	2 Cyl.		(3)	3900	(3)	3670
64-63	4 Cyl. 1.5L		3910	3900	3680	3670
63-55	8 Cyl. 2.6L		(3)	3900	(3)	3670
	8 Cyl. 3.2L		(3)	3910	(3)	3680
62	4 Cyl.		3910	3900	3680	3670
62-55	1 Cyl.		(3)	3900	(3)	3670
61	4 Cyl.		(3)	3900	(3)	3670
58-56	6 Cyl.		(3)	3900	(3)	3670
55	6 Cyl. 2.0L		3920	3900	3690	3670
	6 Cyl. 2.1L		(3)	3900	(3)	3670
54	All Eng.		(3)	3900	(3)	3670
53-52	All Eng.		3920	3900	3690	3670
LIGHT DUTY TRUCK						
15-12	4 Cyl.		(3)	3900	(3)	3670
15-07	6 Cyl.		(3)	3910	(3)	3680
15-01	8 Cyl.		(3)	3920	(3)	3690
11-09	6 Cyl.		(3)	3900	(3)	3670
08-04	6 Cyl. 2.5L		(3)	3900	(3)	3670
06-04	6 Cyl. 3.0L		(3)	3910	(3)	3680
03-01	6 Cyl.		(3)	3910	(3)	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
BMW						
LIGHT DUTY TRUCK						
00	All Eng.		(3)	3920	(3)	3690
BUICK						
CAR						
15-11	6 Cyl.		Two 3920s	3900	Two 3690s	3670
15-10	4 Cyl.		3920	3910	3690	3680
11	8 Cyl.		(3)	3900	(3)	3670
10	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
	6 Cyl. 3.6L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 3.9L		Two 3920s	3900	Two 3690s	3670
	8 Cyl.		3920	3910	3690	3680
09-08	8 Cyl. 4.6L		3920	3910	3690	3680
	8 Cyl. 5.3L		(3)	3900	(3)	3670
09-06	6 Cyl.		Two 3920s	3900	Two 3690s	3670
07-06	8 Cyl.		Two 3920s	3910	Two 3690s	3680
05	6 Cyl. 3.6L		Two 3920s	3900	Two 3690s	3670
05-89	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
05-78	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
98-90	4 Cyl.		3920	3910	3690	3680
96-82	8 Cyl.		(3)	3900	(3)	3670
93-89	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
89-88	4 Cyl. 2.3L		3920	3910	3690	3680
89-83	4 Cyl. 2.0L		3910	3900	3680	3670
89-82	4 Cyl. 2.5L		3920	3910	3690	3680
89-80	6 Cyl. 2.8L		3920	3910	3690	3680
88-82	6 Cyl. 3.0L		3920	3900	3690 or 3700	3670
86-82	4 Cyl. 1.8L		3910	3900	3680	3670
85-82	6 Cyl. 4.3L		3930	3910	3700 or 3710	3680
84-80	6 Cyl. 4.1L		3930	3910	3700 or 3710	3680
82-81	8 Cyl. 4.4L		3930	3910	3700 or 3710	3680
81	8 Cyl. 5.7L		(3)	3900	(3)	3670
81-80	8 Cyl. 4.3L		3930	3910	3700 or 3710	3680
81-77	8 Cyl. 5.0L		(3)	3900	(3)	3670
81-76	4 Cyl.		3920	3910	3690	3680
80-78	8 Cyl. 5.7L		(3)	3920	(3)	3690
80-77	8 Cyl. 4.9L		Two 3920s	3900	Two 3690s	3670
79-78	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
79-77	8 Cyl. 6.6L		(3)	3920	(3)	3690
77-76	6 Cyl.		Two 3920s	3900	Two 3690s	3670
77-72	8 Cyl. 5.7L		(3)	3900	(3)	3670



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
BUICK						
CAR						
76-75	8 Cyl. 4.3L		3930	3910	3700 or 3710	3680
76-72	8 Cyl. 7.5L		(3)	3920	(3)	3690
75	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 4.1L		3930	3910	3700 or 3710	3680
	8 Cyl. 6.6L		(3)	3920	(3)	3690
74-73	6 Cyl.		3930	3910	3700 or 3710	3680
71-68	8 Cyl.		(3)	3920	(3)	3690
71-62	6 Cyl.		3930	3910	3700 or 3710	3680
67-66	8 Cyl. 5.6L		(3)	3920	(3)	3690
67-64	8 Cyl. 4.9L		Two 3920s	3900	Two 3690s	3670
67-63	8 Cyl. 7.0L		(3)	3920	(3)	3690
67-61	8 Cyl. 6.6L		(3)	3920	(3)	3690
63-61	8 Cyl. 3.5L		3930	3910	3700 or 3710	3680
61	8 Cyl. 6.0L		(3)	3920	(3)	3690
60-57	All Eng.		(3)	3920	(3)	3690
56	All Eng.		(3)	3900	(3)	3670
55-53	8 Cyl. 5.3L		(3)	3900	(3)	3670
55-50	8 Cyl. 4.3L		3930	3910	3700 or 3710	3680
52-46	8 Cyl. 5.2L		(3)	3900	(3)	3670
50-46	8 Cyl. 4.1L		3930	3910	3700 or 3710	3680
42	8 Cyl. 4.1L		3930	3910	3700 or 3710	3680
	8 Cyl. 5.2L		(3)	3900	(3)	3670
LIGHT DUTY TRUCK						
15-13	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		Two 3920s	3900	Two 3690s	3670
12-08	All Eng.		Two 3920s	3900	Two 3690s	3670
07-06	6 Cyl. 3.5L		Two 3920s	3900	Two 3690s	3670
07-04	6 Cyl. 4.2L		(3)	3900	(3)	3670
	8 Cyl.		(3)	3900	(3)	3670
06-04	6 Cyl. 3.6L		Two 3920s	3900	Two 3690s	3670
05-04	6 Cyl. 3.4L		Two 3920s	3900	Two 3690s	3670
03-02	All Eng.		Two 3920s	3900	Two 3690s	3670
LIGHT DUTY VAN						
07-05	All Eng.		Two 3920s	3900	Two 3690s	3670
CADILLAC						
CAR						
15-14	4 Cyl. 1.4L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CADILLAC						
CAR						
15-14	4 Cyl. 2.5L		3920	3910	3690	3680
15-12	8 Cyl.		(3)	3920	(3)	3690
15-03	6 Cyl.		3920	3910	3690	3680
13	4 Cyl.		3920	3910	3690	3680
11-09	8 Cyl. 4.6L		3930	3910	3700 or 3710	3680
	8 Cyl. 6.2L		(3)	3920	(3)	3690
09	8 Cyl. 4.4L		3930	3910	3700 or 3710	3680
08	8 Cyl.		3930	3910	3700 or 3710	3680
08-07	4 Cyl.		3920	3910	3690	3680
07-06	8 Cyl. 4.4L		3930	3910	3700 or 3710	3680
	8 Cyl. 6.0L		(3)	3920	(3)	3690
07-04	8 Cyl. 4.6L		3930	3910	3700 or 3710	3680
05-04	8 Cyl. 5.7L		(3)	3910	(3)	3680
03	8 Cyl.		3930	3910	3700 or 3710	3680
02	All Eng.		3930	3910	3700 or 3710	3680
01-97	6 Cyl.		3920	3910	3690	3680
	8 Cyl.		3930	3910	3700 or 3710	3680
96-93	8 Cyl. 4.6L		3930	3910	3700 or 3710	3680
96-90	8 Cyl. 5.7L		(3)	3910	(3)	3680
95-91	8 Cyl. 4.9L		3930	3910	3700 or 3710	3680
92-88	8 Cyl. 4.5L		3930	3910	3700 or 3710	3680
92-86	8 Cyl. 5.0L		(3)	3910	(3)	3680
88-86	6 Cyl.		3920	3910	3690	3680
88-82	8 Cyl. 4.1L		3930	3910	3700 or 3710	3680
86-82	4 Cyl.		3920	3910	3690	3680
85	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 4.3L		3930	3910	3700 or 3710	3680
85-76	8 Cyl. 5.7L		(3)	3910	(3)	3680
84-80	8 Cyl. 6.0L		(3)	3920	(3)	3690
82-80	6 Cyl.		3930	3910	3700 or 3710	3680
79-77	8 Cyl. 7.0L		(3)	3920	(3)	3690
76	8 Cyl. 8.2L		(3)	3920	(3)	3690
75-56	All Eng.		(3)	3920	(3)	3690
55-46	All Eng.		(3)	3910	(3)	3680
42	All Eng.		(3)	3910	(3)	3680
LIGHT DUTY TRUCK						
15-10	8 Cyl.		(3)	3920	(3)	3690
15-04	6 Cyl.		3920	3910	3690	3680
09	8 Cyl. 6.0L		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CADILLAC						
LIGHT DUTY TRUCK						
09-07	8 Cyl. 4.6L		3930	3910	3700 or 3710	3680
	8 Cyl. 6.2L		(3)	3920	(3)	3690
06	8 Cyl.		(3)	3920	(3)	3690
05-02	8 Cyl. 5.3L		(3)	3910	(3)	3680
	8 Cyl. 6.0L		(3)	3920	(3)	3690
04	8 Cyl. 4.6L		3930	3910	3700 or 3710	3680
00-99	All Eng.		(3)	3910	(3)	3680
CHEVROLET						
CAR						
15-13	4 Cyl. 2.0L		3920	3900	3690	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
15-12	4 Cyl. 1.2L		3910	3900	3680	3670
15-11	4 Cyl. 1.4L		3910	3900	3680	3670
15-10	4 Cyl. 1.8L		3910	3900	3680	3670
	6 Cyl.		3930	3900	3700 or 3710	3670
15-05	8 Cyl.		(3)	3920	(3)	3690
14-11	4 Cyl. 1.0L		3910	3900	3680	3670
14-08	4 Cyl. 1.6L		3910	3900	3680	3670
14-06	4 Cyl. 2.4L		3920	3910	3690	3680
11-04	4 Cyl. 2.2L		3920	3910	3690	3680
10-04	4 Cyl. 2.0L		3920	3910	3690	3680
09	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
	6 Cyl. 3.6L		3930	3900	3700	3670
	6 Cyl. 3.9L		(3)	3900	(3)	3670
	6 Cyl. 3.9L		(3)		3710	
08	4 Cyl. 1.8L		3930	3910	3700	3680
08-06	6 Cyl.		3930	3900	3700 or 3710	3670
07-04	4 Cyl. 1.6L		3920	3910	3690	3680
	4 Cyl. 1.8L		3910	3900	3680	3670
05-04	6 Cyl. 2.5L		3930	3900	3700	3670
	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
05-00	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
05-95	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
04-97	8 Cyl.		(3)	3900	(3)	3670
03	4 Cyl.		3920	3910	3690	3680
	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
03-95	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
02	4 Cyl. 2.2L		3920	3900	3690	3670
	4 Cyl. 2.4L		3920	3900	3690	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET						
CAR						
02-01	4 Cyl. 1.4L		3910	3900	3680	3670
02-98	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670
01-98	4 Cyl. 1.3L		3910	3900	3680	3670
01-95	4 Cyl. 2.2L		3920	3910	3690	3680
	4 Cyl. 2.4L		3920	3910	3690	3680
00-98	3 Cyl.		3910	3900	3680	3670
99-98	4 Cyl. 1.4L		3910	3900	3680	3670
97-96	4 Cyl. 1.6L		3920	3900	3690	3670
97-95	4 Cyl. 1.4L		3920	3900	3690	3670
	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
96-94	8 Cyl. 4.3L		3930	3910	3700 or 3710	3680
	8 Cyl. 5.7L		(3)	3900	(3)	3670
95	4 Cyl. 2.3L		3920	3910	3690	3680
94	6 Cyl.		3920	3900	3690 or 3700	3670
94-93	4 Cyl.		3920	3910	3690	3680
93-92	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
93-83	8 Cyl.		(3)	3900	(3)	3670
92	4 Cyl. 1.3L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
	4 Cyl. 2.3L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690	3680
92-85	3 Cyl.		3910	3900	3680	3670
91	6 Cyl.		3920	3900	3690 or 3700	3670
91-89	4 Cyl.		3920	3910	3690	3680
90	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
90-85	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
89-88	6 Cyl. 2.8L		3920	3910	3690	3680
88	4 Cyl. 2.0L		3910	3900	3680	3670
88-85	4 Cyl. 1.5L		3910	3900	3680	3670
88-83	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
87-83	4 Cyl. 2.0L		3920	3910	3690	3680
87-80	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
87-78	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
86-83	4 Cyl. 1.8L		3910	3900	3680	3670
84-82	6 Cyl. 4.3L		3930	3910	3700 or 3710	3680
82-79	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET						
CAR						
82-79	8 Cyl. 5.0L		(3)	3900	(3)	3670
	8 Cyl. 5.7L		(3)	3900	(3)	3670
82-62	4 Cyl.		3920	3910	3690	3680
79-78	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
	6 Cyl. 4.1L		Two 3920s	3900	Two 3690s	3670
78-77	8 Cyl.		(3)	3900	(3)	3670
77-64	6 Cyl.		Two 3920s	3900	Two 3690s	3670
76	8 Cyl. 5.0L		(3)	3900	(3)	3670
76-75	8 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
76-70	8 Cyl. 6.6L		(3)	3920	(3)	3690
	8 Cyl. 7.4L		(3)	3920	(3)	3690
76-67	8 Cyl. 5.7L		(3)	3900	(3)	3670
73-68	8 Cyl. 5.0L		(3)	3900	(3)	3670
70-68	8 Cyl. 6.5L		(3)	3920	(3)	3690
69-68	8 Cyl. 5.3L		(3)	3900	(3)	3670
69-67	8 Cyl. 4.9L		(3)	3900	(3)	3670
69-66	8 Cyl. 7.0L		(3)	3920	(3)	3690
69-64	8 Cyl. 5.4L		(3)	3900	(3)	3670
67	8 Cyl. 5.3L		(3)	3920	(3)	3690
67-65	8 Cyl. 6.5L		(3)	3910	(3)	3680
67-58	8 Cyl. 4.6L		Two 3920s	3900	Two 3690s	3670
66	8 Cyl. 5.3L		(3)	3900	(3)	3670
65-62	8 Cyl. 5.3L		(3)	3920	(3)	3690
65-61	8 Cyl. 6.7L		(3)	3920	(3)	3690
63	8 Cyl. 7.0L		(3)	3920	(3)	3690
63-62	6 Cyl. 3.2L		Two 3920s	3900	Two 3690s	3670
63-61	6 Cyl. 2.4L		3930	3900	3700 or 3710	3670
63-60	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
61	6 Cyl. 2.3L		Two 3900s	3900	Two 3670s	3670
61-58	8 Cyl. 5.7L		(3)	3900	(3)	3670
60	6 Cyl. 2.3L		3930	3900	3700 or 3710	3670
	6 Cyl. 3.9L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
59	8 Cyl. 5.3L		(3)	3900	(3)	3670
59-58	6 Cyl.		Two 3920s	3900	Two 3690s	3670
57-46	All Eng.		Two 3920s	3900	Two 3690s	3670
42	All Eng.		Two 3920s	3900	Two 3690s	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET HD						
MEDIUM/HEAVY TRUCK						
15-99	All Eng.		(3)	3920	(3)	3690
98-95	4 Cyl.		(3)	3910	(3)	3680
	6 Cyl.		(3)	3920	(3)	3690
	8 Cyl.		(3)	3920	(3)	3690
94-91	All Eng.		(3)	3920	(3)	3690
90	6 Cyl.		(3)	3920	(3)	3690
	8 Cyl. 10.4L		(3)	3930	(3)	3700
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 6.0L		(3)	3920	(3)	3690
	8 Cyl. 7.0L		(3)	3920	(3)	3690
	8 Cyl. 8.2L		(3)	3920	(3)	3690
89-87	All Eng.		(3)	3920	(3)	3690
86	6 Cyl. 4.3L		(3)	3920	(3)	3690
	6 Cyl. 4.8L		3920	3920	3690	3690
	8 Cyl.		(3)	3920	(3)	3690
85	All Eng.		(3)	3920	(3)	3690
84-82	6 Cyl.		(3)	3920	(3)	3690
84-80	8 Cyl. 10.4L		(3)	3930	(3)	3700
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 6.0L		(3)	3920	(3)	3690
	8 Cyl. 7.0L		(3)	3920	(3)	3690
	8 Cyl. 8.2L		(3)	3920	(3)	3690
82-80	8 Cyl. 9.1L		(3)	3920	(3)	3690
81-80	6 Cyl.		3920	3920	3690	3690
80	8 Cyl. 7.4L		(3)	3920	(3)	3690
79	All Eng.		(3)	3920	(3)	3690
CHEVROLET LIGHT TRUCK						
LIGHT DUTY TRUCK						
15	4 Cyl.		3920	3910	3690	3680
15-14	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
15-08	6 Cyl. 3.6L		3920	3910	3690	3680
15-83	8 Cyl.		(3)	3920	(3)	3690
14	4 Cyl. 1.4L		3910	3900	3680	3670
14-13	4 Cyl. 1.8L		3910	3900	3680	3670
	6 Cyl. 3.0L		3920	3910	3690	3680
14-10	4 Cyl. 2.4L		3920	3910	3690	3680
13	4 Cyl. 1.4L		3920	3910	3690	3680
13-08	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET LIGHT TRUCK						
LIGHT DUTY TRUCK						
12	4 Cyl. 1.8L		3920	3900	3690	3670
	4 Cyl. 2.9L		3930	3910	3700 or 3710	3680
12-10	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
12-08	5 Cyl.		Two 3920s	3910	Two 3690s	3680
11-10	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.9L		3930	3900	3700 or 3710	3670
09	4 Cyl. 1.8L		Two 3910s	3900	Two 3680s	3670
09-07	4 Cyl. 2.9L		3920	3910	3690	3680
09-05	6 Cyl. 3.4L		3920	3910	3690	3680
09-02	6 Cyl. 4.2L		(3)	3910	(3)	3680
08	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.0L		Two 3920s	3910	Two 3690s	3680
	4 Cyl. 2.4L		Two 3920s	3910	Two 3690s	3680
07-06	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
07-04	4 Cyl. 1.8L		3920	3900	3690	3670
	5 Cyl.		3920	3910	3690	3680
07-02	4 Cyl. 2.0L		3920	3910	3690	3680
06-04	4 Cyl. 2.8L		3920	3910	3690	3680
05-03	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
05-02	4 Cyl. 2.2L		3920	3910	3690	3680
04-02	6 Cyl. 2.5L		3920	3910	3690	3680
03	4 Cyl. 1.6L		3920	3900	3690	3670
02	4 Cyl. 1.6L		3910	3900	3680	3670
	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
01-99	6 Cyl.		Two 3920s	3920	Two 3690s	3690
01-92	4 Cyl.		3920	3910	3690	3680
98-96	6 Cyl. 4.1L		3920	3920	3690 or 3700	3690
	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
95-92	6 Cyl.		Two 3920s	3920	Two 3690s	3690
91-89	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
91-88	6 Cyl. 4.3L	C,K,R,V Series Pickups and Silverado(s)	Two 3920s	3920	Two 3690s	3690
	6 Cyl. 4.3L	S10 and T10 Blazer	Two 3920s	3910	Two 3690s	3680
88-86	4 Cyl.		3920	3910	3690	3680
88-82	6 Cyl. 2.8L		3920	3910	3690	3680
88-63	6 Cyl. 4.8L		Two 3920s	3920	Two 3690s	3690
87-85	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
85	4 Cyl. 2.5L		3920	3910	3690	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET LIGHT TRUCK						
LIGHT DUTY TRUCK						
85-82	4 Cyl. 1.9L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
84-83	4 Cyl. 2.0L		3910	3900	3680	3670
84-78	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
84-66	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
82	4 Cyl. 1.8L		3910	3900	3680	3670
	8 Cyl. 6.2L		(3)	3920	(3)	3690
82-79	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 7.4L		(3)	3920	(3)	3690
81-72	4 Cyl.		3910	3900	3680	3670
80-79	8 Cyl. 6.6L		(3)	3920	(3)	3690
79-78	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
78-69	8 Cyl.		(3)	3920	(3)	3690
69-65	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
68	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3900	(3)	3670
	8 Cyl. 6.5L		(3)	3920	(3)	3690
68-67	8 Cyl. 5.4L		(3)	3920	(3)	3690
68-66	8 Cyl. 5.3L		(3)	3920	(3)	3690
67	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
67-66	8 Cyl. 6.5L		(3)	3910	(3)	3680
67-65	3 Cyl.		3920	3910	3690	3680
66	6 Cyl. 3.2L	El Camino	Two 3920s	3900	Two 3690s	3670
	6 Cyl. 3.2L	P10 Series	3920	3920	3690 or 3700	3690
	8 Cyl. 4.6L		(3)	3920	(3)	3690
65-64	6 Cyl. 3.2L		Two 3920s	3900	Two 3690s	3670
65-63	4 Cyl.		3920	3910	3690	3680
65-60	8 Cyl.		(3)	3920	(3)	3690
64	6 Cyl. 2.7L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L	C,K Pickup	3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L	El Camino	Two 3920s	3900	Two 3690s	3670
	6 Cyl. 3.8L	P10 Series, P20 Series, P30 Series	Two 3920s	3910	Two 3690s	3680
63	6 Cyl. 3.8L		3920	3900	3690 or 3700	3670
63-61	6 Cyl. 2.4L		3920	3910	3690 or 3700	3680
62-61	6 Cyl. 3.8L		3920	3920	3690 or 3700	3690
	6 Cyl. 3.9L		3920	3920	3690 or 3700	3690
	6 Cyl. 4.3L		3920	3920	3690 or 3700	3690



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET LIGHT TRUCK						
LIGHT DUTY TRUCK						
60-55	6 Cyl.		3920	3920	3690 or 3700	3690
59	8 Cyl. 4.6L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3900	(3)	3670
58	8 Cyl.		(3)	3920	(3)	3690
57	8 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
	8 Cyl. 4.6L		(3)	3920	(3)	3690
	8 Cyl. 5.3L		(3)	3920	(3)	3690
56-55	8 Cyl.		(3)	3920	(3)	3690
54	All Eng.		3920	3920	3690 or 3700	3690
53	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		3920	3920	3690 or 3700	3690
52	All Eng.		3920	3920	3690 or 3700	3690
51-46	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		3920	3920	3690 or 3700	3690
45-44	All Eng.		3920	3910	3690 or 3700	3680
43	6 Cyl. 3.5L		3920	3920	3690 or 3700	3690
	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
42	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY VAN						
15	All Eng.		(3)	3920	(3)	3690
14-10	6 Cyl.		Two 3920s	3920	Two 3690s	3690
14-01	8 Cyl.		(3)	3920	(3)	3690
09	6 Cyl. 3.9L		3920	3920	3690 or 3700	3690
09-90	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
08-07	4 Cyl.		3910	3900	3680	3670
08-06	6 Cyl. 3.9L		3920	3900	3690 or 3700	3670
06-05	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
06-04	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690 or 3700	3680
05-96	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
03	4 Cyl.		3920	3910	3690 or 3700	3680
02	4 Cyl. 2.2L		3920	3910	3690 or 3700	3680
	4 Cyl. 2.2L	Zafira	3920	3910	3690	3680
00	8 Cyl. 7.4L		(3)	3900	(3)	3670
00-94	8 Cyl. 6.5L		(3)	3920	(3)	3690
00-77	8 Cyl. 5.0L		(3)	3920	(3)	3690
00-73	8 Cyl. 5.7L		(3)	3920	(3)	3690
99-96	8 Cyl. 7.4L	Express	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P30	3930	3900	3700 or 3710	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET LIGHT TRUCK						
LIGHT DUTY VAN						
96	6 Cyl. 3.8L		3920	3920	3690 or 3700	3690
	8 Cyl. 7.4L	G Series Fullsize Van	(3)	3900	(3)	3670
95-94	4 Cyl.		3920	3910	3690	3680
95-92	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
95-90	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
95-88	8 Cyl. 7.4L	G Series Fullsize Van	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P30	3930	3920	3700 or 3710	3690
93-92	4 Cyl.		Two 3920s	3910	Two 3690s	3680
93-82	8 Cyl. 6.2L		(3)	3920	(3)	3690
91	4 Cyl.		3920	3910	3690	3680
90	4 Cyl. 2.5L		3920	3910	3690	3680
	4 Cyl. 3.9L		(3)	3910	(3)	3680
89-85	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		Two 3920s	3920	Two 3690s	3690
87-80	8 Cyl. 7.4L		3930	3920	3700 or 3710	3690
84-68	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.8L		Two 3920s	3920	Two 3690s	3690
80-75	8 Cyl. 6.6L		(3)	3920	(3)	3690
79	8 Cyl. 7.4L	P20	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P30	3930	3920	3700 or 3710	3690
78-77	8 Cyl. 7.4L		3930	3920	3700 or 3710	3690
76	8 Cyl. 7.4L	P20	(3)	3920	(3)	3690
76-75	8 Cyl. 7.4L	P30	3930	3920	3700 or 3710	3690
76-73	8 Cyl. 7.4L	G Series Fullsize Van	(3)	3920	(3)	3690
74-73	8 Cyl. 7.4L	P30 Van	3930	3920	3700 or 3710	3690
73	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 7.4L	P10	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P20	(3)	3920	(3)	3690
72	8 Cyl.		(3)	3920	(3)	3690
71-70	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 7.4L	P20	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P30 Van	(3)	3930	(3)	3700
70-68	3 Cyl.		3920	3910	3690	3680
69-68	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3920	(3)	3690
67	All Eng.		Two 3920s	3910	Two 3690s	3680
66	6 Cyl. 3.2L		3920	3920	3690 or 3700	3690
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
65-64	4 Cyl.		3920	3910	3690	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHEVROLET LIGHT TRUCK						
LIGHT DUTY VAN						
65-64	6 Cyl.		Two 3920s	3920	Two 3690s	3690
CHRYSLER						
CAR						
15-11	6 Cyl.		3930	3900	3700 or 3710	3670
15-08	8 Cyl.		(3)	3920	(3)	3690
15-03	4 Cyl.		3920	3910	3690	3680
10	6 Cyl. 2.7L		3920	3910	3690	3680
	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
09-06	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
09-04	6 Cyl. 2.7L		3930	3900	3700 or 3710	3670
08-04	6 Cyl. 3.2L		Two 3920s	3900	Two 3690s	3670
07-05	8 Cyl. 5.7L		3920	3910	3690	3680
	8 Cyl. 6.1L		(3)	3920	(3)	3690
05-04	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
05-01	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
03-98	6 Cyl. 2.7L		3920	3910	3690	3680
03-93	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
02-95	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.4L		3920	3910	3690	3680
01-98	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
00-97	6 Cyl. 2.5L		3920	3910	3690	3680
97-90	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
96	6 Cyl. 2.5L		3920	3910	3690 or 3700	3680
95	6 Cyl. 2.5L		3920	3910	3690	3680
95-90	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
94-84	4 Cyl.		3920	3910	3690	3680
93-91	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
89-88	6 Cyl.		3930	3900	3700 or 3710	3670
89-79	8 Cyl.		(3)	3900	(3)	3670
83-82	4 Cyl.		Two 3920s	3910	Two 3690s	3680
83-78	6 Cyl.		Two 3920s	3900	Two 3690s	3670
78-75	8 Cyl. 5.2L		(3)	3900	(3)	3670
78-72	8 Cyl. 6.6L		(3)	3920	(3)	3690
78-71	8 Cyl. 5.9L		(3)	3900	(3)	3670
	8 Cyl. 7.2L		(3)	3920	(3)	3690
71	8 Cyl. 6.3L		(3)	3920	(3)	3690
70-65	All Eng.		(3)	3920	(3)	3690
64-61	8 Cyl. 5.9L		(3)	3900	(3)	3670
	8 Cyl. 6.3L		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
CHRYSLER						
CAR						
64-61	8 Cyl. 6.7L		(3)	3920	(3)	3690
	8 Cyl. 6.8L		(3)	3920	(3)	3690
63	8 Cyl. 7.0L		(3)	3920	(3)	3690
60-59	All Eng.		(3)	3920	(3)	3690
58-56	All Eng.		3920	3900	3690	3670
55	8 Cyl. 4.9L		3920	3900	3690 or 3700	3670
	8 Cyl. 5.4L		3920	3900	3690	3670
54-53	6 Cyl.		3920	3900	3690 or 3700	3670
54-46	8 Cyl.		3920	3900	3690	3670
52	6 Cyl. 4.1L		(3)	3920	(3)	3690
	6 Cyl. 4.3L		3920	3900	3690 or 3700	3670
51-46	6 Cyl.		3920	3900	3690 or 3700	3670
42	6 Cyl.		3920	3900	3690 or 3700	3670
	8 Cyl.		3920	3900	3690	3670
CHRYSLER VEHICLES						
09	All Eng.		Two 3920s	3900	Two 3690s	3670
LIGHT DUTY TRUCK						
09	All Eng.		(3)	3920	(3)	3690
08	6 Cyl.		3920	3900	3690 or 3700	3670
	8 Cyl.		(3)	3920	(3)	3690
07	6 Cyl. 4.0L		3920	3900	3690 or 3700	3670
	8 Cyl. 4.7L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3910	(3)	3680
07-06	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
06	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
05	All Eng.		Two 3920s	3900	Two 3690s	3670
04	All Eng.		3930	3900	3700 or 3710	3670
LIGHT DUTY VAN						
15-10	All Eng.		3930	3900	3700 or 3710	3670
09-08	All Eng.		3920	3900	3690 or 3700	3670
07-95	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
03-00	4 Cyl.		3920	3910	3690	3680
00	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
94	All Eng.		Two 3920s	3900	Two 3690s	3670
93-90	All Eng.		3920	3900	3690 or 3700	3670



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
DAEWOO						
CAR						
02-99	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3900	3690	3670
	4 Cyl. 2.2L		3920	3900	3690	3670
DODGE						
CAR						
15-12	4 Cyl. 1.4L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.4L		3920	3910	3690	3680
15-11	6 Cyl.		3930	3900	3700 or 3710	3670
15-08	8 Cyl.		(4)	3920	(4)	3690
14-12	4 Cyl. 1.1L		3910	3900	3680	3670
11	4 Cyl.		3920	3910	3690	3680
10	6 Cyl. 2.7L		3920	3910	3690	3680
	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
10-08	10 Cyl.		(4)	3920	(4)	3690
10-07	4 Cyl. 1.1L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
10-93	4 Cyl. 2.4L		3920	3910	3690	3680
09-07	4 Cyl. 1.8L		3920	3910	3690	3680
09-04	6 Cyl.		3930	3900	3700 or 3710	3670
07-06	8 Cyl. 5.7L		(4)	3910	(4)	3680
	8 Cyl. 6.1L		(4)	3920	(4)	3690
06-05	10 Cyl.		(4)	3920	(4)	3690
	4 Cyl. 1.1L		3920	3900	3690	3670
06-04	4 Cyl. 1.6L		3920	3900	3690	3670
05	8 Cyl.		(4)	3910	(4)	3680
05-04	4 Cyl. 2.0L		3920	3910	3690	3680
04	4 Cyl. 1.0L		3920	3900	3690	3670
04-92	10 Cyl.		(3)	3920	(3)	3690
03-01	4 Cyl. 1.0L		3910	3900	3680	3670
	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
03-00	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
03-98	6 Cyl. 2.7L		3920	3910	3690	3680
03-95	4 Cyl. 2.0L		3910	3900	3680	3670
00-98	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
00-97	6 Cyl. 2.5L		3920	3910	3690	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
DODGE						
CAR						
97-93	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
97-91	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
96	6 Cyl. 2.5L		3920	3910	3690 or 3700	3680
96-91	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
95	6 Cyl. 2.5L		3920	3910	3690	3680
95-86	4 Cyl. 2.5L		3920	3910	3690	3680
95-85	4 Cyl. 1.5L		3910	3900	3680	3670
94-92	4 Cyl. 1.8L		3910	3900	3680	3670
94-81	4 Cyl. 2.2L		3920	3910	3690	3680
91-84	4 Cyl. 2.0L		3910	3900	3680	3670
90-89	4 Cyl. 1.8L		3910	3900	3680	3670
90-88	6 Cyl.		3930	3900	3700 or 3710	3670
90-78	4 Cyl. 1.6L		3910	3900	3680	3670
89-79	8 Cyl.		(3)	3900	(3)	3670
86-78	4 Cyl. 2.6L		3920	3910	3690	3680
84-79	4 Cyl. 1.4L		3910	3900	3680	3670
83-78	4 Cyl. 1.7L		3910	3900	3680	3670
83-75	6 Cyl.		Two 3920s	3900	Two 3690s	3670
78-72	8 Cyl. 6.6L		(3)	3920	(3)	3690
78-71	8 Cyl. 5.9L		(3)	3900	(3)	3670
78-66	8 Cyl. 7.2L		(3)	3920	(3)	3690
78-60	8 Cyl. 5.2L		(3)	3900	(3)	3670
77-71	4 Cyl.		3910	3900	3680	3670
74-70	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
74-60	6 Cyl. 3.7L		Two 3920s	3900	Two 3690s	3670
73-68	8 Cyl. 5.6L		(3)	3900	(3)	3670
71-70	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
71-63	8 Cyl. 7.0L		(3)	3920	(3)	3690
71-60	8 Cyl. 6.3L		(3)	3920	(3)	3690
69-64	8 Cyl. 4.5L		Two 3920s	3900	Two 3690s	3670
69-60	6 Cyl. 2.8L		3930	3910	3700 or 3710	3680
66-65	8 Cyl. 5.9L		(3)	3920	(3)	3690
65	8 Cyl. 6.7L		(3)	3920	(3)	3690
64-61	8 Cyl. 5.9L		(3)	3900	(3)	3670
63-61	8 Cyl. 6.7L		(3)	3920	(3)	3690
	8 Cyl. 6.8L		(3)	3920	(3)	3690
60	8 Cyl. 5.9L		(3)	3920	(3)	3690
59-58	8 Cyl.		(3)	3920	(3)	3690
59-53	6 Cyl.		3920	3900	3690 or 3700	3670
57	8 Cyl. 5.3L		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
DODGE						
CAR						
57	8 Cyl. 5.8L		(3)	3900	(3)	3670
56	8 Cyl. 4.4L		3920	3900	3690 or 3700	3670
	8 Cyl. 5.1L		(3)	3920	(3)	3690
55	8 Cyl.		(3)	3900	(3)	3670
54-53	8 Cyl.		3920	3900	3690	3670
52-46	All Eng.		3920	3900	3690 or 3700	3670
42	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		3920	3900	3690 or 3700	3670
DODGE LIGHT TRUCK						
LIGHT DUTY TRUCK						
15	6 Cyl.		3920	3910	3690	3680
15-11	8 Cyl.		(3)	3920	(3)	3690
15-09	4 Cyl.		3920	3910	3690	3680
14-13	6 Cyl.		3930	3910	3700 or 3710	3680
12-11	6 Cyl. 3.6L		3930	3910	3700 or 3710	3680
12-02	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
11-07	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
10	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
10-07	6 Cyl. 6.7L		(3)	3920	(3)	3690
10-03	8 Cyl. 5.7L		(3)	3920	(3)	3690
10-00	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
10-89	6 Cyl. 5.9L		(3)	3920	(3)	3690
09	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
08-03	4 Cyl.		Two 3920s	3910	Two 3690s	3680
06-94	10 Cyl.		(3)	3920	(3)	3690
03-00	8 Cyl. 5.9L		(3)	3920	(3)	3690
03-89	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
02-90	4 Cyl.		3920	3910	3690	3680
01-00	8 Cyl. 5.2L		(3)	3920	(3)	3690
99-68	8 Cyl.		(3)	3920	(3)	3690
91-89	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
89	4 Cyl. 2.5L		3920	3910	3690	3680
89-79	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.6L		3920	3910	3690	3680
88-87	4 Cyl. 2.2L		3920	3910	3690	3680
88-60	6 Cyl.		Two 3920s	3910	Two 3690s	3680
85-83	4 Cyl. 2.3L		3920	3910	3690	3680
84-82	4 Cyl. 2.2L		3920	3910	3690	3680
67	8 Cyl. 6.3L		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.

(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.

(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.

(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
DODGE LIGHT TRUCK						
LIGHT DUTY TRUCK						
67-64	8 Cyl. 4.5L		3920	3920	3690 or 3700	3690
	8 Cyl. 5.2L		(3)	3920	(3)	3690
63-53	8 Cyl.		(3)	3920	(3)	3690
59-58	6 Cyl. 4.1L		3920	3910	3690 or 3700	3680
59-55	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
57-55	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
56-53	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
55	6 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
54	6 Cyl. 4.1L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.3L		3920	3910	3690 or 3700	3680
54-53	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
53	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
52-42	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY VAN						
14	All Eng.		3930	3900	3700 or 3710	3670
13-11	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3900	3700 or 3710	3670
10	6 Cyl. 3.3L		3930	3900	3700 or 3710	3670
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
09-08	6 Cyl. 4.0L		3930	3900	3700 or 3710	3670
09-07	6 Cyl. 3.0L		Two 3920s	3910	Two 3690s	3680
09-04	6 Cyl. 3.8L		3930	3900	3700 or 3710	3670
09-90	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
08	4 Cyl.		3920	3910	3690 or 3700	3680
08-07	6 Cyl. 3.5L		Two 3920s	3920	Two 3690s	3690
07-84	4 Cyl.		3920	3910	3690	3680
06-03	5 Cyl.		Two 3920s	3910	Two 3690s	3680
03-94	6 Cyl. 3.8L		Two 3920s	3900	Two 3690s	3670
03-88	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
03-80	8 Cyl.		(3)	3920	(3)	3690
00-97	6 Cyl. 3.0L		3920	3900	3690 or 3700	3670
96-92	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
91-87	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
87	6 Cyl. 3.7L		Two 3920s	3900	Two 3690s	3670
86-72	6 Cyl.		Two 3920s	3900	Two 3690s	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
DODGE LIGHT TRUCK						
LIGHT DUTY VAN						
79	8 Cyl. 5.2L		(3)	3920	(3)	3690
	8 Cyl. 5.9L		(3)	3920	(3)	3690
	8 Cyl. 7.2L		(3)	3930	(3)	3700
78-70	8 Cyl.		(3)	3920	(3)	3690
71	6 Cyl. 3.2L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.7L		Two 3920s	3900	Two 3690s	3670
70	6 Cyl.		Two 3920s	3900	Two 3690s	3670
69	All Eng.		Two 3920s	3900	Two 3690s	3670
68	6 Cyl.		Two 3920s	3900	Two 3690s	3670
	8 Cyl.		(3)	3920	(3)	3690
67	All Eng.		Two 3920s	3900	Two 3690s	3670
66-64	6 Cyl.		Two 3920s	3900	Two 3690s	3670
	8 Cyl.		Two 3920s	3910	Two 3690s	3680
61-60	All Eng.		3920	3900	3690 or 3700	3670
59-58	6 Cyl.		3920	3900	3690 or 3700	3670
	8 Cyl.		(3)	3920	(3)	3690
57	All Eng.		3920	3900	3690 or 3700	3670
55-48	All Eng.		3920	3900	3690 or 3700	3670
DODGE MEDIUM DUTY TRUCK						
MEDIUM/HEAVY TRUCK						
10-05	All Eng.		(3)	3920	(3)	3690
02-95	All Eng.		(3)	3920	(3)	3690
81-78	All Eng.		(3)	3920	(3)	3690
EAGLE						
CAR						
98	All Eng.		3910	3900	3680	3670
97	4 Cyl.		3910	3900	3680	3670
97-93	6 Cyl.		3920	3920	3690 or 3700	3690
96-92	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.4L		3920	3910	3690	3680
92-89	6 Cyl.		3920	3910	3690	3680
91-90	4 Cyl.		3910	3900	3680	3670
89	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
EAGLE						
CAR						
88	All Eng.		3920	3910	3690	3680
FORD						
CAR						
15	4 Cyl. 2.3L		3920	3910	3690	3680
	8 Cyl.		(3)	3910	(3)	3680
15-14	3 Cyl.		3910	3900	3680	3670
	4 Cyl. 1.5L		3910	3900	3680	3670
15-11	6 Cyl.		3930	3910	3700 or 3710	3680
15-10	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690	3680
14-12	8 Cyl.		(3)	3920	(3)	3690
11	8 Cyl. 5.0L		(3)	3920	(3)	3690
11-10	5 Cyl.		Two 3920s	3910	Two 3690s	3680
11-08	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
11-05	8 Cyl. 5.4L		(3)	3920	(3)	3690
10	4 Cyl. 2.3L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
10-09	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
09	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
09-08	4 Cyl.		3910	3900	3680	3670
08	6 Cyl.		Two 3920s	3910	Two 3690s	3680
07	4 Cyl.		3920	3910	3690	3680
07-06	6 Cyl. 2.5L		3920	3910	3690 or 3700	3680
07-05	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
07-04	8 Cyl. 4.6L	CROWN VICTORIA	Two 3920s	3910	Two 3690s	3680
	8 Cyl. 4.6L	MUSTANG	3930	3910	3700 or 3710	3680
07-86	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
06	4 Cyl. 1.6L		3920	3900	3690	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
06-03	4 Cyl. 2.3L		3920	3910	3690	3680
05	8 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
05-03	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3910	3900	3680	3670
05-01	6 Cyl. 2.5L		3930	3910	3700 or 3710	3680
04	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 3.9L		Two 3920s	3920	Two 3690s	3690
04-86	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD						
CAR						
03-01	8 Cyl.		Two 3920s	3910	Two 3690s	3680
02-95	4 Cyl.		3910	3900	3680	3670
00	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.4L		(3)	3920	(3)	3690
00-93	6 Cyl. 2.5L		3920	3910	3690	3680
99-96	8 Cyl.		Two 3920s	3910	Two 3690s	3680
95	8 Cyl. 5.8L		(3)	3920	(3)	3690
95-93	6 Cyl. 3.2L		3930	3910	3700 or 3710	3680
95-92	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
95-80	8 Cyl. 5.0L		(3)	3910	(3)	3680
94-93	4 Cyl. 2.0L		3910	3900	3680	3670
94-91	4 Cyl. 1.8L		3910	3900	3680	3670
94-88	4 Cyl. 1.3L		3910	3900	3680	3670
94-85	4 Cyl. 1.9L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
92-89	4 Cyl. 2.2L		3920	3910	3690	3680
91-86	4 Cyl. 2.5L		3920	3910	3690	3680
91-83	8 Cyl. 5.8L		(3)	3920	(3)	3690
87-84	4 Cyl. 2.0L		3910	3900	3680	3670
85-84	6 Cyl.		Two 3920s	3910	Two 3690s	3680
85-78	4 Cyl. 1.6L		3910	3900	3680	3670
84	4 Cyl. 2.3L		Two 3920s	3910	Two 3690s	3680
83-82	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
83-78	4 Cyl. 2.3L		3920	3910	3690	3680
82-80	8 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.8L		(3)	3910	(3)	3680
81	6 Cyl.		3920	3910	3690 or 3700	3680
80-69	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
80-68	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
79	8 Cyl.		(3)	3910	(3)	3680
79-74	6 Cyl. 2.8L		3920	3910	3690	3680
78-72	8 Cyl. 7.5L		(3)	3920	(3)	3690
78-71	8 Cyl. 6.6L		(3)	3920	(3)	3690
78-69	8 Cyl. 5.8L		(3)	3910	(3)	3680
78-68	8 Cyl. 5.0L		(3)	3910	(3)	3680
77-75	4 Cyl.		3920	3910	3690 or 3700	3680
74	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
73-63	8 Cyl. 7.0L		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD						
CAR						
73-46	4 Cyl.		3910	3900	3680	3670
72-68	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
71-62	8 Cyl. 6.4L		(3)	3920	(3)	3690
69-63	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
68	8 Cyl. 3.9L		3920	3910	3690 or 3700	3680
67-65	6 Cyl.		3920	3910	3690 or 3700	3680
67-62	8 Cyl. 5.8L		(3)	3920	(3)	3690
65	8 Cyl. 4.3L		3920	3910	3690 or 3700	3680
64-63	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
64-62	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
64-60	6 Cyl. 2.4L		3920	3910	3690	3680
	6 Cyl. 2.6L		3920	3910	3690	3680
	6 Cyl. 2.8L		3920	3910	3690	3680
64-57	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
63-62	8 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 6.6L		(3)	3920	(3)	3690
	8 Cyl. 6.7L		(3)	3920	(3)	3690
62-60	8 Cyl. 4.8L		Two 3920s	3910	Two 3690s	3680
61	8 Cyl. 5.8L		(3)	3910	(3)	3680
	8 Cyl. 6.4L		(3)	3910	(3)	3680
60-59	8 Cyl. 7.0L		(3)	3920	(3)	3690
60-58	8 Cyl. 5.8L		(3)	3920	(3)	3690
59-58	8 Cyl. 5.4L		(3)	3920	(3)	3690
	8 Cyl. 5.9L		(3)	3920	(3)	3690
59-57	6 Cyl. 2.6L		3920	3910	3690 or 3700	3680
59-56	8 Cyl. 4.8L		3920	3910	3690 or 3700	3680
57	8 Cyl. 4.5L		3920	3910	3690 or 3700	3680
57-56	8 Cyl. 5.1L		(3)	3920	(3)	3690
57-55	8 Cyl. 4.4L		3920	3910	3690 or 3700	3680
56-46	6 Cyl.		3920	3910	3690 or 3700	3680
55	8 Cyl. 4.8L		Two 3920s	3910	Two 3690s	3680
54	8 Cyl. 4.2L	Club	(3)	3910	(3)	3680
54-53	8 Cyl. 3.9L		3920	3910	3690 or 3700	3680
	8 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680
53	8 Cyl. 3.7L		3920	3910	3690 or 3700	3680
52-46	8 Cyl.		3920	3910	3690 or 3700	3680
42	All Eng.		3920	3910	3690 or 3700	3680



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD HD						
MEDIUM/HEAVY TRUCK						
15-10	All Eng.		(3)	3920	(3)	3690
09-08	8 Cyl. 6.4L		(3)	3920	(3)	3690
09-06	10 Cyl.		(3)	3920	(3)	3690
	8 Cyl. 5.4L		(3)	3910	(3)	3680
	8 Cyl. 6.0L		(3)	3920	(3)	3690
05	All Eng.		(3)	3920	(3)	3690
04-03	10 Cyl.		(3)	3920	(3)	3690
	8 Cyl. 5.4L		(3)	3910	(3)	3680
	8 Cyl. 6.0L		(3)	3920	(3)	3690
03	8 Cyl. 7.3L		(3)	3920	(3)	3690
02-97	All Eng.		(3)	3920	(3)	3690
96	8 Cyl. 5.8L		(3)	3910	(3)	3680
	8 Cyl. 7.3L		(3)	3920	(3)	3690
	8 Cyl. 7.5L		(3)	3920	(3)	3690
95-88	All Eng.		(3)	3920	(3)	3690
FORD LIGHT TRUCK						
LIGHT DUTY TRUCK						
15	4 Cyl. 2.0L		3920	3900	3690	3670
	6 Cyl. 2.7L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.5L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.7L		3930	3910	3700 or 3710	3680
	8 Cyl. 5.0L		(3)	3910	(3)	3680
	8 Cyl. 6.2L		(3)	3920	(3)	3690
	8 Cyl. 6.7L		(3)	3920	(3)	3690
15-12	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
14-12	4 Cyl. 2.0L		3920	3910	3690	3680
	6 Cyl.		Two 3920s	3910	Two 3690s	3680
14-11	8 Cyl.		(3)	3920	(3)	3690
12	4 Cyl. 2.3L		3920	3910	3690	3680
11	6 Cyl. 3.7L		3930	3910	3700 or 3710	3680
11-10	4 Cyl.		3920	3910	3690	3680
	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
11-91	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
10	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.4L		(3)	3920	(3)	3690
	8 Cyl. 6.2L		(3)	3920	(3)	3690
10-09	6 Cyl. 4.2L		3920	3910	3690 or 3700	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD LIGHT TRUCK						
LIGHT DUTY TRUCK						
10-08	8 Cyl. 6.4L		(3)	3920	(3)	3690
10-99	10 Cyl.		(3)	3920	(3)	3690
09	4 Cyl. 2.5L		3920	3910	3690	3680
09-08	8 Cyl. 4.6L		Two 3920s	3920	Two 3690s	3690
09-07	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
09-05	4 Cyl. 1.6L		3920	3900	3690	3670
09-01	4 Cyl. 2.3L		3920	3910	3690	3680
09-97	8 Cyl. 5.4L		(3)	3910	(3)	3680
09-91	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
08-05	4 Cyl. 2.0L		3920	3910	3690	3680
08-97	6 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680
07-03	8 Cyl. 6.0L		(3)	3920	(3)	3690
07-97	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
04-01	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3910	3900	3680	3670
03-99	8 Cyl. 7.3L		(3)	3920	(3)	3690
01	4 Cyl. 2.5L		3920	3910	3690	3680
01-68	8 Cyl. 5.0L		(3)	3910	(3)	3680
00-89	4 Cyl.		3920	3910	3690	3680
97	6 Cyl. 4.9L		3920	3910	3690 or 3700	3680
97-88	8 Cyl. 7.3L		(3)	3920	(3)	3690
97-83	8 Cyl. 7.5L		(3)	3920	(3)	3690
97-77	8 Cyl. 5.8L		(3)	3910	(3)	3680
96-86	6 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
92-86	6 Cyl. 2.9L		3920	3910	3690 or 3700	3680
90	6 Cyl. 4.0L		3920	3910	3690 or 3700	3680
88-83	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
87-83	8 Cyl. 6.9L		(3)	3920	(3)	3690
85-77	6 Cyl.		Two 3920s	3910	Two 3690s	3680
84-83	4 Cyl. 2.2L		3920	3910	3690	3680
82-81	8 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680
82-72	4 Cyl.		3910	3900	3680	3670
	8 Cyl. 6.6L		(3)	3920	(3)	3690
79-73	8 Cyl. 7.5L		(3)	3920	(3)	3690
77-75	8 Cyl. 5.4L		(3)	3920	(3)	3690
77-68	8 Cyl. 5.9L		(3)	3910	(3)	3680
77-67	8 Cyl. 6.4L		(3)	3920	(3)	3690
76-75	6 Cyl.		3920	3910	3690 or 3700	3680
76-69	8 Cyl. 5.8L		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD LIGHT TRUCK						
LIGHT DUTY TRUCK						
74-73	6 Cyl.		Two 3920s	3910	Two 3690s	3680
73-68	8 Cyl. 7.0L		(3)	3920	(3)	3690
72-69	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
72-68	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
68	6 Cyl. 3.3L		Two 3920s	3910	Two 3690s	3680
68-64	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
67-66	6 Cyl.		Two 3920s	3910	Two 3690s	3680
67-65	8 Cyl. 5.8L		(3)	3910	(3)	3680
66-64	8 Cyl. 5.9L		(3)	3910	(3)	3680
65	6 Cyl. 2.8L	Falcon Sedan Delivery	3920	3910	3690 or 3700	3680
	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
65-64	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.3L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.3L	Falcon Sedan Delivery	3920	3910	3690 or 3700	3680
65-59	8 Cyl. 4.8L		Two 3920s	3910	Two 3690s	3680
64	6 Cyl. 2.4L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 2.4L	Falcon Sedan Delivery	3920	3910	3690	3680
	6 Cyl. 2.8L	Falcon Sedan Delivery	3920	3910	3690	3680
	6 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 4.3L	Falcon Sedan Delivery	Two 3920s	3910	Two 3690s	3680
64-62	8 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
63	6 Cyl.		Two 3920s	3910	Two 3690s	3680
63-60	8 Cyl. 5.4L		(3)	3920	(3)	3690
62	6 Cyl. 2.4L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 2.4L	Falcon Sedan Delivery	3920	3910	3690	3680
	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 2.8L	Falcon Sedan Delivery	3920	3910	3690	3680
	6 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 4.3L	Falcon Sedan Delivery	Two 3920s	3910	Two 3690s	3680
61	6 Cyl.		3920	3910	3690	3680
60	6 Cyl.		Two 3920s	3910	Two 3690s	3680
60-57	8 Cyl. 5.8L		(3)	3920	(3)	3690
59	6 Cyl.		3920	3910	3690 or 3700	3680
58	8 Cyl. 4.4L		3920	3920	3690 or 3700	3690
58-57	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.

(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.

(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.

(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD LIGHT TRUCK						
LIGHT DUTY TRUCK						
58-57	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 4.8L		3920	3910	3690 or 3700	3680
57	8 Cyl. 4.4L		3920	3910	3690 or 3700	3680
56-46	6 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl.		3920	3920	3690 or 3700	3690
45-43	All Eng.		3920	3920	3690 or 3700	3690
42	4 Cyl.		3920	3910	3690 or 3700	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl.		3920	3920	3690 or 3700	3690
LIGHT DUTY VAN						
15	5 Cyl.		3920	3910	3690	3680
	6 Cyl.		Two 3920s	3910	Two 3690s	3680
15-14	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
14	4 Cyl. 2.2L		3920	3910	3690 or 3700	3680
14-10	8 Cyl. 5.4L		(3)	3920	(3)	3690
14-04	10 Cyl.		(3)	3920	(3)	3690
14-97	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
13-10	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.2L		3910	3900	3680	3670
10-04	8 Cyl. 6.0L		(3)	3920	(3)	3690
09-08	4 Cyl.		3910	3900	3680	3670
09-03	8 Cyl. 5.4L		(3)	3910	(3)	3680
07-05	6 Cyl.		Two 3920s	3910	Two 3690s	3680
04	6 Cyl.		3920	3910	3690 or 3700	3680
03-01	6 Cyl.		Two 3920s	3910	Two 3690s	3680
02-97	8 Cyl. 5.4L		(3)	3920	(3)	3690
01-97	10 Cyl.		(3)	3920	(3)	3690
01-88	8 Cyl. 7.3L		(3)	3920	(3)	3690
00-97	6 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680
00-95	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
00-86	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
97	8 Cyl. 5.8L		(3)	3920	(3)	3690
97-90	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
96-86	6 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
96-79	8 Cyl. 5.0L		(3)	3910	(3)	3680
96-75	8 Cyl. 5.8L		(3)	3910	(3)	3680
	8 Cyl. 7.5L		(3)	3920	(3)	3690
87-86	4 Cyl.		3920	3910	3690	3680



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
FORD LIGHT TRUCK						
LIGHT DUTY VAN						
87-83	8 Cyl. 6.9L		(3)	3920	(3)	3690
86	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
85-72	6 Cyl.		Two 3920s	3910	Two 3690s	3680
82-80	8 Cyl. 6.6L		(3)	3920	(3)	3690
77-76	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 6.6L		(3)	3920	(3)	3690
75-69	8 Cyl. 5.0L		(3)	3910	(3)	3680
74-69	8 Cyl. 5.9L		(3)	3920	(3)	3690
	8 Cyl. 6.4L		(3)	3920	(3)	3690
71-68	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
68-67	8 Cyl.		(3)	3920	(3)	3690
67	6 Cyl.		Two 3920s	3910	Two 3690s	3680
66-65	All Eng.		Two 3920s	3910	Two 3690s	3680
64	8 Cyl.		Two 3920s	3910	Two 3690s	3680
64-63	4 Cyl.		3930	3900	3700 or 3710	3670
	6 Cyl.		Two 3920s	3910	Two 3690s	3680
63	8 Cyl.		3920	3920	3690 or 3700	3690
62	8 Cyl.		Two 3920s	3910	Two 3690s	3680
62-61	6 Cyl.		3920	3910	3690	3680
61	8 Cyl.		3920	3910	3690 or 3700	3680
60	All Eng.		3920	3910	3690	3680
59	8 Cyl.		3920	3910	3690	3680
59-57	6 Cyl.		3920	3910	3690 or 3700	3680
58	8 Cyl. 4.4L		(3)	3920	(3)	3690
	8 Cyl. 4.8L		3920	3910	3690	3680
57	8 Cyl.		(3)	3920	(3)	3690
56-52	All Eng.		3920	3910	3690 or 3700	3680
GEO						
CAR						
97-89	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
97-89	All Eng.		3910	3900	3680	3670
GMC HD						
MEDIUM/HEAVY TRUCK						
15-99	All Eng.		(3)	3920	(3)	3690
98-95	4 Cyl.		(3)	3910	(3)	3680
	6 Cyl.		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide




YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
GMC HD						
MEDIUM/HEAVY TRUCK						
98-95	8 Cyl.		(3)	3920	(3)	3690
94-91	All Eng.		(3)	3920	(3)	3690
90	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
	6 Cyl. 4.8L		Two 3920s	3920	Two 3690s	3690
	6 Cyl. 6.6L		(3)	3920	(3)	3690
90-80	8 Cyl.		(3)	3920	(3)	3690
89-87	6 Cyl.		Two 3920s	3920	Two 3690s	3690
86-85	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
86-80	6 Cyl. 4.8L		(3)	3910	(3)	3680
	6 Cyl. 4.8L	P4500	Two 3920s	3920	Two 3690s	3690
85-82	6 Cyl. 6.1L		(3)	3920	(3)	3690
79	All Eng.		Two 3920s	3920	Two 3690s	3690
GMC LIGHT TRUCK						
LIGHT DUTY TRUCK						
15-14	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
15-13	4 Cyl.		3920	3910	3690	3680
15-08	6 Cyl. 3.6L		3920	3910	3690	3680
15-56	8 Cyl.		(3)	3920	(3)	3690
13-08	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
12	4 Cyl. 2.9L		3930	3910	3700 or 3710	3680
12-10	4 Cyl. 2.4L		3920	3910	3690	3680
	5 Cyl.		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
11-10	4 Cyl. 2.9L		3930	3900	3700 or 3710	3670
09-08	5 Cyl.		3920	3910	3690 or 3700	3680
	6 Cyl. 4.2L		(3)	3920	(3)	3690
09-89	4 Cyl.		3920	3910	3690	3680
07	6 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
07-06	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
07-04	5 Cyl.		3920	3910	3690	3680
07-02	6 Cyl. 4.2L		(3)	3910	(3)	3680
05-03	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
02	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
01-92	6 Cyl.		Two 3920s	3920	Two 3690s	3690
91-89	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
91-88	6 Cyl. 4.3L	C,K,R,V Series Pickups and Sierra(s)	Two 3920s	3920	Two 3690s	3690
	6 Cyl. 4.3L	S15 and T15 Jimmy, Sonoma, Syclone, Typhoon	Two 3920s	3910	Two 3690s	3680




YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
GMC LIGHT TRUCK						
LIGHT DUTY TRUCK						
88	4 Cyl.		Two 3920s	3910	Two 3690s	3680
88-82	6 Cyl. 2.8L		3920	3910	3690	3680
88-63	6 Cyl. 4.8L		Two 3920s	3920	Two 3690s	3690
87-86	4 Cyl.		3920	3910	3690	3680
87-85	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
85	4 Cyl. 2.5L		3920	3910	3690	3680
85-84	4 Cyl. 1.9L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
84	4 Cyl. 2.0L		3910	3900	3680	3670
84-78	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
84-66	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
83-82	4 Cyl.		3910	3900	3680	3670
79	6 Cyl. 3.3L		3930	3910	3700 or 3710	3680
78	6 Cyl. 3.3L		3930	3900	3700 or 3710	3670
69-65	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
69-60	6 Cyl. 5.0L		(3)	3920	(3)	3690
68-65	6 Cyl. 5.7L		(3)	3920	(3)	3690
66	4 Cyl.		3910	3900	3680	3670
66-63	6 Cyl. 3.2L		3920	3910	3690 or 3700	3680
65-63	4 Cyl.		3920	3910	3690 or 3700	3680
64-60	6 Cyl. 3.8L		3920	3920	3690 or 3700	3690
62-61	6 Cyl. 4.3L		3920	3920	3690 or 3700	3690
62-60	6 Cyl. 4.4L		3920	3920	3690 or 3700	3690
59-55	6 Cyl.		3920	3920	3690 or 3700	3690
55	8 Cyl. 4.7L		Two 3920s	3920	Two 3690s	3690
	8 Cyl. 5.2L		(3)	3920	(3)	3690
	8 Cyl. 5.3L		(3)	3920	(3)	3690
54-42	All Eng.		3920	3920	3690 or 3700	3690
LIGHT DUTY VAN						
15	All Eng.		(3)	3920	(3)	3690
14-00	8 Cyl.		(3)	3920	(3)	3690
14-85	6 Cyl.		Two 3920s	3920	Two 3690s	3690
99-97	8 Cyl. 7.4L	P3500	3930	3920	3700 or 3710	3690
99-96	8 Cyl. 7.4L	Savana	(3)	3920	(3)	3690
99-94	8 Cyl. 6.5L		(3)	3920	(3)	3690
99-77	8 Cyl. 5.0L		(3)	3920	(3)	3690
99-73	8 Cyl. 5.7L		(3)	3920	(3)	3690
96	8 Cyl. 7.4L	P3500	(3)	3930	(3)	3700
95-88	8 Cyl. 7.4L	G Series Fullsize Van	(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
GMC LIGHT TRUCK						
LIGHT DUTY VAN						
95-88	8 Cyl. 7.4L	P3500	3930	3920	3700 or 3710	3690
93-82	8 Cyl. 6.2L		(3)	3920	(3)	3690
91	4 Cyl.		3920	3910	3690	3680
90	4 Cyl. 2.5L		3920	3910	3690	3680
	4 Cyl. 3.9L		(3)	3910	(3)	3680
89-85	4 Cyl.		3920	3910	3690	3680
87-81	8 Cyl. 7.4L		3930	3920	3700 or 3710	3690
84-67	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.8L		Two 3920s	3920	Two 3690s	3690
80	8 Cyl. 7.4L		(3)	3930	(3)	3700
80-75	8 Cyl. 6.6L		(3)	3920	(3)	3690
79	8 Cyl. 7.4L	P15/P1500 Van	(3)	3920	(3)	3690
	8 Cyl. 7.4L	P3500	3930	3920	3700 or 3710	3690
78-77	8 Cyl. 7.4L		3930	3920	3700 or 3710	3690
76-75	8 Cyl. 7.4L	P35	3930	3920	3700 or 3710	3690
76-73	8 Cyl. 7.4L	G Series Fullsize Van	(3)	3920	(3)	3690
74-73	8 Cyl. 7.4L	P35/P3500 Van	3930	3920	3700 or 3710	3690
73	8 Cyl. 5.0L		(3)	3920	(3)	3690
72	8 Cyl.		(3)	3920	(3)	3690
71	8 Cyl. 6.6L		(3)	3920	(3)	3690
	8 Cyl. 7.4L		3930	3920	3700 or 3710	3690
71-70	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 5.7L		(3)	3920	(3)	3690
70	8 Cyl. 7.4L		(3)	3930	(3)	3700
69-68	8 Cyl.		(3)	3920	(3)	3690
69-67	3 Cyl.		3920	3910	3690	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
67	8 Cyl. 4.6L		3920	3920	3690 or 3700	3690
	8 Cyl. 5.4L		(3)	3920	(3)	3690
66	All Eng.		Two 3920s	3910	Two 3690s	3680
HONDA						
CAR						
15	4 Cyl.		3910	3900	3680	3670
15-11	6 Cyl.		3930	3910	3700 or 3710	3680
14	4 Cyl. 2.0L		3920	3910	3690	3680
14-07	4 Cyl. 1.5L		3910	3900	3680	3670
14-06	4 Cyl. 1.8L		3910	3900	3680	3670
14-03	4 Cyl. 1.3L		3910	3900	3680	3670
	4 Cyl. 2.4L		3920	3910	3690	3680



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
HONDA						
CAR						
11-00	4 Cyl. 2.0L		3920	3910	3690	3680
10-08	6 Cyl.		3920	3910	3690 or 3700	3680
09-04	4 Cyl. 2.2L		3920	3910	3690	3680
07-05	6 Cyl.		3930	3910	3700 or 3710	3680
06-00	3 Cyl.		3910	3900	3680	3670
05-01	4 Cyl. 1.7L		3910	3900	3680	3670
04-98	6 Cyl.		3920	3910	3690 or 3700	3680
02-98	4 Cyl. 2.3L		3920	3910	3690	3680
01-90	4 Cyl. 2.2L		3920	3910	3690	3680
00-90	4 Cyl. 1.6L		3910	3900	3680	3670
97-95	6 Cyl.		3920	3910	3690	3680
96-92	4 Cyl. 2.3L		3920	3910	3690	3680
95-90	4 Cyl. 1.5L		3910	3900	3680	3670
91	4 Cyl. 2.0L		3920	3910	3690	3680
91-90	4 Cyl. 2.1L		3920	3910	3690	3680
90	4 Cyl. 2.0L		3910	3900	3680	3670
89-69	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15-03	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
02	All Eng.		3920	3910	3690 or 3700	3680
01-97	4 Cyl.		3910	3900	3680	3670
	6 Cyl.		3920	3910	3690 or 3700	3680
96-94	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY VAN						
15-11	All Eng.		3930	3910	3700 or 3710	3680
10-99	All Eng.		3920	3910	3690 or 3700	3680
98-95	All Eng.		3920	3910	3690	3680
HUMMER (AM GENERAL)						
LIGHT DUTY TRUCK						
10-02	All Eng.		(3)	3910	(3)	3680
HYUNDAI						
CAR						
17	4 Cyl. 1.4L		3910	3900	3680	3670
17-15	4 Cyl. 1.3L		3910	3900	3680	3670
17-92	4 Cyl. 2.0L		3920	3910	3690	3680
16	6 Cyl.		3930	3910	3700	3680
16-01	4 Cyl. 1.6L		3910	3900	3680	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide




YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
HYUNDAI						
CAR						
16-99	4 Cyl. 2.4L		3920	3910	3690	3680
15	4 Cyl. 1.8L		3910	3900	3680	3670
15-13	8 Cyl.		(3)	3920	(3)	3690
15-06	6 Cyl. 3.3L		3930	3910	3700	3680
	6 Cyl. 3.8L		3920	3910	3690	3680
14-11	4 Cyl. 1.8L		3920	3910	3690	3680
12	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.0L		(3)	3920	(3)	3690
11-09	8 Cyl.		Two 3920s	3910	Two 3690s	3680
08-02	6 Cyl. 2.7L		3920	3910	3690	3680
05-02	6 Cyl. 3.5L		3930	3910	3700	3680
03-89	4 Cyl. 1.5L		3910	3900	3680	3670
01	6 Cyl. 2.5L		3920	3910	3690	3680
	6 Cyl. 3.0L		3930	3910	(3)	3680
	6 Cyl. 3.0L		(3)		3700	
00-99	6 Cyl.		3920	3910	3690	3680
98-93	4 Cyl. 1.8L		3910	3900	3680	3670
98-90	6 Cyl.		3930	3910	3700	3680
95-92	4 Cyl. 1.6L		3910	3900	3680	3670
91-89	4 Cyl. 2.4L		3920	3910	3690	3680
88-83	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
17-16	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
17-13	6 Cyl.		3930	3910	3700	3680
15-01	4 Cyl.		3920	3910	3690	3680
12-10	6 Cyl. 3.5L		3930	3910	3700	3680
12-07	6 Cyl. 3.8L		3920	3910	3690	3680
09-07	6 Cyl. 2.7L		3930	3910	3700	3680
	6 Cyl. 3.3L		3930	3910	3700	3680
06-01	6 Cyl.		3930	3910	3700	3680
LIGHT DUTY VAN						
10-07	All Eng.		3920	3910	3690	3680
INTERNATIONAL						
LIGHT DUTY TRUCK						
80-76	6 Cyl.		3920	3910	3690 or 3700	3680
80-72	4 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl.		(3)	3900	(3)	3670




YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
INTERNATIONAL						
LIGHT DUTY TRUCK						
74-73	6 Cyl.		Two 3920s	3900	Two 3690s	3670
72	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.2L		Two 3920s	3900	Two 3690s	3670
71	4 Cyl. 2.5L		3920	3900	3690 or 3700	3670
	4 Cyl. 3.2L		3920	3910	3690 or 3700	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl. 5.7L		(3)	3900	(3)	3670
71-69	8 Cyl. 6.4L		(3)	3900	(3)	3670
71-67	8 Cyl. 5.6L		(3)	3900	(3)	3670
71-61	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.0L		(3)	3900	(3)	3670
70	4 Cyl.		3920	3900	3690 or 3700	3670
70-69	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
70-67	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
70-66	6 Cyl. 3.9L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
69-67	4 Cyl. 2.5L		3920	3900	3690 or 3700	3670
	4 Cyl. 3.2L		3920	3910	3690 or 3700	3680
68	6 Cyl. 4.0L		3930	3910	3700 or 3710	3680
66-61	4 Cyl.		3920	3900	3690 or 3700	3670
65	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
65-63	6 Cyl.		3930	3910	3700 or 3710	3680
64-61	8 Cyl. 2.5L		3920	3910	3690 or 3700	3680
62-56	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.9L		3930	3910	3700 or 3710	3680
60-59	8 Cyl.		Two 3920s	3910	Two 3690s	3680
60-57	6 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
55-50	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY VAN						
72	6 Cyl.		Two 3920s	3900	Two 3690s	3670
72-71	8 Cyl.		(3)	3900	(3)	3670
71	4 Cyl. 2.5L		3920	3900	3690 or 3700	3670
	4 Cyl. 3.2L		3920	3910	3690 or 3700	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
70	4 Cyl.		3920	3900	3690 or 3700	3670
70-69	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
70-65	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.0L		(3)	3900	(3)	3670
70-60	6 Cyl. 3.9L		3930	3910	3700 or 3710	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
INTERNATIONAL						
LIGHT DUTY VAN						
70-60	6 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
69-68	4 Cyl. 2.5L		3920	3900	3690 or 3700	3670
	4 Cyl. 3.2L		3920	3910	3690 or 3700	3680
68	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
68-60	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
67-64	4 Cyl.		3920	3900	3690 or 3700	3670
63-61	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3900	3690 or 3700	3670
59	All Eng.		3920	3910	3690 or 3700	3680
58-57	4 Cyl.		3910	3900	3680	3670
	6 Cyl.		3920	3910	3690 or 3700	3680
56-50	All Eng.		3920	3910	3690 or 3700	3680
INTERNATIONAL HD / NAVISTAR						
MEDIUM/HEAVY TRUCK						
13-10	All Eng.		(3)	3920	(3)	3690
09-07	6 Cyl. 8.9L		(3)	3920	(3)	3690
09-05	6 Cyl. 10.8L		(3)	3920	(3)	3690
	6 Cyl. 4.5L		3920	3900	3690	3670
	6 Cyl. 7.6L		(3)	3920	(3)	3690
	6 Cyl. 9.3L		(3)	3920	(3)	3690
	8 Cyl.		(3)	3920	(3)	3690
05	6 Cyl. 6.7L		(3)	3920	(3)	3690
	6 Cyl. 8.7L		(3)	3920	(3)	3690
04-79	All Eng.		(3)	3900	(3)	3670
71-70	6 Cyl.		(3)	3900	(3)	3670
71-66	8 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
	8 Cyl. 5.0L		(3)	3900	(3)	3670
68-66	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.9L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.3L		Two 3920s	3900	Two 3690s	3670
	8 Cyl. 6.6L		(3)	3900	(3)	3670
	8 Cyl. 7.8L		(3)	3900	(3)	3670
	8 Cyl. 9.0L		(3)	3900	(3)	3670
65	All Eng.		(3)	3900	(3)	3670
57-56	6 Cyl. 4.4L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 4.6L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 5.0L		(3)	3900	(3)	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
ISUZU						
CAR						
93-90	All Eng.		3910	3900	3680	3670
89	4 Cyl. 1.6L		3910	3900	3680	3670
89-88	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
87-81	All Eng.		3910	3900	3680	3670
66-61	All Eng.		3920	3900	3690	3670
LIGHT DUTY TRUCK						
08-06	4 Cyl.		3920	3910	3690	3680
	5 Cyl.		3920	3910	3690	3680
	6 Cyl.		(3)	3920	(3)	3690
06	8 Cyl.		(3)	3920	(3)	3690
05	All Eng.		(3)	3920	(3)	3690
04-03	6 Cyl. 3.2L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.2L		(3)	3920	(3)	3690
	8 Cyl.		(3)	3920	(3)	3690
03-98	4 Cyl.		3920	3910	3690	3680
02-01	6 Cyl.		3920	3910	3690 or 3700	3680
00-98	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
00-97	6 Cyl. 3.2L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.3L		Two 3920s	3920	Two 3690s	3690
97-96	4 Cyl. 2.2L		3920	3910	3690	3680
97-88	4 Cyl. 2.6L		3920	3910	3690 or 3700	3680
96-89	6 Cyl.		3920	3910	3690 or 3700	3680
95-86	4 Cyl. 2.3L		3920	3910	3690	3680
87-83	4 Cyl. 1.9L		3910	3900	3680	3670
87-81	4 Cyl. 2.2L		3920	3910	3690	3680
82-81	4 Cyl. 1.8L		3910	3900	3680	3670
LIGHT DUTY VAN						
99-96	All Eng.		3920	3910	3690	3680
ISUZU HD						
MEDIUM/HEAVY TRUCK						
13-11	4 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	4 Cyl. 5.2L		(3)	3920	(3)	3690
12-11	8 Cyl.		(3)	3920	(3)	3690
11	6 Cyl.		(3)	3920	(3)	3690
10-07	All Eng.		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
ISUZU HD						
MEDIUM/HEAVY TRUCK						
06	4 Cyl.		(3)	3920	(3)	3690
	6 Cyl.		(3)	3920	(3)	3690
	8 Cyl.		(4)	3920	(4)	3690
05	All Eng.		(3)	3920	(3)	3690
04	4 Cyl.		Two 3920s	3920	Two 3690s	3690
	6 Cyl.		(3)	3920	(3)	3690
	8 Cyl.		(3)	3920	(3)	3690
03-85	All Eng.		(3)	3920	(3)	3690
JEEP						
JEEP VEHICLES						
09	8 Cyl. 5.7L	GRAND CHEROKEE, COMMANDER	(3)	3920	(3)	
	8 Cyl. 5.7L	GRAND CHEROKEE, COMMANDER; HEMI ENGINE	(3)		(3)	3690
LIGHT DUTY TRUCK						
15	4 Cyl.		3920	3910	3690	3680
15-10	6 Cyl.		Two 3920s	3910	Two 3690s	3680
15-09	8 Cyl.		(3)	3920	(3)	3690
14	4 Cyl.		3920	3910	3690 or 3700	3680
13-07	4 Cyl.		3920	3910	3690	3680
10	8 Cyl. 4.7L		Two 3920s	3920	Two 3690s	3690
09-07	6 Cyl.		Two 3920s	3900	Two 3690s	3670
08-06	8 Cyl. 6.1L		(3)	3920	(3)	3690
08-05	8 Cyl. 4.7L		(3)	3920	(3)	3690
	8 Cyl. 5.7L	GRAND CHEROKEE, COMMANDER	(3)	3920	(3)	
	8 Cyl. 5.7L	GRAND CHEROKEE, COMMANDER; HEMI ENGINE	(3)		(3)	3690
06-05	4 Cyl. 2.4L		3920	3910	3690	3680
	4 Cyl. 2.8L		(3)	3900	(3)	3670
06-02	6 Cyl. 3.7L		Two 3920s	3900	Two 3690s	3670
	6 Cyl. 4.0L		3930	3910	3700 or 3710	3680
04-93	8 Cyl.		(3)	3920	(3)	3690
04-80	4 Cyl.		3920	3910	3690	3680
01-87	6 Cyl.		3930	3910	3700 or 3710	3680
91-65	8 Cyl.		(3)	3920	(3)	3690
86	6 Cyl. 4.2L		3930	3910	3700 or 3710	3680
86-84	6 Cyl. 2.8L		3920	3910	3690	3680
85-84	6 Cyl. 4.2L		Two 3920s	3910	Two 3690s	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
JEEP						
LIGHT DUTY TRUCK						
83-79	6 Cyl.		Two 3920s	3910	Two 3690s	3680
78-47	6 Cyl.		Two 3920s	3900	Two 3690s	3670
73-60	4 Cyl.		3920	3910	3690	3680
59-47	4 Cyl.		3920	3910	3690 or 3700	3680
46-43	All Eng.		3920	3910	3690	3680
KIA						
CAR						
15	8 Cyl.		(3)	3920	(3)	3690
15-14	4 Cyl. 1.8L		3910	3900	3680	3670
	6 Cyl.		Two 3920s	3910	Two 3690s	3680
15-04	4 Cyl. 2.0L		3920	3910	3690	3680
15-03	4 Cyl. 1.6L		3910	3900	3680	3670
15-01	4 Cyl. 2.4L		3920	3910	3690	3680
12-10	6 Cyl.		3930	3910	3700 or 3710	3680
09-08	6 Cyl. 2.7L		3930	3910	3700 or 3710	3680
09-07	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
07	6 Cyl. 2.7L		3930	3910	(3)	3680
	6 Cyl. 2.7L		(3)		Two 3700s	
06	6 Cyl. 2.7L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
05-01	6 Cyl.		3930	3910	3700 or 3710	3680
04-01	4 Cyl. 1.8L		3910	3900	3680	3670
02-01	4 Cyl. 1.5L		3910	3900	3680	3670
00-94	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15-11	6 Cyl.		Two 3920s	3910	Two 3690s	3680
15-05	4 Cyl.		3920	3910	3690	3680
11-09	8 Cyl.		(3)	3910	(3)	3680
10-08	6 Cyl. 2.7L		3930	3910	3700 or 3710	3680
10-07	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
09-08	6 Cyl. 3.3L		Two 3920s	3910	Two 3690s	3680
07	6 Cyl. 2.7L		3930	3910	(3)	3680
	6 Cyl. 2.7L		(3)		Two 3700s	
06	6 Cyl. 2.7L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
05	6 Cyl.		3930	3910	3700 or 3710	3680
04-03	All Eng.		3930	3910	3700 or 3710	3680
02-01	All Eng.		3920	3910	3690	3680
00-95	All Eng.		3920	3900	3690	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
KIA						
LIGHT DUTY VAN						
15-14	All Eng.		Two 3920s	3910	Two 3690s	3680
12-06	All Eng.		Two 3920s	3910	Two 3690s	3680
05-02	All Eng.		3930	3910	3700 or 3710	3680
LINCOLN						
CAR						
15	All Eng.		3920	3910	3690	3680
14-11	4 Cyl.		3920	3910	3690	3680
14-08	6 Cyl.		Two 3920s	3910	Two 3690s	3680
11-08	8 Cyl.		(3)	3920	(3)	3690
07-00	6 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl.		Two 3920s	3910	Two 3690s	3680
99-93	All Eng.		Two 3920s	3910	Two 3690s	3680
92-91	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.0L		(3)	3920	(3)	3690
92-88	6 Cyl.		Two 3920s	3910	Two 3690s	3680
90-88	8 Cyl.		(3)	3920	(3)	3690
87-86	All Eng.		(3)	3920	(3)	3690
85-84	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3920	(3)	3690
83	All Eng.		(3)	3920	(3)	3690
82	6 Cyl.		Two 3930s	3920	Two 3700s	3690
	8 Cyl.		(3)	3920	(3)	3690
81-78	All Eng.		(3)	3920	(3)	3690
77	8 Cyl. 5.0L		(3)	3920	(3)	3690
	8 Cyl. 5.8L		(3)	3920	(3)	3690
	8 Cyl. 6.6L		(3)	3930	(3)	3700
	8 Cyl. 7.5L		(3)	3920	(3)	3690
76-46	All Eng.		(3)	3920	(3)	3690
42	All Eng.		(3)	3920	(3)	3690
LIGHT DUTY TRUCK						
15-13	4 Cyl.		3920	3910	3690	3680
15-08	6 Cyl.		Two 3920s	3910	Two 3690s	3680
14-07	8 Cyl.		(3)	3920	(3)	3690
07	6 Cyl.		3920	3910	3690 or 3700	3680
06-98	All Eng.		(3)	3920	(3)	3690
MAZDA						
CAR						
15	All Eng.		3920	3910	3690	3680
14-11	4 Cyl. 1.5L		3910	3900	3680	3670



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MAZDA						
CAR						
14-11	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690	3680
13-11	4 Cyl. 2.3L		3920	3910	3690	3680
13-08	6 Cyl.		3930	3920	3700 or 3710	3690
11-04	2 Cyl.		3910	3900	3680	3670
10	4 Cyl.		3920	3910	3690	3680
09	4 Cyl. 2.0L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690	3680
08-06	4 Cyl.		3920	3910	3690	3680
07-03	6 Cyl.		3930	3910	3700 or 3710	3680
05-03	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.3L		3920	3910	3690	3680
03	4 Cyl. 1.6L		3910	3900	3680	3670
02-96	6 Cyl.		3920	3910	3690	3680
02-93	4 Cyl.		3910	3900	3680	3670
95	6 Cyl. 2.3L		3920	3910	3690 or 3700	3680
95-93	2 Cyl.		3910	3900	3680	3670
	6 Cyl. 2.5L		3920	3910	3690 or 3700	3680
95-92	6 Cyl. 1.8L		3910	3900	3680	3670
	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
92-90	4 Cyl. 1.8L		3910	3900	3680	3670
92-88	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
91-88	2 Cyl.		3910	3900	3680	3670
	6 Cyl.		3920	3910	3690 or 3700	3680
87-86	All Eng.		3910	3900	3680	3670
85-84	2 Cyl. 1.1L		3920	3900	3690	3670
	2 Cyl. 1.3L		3910	3900	3680	3670
85-73	4 Cyl.		3910	3900	3680	3670
83-73	2 Cyl.		3920	3900	3690	3670
72-67	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15	All Eng.		3920	3910	3690	3680
14	6 Cyl.		3920	3920	3690 or 3700	3690
14-12	4 Cyl.		3920	3910	3690	3680
13-12	6 Cyl.		3930	3920	3700 or 3710	3690
11-10	4 Cyl. 2.3L		Two 3920s	3910	Two 3690s	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MAZDA						
LIGHT DUTY TRUCK						
11-10	4 Cyl. 2.3L	CX-7	3920	3910	3690	3680
	4 Cyl. 2.5L		Two 3920s	3910	Two 3690s	3680
	4 Cyl. 2.5L	CX-7	3920	3910	3690	3680
	6 Cyl. 3.0L		Two 3920s	3910	Two 3690s	3680
11-09	6 Cyl. 3.7L		3930	3920	3700 or 3710	3690
10-95	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
09-08	4 Cyl.		3920	3910	3690 or 3700	3680
09-94	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
08	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
07	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
07-91	4 Cyl.		3920	3910	3690	3680
94	6 Cyl. 4.0L	B4000	Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.0L	NAVAJO	3930	3910	3700 or 3710	3680
93-91	6 Cyl.		3930	3910	3700 or 3710	3680
90-87	All Eng.		3920	3910	3690	3680
86	All Eng.		3910	3900	3680	3670
84-78	All Eng.		3910	3900	3680	3670
77-76	All Eng.		3920	3900	3690	3670
75	All Eng.		3910	3900	3680	3670
74	All Eng.		3920	3900	3690	3670
73-72	All Eng.		3910	3900	3680	3670
LIGHT DUTY VAN						
15-12	All Eng.		3920	3910	3690	3680
10-07	All Eng.		3920	3910	3690	3680
06	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
05-00	All Eng.		3920	3910	3690 or 3700	3680
98-95	All Eng.		3920	3910	3690 or 3700	3680
94-89	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
MERCURY						
CAR						
11-10	All Eng.		3920	3910	3690	3680
09-08	4 Cyl.		3930	3910	3700 or 3710	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
	8 Cyl.		3920	3910	3690	3680
07-06	4 Cyl.		3920	3920	3690	3690
07-03	6 Cyl.		3920	3910	3690 or 3700	3680
07-66	8 Cyl.		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MERCURY						
CAR						
02-99	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
02-95	4 Cyl.		3910	3900	3680	3670
	6 Cyl. 2.5L		3920	3910	3690	3680
98-93	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
97-95	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
94-93	6 Cyl. 3.8L		Two 3920s	3920	Two 3690s	3690
94-91	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 1.9L		3910	3900	3680	3670
94-87	4 Cyl. 1.6L		3910	3900	3680	3670
94-81	4 Cyl. 2.3L		3920	3910	3690	3680
92-86	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
87-85	4 Cyl. 1.9L		3910	3900	3680	3670
87-84	4 Cyl. 2.0L		3910	3900	3680	3670
86	4 Cyl. 2.5L		3920	3910	3690	3680
85-84	6 Cyl.		Two 3920s	3910	Two 3690s	3680
85-81	4 Cyl. 1.6L		3910	3900	3680	3670
83-82	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
81	6 Cyl.		3920	3910	3690 or 3700	3680
80-75	4 Cyl.		3920	3910	3690	3680
80-69	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
79-74	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
74-70	4 Cyl.		3910	3900	3680	3670
73-72	6 Cyl. 2.6L		3920	3910	3690	3680
72-69	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
68-64	6 Cyl.		3920	3910	3690 or 3700	3680
65-64	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
65-63	8 Cyl. 7.0L		(3)	3920	(3)	3690
65-62	8 Cyl. 4.3L		(3)	3920	(3)	3690
	8 Cyl. 6.4L		(3)	3920	(3)	3690
63	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
	8 Cyl. 3.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 4.7L		(3)	3920	(3)	3690
63-62	6 Cyl. 2.4L		3920	3910	3690	3680
	8 Cyl. 6.6L		(3)	3920	(3)	3690
62	6 Cyl. 2.8L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.6L		3930	3910	3700 or 3710	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MERCURY						
CAR						
62	8 Cyl. 3.6L		3930	3920	3700 or 3710	3690
	8 Cyl. 4.8L		(3)	3920	(3)	3690
	8 Cyl. 5.8L		(3)	3920	(3)	3690
61	6 Cyl.		Two 3920s	3910	Two 3690s	3680
61-60	8 Cyl.		(3)	3920	(3)	3690
60	6 Cyl.		3920	3910	3690	3680
59-56	All Eng.		(3)	3920	(3)	3690
55-50	All Eng.		Two 3920s	3910	Two 3690s	3680
49	8 Cyl. 3.7L		3930	3910	3700 or 3710	3680
	8 Cyl. 4.2L		(3)	3920	(3)	3690
48-46	All Eng.		3920	3910	3690 or 3700	3680
42	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY TRUCK						
11	All Eng.		3920	3910	3690	3680
10	4 Cyl.		3920	3910	3690	3680
	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
10-05	8 Cyl.		(3)	3910	(3)	3680
09	4 Cyl.		3920	3910	3690 or 3700	3680
09-08	6 Cyl.		3930	3910	3700 or 3710	3680
08-05	4 Cyl.		3930	3910	3700 or 3710	3680
07-05	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
04-02	All Eng.		Two 3920s	3910	Two 3690s	3680
01-98	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3910	(3)	3680
97	All Eng.		(3)	3910	(3)	3680
50-48	8 Cyl. 3.9L		3930	3920	3700	3690
	8 Cyl. 4.2L		Two 3920s	3920	Two 3690s	3690
LIGHT DUTY VAN						
07-06	All Eng.		3920	3910	3690 or 3700	3680
05-04	All Eng.		3930	3910	3700 or 3710	3680
02-93	All Eng.		3930	3910	3700 or 3710	3680
MITSUBISHI						
CAR						
14	3 Cyl.		3910	3900	3680	3670
	4 Cyl.		3920	3910	3690	3680
13	All Eng.		3920	3910	3690	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MITSUBISHI						
CAR						
12	6 Cyl.		3910	3910	3700 or 3710	3680
12-05	4 Cyl.		3920	3910	3690	3680
11-05	6 Cyl.		3930	3910	3700 or 3710	3680
04	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
04-02	4 Cyl. 2.0L		3920	3910	3690	3680
04-92	4 Cyl. 2.4L		3920	3910	3690	3680
04-90	4 Cyl. 1.8L		3910	3900	3680	3670
03-88	6 Cyl.		3920	3910	3690 or 3700	3680
02-85	4 Cyl. 1.5L		3910	3900	3680	3670
99-84	4 Cyl. 2.0L		3920	3910	3690	3680
92-91	4 Cyl. 1.6L		3910	3900	3680	3670
89-85	4 Cyl. 1.6L		3910	3900	3680	3670
89-83	4 Cyl. 2.6L		3920	3910	3690	3680
88-83	4 Cyl. 1.8L		3910	3900	3680	3670
87-85	4 Cyl. 2.4L		3920	3910	3690	3680
LIGHT DUTY TRUCK						
15	All Eng.		3920	3910	3690	3680
14	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
14-08	4 Cyl.		3920	3910	3690	3680
13-12	6 Cyl.		3930	3910	3700 or 3710	3680
11-10	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.5L		3930	3910	3700	3680
	6 Cyl. 3.8L		3930	3910	3700 or 3710	3680
09	6 Cyl.		3930	3910	3700 or 3710	3680
08-07	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.7L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
07	8 Cyl.		(3)	3910	(3)	3680
06	6 Cyl. 3.7L		3920	3910	3690	3680
	8 Cyl.		3920	3910	3690	3680
06-05	6 Cyl. 3.5L		3930	3910	3700	3680
	6 Cyl. 3.8L		3920	3910	3690	3680
06-03	4 Cyl.		3920	3910	3690	3680
04-03	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
MITSUBISHI						
LIGHT DUTY TRUCK						
03	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
02-00	All Eng.		3930	3910	3700 or 3710	3680
99-95	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
94-93	All Eng.		3930	3910	3700 or 3710	3680
92-89	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
88-83	All Eng.		3920	3910	3690	3680
LIGHT DUTY VAN						
08-07	All Eng.		3920	3910	3690	3680
90-87	All Eng.		3920	3910	3690	3680
NISSAN						
CAR						
15-10	6 Cyl.		3930	3910	3700 or 3710	3680
15-09	4 Cyl. 2.5L		3920	3910	3690	3680
15-00	4 Cyl. 1.8L		3910	3900	3680	3670
15-83	4 Cyl. 1.6L		3910	3900	3680	3670
12-07	4 Cyl. 2.0L		3920	3910	3690	3680
09	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.7L		3930	3910	3700 or 3710	3680
	6 Cyl. 3.8L		3930	3910	3700 or 3710	3680
08	6 Cyl.		3920	3910	3690 or 3700	3680
07-06	4 Cyl. 1.4L		3910	3900	3680	3670
07-05	6 Cyl.		3930	3910	3700 or 3710	3680
07-02	4 Cyl. 2.5L		3920	3910	3690	3680
04-84	6 Cyl.		3920	3910	3690 or 3700	3680
01-91	4 Cyl. 2.0L		3920	3910	3690	3680
01-89	4 Cyl. 2.4L		3920	3910	3690	3680
91-84	4 Cyl. 1.2L		3910	3900	3680	3670
89-84	4 Cyl. 1.8L		3910	3900	3680	3670
89-74	4 Cyl. 2.0L		3920	3910	3690	3680
87-83	4 Cyl. 1.7L		3910	3900	3680	3670
84-79	4 Cyl. 1.5L		3910	3900	3680	3670
83-82	4 Cyl. 2.2L		3920	3910	3690	3680
83-70	6 Cyl.		3920	3910	3690	3680
82-79	4 Cyl. 1.2L		3910	3900	3680	3670
82-75	4 Cyl. 1.4L		3910	3900	3680	3670
74	4 Cyl. 1.3L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
NISSAN						
CAR						
73-71	4 Cyl.		3910	3900	3680	3670
70	4 Cyl. 1.2L		3910	3900	3680	3670
70-67	4 Cyl. 1.0L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
67	4 Cyl. 1.3L		3910	3900	3680	3670
66-58	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
14-11	4 Cyl. 1.6L		3910	3900	3680	3670
14-09	4 Cyl. 2.4L		Two 3920s	3910	Two 3690s	3680
	4 Cyl. 2.5L		3920	3910	3690	3680
14-05	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
14-04	8 Cyl.		(3)	3920	(3)	3690
08-86	4 Cyl.		3920	3910	3690	3680
04-86	6 Cyl.		3930	3910	3700 or 3710	3680
85-75	All Eng.		3920	3910	3690	3680
74-70	All Eng.		3910	3900	3680	3670
69-66	4 Cyl.		3910	3900	3680	3670
	6 Cyl.		3920	3910	3690	3680
65-61	All Eng.		3920	3910	3690	3680
LIGHT DUTY VAN						
15-13	4 Cyl.		3920	3910	3690	3680
15-12	6 Cyl. 3.5L		3930	3910	3700 or 3710	3680
	6 Cyl. 4.0L		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3920	(3)	3690
12	4 Cyl. 2.5L		3920	3910	3690	3680
	4 Cyl. 3.0L		Two 3920s	3910	Two 3690s	3680
	4 Cyl. 3.0L	Urvan	3920	3910	3690	3680
11	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
10	All Eng.		3920	3910	3690	3680
09-08	6 Cyl.		3920	3910	3690 or 3700	3680
09-05	4 Cyl.		3920	3910	3690	3680
07-05	6 Cyl.		3930	3910	3700 or 3710	3680
04-03	All Eng.		3920	3910	3690 or 3700	3680
02	4 Cyl.		3920	3910	3690 or 3700	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
NISSAN						
LIGHT DUTY VAN						
02-00	6 Cyl.		3930	3910	3700 or 3710	3680
01-00	4 Cyl.		3920	3910	3690	3680
99-93	All Eng.		3930	3910	3700 or 3710	3680
88-87	All Eng.		3920	3910	3690	3680
OLDSMOBILE						
CAR						
04	All Eng.		3920	3910	3690 or 3700	3680
03-01	8 Cyl.		Two 3920s	3910	Two 3690s	3680
03-00	6 Cyl.		3920	3910	3690 or 3700	3680
03-87	4 Cyl.		3920	3910	3690	3680
99	6 Cyl. 3.4L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
99-95	8 Cyl.		Two 3920s	3910	Two 3690s	3680
99-89	6 Cyl. 3.1L		3920	3910	3690 or 3700	3680
99-82	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
96-91	6 Cyl. 3.4L		3920	3910	3690 or 3700	3680
93-89	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
92-83	8 Cyl.		(3)	3910	(3)	3680
89	6 Cyl. 2.8L		3920	3910	3690	3680
88-82	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
86-83	4 Cyl. 2.0L		3920	3910	3690	3680
86-82	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.5L		3920	3910	3690	3680
85-82	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
84-82	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
82-81	8 Cyl. 4.4L		Two 3920s	3910	Two 3690s	3680
82-77	8 Cyl. 5.0L		(3)	3910	(3)	3680
82-75	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
82-68	8 Cyl. 5.7L		(3)	3910	(3)	3680
81-76	4 Cyl.		3920	3910	3690	3680
81-73	6 Cyl.		Two 3920s	3910	Two 3690s	3680
79	8 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
79-77	8 Cyl. 6.6L		(3)	3920	(3)	3690
76-68	8 Cyl. 7.5L		(3)	3920	(3)	3690
75	8 Cyl. 6.6L		(3)	3920	(3)	3690
71-64	6 Cyl.		Two 3920s	3910	Two 3690s	3680
69-68	8 Cyl. 6.6L		(3)	3920	(3)	3690
67-64	8 Cyl.		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
OLDSMOBILE						
CAR						
63-61	8 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	8 Cyl. 6.5L		(3)	3920	(3)	3690
60-51	All Eng.		(3)	3920	(3)	3690
50-48	8 Cyl.		(3)	3920	(3)	3690
50-46	6 Cyl.		3930	3910	3700 or 3710	3680
47-46	8 Cyl.		Two 3920s	3920	Two 3690s	3690
42	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		Two 3920s	3920	Two 3690s	3690
LIGHT DUTY TRUCK						
04-96	All Eng.		Two 3920s	3910	Two 3690s	3680
94-91	All Eng.		Two 3920s	3910	Two 3690s	3680
LIGHT DUTY VAN						
04-96	All Eng.		3920	3910	3690 or 3700	3680
95	All Eng.		Two 3920s	3910	Two 3690s	3680
94-92	6 Cyl. 3.1L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
91-90	All Eng.		3920	3910	3690 or 3700	3680
PLYMOUTH						
CAR						
01	4 Cyl.		3910	3900	3680	3670
01-00	6 Cyl.		3930	3920	3700 or 3710	3690
00	4 Cyl.		3920	3910	3690	3680
99	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.4L		Two 3920s	3910	Two 3690s	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
98	All Eng.		3920	3910	3690	3680
97	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3910	3700 or 3710	3680
96	All Eng.		3920	3910	3690	3680
95-89	4 Cyl. 2.5L		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
95-85	4 Cyl. 1.5L		3910	3900	3680	3670
95-84	4 Cyl. 2.0L		3920	3910	3690	3680
94-92	4 Cyl. 2.4L		3920	3910	3690	3680
94-89	4 Cyl. 1.8L		3910	3900	3680	3670
94-81	4 Cyl. 2.2L		3920	3910	3690	3680
90-78	4 Cyl. 1.6L		3910	3900	3680	3670
89-70	8 Cyl.		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
PLYMOUTH						
CAR						
86	4 Cyl. 2.5L		3920	3910	3690	3680
86-78	4 Cyl. 2.6L		3920	3910	3690	3680
84-79	4 Cyl. 1.4L		3910	3900	3680	3670
83-78	4 Cyl. 1.7L		3910	3900	3680	3670
83-75	6 Cyl.		Two 3920s	3910	Two 3690s	3680
78	4 Cyl. 2.0L		3920	3910	3690	3680
77-76	4 Cyl.		3910	3900	3680	3670
74-70	6 Cyl. 3.2L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
73-71	4 Cyl.		3910	3900	3680	3670
71-70	6 Cyl. 2.8L		3920	3910	3690 or 3700	3680
69-68	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.6L		(3)	3920	(3)	3690
69-66	8 Cyl. 7.2L		(3)	3920	(3)	3690
69-64	8 Cyl. 4.5L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.2L		(3)	3920	(3)	3690
	8 Cyl. 6.3L		(3)	3920	(3)	3690
	8 Cyl. 7.0L		(3)	3920	(3)	3690
67-60	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
66-64	8 Cyl. 5.9L		(3)	3920	(3)	3690
64	8 Cyl. 6.7L		(3)	3920	(3)	3690
63-58	8 Cyl.		(3)	3920	(3)	3690
59-56	6 Cyl.		3920	3910	3690 or 3700	3680
57	8 Cyl. 4.9L		3920	3910	3690 or 3700	3680
	8 Cyl. 5.1L		(3)	3920	(3)	3690
	8 Cyl. 5.2L		(3)	3920	(3)	3690
57-56	8 Cyl. 4.5L		3920	3910	3690 or 3700	3680
56	8 Cyl. 4.4L		3920	3910	3690 or 3700	3680
	8 Cyl. 5.0L		(3)	3920	(3)	3690
55-46	All Eng.		3920	3910	3690 or 3700	3680
42	All Eng.		3920	3910	3690 or 3700	3680
LIGHT DUTY TRUCK						
82	All Eng.		3920	3910	3690	3680
81-79	4 Cyl.		3920	3910	3690	3680
81-74	8 Cyl.		(3)	3920	(3)	3690
80-74	6 Cyl.		Two 3920s	3910	Two 3690s	3680
LIGHT DUTY VAN						
00	4 Cyl.		3920	3910	3690	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
PLYMOUTH						
LIGHT DUTY VAN						
	6 Cyl. 3.3L		3930	3920	3700 or 3710	3690
00-94	6 Cyl. 3.0L		3930	3910	3700 or 3710	3680
99	4 Cyl.		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 3.3L		3930	3910	3700 or 3710	3680
99-98	6 Cyl. 3.8L		Two 3920s	3920	Two 3690s	3690
98	6 Cyl. 3.3L		3930	3920	3700 or 3710	3690
98-87	4 Cyl.		3920	3910	3690	3680
97	6 Cyl. 3.8L	Grand Voyager, Voyager	Two 3920s	3920	Two 3690s	3690
97-96	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
97-94	6 Cyl. 3.3L		3930	3910	3700 or 3710	3680
96	6 Cyl. 3.8L	GRAND VOYAGER	Two 3920s	3920	Two 3690s	3690
95-94	6 Cyl. 3.8L		Two 3920s	3920	Two 3690s	3690
93-87	6 Cyl.		3930	3910	3700 or 3710	3680
86-84	All Eng.		3920	3910	3690	3680
83-74	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3920	(3)	3690
PONTIAC						
CAR						
10	6 Cyl.		3920	3900	3690 or 3700	3670
10-08	4 Cyl. 1.0L		3910	3900	3680	3670
10-06	4 Cyl. 2.4L		3920	3910	3690	3680
10-05	4 Cyl. 1.6L		3910	3900	3680	3670
10-03	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
09	8 Cyl.		(3)	3920	(3)	3690
09-08	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.6L		3920	3900	3690 or 3700	3670
09-07	4 Cyl. 2.0L		3920	3910	3690	3680
09-06	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
08	8 Cyl. 5.3L		(3)	3910	(3)	3680
	8 Cyl. 6.0L		(3)	3920	(3)	3690
08-85	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
07	6 Cyl. 3.6L		3920	3910	3690 or 3700	3680
07-06	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	8 Cyl.		(3)	3920	(3)	3690
06-04	4 Cyl. 1.0L		3910	3900	3680	3670
05	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
	8 Cyl. 4.6L		Two 3920s	3920	Two 3690s	3690
	8 Cyl. 5.3L		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.

(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.

(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.

(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
PONTIAC						
CAR						
05	8 Cyl. 6.0L		(3)	3920	(3)	3690
05-00	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
04	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
03-89	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
02-01	4 Cyl.		3920	3910	3690	3680
02-93	8 Cyl.		(3)	3920	(3)	3690
00-96	4 Cyl. 2.4L		3920	3910	3690	3680
00-95	4 Cyl. 2.2L		3920	3910	3690	3680
00-94	3 Cyl.		3910	3900	3680	3670
	4 Cyl. 1.3L		3910	3900	3680	3670
96-91	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
95-88	4 Cyl. 2.3L		3920	3910	3690	3680
94-93	4 Cyl. 2.0L		3910	3900	3680	3670
93-92	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
93-76	4 Cyl. 1.6L		3910	3900	3680	3670
92-87	8 Cyl. 5.0L		(3)	3910	(3)	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
92-83	4 Cyl. 2.0L		3920	3910	3690	3680
91-90	4 Cyl. 2.2L		3920	3910	3690	3680
91-85	3 Cyl.		3910	3900	3680	3670
91-77	4 Cyl. 2.5L		3920	3910	3690	3680
89-85	6 Cyl. 2.8L		3920	3910	3690	3680
88	6 Cyl. 3.1L		3930	3900	3700 or 3710	3670
88-85	4 Cyl. 1.5L		3910	3900	3680	3670
87-85	6 Cyl. 3.0L		3920	3900	3690 or 3700	3670
	6 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
86	8 Cyl.		(3)	3910	(3)	3680
86-81	4 Cyl. 1.8L		3910	3900	3680	3670
85-81	8 Cyl. 5.7L		(3)	3920	(3)	3690
85-76	8 Cyl. 5.0L		(3)	3910	(3)	3680
84-80	6 Cyl.		Two 3920s	3910	Two 3690s	3680
82-79	8 Cyl. 4.4L		Two 3920s	3910	Two 3690s	3680
81-80	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
81-77	8 Cyl. 4.9L		Two 3920s	3910	Two 3690s	3680
80	8 Cyl. 5.7L		(3)	3910	(3)	3680
79-78	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
PONTIAC						
CAR						
79-75	8 Cyl. 6.6L		(3)	3920	(3)	3690
77	8 Cyl. 5.7L		(3)	3910	(3)	3680
77-76	4 Cyl. 1.4L		3910	3900	3680	3670
	4 Cyl. 2.3L		3920	3910	3690	3680
77-71	6 Cyl.		Two 3920s	3910	Two 3690s	3680
76-75	8 Cyl. 4.3L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 7.5L		(3)	3920	(3)	3690
75	4 Cyl.		3920	3910	3690	3680
74	8 Cyl.		(3)	3920	(3)	3690
73-71	8 Cyl. 5.0L		(3)	3910	(3)	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
	8 Cyl. 6.6L		(3)	3920	(3)	3690
	8 Cyl. 7.5L		(3)	3920	(3)	3690
71	8 Cyl. 7.4L		(3)	3920	(3)	3690
70-68	6 Cyl. 3.8L		3920	3910	3690 or 3700	3680
	6 Cyl. 4.1L		Two 3920s	3910	Two 3690s	3680
	8 Cyl.		(3)	3920	(3)	3690
70-64	4 Cyl.		3920	3910	3690	3680
67	8 Cyl. 6.6L		(3)	3920	(3)	3690
67-66	6 Cyl.		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 7.0L		(3)	3920	(3)	3690
67-65	8 Cyl. 4.6L		(3)	3920	(3)	3690
	8 Cyl. 6.5L		(3)	3920	(3)	3690
67-63	8 Cyl. 5.3L		(3)	3910	(3)	3680
66-63	8 Cyl. 6.4L		(3)	3920	(3)	3690
	8 Cyl. 6.9L		(3)	3920	(3)	3690
65	8 Cyl. 5.7L		(3)	3920	(3)	3690
65-64	6 Cyl. 3.2L		3930	3900	3700 or 3710	3670
	6 Cyl. 3.5L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.8L		3920	3900	3690 or 3700	3670
65-63	8 Cyl. 6.7L		(3)	3920	(3)	3690
64	8 Cyl. 4.6L		(3)	3900	(3)	3670
63	6 Cyl.		3930	3900	3700 or 3710	3670
	8 Cyl. 4.6L		(3)	3920	(3)	3690
63-62	4 Cyl. 2.5L		3920	3910	3690	3680
	4 Cyl. 3.2L		3930	3900	3700 or 3710	3670
62	6 Cyl. 3.2L		3930	3900	3700 or 3710	3670
	6 Cyl. 4.3L		3920	3900	3690 or 3700	3670
62-46	8 Cyl.		(3)	3920	(3)	3690

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
PONTIAC						
CAR						
61	4 Cyl.		3930	3900	3700 or 3710	3670
61-55	6 Cyl.		3920	3900	3690 or 3700	3670
54-46	6 Cyl.		3920	3910	3690 or 3700	3680
42	6 Cyl.		3920	3910	3690 or 3700	3680
	8 Cyl.		(3)	3920	(3)	3690
LIGHT DUTY TRUCK						
09-01	All Eng.		3920	3900	3690 or 3700	3670
97-94	All Eng.		3910	3900	3680	3670
LIGHT DUTY VAN						
09-07	All Eng.		Two 3920s	3910	Two 3690s	3680
06	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.9L		Two 3920s	3910	Two 3690s	3680
05	6 Cyl. 3.4L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
04-96	All Eng.		3920	3900	3690 or 3700	3670
95-92	6 Cyl. 3.1L		3920	3900	3690 or 3700	3670
	6 Cyl. 3.8L		Two 3920s	3910	Two 3690s	3680
91-90	All Eng.		3920	3900	3690 or 3700	3670
RAM						
LIGHT DUTY TRUCK						
15	6 Cyl. 3.6L		3920	3910	3690	3680
15-14	8 Cyl.		(3)	3920	(3)	3690
15-11	6 Cyl. 6.7L		(3)	3920	(3)	3690
14-13	6 Cyl. 3.6L		3930	3910	3700 or 3710	3680
13-11	6 Cyl. 3.7L		Two 3920s	3910	Two 3690s	3680
13-10	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
10	6 Cyl.		(3)	3920	(3)	3690
LIGHT DUTY VAN						
14	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3900	3700 or 3710	3670
13-12	All Eng.		3930	3900	3700 or 3710	3670
SATURN						
CAR						
10	All Eng.		3920	3910	3690	3680
09	4 Cyl.		3910	3900	3680	3670
09-08	4 Cyl. 2.4L		3920	3910	3690	3680
09-07	6 Cyl.		3930	3900	3700 or 3710	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
SATURN						
CAR						
08	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
07	4 Cyl.		3920	3910	3690	3680
06	All Eng.		3920	3910	3690	3680
05-04	6 Cyl.		3930	3900	3700 or 3710	3670
05-03	4 Cyl.		3920	3910	3690	3680
03-00	6 Cyl.		3920	3910	3690 or 3700	3680
02-00	4 Cyl. 1.9L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
99-91	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
10-04	6 Cyl.		3930	3900	3700 or 3710	3670
10-02	4 Cyl.		3920	3910	3690	3680
03-02	6 Cyl.		3920	3910	3690 or 3700	3680
LIGHT DUTY VAN						
07-05	All Eng.		3930	3900	3700 or 3710	3670
SATURN VEHICLES						
10	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3900	3700 or 3710	3670
09-06	All Eng.		3920	3910	3690	3680
SUBARU						
CAR						
15-10	6 Cyl.		3930	3900	3700 or 3710	3670
15-03	4 Cyl.		3920	3910	3690	3680
09-08	6 Cyl.		3920	3910	3690 or 3700	3680
07-01	6 Cyl.		3920	3900	3690 or 3700	3670
02	4 Cyl. 2.0L		3920	3910	3690	3680
	4 Cyl. 2.5L		3920	3910	3690 or 3700	3680
01	4 Cyl.		3920	3910	3690	3680
00-98	All Eng.		3920	3910	3690	3680
97-96	4 Cyl. 2.5L		3920	3910	3690	3680
97-92	6 Cyl.		3920	3900	3690 or 3700	3670
97-90	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.2L		3920	3910	3690	3680
95-88	3 Cyl.		3910	3900	3680	3670
91-88	6 Cyl.		3920	3910	3690	3680
89-88	4 Cyl.		3910	3900	3680	3670
87-70	All Eng.		3910	3900	3680	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.

(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.

(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.

(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
SUBARU						
LIGHT DUTY TRUCK						
14-08	All Eng.		3930	3900	3700 or 3710	3670
06-03	All Eng.		3920	3910	3690	3680
87-85	All Eng.		3910	3900	3680	3670
82-80	All Eng.		3910	3900	3680	3670
78	All Eng.		3910	3900	3680	3670
TOYOTA						
CAR						
15-14	6 Cyl.		3930	3910	3700 or 3710	3680
15-10	4 Cyl. 2.5L		3920	3910	3690	3680
15-93	4 Cyl. 1.8L		3910	3900	3680	3670
14-80	4 Cyl. 1.5L		3910	3900	3680	3670
13-09	6 Cyl.		3930	3900	3700 or 3710	3670
13-02	4 Cyl. 2.4L		3920	3910	3690	3680
08	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
08-05	6 Cyl. 3.5L		3930	3900	3700 or 3710	3670
07	6 Cyl. 3.3L		3920	3900	3690 or 3700	3670
06-05	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
04	4 Cyl. 1.3L		3910	3900	3680	3670
04-89	6 Cyl.		3920	3910	3690 or 3700	3680
01-90	4 Cyl. 2.2L		3920	3910	3690	3680
97-83	4 Cyl. 1.6L		3910	3900	3680	3670
95-86	4 Cyl. 2.0L		3920	3910	3690	3680
88	6 Cyl. 2.5L		3920	3910	3690 or 3700	3680
88-86	6 Cyl. 2.8L		3920	3910	3690	3680
	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
86-84	4 Cyl. 1.8L		3910	3900	3680	3670
85-84	4 Cyl. 2.0L		3910	3900	3680	3670
85-81	4 Cyl. 2.4L		3920	3910	3690	3680
85-78	6 Cyl.		3920	3910	3690	3680
84-81	4 Cyl. 1.3L		3910	3900	3680	3670
83	4 Cyl. 2.0L		3920	3910	3690	3680
82-80	4 Cyl. 1.8L		3910	3900	3680	3670
80-75	4 Cyl. 2.2L		3920	3910	3690	3680
79-75	4 Cyl. 1.2L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
76-67	6 Cyl.		3920	3910	3690	3680
74-67	4 Cyl.		3910	3900	3680	3670
66-58	All Eng.		3910	3900	3680	3670





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
TOYOTA						
LIGHT DUTY TRUCK						
15-1066-58	6 Cyl.		3930	3900	3700 or 3710	3670
	8 Cyl. 4.6L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3920	(3)	3690
15-85	4 Cyl.		3920	3910	3690	3680
09-07	8 Cyl. 4.7L		Two 3920s	3910	Two 3690s	3680
	8 Cyl. 5.7L		(3)	3910	(3)	3680
09-06	6 Cyl. 3.5L		3920	3910	3690 or 3700	3680
09-04	6 Cyl. 3.3L		3920	3910	3690 or 3700	3680
09-03	6 Cyl. 4.0L		3930	3900	3700 or 3710	3670
06-98	8 Cyl.		Two 3920s	3910	Two 3690s	3680
04-01	6 Cyl. 3.4L		3920	3910	3690 or 3700	3680
03	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
02-01	6 Cyl. 3.0L		3930	3900	3700 or 3710	3670
00-98	6 Cyl.		3920	3910	3690 or 3700	3680
97-95	6 Cyl. 3.4L		3920	3910	3690 or 3700	3680
97-93	6 Cyl. 4.5L		Two 3920s	3910	Two 3690s	3680
95-88	6 Cyl. 3.0L		3920	3910	3690 or 3700	3680
92-88	6 Cyl. 4.0L		3930	3900	3700 or 3710	3670
87-65	6 Cyl.		3930	3900	3700 or 3710	3670
84	4 Cyl. 2.4L		3920	3910	3690	3680
	4 Cyl. 3.4L		3920	3920	3690 or 3700	3690
83-75	4 Cyl.		3920	3910	3690	3680
74-65	4 Cyl.		3910	3900	3680	3670
LIGHT DUTY VAN						
15	4 Cyl.		3920	3910	3690	3680
15-14	6 Cyl.		3930	3910	3700 or 3710	3680
14-10	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 2.7L		3920	3910	3690	3680
13-07	6 Cyl.		3930	3900	3700 or 3710	3670
09	4 Cyl.		3920	3910	3690	3680
08-07	4 Cyl. 1.5L		3910	3900	3680	3670
	4 Cyl. 2.7L		3920	3910	3690	3680
06	4 Cyl.		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690 or 3700	3680
05-98	All Eng.		3920	3910	3690 or 3700	3680
97-91	All Eng.		3920	3910	3690	3680
89-86	All Eng.		3920	3910	3690	3680
85-84	All Eng.		3910	3900	3680	3670

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide



YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
VOLKSWAGEN						
CAR						
15	4 Cyl.		3910	3900	3680	3670
15-13	4 Cyl. 2.0L		3920	3910	3690	3680
15-10	6 Cyl.		3920	3910	3690	3680
15-05	5 Cyl.		3920	3910	3690	3680
14	4 Cyl. 1.2L		3910	3900	3680	3670
	4 Cyl. 1.4L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670
13-11	4 Cyl.		3910	3900	3680	3670
12-02	4 Cyl.		3920	3910	3690	3680
10-09	4 Cyl. 1.6L		3920	3900	3690	3670
	4 Cyl. 1.8L		3920	3900	3690	3670
	4 Cyl. 1.9L		3920	3900	3690	3670
09-05	6 Cyl.		3930	3900	3700 or 3710	3670
06-04	12 Cyl.		(3)	3920	(3)	3690
06-02	8 Cyl.		(3)	3920	(3)	3690
04	6 Cyl.		3920	3910	3690 or 3700	3680
03	4 Cyl. 1.9L		3920	3920	3690	3690
03-92	6 Cyl.		3930	3900	3700 or 3710	3670
01-92	4 Cyl.		3910	3900	3680	3670
00-99	4 Cyl. 2.0L		3920	3910	3690	3680
91-90	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 1.8L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
89	All Eng.		3910	3900	3680	3670
88-83	4 Cyl.		3910	3900	3680	3670
	5 Cyl.		3920	3910	3690	3680
82-46	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15	4 Cyl.		3910	3900	3680	3670
15-13	4 Cyl. 2.0L		3920	3910	3690	3680
15-11	8 Cyl.		(3)	3920	(3)	3690
15-10	6 Cyl.		3920	3910	3690	3680
14	4 Cyl. 1.4L		3910	3900	3680	3670
	4 Cyl. 1.6L		3910	3900	3680	3670
13-11	4 Cyl.		3910	3900	3680	3670
12-04	4 Cyl.		3920	3910	3690	3680
10-09	4 Cyl. 1.6L		3920	3900	3690	3670
	4 Cyl. 1.8L		3920	3900	3690	3670




YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
VOLKSWAGEN						
LIGHT DUTY TRUCK						
09-05	6 Cyl.		3930	3900	3700 or 3710	3670
09-04	8 Cyl.		(3)	3920	(3)	3690
08-04	10 Cyl.		(3)	3920	(3)	3690
04	6 Cyl.		3920	3910	3690 or 3700	3680
03-02	All Eng.		3920	3910	3690	3680
01-99	All Eng.		3910	3900	3680	3670
83-80	All Eng.		3910	3900	3680	3670
78-77	All Eng.		3910	3900	3680	3670
LIGHT DUTY VAN						
15	4 Cyl.		3910	3900	3680	3670
15-14	4 Cyl. 2.0L		3920	3910	3690	3680
14	4 Cyl. 1.2L		3910	3900	3680	3670
	6 Cyl.		3920	3910	3690	3680
13-10	All Eng.		3920	3910	3690	3680
09	4 Cyl.		3920	3900	3690	3670
	5 Cyl.		3920	3910	3690	3680
	6 Cyl.		3930	3900	3700 or 3710	3670
08-05	All Eng.		3920	3910	3690	3680
04	5 Cyl.		3920	3910	3690 or 3700	3680
04-02	4 Cyl.		3920	3910	3690	3680
03-01	5 Cyl.		3920	3910	3690	3680
03-99	6 Cyl.		3930	3900	3700 or 3710	3670
01-99	4 Cyl.		3910	3900	3680	3670
98	All Eng.		3910	3900	3680	3670
97	6 Cyl.		3930	3900	3700 or 3710	3670
97-95	4 Cyl.		3910	3900	3680	3670
	5 Cyl.		3920	3910	3690	3680
94-86	All Eng.		3920	3910	3690	3680
85-84	All Eng.		3910	3900	3680	3670
83	4 Cyl. 1.9L		3910	3900	3680	3670
83-82	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
81	All Eng.		3920	3910	3690	3680
80-76	4 Cyl. 1.6L		3910	3900	3680	3670
	4 Cyl. 2.0L		3920	3910	3690	3680
75-49	All Eng.		3910	3900	3680	3670
VOLVO						
CAR						
15	All Eng.		3920	3910	3690	3680

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

Application Guide





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)
VOLVO						
CAR						
14	4 Cyl. 2.0L		3920	3900	3690	3670
	5 Cyl.		3920	3900	3690	3670
14-11	4 Cyl. 1.6L		3910	3900	3680	3670
14-10	6 Cyl.		3920	3910	3690	3680
14-00	5 Cyl.		3920	3910	3690	3680
13-11	4 Cyl. 2.0L		3920	3910	3690	3680
10-07	8 Cyl.		(3)	3920	(3)	3690
09-08	6 Cyl.		3930	3900	3700 or 3710	3670
07	6 Cyl.		3920	3910	3690	3680
06-03	6 Cyl.		3920	3910	3690 or 3700	3680
04-00	4 Cyl.		3910	3900	3680	3670
03	6 Cyl.		3920	3900	3690 or 3700	3670
02	6 Cyl. 2.8L		3920	3900	3690 or 3700	3670
	6 Cyl. 2.9L		3920	3910	3690 or 3700	3680
01-00	6 Cyl.		3920	3910	3690 or 3700	3680
99-92	All Eng.		3920	3910	3690 or 3700	3680
91-76	All Eng.		3920	3910	3690	3680
75	6 Cyl.		3920	3900	3690 or 3700	3670
75-69	4 Cyl.		3910	3900	3680	3670
74-70	6 Cyl.		3920	3910	3690 or 3700	3680
69	6 Cyl.		3920	3910	3690	3680
68-46	All Eng.		3910	3900	3680	3670
LIGHT DUTY TRUCK						
15	All Eng.		3920	3910	3690	3680
14	4 Cyl.		3920	3900	3690	3670
	5 Cyl.		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690	3680
13-12	All Eng.		3920	3910	3690	3680
11	5 Cyl.		3920	3910	3690	3680
11-10	6 Cyl.		3920	3910	3690	3680
11-05	8 Cyl.		(3)	3920	(3)	3690
09-08	6 Cyl.		3930	3900	3700 or 3710	3670
07	6 Cyl.		3920	3910	3690	3680
06-03	5 Cyl.		3920	3910	3690	3680
	6 Cyl.		3920	3910	3690 or 3700	3680





YEAR	ENGINE	NOTE	SUPER DUTY PRIMARY COOLING (1)	SUPER DUTY ADD-ON COOLING (2)	RAPID-COOL® PRIMARY COOLING (1)	RAPID-COOL® ADD-ON COOLING (2)

CAUTION: Do not use smaller fan(s) than those recommended. Cooling problems may result.

(1) The recommended fan(s) for primary cooling are based on required airflow for that vehicle. Measure available core space to verify the fan(s) will fit. See page 261 for fan dimensions.
(2) For add-on cooling, use the largest fan that will fit. Allow 1" clearance between the fan and closest vehicle component. See electrical guide for fan dimensions.
(3) Air volume requirements too large for electric fans. Use fan clutch. See Fan Clutch applications.
(4) Not recommended for electronic fan clutch replacement. See Fan Clutch applications.

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
ACURA							
SLX							
99-98	6 Cyl. 3.5L	CW		2672			
97-96	6 Cyl. 3.2L	CW		2671			
AMERICAN MOTORS							
AMBASSADOR							
74-71	8 Cyl. 6.6L	CW		2705			1705
74-70	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.9L	CW		2705			1705
71	6 Cyl. 4.2L	CW		2705			1705
70-68	8 Cyl. 6.4L	CW		2705			1705
70-65	6 Cyl. 3.8L	CW		2705			1705
68	8 Cyl. 4.7L	CW		2705			1705
	8 Cyl. 5.6L	CW		2705			1705
AMX							
80-78	6 Cyl. 4.2L	CW		2705			1705
79-78	8 Cyl. 5.0L	CW		2705			1705
70-68	All Eng.	CW		2705			1705
CONCORD							
83-81	6 Cyl. 4.2L	CCW		2723			
82-80	4 Cyl. 2.5L	CW		2705			1705
82-78	6 Cyl. 4.2L	CW		2705			1705
79-78	4 Cyl. 2.0L	CW		2705			1705
	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.0L	CW		2705			1705
EAGLE							
88	6 Cyl. 4.2L	CCW	Serpentine Belt Drive	2622			
	6 Cyl. 4.2L	CW	V-Belt Drive	2615			
87-81	6 Cyl. 4.2L	CCW		2723			
87-80	6 Cyl. 4.2L	CW		2705			1705
84	4 Cyl. 2.5L	CCW		2622			
83	4 Cyl. 2.5L	CCW	150 CID	2622			
	4 Cyl. 2.5L	CW	151 CID	2705			1705
82	4 Cyl. 2.5L	CW		2705			1705
81	4 Cyl. 2.5L	CW	VIN:B	2705			1705
GREMLIN							
78-77	4 Cyl. 2.0L	CW		2705			1705
78-71	6 Cyl. 4.2L	CW		2705			1705
78-70	6 Cyl. 3.8L	CW		2705			1705
76-72	8 Cyl. 5.0L	CW		2705			1705
70	6 Cyl. 3.3L	CW					
HORNET							
77-71	6 Cyl. 4.2L	CW		2705			1705
77-70	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.0L	CW		2705			1705
74-71	8 Cyl. 5.9L	CW		2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
AMERICAN MOTORS							
JAVELIN							
74-71	6 Cyl. 4.2L	CW		2705			1705
	8 Cyl. 6.6L	CW		2705			1705
74-70	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.9L	CW		2705			1705
74-68	6 Cyl. 3.8L	CW		2705			1705
MARLIN							
67-65	All Eng.	CW		2705			1705
MATADOR							
78-71	6 Cyl. 4.2L	CW		2705			1705
	8 Cyl. 5.9L	CW		2705			1705
77-71	8 Cyl. 5.0L	CW		2705			1705
76-71	8 Cyl. 6.6L	CW		2705			1705
74-71	6 Cyl. 3.8L	CW		2705			1705
PACER							
80-75	6 Cyl. 4.2L	CW		2705			1705
79-78	8 Cyl. 5.0L	CW		2705			1705
78-75	6 Cyl. 3.8L	CW		2705			1705
REBEL							
70-67	All Eng.	CW		2705			1705
SPIRIT							
83-81	6 Cyl. 4.2L	CCW		2723			
83-79	6 Cyl. 4.2L	CW		2705			1705
82-80	4 Cyl. 2.5L	CW		2705			1705
79	4 Cyl. 2.0L	CW		2705			1705
	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.0L	CW		2705			1705
AUDI							
A4 SERIES							
01-97	4 Cyl. 1.8L	CW		2596			
01-96	6 Cyl. 2.8L	CW		2597			
A6 SERIES							
04-00	6 Cyl. 2.7L	CW		2597			
	8 Cyl. 4.2L	CW		6250			
01-98	6 Cyl. 2.8L	CW		2597			
A8 SERIES							
03-97	All Eng.	CW		6250			
ALLROAD QUATTRO							
05-01	6 Cyl. 2.7L	CW		6251			
S SERIES							
03-02	8 Cyl. 4.2L	CW		6250			
02-00	6 Cyl. 2.7L	CW		2597			
01	8 Cyl. 4.2L	CW	S8	6250			

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BMW							
318 SERIES							
99-96	4 Cyl. 1.9L	CW		2591			
95-91	4 Cyl. 1.8L	CW		2591			
85-84	4 Cyl. 1.8L	CW		2591			
320 SERIES							
05-01	6 Cyl. 2.2L	CW		2691			
95-93	6 Cyl. 2.0L	CW		2691			
83-77	All Eng.	CW		2591			
323 SERIES							
00-98	6 Cyl. 2.5L	CW		2691			
325 SERIES							
06-01	6 Cyl. 2.5L	CW		2691			
95-92	6 Cyl. 2.5L	CW	3 Fan Mount Holes	2691			
95-87	6 Cyl. 2.5L	CW	4 Fan Mount Holes	2591			
88-84	6 Cyl. 2.7L	CW	4 Fan Mount Holes	2591			
328 SERIES							
00-96	6 Cyl. 2.8L	CW	3 Fan Mount Holes	2691			
	6 Cyl. 2.8L	CW	4 Fan Mount Holes	2591			
330 SERIES							
06-01	6 Cyl. 3.0L	CW		2691			
524 SERIES							
86-85	6 Cyl. 2.4L	CW		2591			
525 SERIES							
03-01	6 Cyl. 2.5L	CW		2691			
95-91	6 Cyl. 2.5L	CW	3 Fan Mount Holes	2691			
90-89	6 Cyl. 2.5L	CW	4 Fan Mount Holes	2591			
528 SERIES							
00-97	6 Cyl. 2.8L	CW		2691			
88-82	6 Cyl. 2.7L	CW		2591			
81-79	All Eng.	CW		2591			
530 SERIES							
03-01	6 Cyl. 3.0L	CW		2691			
95-94	8 Cyl. 3.0L	CW		2593			
78-75	All Eng.	CW		2591			
533 SERIES							
84-83	All Eng.	CW		2591			
535 SERIES							
93-89	6 Cyl. 3.5L	CW	3 Fan Mount Holes	2594			
88-85	6 Cyl. 3.5L	CW	4 Fan Mount Holes	2591			
540 SERIES							
03-97	8 Cyl. 4.4L	CW		2593			
95-94	8 Cyl. 4.0L	CW		2593			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BMW							
633 SERIES							
84-80	6 Cyl. 3.2L	CW		2591			
79-78	All Eng.	CW		2591			
635 SERIES							
89-85	6 Cyl. 3.5L	CW		2591			
733 SERIES							
84-78	All Eng.	CW		2591			
735 SERIES							
92-87	6 Cyl. 3.5L	CW		2594			
740 SERIES							
01-96	8 Cyl. 4.4L	CW		2593			
95-93	8 Cyl. 4.0L	CW		2593			
745 SERIES							
05-04	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch	2595			
03-02	8 Cyl. 4.4L	CW		2595			
750 SERIES							
01-95	12 Cyl. 5.4L	CW		2593			
94-88	12 Cyl. 5.0L	CW		2593			
760 SERIES							
08-03	12 Cyl. 6.0L	CW		2595			
840 SERIES							
97-96	8 Cyl. 4.4L	CW		2593			
95-94	8 Cyl. 4.0L	CW		2593			
850 SERIES							
97-95	12 Cyl. 5.4L	CW		2593			
95-94	12 Cyl. 5.6L	CW		2593			
94-91	12 Cyl. 5.0L	CW		2593			
L SERIES							
87	6 Cyl. 3.5L	CW	L6	2591			
M SERIES							
06-04	6 Cyl. 3.2L	CW		2594			
03-01	6 Cyl. 3.2L	CW	M3	2594			
99-96	6 Cyl. 3.2L	CW	3 Fan Mount Holes	2691			
	6 Cyl. 3.2L	CW	4 Fan Mount Holes	2591			
95	6 Cyl. 3.0L	CW	3 Fan Mount Holes	2691			
	6 Cyl. 3.0L	CW	4 Fan Mount Holes	2591			
93-92	6 Cyl. 3.6L	CW		2594			
91	6 Cyl. 3.6L	CW	M5	2594			
91-88	4 Cyl. 2.3L	CW		2591			
88	6 Cyl. 3.5L	CW	M5	2591			
	6 Cyl. 3.5L	CW	M6	2591			
87	6 Cyl. 3.5L	CW		2591			

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BMW							
X SERIES							
06-04	6 Cyl. 3.0L	CW	X5	2691			
03-02	8 Cyl. 4.6L	CW		2595			
03-01	6 Cyl. 3.0L	CW		2691			
03-00	8 Cyl. 4.4L	CW		2595			
Z SERIES							
02-01	6 Cyl. 3.0L	CW		2691			
	6 Cyl. 3.2L	CW	Z3	2594			
02-99	6 Cyl. 2.5L	CW	3 Fan Mount Holes	2691			
	6 Cyl. 2.5L	CW	4 Fan Mount Holes	2591			
00-98	6 Cyl. 3.2L	CW		2691			
00-97	6 Cyl. 2.8L	CW	3 Fan Mount Holes	2691			
	6 Cyl. 2.8L	CW	4 Fan Mount Holes	2591			
98-96	4 Cyl. 1.9L	CW		2591			
BUICK							
APOLLO							
75-73	All Eng.	CW		2705			1705
CENTURION							
73	8 Cyl. 5.7L	CW		2705			1705
73-72	8 Cyl. 7.5L	CW	w/o AC		2747		
71	All Eng.	CW			2747		
CENTURY SEDAN / COUPE							
84	6 Cyl. 3.8L	CW		2707			1707
81	8 Cyl. 4.3L	CW	w/ AC	2707			1707
	8 Cyl. 4.3L	CW	w/o AC	2705			1705
	8 Cyl. 4.4L	CW		2707			1707
81-80	8 Cyl. 5.0L	CW	w/ AC	2707			1707
81-75	6 Cyl. 3.8L	CW		2707			1707
80	8 Cyl. 4.3L	CW			2747		
	8 Cyl. 5.0L	CW			2747		
	8 Cyl. 5.0L	CW	w/o AC	2705			1705
79	8 Cyl. 4.9L	CW			2747		
79-78	6 Cyl. 3.2L	CW		2707			1707
79-77	8 Cyl. 5.0L	CW		2707			1707
77-73	8 Cyl. 5.7L	CW		2707			1707
74	8 Cyl. 7.5L	CW		2707			1707
73	8 Cyl. 7.5L	CW		2705			1705
ELECTRA SEDAN / COUPE							
85-82	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
84	8 Cyl. 5.7L	CW			2747		
84-81	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
84-80	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 5.7L	CW	Gas	2707	2747	**2797**	1707
81-80	8 Cyl. 5.7L	CW	VIN:N; Diesel	2705	2747	**2797**	1705
80	8 Cyl. 5.7L	CW	VIN:R; Gas	2705	2747	**2797**	1705
	8 Cyl. 5.7L	CW	VIN:X; Gas	2707			1707
79-77	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BUICK							
ELECTRA SEDAN / COUPE							
79-77	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
76-70	8 Cyl. 7.5L	CW		2705			1705
69-59	All Eng.	CW			2747		
ESTATE WAGON (CENTURY,ELECTRA,LESABRE,REGAL,ROADMASTER)							
96-94	8 Cyl. 5.7L	CW			2747	**2797**	
93-92	8 Cyl. 5.7L	CCW			2734		
91	8 Cyl. 5.0L	CCW				2784	
90-81	8 Cyl. 5.0L	CW		2705	2747		1705
85	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
85-81	6 Cyl. 3.8L	CW		2707			1707
84-82	8 Cyl. 5.7L	CW			2747		
83-82	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
	8 Cyl. 4.4L	CW		2707			1707
	8 Cyl. 5.0L	CW	w/ AC	2707			1707
	8 Cyl. 5.0L	CW	w/o AC	2705			1705
	8 Cyl. 5.7L	CW		2707	2747		1707
80	6 Cyl. 3.8L	CW	Naturally Aspirated	2707			1707
	8 Cyl. 4.3L	CW	Naturally Aspirated		2747		
	8 Cyl. 4.9L	CW		2707	2747		1707
	8 Cyl. 5.0L	CW	Naturally Aspirated; w/ AC	2707			1707
80-78	8 Cyl. 5.7L	CW			2747		
	8 Cyl. 5.7L	CW	w/ AC	2707			1707
	8 Cyl. 5.7L	CW	w/o AC	2705			1705
79	8 Cyl. 4.9L	CW			2747		
79-78	6 Cyl. 3.2L	CW		2707			1707
79-77	8 Cyl. 5.0L	CW		2707			1707
	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
77	8 Cyl. 5.7L	CW		2705	2747		1705
76-75	All Eng.	CW	w/o AC		2747		
76-70	8 Cyl. 7.5L	CW		2705			1705
74	8 Cyl. 5.7L	CW		2705			1705
73-72	8 Cyl. 5.7L	CW		2705	2747		1705
71	8 Cyl. 5.7L	CW		2705			1705
70	8 Cyl. 5.7L	CW		2705	2747		1705
63-62	All Eng.	CW			2747		
61-60	8 Cyl. 6.6L	CW			2747		
GRAN SPORT							
67-65	8 Cyl. 6.6L	CW			2747		
GS							
72-70	All Eng.	CW		2705	2747		1705
69-68	All Eng.	CW		2705			1705
INVICTA							
63-59	All Eng.	CW			2747		

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BUICK							
LESABRE SEDAN / COUPE							
85	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
85-81	8 Cyl. 5.0L	CW		2705	2747		1705
85-76	6 Cyl. 3.8L	CW		2707			1707
84-82	8 Cyl. 5.7L	CW			2747		
84-80	6 Cyl. 4.1L	CW		2707			1707
82	8 Cyl. 4.4L	CW		2705	2747		1705
81	8 Cyl. 5.7L	CW		2707			1707
80	8 Cyl. 5.7L	CW	Diesel		2747	**2797**	
	8 Cyl. 5.7L	CW	Gas	2705	2747		1705
	8 Cyl. 5.7L	CW	Gas; w/ AC	2707			1707
	8 Cyl. 5.7L	CW	Gas; w/o AC	2705			1705
80-77	8 Cyl. 4.9L	CW		2707	2747		1707
79-78	8 Cyl. 5.7L	CW	w/ AC	2707			1707
	8 Cyl. 5.7L	CW	w/o AC	2705			1705
79-69	8 Cyl. 5.7L	CW		2705	2747		1705
78	8 Cyl. 5.0L	CW		2705	2747		1705
	8 Cyl. 6.6L	CW		2705	**2747**	**2797**	1705
77	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
76-70	8 Cyl. 7.5L	CW		2705			1705
75	8 Cyl. 6.6L	CW			2747		
68	8 Cyl. 5.7L	CW		2705			1705
67	8 Cyl. 5.6L	CW		2707			1707
66	All Eng.	CW		2705			1705
65	All Eng.	CW		2707			1707
64	8 Cyl. 4.9L	CW		2707			1707
	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 7.0L	CW			2747		
63-62	All Eng.	CW			2747		
61-60	8 Cyl. 6.6L	CW			2747		
RAINIER							
07-06	6 Cyl. 4.2L	CCW				3201 (2)	
	8 Cyl. 5.3L	CCW				3201 (2)	
05-04	6 Cyl. 4.2L	CCW				3200	
	8 Cyl. 5.3L	CCW				3200	
REGAL SEDAN / COUPE							
87	8 Cyl. 5.0L	CW	305 CID	2705			1705
	8 Cyl. 5.0L	CW	307 CID		2747		
87-75	6 Cyl. 3.8L	CW		2707			1707
86	8 Cyl. 5.0L	CW	305 CID		2747		
	8 Cyl. 5.0L	CW	307 CID	2705			1705
85	8 Cyl. 5.7L	CW	Diesel; w/ Heavy Duty Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	Diesel; w/ Standard Duty Fan Clutch	2705			1705
85-83	8 Cyl. 5.0L	CW		2705	2747		1705
84-82	6 Cyl. 4.1L	CW		2707			1707
83-81	8 Cyl. 5.7L	CW	Diesel; w/ Heavy Duty Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	Diesel; w/ Standard Duty Fan Clutch	2705			1705
82-81	8 Cyl. 4.4L	CW		2707	2747		1707
81	8 Cyl. 4.3L	CW			2747		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BUICK							
REGAL SEDAN / COUPE							
81	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
80	8 Cyl. 4.3L	CW	w/ AC		2747		
	8 Cyl. 4.3L	CW	w/o AC	2705			1705
80-79	8 Cyl. 4.9L	CW			2747		
80-78	8 Cyl. 5.0L	CW			2747		
	8 Cyl. 5.0L	CW	w/ AC	2707			1707
	8 Cyl. 5.0L	CW	w/o AC	2705			1705
79-78	6 Cyl. 3.2L	CW		2707			1707
77-76	8 Cyl. 5.7L	CW		2705	2747		1705
75	8 Cyl. 5.7L	CW		2705			1705
73	8 Cyl. 7.5L	CW		2705			1705
RIVIERA							
85	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
85-80	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
85-79	6 Cyl. 3.8L	CW		2707			1707
84	6 Cyl. 4.1L	CW		2707			
84-81	8 Cyl. 5.7L	CW			2747		
83-81	6 Cyl. 4.1L	CW		2707			1707
80-77	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
78-77	8 Cyl. 6.6L	CW			2747		
76-70	8 Cyl. 7.5L	CW		2705			1705
69-67	All Eng.	CW			2747		
66	8 Cyl. 7.0L	CW			2747		
65-63	All Eng.	CW			2747		
ROADMASTER							
96-94	8 Cyl. 5.7L	CW			2747	**2797**	
93-92	8 Cyl. 5.7L	CCW	w/ Heavy Duty Cooling			2784	
	8 Cyl. 5.7L	CCW	w/o Heavy Duty Cooling		2734		
91	8 Cyl. 5.0L	CCW	w/ Heavy Duty Cooling			2784	
	8 Cyl. 5.0L	CCW	w/o Heavy Duty Cooling	2653			
SKYHAWK							
80-75	6 Cyl. 3.8L	CW		2710			
SKYLARK							
79-77	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.0L	CW		2705			1705
79-76	8 Cyl. 5.7L	CW		2705	2747		1705
77	8 Cyl. 4.9L	CW			2747		
76-75	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 4.3L	CW			2747		
75	8 Cyl. 5.7L	CW		2705			1705
72	8 Cyl. 5.7L	CW		2705			1705
71-70	8 Cyl. 7.5L	CW		2705			1705
71-69	6 Cyl. 4.1L	CW		2705			1705
71-68	8 Cyl. 5.7L	CW		2707			1707
68	6 Cyl. 4.1L	CW		2710			1710
68-67	8 Cyl. 6.6L	CW		2705			1705

(2) When present stock is exhausted use 3200

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
BUICK							
SKYLARK							
67-66	8 Cyl. 5.6L	CW		2707			1707
67-64	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 4.9L	CW		2707			1707
66-65	8 Cyl. 6.6L	CW			2747		
SPECIAL							
69	6 Cyl. 4.1L	CW		2705			1705
69-68	8 Cyl. 5.7L	CW		2707			1707
68	6 Cyl. 4.1L	CW		2710			1710
67-65	6 Cyl. 3.7L	CW		2707			1707
67-64	8 Cyl. 4.9L	CW		2707			1707
WILDCAT							
70-63	All Eng.	CW			2747		
CADILLAC							
CALAIS							
76-75	All Eng.	CW				2797	
74-70	8 Cyl. 7.7L	CW				2797	
69-65	All Eng.	CW				2797	
COMMERCIAL CHASSIS							
96-95	All Eng.	CW	Base			2797	
94	All Eng.	CW				2797	
85	8 Cyl. 4.1L	CW		2707			1707
84-77	All Eng.	CW			2731		
76-75	All Eng.	CW				2797	
70-68	All Eng.	CW				2797	
DEVILLE							
92-91	8 Cyl. 4.9L	CCW			**2734**	2784	
87	8 Cyl. 4.1L	CW		2706			1706
86-82	8 Cyl. 4.1L	CW		2707			1707
84-83	8 Cyl. 5.7L	CW		2705			1705
82-80	6 Cyl. 4.1L	CW			2731		
82-79	8 Cyl. 5.7L	CW			2731		
81-80	8 Cyl. 6.0L	CW			2731		
79-77	8 Cyl. 7.0L	CW			2731		
76-75	All Eng.	CW				2797	
74-68	8 Cyl. 7.7L	CW			2747		
67-65	8 Cyl. 7.0L	CW			2747		
64	All Eng.	CW				2797	
ELDORADO							
85	8 Cyl. 4.1L	CW			2747		
	8 Cyl. 5.7L	CW	Diesel	2705			1705
84-83	8 Cyl. 4.1L	CW		2707	2747		1707
84-82	8 Cyl. 5.7L	CW		2705			1705
82	8 Cyl. 4.1L	CW			2747		
	8 Cyl. 4.1L	CW	w/AC	2707			1707
82-81	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 5.7L	CW			2731		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CADILLAC							
ELDORADO							
81-80	8 Cyl. 6.0L	CW			2731		
80	8 Cyl. 5.7L	CW	Diesel		2731		
	8 Cyl. 5.7L	CW	Gas		2731		
79	8 Cyl. 5.7L	CW	Diesel	2705			1705
	8 Cyl. 5.7L	CW	Gas	2705			1705
78-77	8 Cyl.	CW			2747		
76-70	8 Cyl. 8.2L	CW			2747		
69-68	All Eng.	CW		2705			1705
67-65	8 Cyl. 7.0L	CW			2747		
64	All Eng.	CW				2797	
ESCALADE							
06-04	All Eng.	CCW			2744	**2786**	
03-02	All Eng.	CCW				2786	
00-99	All Eng.	CCW	w/AC			2786	
	All Eng.	CCW	w/o AC	2626			
FLEETWOOD / BROUGHAM							
96-95	8 Cyl. 5.7L	CW	Brougham; w/ Heavy Duty Cooling		2747	**2797**	
	All Eng.	CW	Fleetwood Base			2797	
94	All Eng.	CW	w/ Heavy Duty Cooling		2747	**2797**	
93	8 Cyl. 5.7L	CCW	Base; Heavy Duty Cooling		2734	**2784**	
	8 Cyl. 5.7L	CCW	Brougham; w/ Heavy Duty Cooling			2784	
92-91	8 Cyl. 5.0L	CCW	Brougham		**2734**	**2784**	
92-90	8 Cyl. 5.7L	CCW	Brougham		**2734**	**2784**	
90	8 Cyl. 5.0L	CW	Brougham; VIN: 9	2707			1707
	8 Cyl. 5.0L	CW	Brougham; VIN: Y	2707			1706
89	8 Cyl. 5.0L	CW	Brougham; VIN:9	2707			1707
	8 Cyl. 5.0L	CW	Brougham; VIN:Y	2707			1706
88	8 Cyl. 5.0L	CW	Brougham	2707			1706
87	8 Cyl. 5.0L	CW	Brougham; VIN:9	2707			1707
	8 Cyl. 5.0L	CW	Brougham; VIN:Y	2707			1706
86	8 Cyl. 5.0L	CW	Brougham	2707			1707
85	8 Cyl. 4.1L	CW	Fleetwood	2707			1707
85-83	8 Cyl. 5.7L	CW	Brougham	2705			1705
85-82	8 Cyl. 4.1L	CW	Brougham	2707			1707
84-80	8 Cyl. 6.0L	CW			2731		
82	8 Cyl. 5.7L	CW	Brougham		2731		
82-80	6 Cyl. 4.1L	CW	Brougham		2731		
81-79	8 Cyl. 5.7L	CW			2731		
79-77	8 Cyl. 7.0L	CW			2731		
76-75	All Eng.	CW				2797	
74	8 Cyl. 7.7L	CW			2747		
73-72	8 Cyl. 7.7L	CW	VIN:R		2747		
71	8 Cyl. 7.7L	CW			2747		
70	8 Cyl. 7.7L	CW				2797	
70-68	8 Cyl. 7.7L	CW	Brougham		2747		
69-68	All Eng.	CW				2797	
67-65	All Eng.	CW		2706			
64	All Eng.	CW	Series 60 Fleetwood	2710			1710

(1)

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CADILLAC							
SEVILLE							
85	8 Cyl. 5.7L	CW	Diesel	2705			1705
85-82	8 Cyl. 4.1L	CW			2747		
84-82	8 Cyl. 5.7L	CW		2705			1705
83	8 Cyl. 4.1L	CW	w/o AC	2707			1707
82	8 Cyl. 4.1L	CW	w/ AC	2707			1707
82-81	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 5.7L	CW			2731		
81-80	8 Cyl. 6.0L	CW			2731		
80	8 Cyl. 5.7L	CW	Diesel		2731		
	8 Cyl. 5.7L	CW	Gas		2731		
79-78	8 Cyl. 5.7L	CW	Diesel	2705			1705
	8 Cyl. 5.7L	CW	Gas	2705			1705
77-76	8 Cyl. 5.7L	CW		2705			1705
SRX							
09-08	8 Cyl. 4.6L	CW	w/ Towing Package			2981	
07-04	8 Cyl. 4.6L	CW	w/ Trailer Tow Pkg.			2981	
04	6 Cyl. 3.6L	CCW	w/5L50E Transmission			2981	
CHECKER							
DELUXE							
69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.3L	CW		2710			1710
	8 Cyl. 5.7L	CW		2705			1705
MARATHON							
82-80	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 4.4L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705			1705
81-80	8 Cyl. 5.0L	CW		2705			1705
79-71	All Eng.	CW		2705			1705
70-69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705			1705
69	8 Cyl. 5.4L	CW		2705			1705
68	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.4L	CW		2710			1710
68-65	6 Cyl. 3.8L	CW		2705			1705
67-65	8 Cyl. 5.3L	CW		2710			1710
66-65	8 Cyl. 4.6L	CW		2710			1710
CHEVROLET							
BEL AIR							
81	8 Cyl. 4.4L	CW	w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
	8 Cyl. 5.0L	CW		2707			1707
75-70	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 7.4L	CW			2747		
75-69	8 Cyl. 5.7L	CW		2705			1705
73-69	6 Cyl. 4.1L	CW		2705			1705
69	8 Cyl. 6.5L	CW			2747		
	8 Cyl. 7.0L	CW			2747		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHEVROLET							
BEL AIR							
69-68	8 Cyl. 5.3L	CW		2705			1705
	8 Cyl. 5.4L	CW		2710			1710
68	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 6.5L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
67-66	All Eng.	CW		2710			1710
65	6 Cyl. 3.8L	CW		2711			
	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.3L	CW		2710			1710
	8 Cyl. 6.5L	CW		2710			1710
	8 Cyl. 6.7L	CW		2710			1710
64-63	All Eng.	CW		2710			1710
62	8 Cyl. 5.3L	CW		2710			1710
62-61	8 Cyl. 6.7L	CW		2710			1710
62-57	8 Cyl. 4.6L	CW		2710			1710
61-58	8 Cyl. 5.7L	CW		2710			1710
57-55	8 Cyl. 4.3L	CW		2710			1710
BISCAYNE							
72-70	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 7.4L	CW			2747		
72-69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705			1705
69	8 Cyl. 7.0L	CW			2747		
69-68	8 Cyl. 5.3L	CW		2705			1705
	8 Cyl. 5.4L	CW		2710			1710
	8 Cyl. 6.5L	CW		2710			1710
68	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 7.0L	CW		2710			1710
67-66	All Eng.	CW		2710			1710
65	6 Cyl. 3.8L	CW		2711			
	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.3L	CW		2710			1710
	8 Cyl. 6.5L	CW		2710			1710
	8 Cyl. 6.7L	CW		2710			1710
64-63	All Eng.	CW		2710			1710
62	8 Cyl. 5.3L	CW		2710			1710
62-61	8 Cyl. 6.7L	CW		2710			1710
62-58	8 Cyl. 4.6L	CW		2710			1710
61-58	8 Cyl. 5.7L	CW		2710			1710
BROOKWOOD							
72	8 Cyl. 5.7L	CW			2747		
	8 Cyl. 6.6L	CW			2747		
72-69	6 Cyl. 4.1L	CW		2705			1705
71-69	8 Cyl. 5.7L	CW		2705			1705

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET

BROOKWOOD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
70	8 Cyl. 6.6L	CW			2747		

CAMARO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
86-83	4 Cyl. 2.5L	CW		2705			1705
86-82	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
86-76	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
84-82	6 Cyl. 2.8L	CW		2705			1705
82	4 Cyl. 2.5L	CW	w/ Heavy Duty Cooling	2707			1707
	4 Cyl. 2.5L	CW	w/o Heavy Duty Cooling	2705			1705
81	6 Cyl. 3.8L	CW	229 CID; w/o AC	2705			1705
81-80	6 Cyl. 3.8L	CW	231 CID	2707			1707
	6 Cyl. 3.8L	CW	229 CID		2747		
	8 Cyl. 4.4L	CW			2747		
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2707			1707
	8 Cyl. 5.0L	CW	w/o AC	2705			1705
	8 Cyl. 5.7L	CW	w/ AC	2705			1705
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2707			1707
81-68	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747		
80	6 Cyl. 3.8L	CW	229 CID; w/ AC	2705			1705
79-76	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
79-68	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
79-67	6 Cyl. 4.1L	CW		2705			1705
73-71	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-71	8 Cyl. 6.6L	CW		2705			1705
70	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 6.6L	CW			2747		
69	8 Cyl. 4.9L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 6.5L	CW		2705			1705
	8 Cyl. 7.0L	CW		2705			1705
69-68	8 Cyl. 5.4L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.4L	CW	w/ Std Duty Fan Clutch	2705			1705
69-67	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.3L	CW		2705			1705
68-67	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 6.5L	CW		2710			1710
67	8 Cyl. 5.7L	CW		2705	2747		1705

CAPRICE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
96-94	8 Cyl. 4.3L	CW			2747	**2797**	
	8 Cyl. 5.7L	CW			2747	**2797**	
93-92	6 Cyl. 4.3L	CCW			2734		
93-91	8 Cyl. 5.0L	CCW			2734		
	8 Cyl. 5.7L	CCW			2734		
90	8 Cyl. 5.7L	CCW			2653	**2784**	
90-89	6 Cyl. 4.3L	CCW			2734		
	8 Cyl. 5.0L	CCW	305 CID		2734		
90-88	8 Cyl. 5.0L	CW	307 CID; w/ HD Fan Clutch		2747		

CHEVROLET

CAPRICE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
90-88	8 Cyl. 5.0L	CW	307 CID; w/ Std Duty Fan Clutch	2705			1705
89	8 Cyl. 5.7L	CCW			2734	**2784**	
88	8 Cyl. 5.0L	CW	305 CID		2747		
88-85	6 Cyl. 4.3L	CW	w/ HD Fan Clutch		2747		
	6 Cyl. 4.3L	CW	w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
87-82	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-77	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
85-80	8 Cyl. 5.7L	CW	Diesel; w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	Diesel; w/ Std Duty Fan Clutch	2705			1705
84-82	6 Cyl. 3.8L	CW	229 CID; w/ Std Duty Fan Clutch	2705			1705
84-80	6 Cyl. 3.8L	CW	231 CID; w/ AC	2705			1705
	6 Cyl. 3.8L	CW	231 CID; w/ Std Duty Fan Clutch; w/o AC	2707			1707
	6 Cyl. 3.8L	CW	229 CID; w/ HD Fan Clutch		2747		
82	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
82-80	8 Cyl. 4.4L	CW	w/ HD Fan Clutch; w/ AC		2747		
81-80	6 Cyl. 3.8L	CW	229 CID; w/ Std Duty Fan Clutch	2707			1707
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2707			1707
80	8 Cyl. 5.7L	CW	Gas; w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	Gas; w/ Std Duty Fan Clutch	2705			1705
79-77	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
79-75	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
76-73	8 Cyl. 6.6L	CW		2705	2747		1705
76-70	8 Cyl. 7.4L	CW			2747		
74	8 Cyl. 5.7L	CW		2705			1705
74-71	6 Cyl. 4.1L	CW		2705			1705
73-72	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
73-71	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-70	8 Cyl. 6.6L	CW			2747		
71-69	8 Cyl. 5.7L	CW		2705			1705
69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 6.5L	CW			2747		
	8 Cyl. 7.0L	CW			2747		
69-68	8 Cyl. 5.3L	CW		2705			1705
	8 Cyl. 5.4L	CW		2710			1710
68	8 Cyl. 5.0L	CW		2707			1707
68-67	6 Cyl. 4.1L	CW		2710			1710
68-66	8 Cyl. 6.5L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
67-66	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.3L	CW		2710			1710

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHEVROLET							
CHEVELLE							
73-71	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 7.4L	CW		2705			1705
73-69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.7L	CW	w/ AC	2705			1705
73-68	8 Cyl. 5.0L	CW		2705			1705
70	8 Cyl. 6.5L	CW			2747		
	8 Cyl. 6.6L	CW		2705	2747		1705
	8 Cyl. 7.4L	CW			2747		
69	8 Cyl. 6.5L	CW		2705			1705
69-64	6 Cyl. 3.8L	CW		2705			1705
68	8 Cyl. 5.7L	CW		2705			1705
68-67	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.3L	CW		2705			1705
	8 Cyl. 5.4L	CW		2710			1710
68-65	8 Cyl. 6.5L	CW		2710			1710
67-64	8 Cyl. 4.6L	CW		2710			1710
66	8 Cyl. 5.3L	CW		2710			1710
65	8 Cyl. 5.4L	CW		2710			1710
64	8 Cyl. 5.3L	CW		2710			1710
CHEVETTE							
87-76	4 Cyl. 1.6L	CW		2551			
86-81	4 Cyl. 1.8L	CW		2551			
77-76	4 Cyl. 1.4L	CW		2551			
CHEVY II							
68	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 5.4L	CW		2710			1710
	8 Cyl. 5.7L	CW		2710			1710
	8 Cyl. 6.5L	CW		2710			1710
67	6 Cyl. 4.1L	CW		2710			1710
67-65	8 Cyl. 5.3L	CW		2710			1710
66	8 Cyl. 5.4L	CW		2710			1710
66-64	6 Cyl. 3.8L	CW		2710			1710
CORVETTE							
82-80	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2714			
80	8 Cyl. 5.0L	CW		2714			
80-74	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2741		
79-74	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2711			
74-70	8 Cyl. 7.4L	CW	w/ AC			2799	
	8 Cyl. 7.4L	CW	w/o AC	2713			
73-72	8 Cyl. 5.7L	CW		2711			
71-69	8 Cyl. 5.7L	CW		2713			
69-66	8 Cyl. 7.0L	CW		2711			
68	8 Cyl. 5.4L	CW		2711			
67-66	8 Cyl. 5.3L	CW		2711			1710
65	All Eng.	CW		2711			1710
64-62	All Eng.	CW		2711			
61-60	8 Cyl. 4.6L	CW		2711			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHEVROLET							
CORVETTE							
59	All Eng.	CW	CARB	2711			
	All Eng.	CW	FI	2710			1710
58-56	All Eng.	CW		2711			
55	8 Cyl. 4.3L	CW		2711			
DEL RAY							
58	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.7L	CW		2710			1710
EL CAMINO							
87-85	6 Cyl. 4.3L	CW		2705			1705
87-82	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-78	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747	**2797**	
84-83	8 Cyl. 5.7L	CW				2797	
84-82	6 Cyl. 3.8L	CW	231 CID; w/o AC	2707			1707
84-80	6 Cyl. 3.8L	CW	229 CID; w/ AC	2705			1705
82	8 Cyl. 4.4L	CW	w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
81	6 Cyl. 3.8L	CW	231 CID; w/ AC	2705			1705
81-80	6 Cyl. 3.8L	CW	229 CID; w/o AC	2707			1707
	6 Cyl. 3.8L	CW	231 CID	2707			1707
81-79	8 Cyl. 4.4L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
81-78	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
79-78	6 Cyl. 3.3L	CW	Auto Trans; w/ AC	2705			1705
	6 Cyl. 3.3L	CW	Manual Trans; w/o AC	2707			1707
	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
79-76	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
77-76	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
77-69	6 Cyl. 4.1L	CW		2705			1705
76-74	8 Cyl. 6.6L	CW		2705	2747		1705
75-71	8 Cyl. 7.4L	CW		2705			1705
75-69	8 Cyl. 5.7L	CW	w/ AC	2705			1705
73	8 Cyl. 6.6L	CW			2947		
73-68	8 Cyl. 5.0L	CW		2705			1705
72-71	8 Cyl. 6.6L	CW			2747		
70	8 Cyl. 6.5L	CW			2747		
	8 Cyl. 6.6L	CW		2705	2747		1705
	8 Cyl. 7.4L	CW			2747		
69	8 Cyl. 6.5L	CW		2705			1705
69-68	8 Cyl. 5.3L	CW		2705			1705
69-64	6 Cyl. 3.8L	CW		2705			1705
68	8 Cyl. 5.4L	CW		2710			1710
	8 Cyl. 5.7L	CW		2705			1705
68-67	6 Cyl. 4.1L	CW		2710			1710

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET

EL CAMINO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
68-67	8 Cyl. 6.5L	CW		2710			1710
67	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.3L	CW		2710			1710
66-64	8 Cyl.	CW		2710			1710
60-59	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.7L	CW		2710			1710

ESTATE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
70	8 Cyl. 6.6L	CW		2705			1705
	8 Cyl. 7.4L	CW			2747		
70-69	8 Cyl. 5.7L	CW		2705			1705
69	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 6.5L	CW		2705			1705
	8 Cyl. 7.0L	CW			2747		

IMPALA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
96-94	8 Cyl. 5.7L	CW			2747	**2797**	
85	6 Cyl. 4.3L	CW	w/ HD Fan Clutch		2747		
	6 Cyl. 4.3L	CW	w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 5.7L	CW		2705			1705
85-82	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
85-80	8 Cyl. 5.7L	CW	Diesel; w/ HD Fan Clutch		2747	**2797**	
85-77	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747		
84-82	6 Cyl. 3.8L	CW	229 CID; w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
84-80	6 Cyl. 3.8L	CW	229 CID; w/ HD Fan Clutch		2747		
	6 Cyl. 3.8L	CW	231 CID; w/ Std Duty Fan Clutch; w/o AC	2707			1707
82	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch	2705			1705
82-80	8 Cyl. 4.4L	CW	w/ HD Fan Clutch; w/ AC		2747		
81-80	6 Cyl. 3.8L	CW	229 CID; w/ Std Duty Fan Clutch	2707			1707
	6 Cyl. 3.8L	CW	231 CID; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2707			1707
	8 Cyl. 5.0L	CW	w/o AC	2705			1705
	8 Cyl. 5.7L	CW	Diesel; w/ Std Duty Fan Clutch	2705			1705
	8 Cyl. 5.7L	CW	Gas; w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	Gas; w/ Std Duty Fan Clutch	2705			1705
79-77	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
79-72	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
76	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 6.6L	CW	w/o AC	2705			1705
76-70	8 Cyl. 7.4L	CW			2747		
75-73	8 Cyl. 6.6L	CW		2705	2747		1705
74-69	6 Cyl. 4.1L	CW		2705			1705
73-71	8 Cyl. 5.0L	CW		2705			1705
72-70	8 Cyl. 6.6L	CW			2747		

CHEVROLET

IMPALA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
71-69	8 Cyl. 5.7L	CW		2705			1705
69	8 Cyl. 6.5L	CW			2747		
	8 Cyl. 7.0L	CW			2747		
69-68	8 Cyl. 5.0L	CW		2705			1705
69-64	8 Cyl. 5.4L	CW		2710			1710
69-62	8 Cyl. 5.3L	CW		2710			1710
68-66	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
68-65	8 Cyl. 6.5L	CW		2710			1710
67-59	8 Cyl. 4.6L	CW		2710			1710
65	6 Cyl. 3.8L	CW		2711			1710
65-61	8 Cyl. 6.7L	CW		2710			1710
64-63	6 Cyl. 3.8L	CW		2710			1710
61-59	8 Cyl. 5.7L	CW		2710			1710

IMPALA SS

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
96-94	8 Cyl. 5.7L	CW			2747	**2797**	
65	6 Cyl. 4.1L	CW		2710			1710

KINGSWOOD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
72	8 Cyl. 7.4L	CW			2747		
72-71	8 Cyl. 6.6L	CW	400 CID	2705			1705
	8 Cyl. 6.6L	CW	402 CID		2747		
72-69	8 Cyl. 5.7L	CW		2705			1705
70	8 Cyl. 6.6L	CW		2705			1705
	8 Cyl. 7.4L	CW			2747		
69	8 Cyl. 7.0L	CW			2747		

LAGUNA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
76	All Eng.	CW		2705			1705
75-74	8 Cyl. 7.4L	CW			2747		
75-73	8 Cyl. 5.7L	CW		2705			1705
	8 Cyl. 6.6L	CW		2705			1705
73	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 7.4L	CW		2705			1705

MALIBU / MALIBU MAXX

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
83-82	6 Cyl. 4.3L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
83-81	6 Cyl. 3.8L	CW	w/ AC	2705			1705
	6 Cyl. 3.8L	CW	w/o AC	2707			1707
83-78	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747	**2797**	
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
83-76	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
82-79	8 Cyl. 4.4L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
81-78	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
80	6 Cyl. 3.8L	CW	229 CID; w/ AC	2705			1705

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHEVROLET							
MALIBU / MALIBU MAXX							
80	6 Cyl. 3.8L	CW	229 CID; w/o AC	2707			1707
	6 Cyl. 3.8L	CW	231 CID	2707			1707
79-78	6 Cyl. 3.3L	CW	Auto Trans; w/ AC	2705			1705
	6 Cyl. 3.3L	CW	Manual Trans; w/o AC	2707			1707
	6 Cyl. 3.8L	CW		2707			1707
77	8 Cyl. 5.0L	CW	w/o AC	2707			1707
77-76	8 Cyl. 5.0L	CW	w/ AC	2705			1705
77-73	6 Cyl. 4.1L	CW		2705			1705
76-74	8 Cyl. 6.6L	CW		2705	2747		1705
75-73	8 Cyl. 5.7L	CW	w/ AC	2705			1705
	8 Cyl. 7.4L	CW		2705			1705
73	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 6.6L	CW			2747		
67	6 Cyl. 4.1L	CW		2710			1710
67-65	8 Cyl. 6.5L	CW		2710			1710
67-64	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 4.6L	CW		2710			1710
	8 Cyl. 5.3L	CW		2710			1710
MONTE CARLO							
88-85	6 Cyl. 4.3L	CW		2705			1705
88-82	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
88-78	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		2747	**2797**	
87-84	6 Cyl. 3.8L	CW	w/ AC	2705			1705
	6 Cyl. 3.8L	CW	w/o AC	2707			1707
84-82	8 Cyl. 5.7L	CW				2797	
83-82	6 Cyl. 3.8L	CW	231 CID; w/o AC	2707			1707
	6 Cyl. 4.3L	CW		2705			1705
83-80	6 Cyl. 3.8L	CW	229 CID; w/ AC	2705			1705
82	8 Cyl. 4.4L	CW	w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
81-80	6 Cyl. 3.8L	CW	229 CID; w/o AC	2707			1707
	6 Cyl. 3.8L	CW	231 CID	2707			1707
	6 Cyl. 3.8L	CW	231 CID; w/ AC	2705			1705
81-79	8 Cyl. 4.4L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
81-78	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch; w/o AC	2707			1707
79-78	6 Cyl. 3.3L	CW	Auto Trans; w/ AC	2705			1705
	6 Cyl. 3.3L	CW	Manual Trans; w/o AC	2707			1707
	6 Cyl. 3.8L	CW		2707			1707
77-76	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747		
	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch; w/ AC	2705			1705
76	8 Cyl. 6.6L	CW			2747		
	8 Cyl. 6.6L	CW	w/o AC	2705			1705
75-73	8 Cyl. 6.6L	CW		2705	2747		1705
75-71	8 Cyl. 7.4L	CW		2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHEVROLET							
MONTE CARLO							
75-70	8 Cyl. 5.7L	CW	w/ AC	2705			1705
72-71	8 Cyl. 6.6L	CW			2747		
70	8 Cyl. 6.6L	CW		2705	2747		1705
	8 Cyl. 6.6L	CW	w/o AC	2705			1705
	8 Cyl. 7.4L	CW			2747		
MONZA							
80-78	4 Cyl. 2.5L	CW		2705			1705
	6 Cyl. 3.8L	CW	w/ AC	2705			1705
	6 Cyl. 3.8L	CW	w/o AC	2710			
79-78	6 Cyl. 3.2L	CW		2705			1705
79-76	8 Cyl. 5.0L	CW		2705			1705
77-75	4 Cyl. 2.3L	CW		2705			1705
76-75	8 Cyl. 4.3L	CW		2705			1705
NOVA							
79-76	8 Cyl. 5.0L	CW		2705			1705
79-71	6 Cyl. 4.1L	CW		2705			1705
79-69	8 Cyl. 5.7L	CW		2705			1705
75	8 Cyl. 4.3L	CW		2705			1705
73-69	8 Cyl. 5.0L	CW		2705			1705
72	8 Cyl. 6.6L	CW			2747		
70	8 Cyl. 6.6L	CW			2747		
70-69	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 6.5L	CW			2747		
70-67	6 Cyl. 4.1L	CW		2710			1710
67	8 Cyl. 5.3L	CW		2710			1710
67-63	8 Cyl. 4.6L	CW		2710			1710
66-65	8 Cyl. 5.4L	CW		2710			1710
65	6 Cyl. 3.8L	CW		2710			
64	6 Cyl. 3.8L	CW		2710			1710
TOWNSMAN							
72	8 Cyl. 6.6L	CW	400 CID	2705			1705
	8 Cyl. 6.6L	CW	402 CID		2747		
	8 Cyl. 7.4L	CW			2747		
72-69	8 Cyl. 5.7L	CW		2705			1705
71-70	8 Cyl. 6.6L	CW		2705			1705
70	8 Cyl. 7.4L	CW			2747		
VEGA							
77-71	4 Cyl. 2.3L	CW	w/ AC	2705			
	4 Cyl. 2.3L	CW	w/o AC	2707			
CHEVROLET & GMC MEDIUM DUTY							
C4500 & C5500 TRUCKS							
09-08	8 Cyl. 6.6L	CCW				2887	
09-03	8 Cyl. 8.1L	CCW				2887	
07-03	8 Cyl. 6.6L	CCW	VIN: 1, 2; High Output Diesel			2886	
C6 & C7 TRUCKS							
90-80	8 Cyl. 6.0L	CW	Manual Trans; w/ 4 Bolt Mounting Holes			2801	

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET & GMC MEDIUM DUTY

C6 & C7 TRUCKS

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
87-80	8 Cyl. 7.0L	CW	Manual Trans; w/ 4 Bolt Mounting Holes			2801	

G SERIES MEDIUM DUTY VAN / EXPRESS / SAVANA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16	8 Cyl. 6.6L	CCW	4500	3222			
16-14	8 Cyl. 6.0L	CCW				2786	
15-09	8 Cyl. 6.6L	CCW		3222			
13-09	8 Cyl. 6.0L	CCW			**2744**	2786	
	8 Cyl. 6.0L	CCW	w/ AC			2786	

SCHOOL BUSES, B & S SERIES, 1991 and earlier

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
91-85	8 Cyl. 6.0L	CW	w/ 6 Bolt Mounting Holes			2872	
91-83	8 Cyl. 6.0L	CW	w/ 4 Bolt Mounting Holes			2801	
85	8 Cyl. 7.0L	CW	w/ 6 Bolt Mounting Holes			2872	
85-83	8 Cyl. 7.0L	CW	w/ 4 Bolt Mounting Holes			2801	

SCHOOL BUSES, B7 SERIES, 1993 and later

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
02-01	8 Cyl. 8.1L	CCW				2881	
00-99	8 Cyl. 7.4L	CW				2844	
98-97	8 Cyl. 6.5L	CCW	Diesel			2881	
98-94	8 Cyl. 7.0L	CW	w/ 4 Bolt Mounting Holes			2811	
	8 Cyl. 7.0L	CW	w/ 6 Bolt Mounting Holes			2834	
98-93	8 Cyl. 6.0L	CW	w/ 4 Bolt Mounting Holes			2811	
	8 Cyl. 6.0L	CW	w/ 6 Bolt Mounting Holes			2834	

TOPKICK & KODIAK

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
09-07	8 Cyl. 6.6L	CCW		3221			
02-01	8 Cyl. 8.1L	CW				2846	
02-98	6 Cyl. 7.2L	CW	CAT 3126, Marked GPK			2871	
00-99	8 Cyl. 7.4L	CW	w/ 4 Bolt Mounting Holes, Marked RT			2811	
	8 Cyl. 7.4L	CW	w/ 6 Bolt Mounting Holes, Marked GDR or GDS			2871	
	8 Cyl. 7.4L	CW	w/ 6 Bolt Mounting Holes, Marked NG			2834	
98-97	6 Cyl. 6.6L	CW	Marked GPK, w/ High Visiblity Hood			2871	
	8 Cyl. 7.0L	CW	Marked GPK, 2" Shaft Length			2847	
98-90	8 Cyl. 6.0L	CW	w/ 4 Bolt Mounting Holes, Marked RT			2811	
	8 Cyl. 6.0L	CW	w/ 6 Bolt Mounting Holes, Marked NG or NF			2834	
	8 Cyl. 7.0L	CW	w/ 4 Bolt Mounting Holes, Marked RT			2811	
	8 Cyl. 7.0L	CW	w/ 6 Bolt Mounting Holes, Marked NG or NF			2834	

W3500 & W4500 TILTMASTER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
08-03	8 Cyl. 6.0L	CCW				2787	
02-97	8 Cyl. 5.7L	CCW				2787	
96	8 Cyl. 5.7L	CCW				2786	

CHEVROLET LIGHT TRUCK

ASTRO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-96	6 Cyl. 4.3L	CCW				2786	
95-90	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
95-87	6 Cyl. 4.3L	CCW	w/ 3.73 Rear Axle Ratio; w/ AC		2734	**2784**	
94-88	6 Cyl. 4.3L	CCW	w/o AC	2739			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
90-88	4 Cyl. 2.5L	CCW	w/ AC	2722			
89-87	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		2734		
87	4 Cyl. 2.5L	CCW	w/ Front Mounted Fan; w/o AC	2580			
86-85	4 Cyl. 2.5L	CW	w/ Front Mounted Fan; w/ AC	2551			
	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC	2705	2747		
	6 Cyl. 4.3L	CW	w/ 3.73 Rear Axle Ratio; w/ AC		2747	**2797**	
	6 Cyl. 4.3L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	w/ Front Mounted Fan; w/o AC	2557			

AVALANCHE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
07-02	8 Cyl. 5.3L	CCW			2744		
	8 Cyl. 5.3L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio; w/ AC			2786	
	8 Cyl. 5.3L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio; w/ AC		2744	**2786**	
06-03	8 Cyl. 8.1L	CCW				2780	
02	8 Cyl. 8.1L	CCW	New Body Style			2780	

COLORADO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-16	4 Cyl. 2.8L	CCW		3210			
12-09	8 Cyl. 5.3L	CCW				2889	
12-07	4 Cyl. 2.9L	CCW			2778		
	5 Cyl. 3.7L	CCW				2787	
06-04	4 Cyl. 2.8L	CCW			2778		
	5 Cyl. 3.5L	CCW				2787	

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-11	8 Cyl. 6.0L	CCW				2980	
16-15	8 Cyl. 6.6L	CCW		3203			
14-11	8 Cyl. 6.6L	CCW		3202			
10-07	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
10-06	8 Cyl. 6.6L	CCW				2850	
07-06	8 Cyl. 4.8L	CCW			2744		
	8 Cyl. 4.8L	CCW	w/ AC			2786	
07-03	8 Cyl. 8.1L	CCW				2780	
07-99	8 Cyl. 5.3L	CCW			2744		
	8 Cyl. 5.3L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio; w/ AC			2786	
	8 Cyl. 5.3L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio; w/ AC		2744	**2786**	
06	8 Cyl. 6.0L	CCW	Exd. Silverado SS		2744	**2786**	
	8 Cyl. 6.0L	CCW	Exd. Silverado SS; w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
	8 Cyl. 6.0L	CCW	Silverado SS			2780	
05-02	8 Cyl. 6.0L	CCW			2744	**2786**	
	8 Cyl. 6.0L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC			2786	
05-01	8 Cyl. 6.6L	CCW				2843	
05-99	6 Cyl. 4.3L	CCW			2744		
	8 Cyl. 4.8L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio			2786	

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET LIGHT TRUCK

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-99	8 Cyl. 4.8L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio		2744		
05-96	6 Cyl. 4.3L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC			2786	
02-01	8 Cyl. 8.1L	CCW	New Body Style			2780	
	8 Cyl. 8.1L	CCW	Old Body Style			2786	
02-00	8 Cyl. 6.5L	CCW				2840	
02-96	8 Cyl. 5.7L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC			2786	
	8 Cyl. 5.7L	CCW	w/o AC	2626			
01-99	8 Cyl. 6.0L	CCW	w/ Trailer Tow Pkg.; w/ 3.73, 3.42, or 3.08 Rear Axle Ratio		2744	**2786**	
	8 Cyl. 6.0L	CCW	w/o Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio		**2744**	2786	
00-92	8 Cyl. 7.4L	CCW				2784	
99	8 Cyl. 6.5L	CCW	Marked GDF; Threaded Type			2840	
	8 Cyl. 6.5L	CCW	Marked GPC; Bolt-On Type			2839	
99-96	8 Cyl. 5.0L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC			2786	
	8 Cyl. 5.0L	CCW	w/o AC	2626			
98-97	8 Cyl. 6.5L	CCW				2839	
98-96	6 Cyl. 4.3L	CCW	w/o AC	2626			
96-94	8 Cyl. 6.5L	CCW				2831	
95-92	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
95-89	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC	2724			
	6 Cyl. 4.3L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		**2734**	2784	
95-88	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
93-92	8 Cyl. 6.2L	CCW				2785	
	8 Cyl. 6.5L	CCW				2832	
91-88	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"		**2747**	2797	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 7.4L	CCW	Fan Mounting Holes are 10mm			2784	
	8 Cyl. 7.4L	CW	Fan Mounting Holes are 5/16"			2797	
91-86	8 Cyl. 6.2L	CCW	Fan Mounting Holes are 10mm			2785	
91-85	8 Cyl. 6.2L	CW	Fan Mounting Holes are 5/16"			2799	
88	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"; w/ AC		**2747**	2797	
	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"; w/o AC	2724			

CHEVROLET LIGHT TRUCK

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
88	6 Cyl. 4.3L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	6 Cyl. 4.3L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/o AC	2724			
	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		**2734**	2784	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
88-78	6 Cyl. 4.8L	CW	w/ AC		2747	**2797**	
	6 Cyl. 4.8L	CW	w/o AC	2707			1707
88-77	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-85	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	6 Cyl. 4.3L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-82	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-77	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-73	8 Cyl. 7.4L	CW				2797	
84-83	8 Cyl. 6.2L	CW				2799	
84-78	6 Cyl. 4.1L	CW		2707			1707
82	8 Cyl. 6.2L	CW	w/ 4 Bolt Fan Clutch			2799	
	8 Cyl. 6.2L	CW	w/ 6 Bolt Fan Clutch			2828	
82-73	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
81-73	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
80-75	8 Cyl. 6.6L	CW				2797	
77-66	6 Cyl. 4.1L	CW		2705			1705
77-63	6 Cyl. 4.8L	CW		2705			1705
73	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-70	8 Cyl. 6.6L	CW		2707			1707
72-69	8 Cyl. 5.7L	CW		2705			1705
72-68	8 Cyl. 5.0L	CW		2705			1705
69	6 Cyl. 3.8L	CW		2705			1705
69-68	8 Cyl. 6.5L	CW		2707			1707
68-67	8 Cyl. 5.4L	CW		2705			1705
68-66	8 Cyl. 5.3L	CW		2705			1705
67-61	8 Cyl. 4.6L	CW		2705			1705
66-63	6 Cyl. 3.8L	CW		2705			1705
58-57	8 Cyl. 4.6L	CW		2705			1705

G SERIES FULLSIZE VAN / EXPRESS

17	4 Cyl. 2.8L	CCW		3210			
17-16	8 Cyl. 6.0L	CCW				2786	
16	8 Cyl. 4.8L	CCW				2786	

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET LIGHT TRUCK

G SERIES FULLSIZE VAN / EXPRESS

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16-10	8 Cyl. 6.6L	CCW		3222			
15	8 Cyl. 4.8L	CCW			**2744**	2786	
	8 Cyl. 4.8L	CCW	w/ AC			2786	
	8 Cyl. 5.3L	CCW			**2744**	2786	
	8 Cyl. 5.3L	CCW	w/ AC			2786	
	8 Cyl. 6.0L	CCW			**2744**	2786	
14	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 4.8L	CCW				2786	
	8 Cyl. 5.3L	CCW				2786	
	8 Cyl. 6.0L	CCW				2786	
13-11	6 Cyl. 4.3L	CCW			**2744**	2786	
	6 Cyl. 4.3L	CCW	w/ AC			2786	
	8 Cyl. 4.8L	CCW			**2744**	2786	
	8 Cyl. 4.8L	CCW	w/ AC			2786	
	8 Cyl. 5.3L	CCW			**2744**	2786	
	8 Cyl. 5.3L	CCW	w/ AC			2786	
	8 Cyl. 6.0L	CCW			**2744**	2786	
12-03	8 Cyl. 6.0L	CCW	w/ AC			2786	
10-03	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 4.8L	CCW				2786	
	8 Cyl. 5.3L	CCW				2786	
	8 Cyl. 6.0L	CCW			2744		
09-06	8 Cyl. 6.6L	CCW	Turbocharged; Diesel			2843	
02-01	8 Cyl. 8.1L	CCW				2780	
02-99	8 Cyl. 6.5L	CCW				2850	
02-96	6 Cyl. 4.3L	CCW	w/ AC		2744		
	6 Cyl. 4.3L	CCW	w/o AC	2626			
	8 Cyl. 5.0L	CCW	w/ AC		**2744**	2786	
	8 Cyl. 5.0L	CCW	w/o AC	2626			
	8 Cyl. 5.7L	CCW	w/ AC		**2744**	2786	
	8 Cyl. 5.7L	CCW	w/o AC	2626			
00-89	8 Cyl. 7.4L	CCW				2784	
98-97	8 Cyl. 6.5L	CCW				2839	
96	8 Cyl. 6.5L	CCW	New Body Style			2831	
96-94	8 Cyl. 6.5L	CCW	Old Body Style			2785	
95-87	6 Cyl. 4.3L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/ AC		**2734**	2784	
	6 Cyl. 4.3L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	6 Cyl. 4.3L	CCW	w/ 3.73, 4.10, or 4.56 Rear Axle Ratio		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.0L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
93-83	8 Cyl. 6.2L	CW				2799	
88	8 Cyl. 7.4L	CCW			2734	**2784**	
88-73	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling			2797	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling		**2747**	2797	
86-85	6 Cyl. 4.3L	CW	w/ AC	2705	2747		
	6 Cyl. 4.3L	CW	w/o AC	2706			1706
86-81	8 Cyl. 5.0L	CW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2706			1706
	8 Cyl. 5.0L	CW	w/o Trailer Tow Pkg.; w/o AC		2747		1706
	8 Cyl. 5.7L	CW	w/o AC	2706			1706
86-77	8 Cyl. 5.0L	CW	w/ 2.73 Or 3.08 Rear Axle Ratio; w/ AC		**2747**	2797	
84-67	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			1706
80-78	8 Cyl. 6.6L	CW			2747		
80-77	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/o AC		2747	**2797**	
80-73	6 Cyl. 4.8L	CW		2707			1707
80-70	8 Cyl. 5.7L	CW	w/o AC	2705			1705
77-75	8 Cyl. 6.6L	CW		2705			1705
76-73	8 Cyl. 7.4L	CW				2797	
73-68	8 Cyl. 5.0L	CW		2705			1705
69-66	6 Cyl. 3.8L	CW		2705			1705

LLV (POSTAL VEHICLE)

95-94	4 Cyl. 2.2L	CCW		2739			
93-87	4 Cyl. 2.5L	CCW		2722			

LUV

82	4 Cyl. 2.2L	CW		2561			
82-72	4 Cyl. 1.8L	CW		2561			

MEDIUM DUTY VAN

11	8 Cyl. 6.6L	CCW	Express 4500	3222			

P SERIES VAN

99	8 Cyl. 6.5L	CCW	Diesel			2850	
99-96	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 5.7L	CCW				2787	
	8 Cyl. 7.4L	CCW				2784	
98-94	8 Cyl. 6.5L	CCW	Turbocharged; Diesel; Incl. High Output			2831	
	8 Cyl. 6.5L	CCW	w/o Turbo; Diesel; High Output			2785	
95-90	6 Cyl. 4.3L	CW				2782	
95-73	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling		2747	**2797**	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling		**2747**	2797	
	8 Cyl. 7.4L	CW				2797	
93-82	8 Cyl. 6.2L	CW				2799	
89-85	6 Cyl. 4.8L	CW	Auto Trans			2872	
84-79	6 Cyl. 4.8L	CW			**2747**	2797	
79	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			
	8 Cyl. 5.0L	CW	w/ Heavy Duty Cooling			2797	
	8 Cyl. 5.0L	CW	w/o Heavy Duty Cooling		2747		
78-75	6 Cyl. 4.8L	CW			2747		
77	8 Cyl. 6.6L	CW			2747		
76	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			
	6 Cyl. 4.8L	CW	P10		2747		
	8 Cyl. 6.6L	CW		2705			1705

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET LIGHT TRUCK

P SERIES VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
74	6 Cyl. 4.1L	CW	P10; w/ AC	2705			1705
	6 Cyl. 4.1L	CW	P10; w/o AC	2706			
74-73	6 Cyl. 4.8L	CW		2707	2747		1707
74-68	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			
73	8 Cyl. 5.0L	CW	w/ Heavy Duty Cooling			2797	
	8 Cyl. 5.0L	CW	w/o Heavy Duty Cooling		2747		
72	8 Cyl. 6.6L	CW		2705			1705
72-70	8 Cyl. 5.7L	CW	Exc. Heavy Duty Cooling		2747		
	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling			2797	
72-68	6 Cyl. 4.8L	CW	P20		2747		
	6 Cyl. 4.8L	CW	P30	2707			1707
71-70	8 Cyl. 7.4L	CW	P20		2747		
	8 Cyl. 7.4L	CW	P30			2797	
69-68	8 Cyl. 5.0L	CW		2705			1705
69-63	6 Cyl. 3.8L	CW		2705			1705
67	6 Cyl. 4.1L	CW	P10	2705			1705
	6 Cyl. 4.1L	CW	P30	2705			1705
	6 Cyl. 4.8L	CW	P10	2705			1705
67-64	6 Cyl. 4.8L	CW	P20	2705			1705
	6 Cyl. 4.8L	CW	P30		2747		
66	6 Cyl. 4.1L	CW	P20; w/ AC	2705			1705
	6 Cyl. 4.1L	CW	P20; w/o AC	2706			
	6 Cyl. 4.1L	CW	P30; w/ AC	2705			1705
	6 Cyl. 4.1L	CW	P30; w/o AC	2706			
65-64	8 Cyl. 5.7L	CW		2705			1705
	8 Cyl. 6.7L	CW		2705			1705
62	8 Cyl. 4.6L	CW		2705			1705
	8 Cyl. 6.7L	CW		2705			1705
62-61	8 Cyl. 5.7L	CW		2705			1705
61	8 Cyl. 4.6L	CW	P20	2705			1705
	8 Cyl. 4.6L	CW	P30	2705			1705

S10 BLAZER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-96	6 Cyl. 4.3L	CCW	w/ AC			2786	
03-96	6 Cyl. 4.3L	CCW	w/o AC	2626			
95-94	6 Cyl. 4.3L	CCW	w/o AC	2739			
95-88	6 Cyl. 4.3L	CCW	w/ AC		2734	**2784**	
93-88	6 Cyl. 4.3L	CCW	w/o AC	2727			
89-87	6 Cyl. 2.8L	CCW	w/ Front Mounted Fan; w/o AC	2580			
	6 Cyl. 2.8L	CCW	w/ Rear Mounted Fan; w/ AC	2724			
88-87	4 Cyl. 2.5L	CCW	w/ Rear Mounted Fan; w/ AC	2722			
	4 Cyl. 2.5L	CW	w/o AC				
86	4 Cyl. 2.5L	CW	w/ AC	2708			
	6 Cyl. 2.8L	CW	w/ AC	2705	2747		
86-85	4 Cyl. 2.5L	CW	w/o AC	2705			1705
86-83	6 Cyl. 2.8L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	Fan Mounting Holes are 5/16"; w/ AC	2615			
	4 Cyl. 2.5L	CW	Fan Mounting Holes are 8mm; w/ AC	2623			
85-83	6 Cyl. 2.8L	CW	w/ AC	2615			

CHEVROLET LIGHT TRUCK

S10 BLAZER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
84	4 Cyl. 1.9L	CW					
	4 Cyl. 1.9L	CW	4WD; Auto Trans; Rear Mounted Fan	2615			
	4 Cyl. 1.9L	CW	4WD; Front Mounted Fan; w/ AC	2551			
	4 Cyl. 1.9L	CW	RWD; Auto Trans; Rear Mounted Fan	2615			
	4 Cyl. 1.9L	CW	RWD; Front Mounted Fan; w/ AC	2551			
	4 Cyl. 2.2L	CW		2551			
84-83	4 Cyl. 2.0L	CW	Auto Trans	2615			
	4 Cyl. 2.0L	CW	Manual Trans	2551			
83	4 Cyl. 1.9L	CW	Auto Trans	2615			
	4 Cyl. 1.9L	CW	Manual Trans	2615			

S10 PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
04-96	6 Cyl. 4.3L	CCW	w/ AC			2786	
03-97	4 Cyl. 2.2L	CCW	w/ AC	2626			
	4 Cyl. 2.2L	CCW	w/o AC	2632			
03-96	6 Cyl. 4.3L	CCW	w/o AC	2626			
96-94	4 Cyl. 2.2L	CCW	w/ AC	2739			
	4 Cyl. 2.2L	CCW	w/o AC	2631			
95-94	6 Cyl. 4.3L	CCW	w/o AC	2739			
95-88	6 Cyl. 4.3L	CCW	w/ AC		2734	**2784**	
93-88	6 Cyl. 4.3L	CCW	w/o AC	2727			
93-87	4 Cyl. 2.5L	CCW	w/ Rear Mounted Fan; w/ AC	2722			
	6 Cyl. 2.8L	CCW	w/ Front Mounted Fan; w/o AC	2580			
	6 Cyl. 2.8L	CCW	w/ Rear Mounted Fan; w/ AC	2724			
91-89	4 Cyl. 2.5L	CCW	w/ Front Mount Fan	2580			
89-87	4 Cyl. 2.5L	CW	w/o AC				
86	4 Cyl. 2.5L	CW	w/ AC	2708			
	6 Cyl. 2.8L	CW	w/ AC	2705	2747		
86-85	4 Cyl. 2.5L	CW	w/o AC	2705			1705
86-82	6 Cyl. 2.8L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	Fan Mounting Holes are 5/16"; w/ AC	2615			
	4 Cyl. 2.5L	CW	Fan Mounting Holes are 8mm; w/ AC	2623			
85-83	4 Cyl. 1.9L	CW	Manual Trans; w/ Front Mounted Fan	2551			
	4 Cyl. 2.2L	CW		2551			
85-82	6 Cyl. 2.8L	CW	w/ AC	2615			
84-83	4 Cyl. 1.9L	CW	Auto Trans; w/ Rear Mounted Fan	2615			
	4 Cyl. 2.0L	CW	Auto Trans	2615			
	4 Cyl. 2.0L	CW	Manual Trans	2551			
82	4 Cyl. 1.9L	CW	Auto Trans	2551			
	4 Cyl. 1.9L	CW	Manual Trans	2551			

SSR

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
06-05	8 Cyl. 6.0L	CCW				3201 (2)	
04-03	8 Cyl. 5.3L	CCW				3200	

SUBURBAN / FULLSIZE BLAZER / TAHOE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
13-12	8 Cyl. 6.0L	CCW				2786	
11-07	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
07	8 Cyl. 4.8L	CCW	w/ AC			2786	
07-06	8 Cyl. 4.8L	CCW			2744		
07-00	8 Cyl. 5.3L	CCW			2744		

(2) When present stock is exhausted use 3200

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

CHEVROLET LIGHT TRUCK

SUBURBAN / FULLSIZE BLAZER / TAHOE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
07-00	8 Cyl. 5.3L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio; w/ AC			2786	
	8 Cyl. 5.3L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio; w/ AC		2744	**2786**	
06	8 Cyl. 4.8L	CCW	w/ AC		2744	**2786**	
	8 Cyl. 6.0L	CCW	Excl. Silverado SS		2744	**2786**	
	8 Cyl. 6.0L	CCW	Excl. Silverado SS; w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
06-03	8 Cyl. 8.1L	CCW				2780	
05-02	8 Cyl. 6.0L	CCW			2744	**2786**	
	8 Cyl. 6.0L	CCW	Incl. Heavy Duty Tow Pkg.; w/ AC			2786	
05-00	8 Cyl. 4.8L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio			2786	
	8 Cyl. 4.8L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio		2744		
02-01	8 Cyl. 8.1L	CCW	New Body Style			2780	
02-96	8 Cyl. 5.7L	CCW	Incl. Heavy Duty Tow Pkg.; w/ AC			2786	
	8 Cyl. 5.7L	CCW	w/o AC	2626			
01-00	8 Cyl. 6.0L	CCW	w/ Trailer Tow Pkg.; w/ 3.73, 3.42, or 3.08 Rear Axle Ratio		2744	**2786**	
	8 Cyl. 6.0L	CCW	w/o Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio		**2744**	2786	
99	8 Cyl. 6.5L	CCW	Marked GDF; Threaded Type			2840	
	8 Cyl. 6.5L	CCW	Marked GPC; Bolt-On Type			2839	
99-92	8 Cyl. 7.4L	CCW				2784	
98-97	8 Cyl. 6.5L	CCW				2839	
96-94	8 Cyl. 6.5L	CCW				2831	
95	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio; w/ AC		2734	**2784**	
95-92	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
95-88	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
94-92	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
91-88	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"		**2747**	2797	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 7.4L	CCW	Fan Mounting Holes are 10mm			2784	
	8 Cyl. 7.4L	CW	Fan Mounting Holes are 5/16"			2797	
91-85	8 Cyl. 6.2L	CCW	Fan Mounting Holes are 10mm			2785	
	8 Cyl. 6.2L	CW	Fan Mounting Holes are 5/16"			2799	
87-82	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-77	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-73	8 Cyl. 7.4L	CW				2797	
84-83	8 Cyl. 6.2L	CW				2799	

CHEVROLET LIGHT TRUCK

SUBURBAN / FULLSIZE BLAZER / TAHOE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
82	8 Cyl. 6.2L	CW	w/ 4 Bolt Fan Clutch			2799	
	8 Cyl. 6.2L	CW	w/ 6 Bolt Fan Clutch			2828	
82-78	6 Cyl. 4.1L	CW		2707			1707
	6 Cyl. 4.8L	CW	w/ AC		2747	**2797**	
	6 Cyl. 4.8L	CW	w/o AC	2707			1707
82-73	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
81-73	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
80-75	8 Cyl. 6.6L	CW				2797	
77-66	6 Cyl. 4.1L	CW		2705			1705
77-63	6 Cyl. 4.8L	CW		2705			1705
73	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-70	8 Cyl. 6.6L	CW		2707			1707
72-69	8 Cyl. 5.7L	CW		2705			1705
72-68	8 Cyl. 5.0L	CW		2705			1705
69-68	8 Cyl. 6.5L	CW		2707			1707
68	8 Cyl. 5.4L	CW		2705			1705
68-66	8 Cyl. 5.3L	CW		2705			1705
67-61	8 Cyl. 4.6L	CW		2705			1705
66	6 Cyl. 4.1L	CW	Suburban	2705			1705
	8 Cyl. 5.3L	CW	Suburban	2705			1705
66-63	6 Cyl. 3.8L	CW		2705			1705
	6 Cyl. 4.8L	CW	Suburban	2705			1705
66-61	8 Cyl. 4.6L	CW	Suburban	2705			1705
65-63	6 Cyl. 3.8L	CW	Suburban	2705			1705
61	8 Cyl. 5.7L	CW	Suburban	2705			1705

TRACKER

04-01	6 Cyl. 2.5L	CW		2680			
04-99	4 Cyl. 2.0L	CW		2680			
02-89	4 Cyl. 1.6L	CW		2582			

TRAILBLAZER

09-06	All Eng.	CCW	w/ Electronic Fan Clutch			3201 (2)	
	All Eng.	CCW	w/ Thermo Fan Clutch			2851	
05-03	8 Cyl. 5.3L	CCW				3200	
05-02	6 Cyl. 4.2L	CCW				3200	

CHRYSLER

300 SERIES

71-68	8 Cyl. 7.2L	CW		2706	2747		1706
67	All Eng.	CW			2747		
66	8 Cyl. 7.2L	CW			2747		
66-65	8 Cyl. 6.3L	CW		2707	2747		1707
65	8 Cyl. 6.8L	CW		2707			1707
65-59	8 Cyl. 6.7L	CW		2707			1707

ASPEN

09	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling			2788	
09-07	8 Cyl. 4.7L	CCW	w/ Heavy Duty Cooling	2621			
	8 Cyl. 4.7L	CCW	w/o HD Cooling		2743		

(2) When present stock is exhausted use 3200

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHRYSLER							
ASPEN							
08-07	8 Cyl. 5.7L	CCW	w/ Heavy Duty Cooling	2621			
	8 Cyl. 5.7L	CCW	w/o HD Cooling		2743		
CONQUEST							
89-88	4 Cyl. 2.6L	CW		2565			
87	4 Cyl. 2.6L	CW	Turbocharged	2565			
CORDOBA							
83-80	6 Cyl. 3.7L	CW		2706			1706
83-75	8 Cyl. 5.2L	CW		2706	2747		1706
80	8 Cyl. 5.9L	CW		2706			
79-75	8 Cyl. 5.9L	CW		2706	2747		1706
78-75	8 Cyl. 6.6L	CW		2706	2747		1706
FIFTH AVENUE							
89-83	8 Cyl. 5.2L	CW		2706	2747		1706
83	6 Cyl. 3.7L	CW		2706			1706
IMPERIAL							
82-81	All Eng.	CW		2706			
75-73	8 Cyl. 7.2L	CW		2706	2747		1706
72-66	All Eng.	CW			2747		
65-62	8 Cyl. 6.8L	CW		2707			1707
61	8 Cyl. 6.8L	CW		2707	2747		1707
60-59	8 Cyl. 6.8L	CW		2707			1707
LEBARON							
81-78	6 Cyl. 3.7L	CW		2706			1706
81-77	8 Cyl. 5.2L	CW		2706			1706
79-78	8 Cyl. 5.9L	CW		2706			
NEW YORKER							
82	6 Cyl. 3.7L	CW		2706			1706
82-79	8 Cyl. 5.2L	CW		2706	2747		1706
80-79	8 Cyl. 5.9L	CW		2706	2747		1706
78-77	8 Cyl. 5.9L	CW		2706			
78-75	8 Cyl. 6.6L	CW		2706	2747		1706
78-66	8 Cyl. 7.2L	CW		2706	2747		1706
72	8 Cyl. 6.6L	CW		2706	2747		1706
65-64	8 Cyl. 6.8L	CW		2707	2747		1707
	All Eng.	CW		2707			1707
63	8 Cyl. 6.7L	CW		2707			1707
62-60	8 Cyl. 6.8L	CW		2707	2747		1707
62-59	All Eng.	CW		2707			1707
NEWPORT							
81-79	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 5.2L	CW		2706	2747		1706
80-71	8 Cyl. 5.9L	CW		2706	2747		1706
78-72	8 Cyl. 6.6L	CW		2706	2747		1706
78-68	8 Cyl. 7.2L	CW		2706	2747		1706
71-68	8 Cyl. 6.3L	CW		2707	2747		1707

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
CHRYSLER							
NEWPORT							
67-66	8 Cyl. 6.3L	CW		2707			1707
	8 Cyl. 7.2L	CW			2747		
65	8 Cyl. 6.3L	CW		2707	2747		1707
64-62	8 Cyl. 6.7L	CW		2707			1707
64-61	8 Cyl. 5.9L	CW		2705			1705
60-59	All Eng.	CW		2707			1707
TOWN & COUNTRY							
81-79	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 5.2L	CW		2706	2747		1706
79-78	8 Cyl. 5.9L	CW		2706	2747		1706
78	6 Cyl. 3.7L	CW		2706			
	8 Cyl. 5.2L	CW		2706			
77-74	8 Cyl. 6.6L	CW		2706	2747		1706
77-68	8 Cyl. 7.2L	CW		2706	2747		1706
72	8 Cyl. 6.6L	CW		2706	2747		1706
71-65	8 Cyl. 6.3L	CW		2707	2747		1707
67-66	8 Cyl. 7.2L	CW		2707	2747		1707
64-61	8 Cyl. 5.9L	CW		2705			1705
64-59	8 Cyl. 6.7L	CW		2707			1707
DODGE							
330							
64	8 Cyl. 6.3L	CW		2707			1707
64-63	6 Cyl. 3.7L	CW		2706			
	8 Cyl. 5.2L	CW		2706			1706
440							
64	8 Cyl. 6.3L	CW		2707			1707
64-63	6 Cyl. 3.7L	CW		2706			
	8 Cyl. 5.2L	CW		2706			1706
880							
64-63	8 Cyl. 6.3L	CW		2707			1707
63	8 Cyl. 6.7L	CW		2707			1707
	8 Cyl. 6.8L	CW		2707			1707
ASPEN							
80	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 5.9L	CW		2706			
80-76	8 Cyl. 5.2L	CW		2706	2747		1706
79-76	6 Cyl. 3.7L	CW		2706	2747		1706
	8 Cyl. 5.9L	CW		2706	2747		1706
CHALLENGER							
83-82	4 Cyl. 2.6L	CW		2565			
81-80	All Eng.	CW		2565			
79-78	4 Cyl. 1.6L	CW		2565			
	4 Cyl. 2.6L	CW		2565			
74-72	8 Cyl. 6.6L	CW			2747		
74-71	8 Cyl. 5.9L	CW		2706	2747		1706
74-70	8 Cyl. 5.2L	CW		2706	2747		1706

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
DODGE							
CHALLENGER							
73-70	8 Cyl. 5.6L	CW		2706	2747		1706
72-70	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 7.2L	CW		2706	2747		1706
71-70	6 Cyl. 3.2L	CW		2707			1707
	8 Cyl. 6.3L	CW		2706	2747		1706
	8 Cyl. 7.0L	CW			2747		
CHARGER							
78-72	8 Cyl. 6.6L	CW		2706	2747		1706
78-71	8 Cyl. 5.9L	CW		2706	2747		1706
78-68	8 Cyl. 5.2L	CW		2706	2747		1706
76	6 Cyl. 3.7L	CW		2706			1706
74-68	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 7.2L	CW		2706	2747		1706
73-72	8 Cyl. 5.6L	CW		2706	2747		1706
71-70	8 Cyl. 5.6L	CW		2706			
71-68	8 Cyl. 6.3L	CW		2707	2747		1707
71-67	8 Cyl. 7.0L	CW		2706	2747		1706
67	8 Cyl. 4.5L	CW		2707			1707
	8 Cyl. 7.2L	CW		2706			
67-66	8 Cyl. 5.2L	CW		2706			
	8 Cyl. 6.3L	CW		2707			1707
66	8 Cyl. 5.9L	CW		2706			
CONQUEST							
86-84	4 Cyl. 2.6L	CW		2565			
CORONET							
76-75	8 Cyl. 7.2L	CW		2706			
76-74	8 Cyl. 5.9L	CW		2706	2747		1706
76-72	8 Cyl. 6.6L	CW		2706	2747		1706
76-68	8 Cyl. 5.2L	CW		2706	2747		1706
76-65	6 Cyl. 3.7L	CW		2706			1706
74-73	8 Cyl. 7.2L	CW		2706	2747		1706
73	8 Cyl. 5.9L	CW		2706			
73-70	8 Cyl. 5.6L	CW		2706	2747		1706
72	8 Cyl. 7.2L	CW		2706			
72-71	8 Cyl. 5.9L	CW		2706	2747		1706
71-68	8 Cyl. 6.3L	CW		2707	2747		1707
	8 Cyl. 7.2L	CW		2706	2747		1706
71-67	8 Cyl. 7.0L	CW		2706	2747		1706
68-65	8 Cyl. 4.5L	CW		2707			1707
67-66	8 Cyl. 7.2L	CW		2706			
67-65	8 Cyl. 5.2L	CW		2706			
	8 Cyl. 6.3L	CW		2707			1707
66-65	8 Cyl. 5.9L	CW		2706			
59	8 Cyl. 6.3L	CW		2707			1707
DART							
76-74	8 Cyl. 5.9L	CW		2706	2747		1706
76-68	8 Cyl. 5.2L	CW		2706	2747		1706

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
DODGE							
DART							
76-60	6 Cyl. 3.7L	CW		2707			1707
74-70	6 Cyl. 3.2L	CW		2707			1707
73-68	8 Cyl. 5.6L	CW		2707	2747		1707
71-70	6 Cyl. 2.8L	CW					
69-67	8 Cyl. 6.3L	CW		2707			1707
69-64	8 Cyl. 4.5L	CW		2707			1707
69-63	6 Cyl. 2.8L	CW		2706			1706
62-61	8 Cyl. 6.8L	CW		2707			1707
62-60	8 Cyl. 5.2L	CW		2706			
61	6 Cyl. 2.8L	CW		2706			
61-60	8 Cyl. 6.3L	CW		2707			1707
DIPLOMAT							
89-77	8 Cyl. 5.2L	CW		2706	2747		1706
83-78	6 Cyl. 3.7L	CW		2706			1706
79-78	8 Cyl. 5.9L	CW		2706	2747		1706
LANCER							
62-61	6 Cyl. 2.8L	CW		2706			
	6 Cyl. 3.7L	CW		2706			
61	8 Cyl. 6.7L	CW		2707			1707
MAGNUM							
79-78	8 Cyl. 5.2L	CW		2706	2747		1706
	8 Cyl. 5.9L	CW		2706	2747		1706
78	8 Cyl. 6.6L	CW		2706	2747		1706
MIRADA							
83-80	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 5.2L	CW		2706	2747		1706
80	8 Cyl. 5.9L	CW		2706	2747		1706
MONACO							
78	8 Cyl. 7.2L	CW		2706			
78-77	6 Cyl. 3.7L	CW		2706			1706
78-72	8 Cyl. 5.9L	CW		2706	2747		1706
	8 Cyl. 6.6L	CW		2706	2747		1706
78-71	8 Cyl. 5.2L	CW		2706	2747		1706
77-66	8 Cyl. 7.2L	CW		2706	2747		1706
71	8 Cyl. 5.9L	CW		2706			
71-65	8 Cyl. 6.3L	CW		2707	2747		1707
70-68	8 Cyl. 5.2L	CW		2706			
65	8 Cyl. 6.7L	CW		2707			1707
POLARA							
73-72	8 Cyl. 5.6L	CW		2707	2747		1707
	8 Cyl. 6.6L	CW		2706	2747		1706
73-71	8 Cyl. 5.9L	CW		2706	2747		1706
73-68	6 Cyl. 3.7L	CW		2706			1706
73-66	8 Cyl. 7.2L	CW		2706	2747		1706
73-63	8 Cyl. 5.2L	CW		2706	2747		1706
71-60	8 Cyl. 6.3L	CW		2707	2747		1707

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
DODGE							
POLARA							
65	8 Cyl. 6.7L	CW		2707			1707
64-63	6 Cyl. 3.7L	CW		2706			1706
62	8 Cyl. 6.7L	CW		2707			1707
ROYAL MONACO							
77	8 Cyl. 5.2L	CW		2706	2747		1706
77-75	8 Cyl. 5.9L	CW		2706	2747		1706
	8 Cyl. 6.6L	CW		2706	2747		1706
	8 Cyl. 7.2L	CW		2706	2747		1706
75	8 Cyl. 5.2L	CW		2706	2747		1706
ST. REGIS							
81-79	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 5.2L	CW		2706	2747		1706
80-79	8 Cyl. 5.9L	CW		2706	2747		1706
DODGE LIGHT TRUCK							
A SERIES VAN							
70	6 Cyl. 3.2L	CW	A108	2707			1707
	6 Cyl. 3.7L	CW	A108	2706			
	8 Cyl. 5.2L	CW		2706			
70-64	6 Cyl. 3.7L	CW		2706			
69-64	6 Cyl. 2.8L	CW		2706			
68	All Eng.	CW		2706			
66-64	8 Cyl. 4.5L	CW		2707			1707
CB300							
80	All Eng.	CW		2706			1706
80-73	8 Cyl. 5.2L	CW		2706			1706
	8 Cyl. 5.9L	CW		2706			1706
79-77	6 Cyl. 3.7L	CW		2706			1706
	8 Cyl. 7.2L	CW			2747		
78-76	8 Cyl. 6.6L	CW		2706			1706
76-73	All Eng.	CW		2706			1706
75-73	6 Cyl. 3.7L	CW		2706			1706
DAKOTA							
11-05	6 Cyl. 3.7L	CCW				2961	
	8 Cyl. 4.7L	CCW	w/ Heavy Duty Cooling		2823		
	8 Cyl. 4.7L	CCW	w/o Heavy Duty Cooling			2961	
10-06	6 Cyl. 3.7L	CW					
04	6 Cyl. 3.7L	CCW		2624			
04-00	8 Cyl. 4.7L	CCW			2781		
03-01	8 Cyl. 5.9L	CCW			2781		
03-97	6 Cyl. 3.9L	CCW			2781		
02-89	4 Cyl. 2.5L	CW					
00-98	8 Cyl. 5.9L	CCW				2822	
99-98	8 Cyl. 5.2L	CCW				2822	
97	6 Cyl. 3.9L	CW					
	8 Cyl. 5.2L	CCW	w/ Thread-On Fan Clutch			2822	
96-92	6 Cyl. 3.9L	CCW	w/ Thread-On Fan Clutch		2770		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
DODGE LIGHT TRUCK							
DAKOTA							
96-92	8 Cyl. 5.2L	CCW	w/ Max Cooling			2790	
	8 Cyl. 5.2L	CCW	w/o Max Cooling		2770		
91-90	8 Cyl. 5.2L	CCW				2783	
91-87	6 Cyl. 3.9L	CW		2706			1706
	6 Cyl. 3.9L	CW	19.5" Fan	2706			1706
89	8 Cyl. 5.2L	CW		2707			
DURANGO							
09	8 Cyl. 4.7L	CCW			2743		
	8 Cyl. 5.7L	CCW				2788	
09-04	6 Cyl. 3.7L	CCW			2743		
08-04	8 Cyl. 4.7L	CCW	w/ Heavy Duty Cooling		2743		
	8 Cyl. 4.7L	CCW	w/o Heavy Duty Cooling	2621			
	8 Cyl. 5.7L	CCW		2621			
03	8 Cyl. 5.9L	CCW	w/ 3.92 Rear Axle Ratio		2736		
	8 Cyl. 5.9L	CCW	w/o 3.92 Rear Axle Ratio; w/ Heavy Duty Cooling			2790	
03-02	8 Cyl. 5.9L	CCW	w/o 3.92 Rear Axle Ratio; w/o Heavy Duty Cooling		2781		
03-00	8 Cyl. 4.7L	CCW			2781		
02	8 Cyl. 5.9L	CCW			**2736**	**2790**	
	8 Cyl. 5.9L	CCW	RT		2736		
01-00	8 Cyl. 5.9L	CCW	w/ Max Cooling			2790	
	8 Cyl. 5.9L	CCW	w/o Max Cooling		2781		
00	8 Cyl. 5.2L	CCW	w/ Max Cooling			2790	
	8 Cyl. 5.2L	CCW	w/o Max Cooling		2781		
99-98	6 Cyl. 3.9L	CCW			2781		
	8 Cyl. 5.2L	CCW				2822	
	8 Cyl. 5.9L	CCW				2822	
H100							
10-06	4 Cyl. 2.5L	CW			6204		
05-03	4 Cyl. 2.4L	CW		2565			
MOTOR HOME							
74	8 Cyl. 7.2L	CW	Class C	2705	2747		
	8 Cyl. 7.2L	CW	FULL SIZE (CLASS A)		2747		
74-73	8 Cyl. 5.2L	CW	FULL SIZE (CLASS A)	2706			1706
NITRO							
11-09	All Eng.	CCW			2635		
07	6 Cyl. 3.7L	CCW			2736		
PICKUP - FULLSIZE / RAMCHARGER							
17	8 Cyl. 5.7L	CW				2906	
	8 Cyl. 5.7L	CW	Gas			2906	
	8 Cyl. 6.4L	CW			2962		
17-14	6 Cyl. 6.7L	CCW		3292			
16	6 Cyl. 3.6L	CW				2906	
	8 Cyl. 5.7L	CW	w/o Electric Fan		2931		
	8 Cyl. 6.4L	CW	w/o Electric Fan		2962		

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

DODGE LIGHT TRUCK

PICKUP - FULLSIZE / RAMCHARGER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
15-14	8 Cyl. 6.4L	CW			2962		
15-11	8 Cyl. 5.7L	CW				2906	
14	6 Cyl. 3.0L	CW	1500			2906	
13	6 Cyl. 6.7L	CCW	From 12/17/12	3292			
	6 Cyl. 6.7L	CCW	To 12/17/12	3291			
	8 Cyl. 4.7L	CCW	1500		2931		
12-10	6 Cyl. 6.7L	CCW		3291			
12-09	8 Cyl. 4.7L	CCW			2931		
10-09	8 Cyl. 5.7L	CCW				2906	
09-07	6 Cyl. 6.7L	CCW		3282			
09-05	6 Cyl. 5.9L	CCW		3282			
08	8 Cyl. 4.7L	CCW			2748		
08-07	6 Cyl. 3.7L	CCW			2748		
08-05	8 Cyl. 5.7L	CCW	Ram 1500; w/ Heavy Duty Cooling			2902	
	8 Cyl. 5.7L	CCW	Ram 1500; w/o Heavy Duty Cooling		2740		
	8 Cyl. 5.7L	CCW	Ram 2500; Auto Trans; w/ Snow Plow Package			2900	
	8 Cyl. 5.7L	CCW	Ram 2500; Auto Trans; w/o Snow Plow Package			2900	
	8 Cyl. 5.7L	CCW	Ram 2500; Manual Trans; w/ Snow Plow Package		2742		
	8 Cyl. 5.7L	CCW	Ram 2500; Manual Trans; w/o Snow Plow Package			2902	
	8 Cyl. 5.7L	CCW	Ram 3500; Auto Trans; w/ Snow Plow Package			2900	
	8 Cyl. 5.7L	CCW	Ram 3500; Auto Trans; w/o Snow Plow Package			2900	
	8 Cyl. 5.7L	CCW	Ram 3500; Manual Trans; w/ Snow Plow Package		2742		
	8 Cyl. 5.7L	CCW	Ram 3500; Manual Trans; w/o Snow Plow Package			2902	
07	8 Cyl. 4.7L	CCW	Auto Trans		2748		
	8 Cyl. 4.7L	CCW	Manual Trans		2742		
06-05	8 Cyl. 4.7L	CCW			2748		
06-02	6 Cyl. 3.7L	CCW	Auto Trans		2740		
	6 Cyl. 3.7L	CCW	Manual Trans		2748		
04	6 Cyl. 5.9L	CCW	From 1/4/04	3282			
	6 Cyl. 5.9L	CCW	To 1/4/04	3281			
04-03	8 Cyl. 5.7L	CCW	Auto Trans; w/ AC			2900	
	8 Cyl. 5.7L	CCW	Manual Trans; w/ AC			2901	
	8 Cyl. 5.7L	CCW	w/o Heavy Duty Cooling			2902	
04-02	8 Cyl. 4.7L	CCW	w/ Heavy Duty Cooling; w/ AC		2742		
	8 Cyl. 4.7L	CCW	w/o Heavy Duty Cooling; w/o AC		2748		
03	10 Cyl. 8.0L	CCW				2821	
	6 Cyl. 5.9L	CCW		3281			
	8 Cyl. 5.9L	CCW	From 5/1/00; w/o Max Cooling		2748		
	8 Cyl. 5.9L	CCW	w/ Max Cooling			2791	
02-01	8 Cyl. 5.9L	CCW	w/ Max Cooling		2736		
	8 Cyl. 5.9L	CCW	w/ Thread-On Fan Clutch; Ind. Max Cooling			2790	

DODGE LIGHT TRUCK

PICKUP - FULLSIZE / RAMCHARGER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
02-01	8 Cyl. 5.9L	CCW	w/o Max Cooling		2771		
02-00	6 Cyl. 5.9L	CW	Diesel		2842		
02-94	10 Cyl. 8.0L	CCW				2791	
01-94	6 Cyl. 3.9L	CCW	w/ Thread-On Fan Clutch		2771	**2791**	
	8 Cyl. 5.2L	CCW	w/ Thread-On Fan Clutch; 1.75" Shaft			2791	
00	8 Cyl. 5.9L	CCW	From 5/1/00; w/ Max Cooling		2736		
	8 Cyl. 5.9L	CCW	From 5/1/00; w/o Max Cooling		2771		
	8 Cyl. 5.9L	CCW	To 5/1/00; w/ Thread-On Fan Clutch			2790	
99-97	6 Cyl. 5.9L	CW				2798	
99-93	8 Cyl. 5.9L	CCW	w/ Thread-On Fan Clutch; Ind. Max Cooling			2790	
96-90	6 Cyl. 5.9L	CW	w/ Intercooler			2798	
93-92	6 Cyl. 3.9L	CW					
	6 Cyl. 3.9L	CCW	w/ Thread-On Fan Clutch		**2770**	2790	
	8 Cyl. 5.2L	CCW	w/ Thread-On Fan Clutch; 1.25" Shaft		2770	**2790**	
93-89	6 Cyl. 5.9L	CW	w/o Intercooler			2788	
92-90	8 Cyl. 5.9L	CW	w/ Heavy Duty Tow Pkg.		2747	**2797**	
91	8 Cyl. 5.2L	CCW			2733		
91-88	6 Cyl. 3.9L	CW		2706			1706
	6 Cyl. 3.9L	CW	19.5" Fan	2706			1706
91-80	8 Cyl. 5.2L	CW		2706			1706
89-75	8 Cyl. 5.9L	CW		2706			1706
87-73	6 Cyl. 3.7L	CW		2706			1706
84	8 Cyl. 5.2L	CW	19.5" Fan	2706			1706
80-78	6 Cyl. 4.0L	CW		2706			1706
79-78	8 Cyl. 5.2L	CW		2706	2747		1706
78-73	8 Cyl. 7.2L	CW			2747		
78-71	8 Cyl. 6.6L	CW		2706			1706
77-72	8 Cyl. 5.2L	CW		2706			1706
74	8 Cyl. 5.9L	CW		2706			
73	6 Cyl. 3.2L	CW		2707			1707
73-71	8 Cyl. 5.9L	CW		2706			1706
72-61	6 Cyl. 3.7L	CW		2706			
71	8 Cyl. 6.3L	CW	W300	2707			1707
71-70	6 Cyl. 3.2L	CW		2707			1707
	6 Cyl. 3.7L	CW	D200	2706			
	6 Cyl. 3.7L	CW	D300	2706			
	6 Cyl. 3.7L	CW	W100	2706			
	6 Cyl. 3.7L	CW	W200	2706			
	6 Cyl. 3.7L	CW	W300	2706			
	8 Cyl. 6.3L	CW	D200	2707			1707
	8 Cyl. 6.3L	CW	D300	2707			1707
	8 Cyl. 6.3L	CW	W100	2707			1707
	8 Cyl. 6.3L	CW	W200	2707			1707
71-67	8 Cyl. 6.3L	CW		2707			1707
71-60	8 Cyl. 5.2L	CW		2706			
69-61	6 Cyl. 2.8L	CW		2706			
66-64	8 Cyl. 4.5L	CW	A100	2707			1707
60	6 Cyl. 3.8L	CW		2706			

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

DODGE LIGHT TRUCK

PICKUP - MINI

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
93-90	4 Cyl. 2.4L	CW	4WD	2559			
	4 Cyl. 2.4L	CW	RWD	2559			
91-90	6 Cyl. 3.0L	CW	4WD	2654			
	6 Cyl. 3.0L	CW	RWD	2559			
89-83	4 Cyl. 2.0L	CW	RWD	2559			
	4 Cyl. 2.6L	CW	4WD	2565			
	4 Cyl. 2.6L	CW	RWD	2565			
85-83	4 Cyl. 2.3L	CW		2654			
84-83	4 Cyl. 2.0L	CW	4WD	2559			
82-79	All Eng.	CW		2559			

RAIDER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
89	6 Cyl. 3.0L	CW		2654			
89-87	4 Cyl. 2.6L	CW		2565			

SPRINTER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
09-07	6 Cyl. 3.0L	CW			8301		
08-07	6 Cyl. 3.5L	CW			8303		
06-03	5 Cyl. 2.7L	CCW		2598			

VAN - FULLSIZE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
03	6 Cyl. 3.9L	CCW			2781		
	8 Cyl. 5.2L	CCW	w/ Heavy Duty Cooling		2771	**2791**	
	8 Cyl. 5.2L	CCW	w/o Heavy Duty Cooling		2781		
	8 Cyl. 5.9L	CCW	w/ Heavy Duty Cooling		2771	**2791**	
03-93	8 Cyl. 5.9L	CCW	w/o Heavy Duty Cooling		**2781**	2791	
02-93	8 Cyl. 5.2L	CCW	w/ Thread-On Fan Clutch		2771	**2791**	
	8 Cyl. 5.9L	CCW			2771	**2791**	
02-92	6 Cyl. 3.9L	CCW	w/ Thread-On Fan Clutch		**2771**	2791	
93-92	8 Cyl. 5.9L	CW	w/ Heavy Duty Tow Pkg.		2747	**2797**	
92-73	8 Cyl. 5.2L	CW		2706			1706
92-72	8 Cyl. 5.9L	CW		2706			1706
91-88	6 Cyl. 3.9L	CW		2706			1706
87-73	6 Cyl. 3.7L	CW		2706			1706
78-76	8 Cyl. 6.6L	CW		2706			
78-74	8 Cyl. 7.2L	CW		2705	2747		
74-73	8 Cyl. 6.6L	CW		2706			
73	6 Cyl. 3.2L	CW		2706			1706
72-71	6 Cyl. 3.7L	CW		2706			
	8 Cyl. 5.2L	CW		2706			
71	6 Cyl. 3.2L	CW		2707			1707
	6 Cyl. 3.7L	CW	B300	2706			
	8 Cyl. 5.2L	CW	B300	2706			
	8 Cyl. 5.9L	CW		2706			
	8 Cyl. 6.6L	CW		2706			
68	All Eng.	CW		2706			

VAN - MINI

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
84	4 Cyl. 2.6L	CW		2565			

DODGE MEDIUM DUTY TRUCK

DODGE MEDIUM DUTY TRUCK

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16-14	6 Cyl. 6.7L	CCW		3292			
	8 Cyl. 6.4L	CW			2962		
13	6 Cyl. 6.7L	CCW	From 12/17/12	3292			
	6 Cyl. 6.7L	CCW	To 12/17/12	3291			
12-11	All Eng.	CCW		3291			
10-08	6 Cyl. 6.7L	CCW	Ram 4500	3282			
	6 Cyl. 6.7L	CCW	Ram 5500	3282			
81-79	All Eng.	CW		2706			
79-78	8 Cyl. 5.9L	CW		2706			
78	8 Cyl. 7.2L	CW			2747		

FORD

COUNTRY SEDAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
74-72	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 6.6L	CW		2710			1710
74-69	8 Cyl. 5.8L	CW		2710			1710
73-70	8 Cyl. 7.0L	CW		2710			1710
72-71	8 Cyl. 5.0L	CW		2710			1710
71-62	8 Cyl. 6.4L	CW		2710			1710
70-65	6 Cyl. 3.9L	CW		2710			1710
69	8 Cyl. 7.0L	CW	428 CID	2710			1710
	8 Cyl. 7.0L	CW	429 CID	2710			1710
69-68	8 Cyl. 5.0L	CW		2710			1710
68-64	8 Cyl. 7.0L	CW		2710			1710
67-65	6 Cyl. 2.8L	CW		2711			
	6 Cyl. 3.3L	CW		2710			1710
67-63	8 Cyl. 4.7L	CW		2710			1710
64	8 Cyl. 5.8L	CW		2710			1710
64-63	8 Cyl. 4.3L	CW		2710			1710

COUNTRY SQUIRE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
91-87	8 Cyl. 5.0L	CW		2710			1710
74-72	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 6.6L	CW		2710			1710
74-69	8 Cyl. 5.8L	CW		2710			1710
73-66	8 Cyl. 7.0L	CW		2710			1710
72-68	8 Cyl. 5.0L	CW		2710			1710
71-68	8 Cyl. 6.4L	CW		2710			1710
67-65	6 Cyl. 2.8L	CW		2711			
	6 Cyl. 3.3L	CW		2710			1710
	6 Cyl. 3.9L	CW		2710			1710
67-63	8 Cyl. 4.7L	CW		2710			1710
64	8 Cyl. 7.0L	CW		2710			1710
64-63	8 Cyl. 4.3L	CW		2710			1710
64-62	8 Cyl. 6.4L	CW		2710			1710

CROWN VICTORIA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
06-92	8 Cyl. 4.6L	CCW				2795	
91-87	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FORD

CUSTOM

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
74-73	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 6.6L	CW		2710			1710
74-69	8 Cyl. 5.8L	CW		2710			1710
73-65	8 Cyl. 7.0L	CW		2710			1710
72-68	8 Cyl. 5.0L	CW		2710			1710
72-65	6 Cyl. 3.9L	CW		2710			1710
71-62	8 Cyl. 6.4L	CW		2710			1710
67-65	8 Cyl. 4.7L	CW		2710			1710
66-64	8 Cyl. 5.8L	CW		2710			1710
64-63	6 Cyl. 3.3L	CW		2710			1710
	8 Cyl. 4.3L	CW		2710			1710
63	8 Cyl. 4.7L	CW		2710			1710

CUSTOM 500

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
77	All Eng.	CW		2710			1710
76-73	8 Cyl. 5.8L	CW		2710			1710
	8 Cyl. 6.6L	CW		2710			1710
	8 Cyl. 7.5L	CW		2711			
74-73	8 Cyl. 5.0L	CW		2710			1710
73	8 Cyl. 7.0L	CW		2710			1710
72	8 Cyl. 7.5L	CW		2710			1710
71	8 Cyl. 6.4L	CW		2710			1710
67	8 Cyl. 7.0L	CW		2710			1710
67-66	8 Cyl. 6.4L	CW		2710			1710
66-64	8 Cyl. 5.8L	CW		2710			1710
65	8 Cyl. 7.0L	CW		2710			1710

ELITE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
76-75	8 Cyl. 5.8L	CW		2711			1710
	8 Cyl. 6.6L	CW		2711			1710
	8 Cyl. 7.5L	CW		2711			1710

FAIRLANE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
70-69	6 Cyl. 4.1L	CW		2711			1710
	8 Cyl. 5.8L	CW		2710			1710
70-68	8 Cyl. 5.0L	CW		2710			1710
70-64	8 Cyl. 6.4L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
69-64	6 Cyl. 3.3L	CW		2710			1710
67-63	8 Cyl. 4.7L	CW		2710			1710
66-65	8 Cyl. 5.8L	CW		2710			1710
64-62	8 Cyl. 4.3L	CW		2710			1710
63-62	8 Cyl. 3.6L	CW		2710			1710

FAIRMONT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
83-80	6 Cyl. 3.3L	CW		2711			
82-80	8 Cyl. 4.2L	CW		2710			1710
79-78	6 Cyl. 3.3L	CW		2711			1710
	8 Cyl. 5.0L	CW		2710			1710

FORD

FALCON

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
70	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
70-69	8 Cyl. 5.8L	CW		2710			1710
70-68	8 Cyl. 5.0L	CW		2710			1710
70-64	6 Cyl. 3.3L	CW		2710			1710
69-60	6 Cyl. 2.8L	CW		2710			1710
68-64	8 Cyl. 4.7L	CW		2710			1710
65-62	8 Cyl. 4.3L	CW		2710			1710
64-61	6 Cyl. 2.4L	CW		2710			1710
63-62	8 Cyl. 3.6L	CW		2710			1710

FORD 300

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
63	6 Cyl. 3.3L	CW		2710			1710
	8 Cyl. 4.3L	CW		2710			1710
	8 Cyl. 4.7L	CW		2710			1710

GALAXIE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
74-73	8 Cyl. 7.5L	CW		2711			
74-72	8 Cyl. 5.8L	CW		2710			1710
	8 Cyl. 6.6L	CW		2710			1710
73-72	8 Cyl. 7.0L	CW		2710			1710
72	6 Cyl. 3.9L	CW		2710			1710
	8 Cyl. 5.0L	CW		2710			1710
71-65	All Eng.	CW		2710			1710
64-63	8 Cyl. 4.7L	CW		2710			1710
64-62	8 Cyl. 6.4L	CW		2710			1710
63	6 Cyl. 3.3L	CW		2710			1710

GRAN TORINO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
76	8 Cyl. 6.6L	CW		2710			1710
76-74	8 Cyl. 7.5L	CW		2711			
76-73	8 Cyl. 5.8L	CW		2710			1710
75	8 Cyl. 6.6L	CW		2711			
74-73	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 6.6L	CW		2710			1710
73	8 Cyl. 7.0L	CW		2710			1710
72	All Eng.	CW		2710			1710

GRANADA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
82	6 Cyl. 3.8L	CCW		2723			
82-81	4 Cyl. 2.3L	CW					
	6 Cyl. 3.3L	CW		2710			1710
81-80	8 Cyl. 4.2L	CW		2710			1710
80-75	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2710			1710
77-75	6 Cyl. 3.3L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710

LTD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
86-85	4 Cyl. 2.3L	CW					

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
FORD							
LTD							
86-83	6 Cyl. 3.8L	CCW		2723			
85-84	8 Cyl. 5.0L	CW	Police Pkg.	2710			1710
	8 Cyl. 5.0L	CCW	w/ HD Fan Clutch		2733	**2783**	
	8 Cyl. 5.0L	CCW	w/ Std Duty Fan Clutch	2723			
84-83	4 Cyl. 2.3L	CW		2617			
83	6 Cyl. 3.3L	CW		2711			
82-81	8 Cyl. 4.2L	CW		2710			1710
82-77	8 Cyl. 5.0L	CW		2710			1710
82-69	8 Cyl. 5.8L	CW		2710			1710
78	8 Cyl. 7.5L	CW		2711			1710
78-71	8 Cyl. 6.6L	CW		2710			1710
77-72	8 Cyl. 7.5L	CW		2711			
74-68	8 Cyl. 5.0L	CW		2710			1710
73-65	8 Cyl. 7.0L	CW		2710			1710
72-67	6 Cyl. 3.9L	CW		2710			1710
71-65	8 Cyl. 6.4L	CW		2710			1710
67-65	8 Cyl. 4.7L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
LTD II							
79-77	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
78-77	8 Cyl. 6.6L	CW		2710			1710
MAVERICK							
77-71	8 Cyl. 5.0L	CW		2710			1710
77-70	6 Cyl. 3.3L	CW		2710			1710
	6 Cyl. 4.1L	CW		2710			1710
72-70	6 Cyl. 2.8L	CW		2710			1710
MUSTANG							
94-86	8 Cyl. 5.0L	CCW	w/ AC		2733		
	8 Cyl. 5.0L	CCW	w/o AC	2723	2733		
86-83	6 Cyl. 3.8L	CCW		2723	2733		
85-82	8 Cyl. 5.0L	CCW		2723			
82-81	6 Cyl. 3.3L	CCW		2723			
82-80	6 Cyl. 3.3L	CW		2711			
	8 Cyl. 4.2L	CCW		2723			
79	6 Cyl. 2.8L	CW					
	6 Cyl. 3.3L	CW		2711			1710
	8 Cyl. 5.0L	CW		2710			1710
73-69	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
73-68	8 Cyl. 5.0L	CW		2710			1710
71-68	8 Cyl. 7.0L	CW		2710			1710
70-64	6 Cyl. 3.3L	CW		2710			1710
69-67	8 Cyl. 6.4L	CW		2710			1710
68-64	8 Cyl. 4.7L	CW		2710			1710
64	8 Cyl. 4.3L	CW		2710			1710

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
FORD							
MUSTANG II							
78-75	8 Cyl. 5.0L	CW		2710			1710
THUNDERBIRD							
94-82	6 Cyl. 3.8L	CCW		2723			
93-91	8 Cyl. 5.0L	CCW	w/ Thread-On Fan Clutch	2620			
88-86	8 Cyl. 5.0L	CCW	w/o Thread-On Fan Clutch	2723			
85-83	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
84-83	4 Cyl. 2.3L	CW		2557			
82-80	6 Cyl. 3.3L	CW		2711			
	8 Cyl. 4.2L	CW		2710			1710
81-77	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
79-77	8 Cyl. 5.8L	CW		2710			1710
78-77	8 Cyl. 6.6L	CW		2710			1710
76-72	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 6.6L	CW		2710			1710
73-66	8 Cyl. 7.0L	CW		2710			1710
68-61	8 Cyl. 6.4L	CW		2710			1710
TORINO							
76-75	8 Cyl. 7.5L	CW		2711			
76-72	8 Cyl. 6.6L	CW		2710			1710
76-69	8 Cyl. 5.8L	CW		2710			1710
74-73	8 Cyl. 7.5L	CW		2711			1710
74-69	6 Cyl. 4.1L	CW		2710			1710
74-68	8 Cyl. 5.0L	CW		2710			1710
73-68	8 Cyl. 7.0L	CW		2710			1710
69-68	8 Cyl. 6.4L	CW		2710			1710
68	6 Cyl. 3.3L	CW		2710			1710
FORD HD							
F7-SERIES							
87	8 Cyl. 10.4L	CW				2852	
FORD LIGHT TRUCK							
AEROSTAR							
97-95	6 Cyl. 4.0L	CCW		2717			
97-86	6 Cyl. 3.0L	CW	w/ AC	2618			
	6 Cyl. 3.0L	CW	w/o AC	2618			
94	6 Cyl. 4.0L	CCW	w/ 3.92 Rear Axle Ratio	2717			
93-90	6 Cyl. 4.0L	CCW		2717			
87-86	4 Cyl. 2.3L	CW	w/ AC	2616			
	4 Cyl. 2.3L	CW	w/o AC	2557			
86	6 Cyl. 2.8L	CW	w/ AC	2617			
	6 Cyl. 2.8L	CW	w/o AC	2617			
BRONCO							
96-93	8 Cyl. 5.0L	CCW	w/ AC			2783	
	8 Cyl. 5.8L	CCW			**2733**	2783	
96-87	8 Cyl. 5.0L	CCW	w/o AC		2733		
92-91	8 Cyl. 5.8L	CCW	w/o AC		**2733**	2783	
92-87	6 Cyl. 4.9L	CCW		2716			

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FORD LIGHT TRUCK

BRONCO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
90-89	8 Cyl. 5.8L	CCW			**2733**	2783	
88	8 Cyl. 5.8L	CCW	w/o AC		**2733**	2783	
87-83	8 Cyl. 5.8L	CW	w/ AC		2747		
	8 Cyl. 5.8L	CW	w/o AC	2710			1710
86-80	6 Cyl. 4.9L	CW	w/o Pony Option	2715			
	8 Cyl. 5.0L	CW	w/ AC		2747		
	8 Cyl. 5.0L	CW	w/o AC	2710			1710
83-80	6 Cyl. 4.9L	CW	w/ Pony Option	2715			
82-80	8 Cyl. 5.8L	CW			2747		
79-78	8 Cyl. 5.8L	CW	w/ AC		2747		
	8 Cyl. 5.8L	CW	w/o AC		2747		
	8 Cyl. 6.6L	CW	w/ AC		**2747**	2797	
	8 Cyl. 6.6L	CW	w/o AC		2747	**2797**	
77-68	8 Cyl. 5.0L	CW	w/ AC		2747		
	8 Cyl. 5.0L	CW	w/o AC	2710			1710
74-73	6 Cyl. 3.3L	CW		2710			1710
72-66	6 Cyl. 2.8L	CW		2711			
68-66	8 Cyl. 4.7L	CW		2710			1710
67	6 Cyl. 3.9L	CW		2710			1710

BRONCO II

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
90-86	6 Cyl. 2.9L	CW		2614			
85	4 Cyl. 2.3L	CW	Diesel	2617			
85-84	6 Cyl. 2.8L	CW		2614			

E SERIES FULLSIZE VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16-15	10 Cyl. 6.8L	CCW	w/o AC			2918	
	8 Cyl. 5.4L	CCW	w/ AC			2867	
	8 Cyl. 5.4L	CCW	w/o AC			2918	
16-14	10 Cyl. 6.8L	CCW	w/ AC			2867	
14	10 Cyl. 6.8L	CCW	w/o AC			2836	
14-13	8 Cyl.	CCW	w/ AC			2918	
	8 Cyl.	CCW	w/o AC			2918	
13	10 Cyl.	CCW	w/ AC			2867	
	10 Cyl.	CCW	w/o AC			2836	
13-08	8 Cyl. 4.6L	CCW				2918	
	8 Cyl. 5.4L	CCW				2918	
12-06	10 Cyl. 6.8L	CCW	w/ AC			2867	
	10 Cyl. 6.8L	CCW	w/o AC			2836	
10-04	8 Cyl. 6.0L	CCW		3261			
07	8 Cyl. 4.6L	CCW	From 10/06/06			2918	
	8 Cyl. 4.6L	CCW	To 10/06/06			2917	
	8 Cyl. 5.4L	CCW	From 10/06/06			2918	
	8 Cyl. 5.4L	CCW	To 10/06/06			2917	
06	8 Cyl. 4.6L	CCW				2917	
06-05	8 Cyl. 5.4L	CCW				2917	
05-04	8 Cyl. 4.6L	CCW				2789	
05-97	10 Cyl. 6.8L	CCW				2836	
04	8 Cyl. 5.4L	CCW				2789	
03	8 Cyl. 7.3L	CCW	Direct Injection			2838	

FORD LIGHT TRUCK

E SERIES FULLSIZE VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
03-98	6 Cyl. 4.2L	CCW	w/ AC			2794	
	6 Cyl. 4.2L	CCW	w/o AC			2789	
	8 Cyl. 4.6L	CCW	w/ AC			2794	
	8 Cyl. 4.6L	CCW	w/o AC			2789	
	8 Cyl. 5.4L	CCW	w/ AC			2794	
	8 Cyl. 5.4L	CCW	w/o AC			2789	
02-00	8 Cyl. 7.3L	CCW				2838	
99-98	8 Cyl. 7.3L	CCW	Direct Injection			2838	
97	6 Cyl. 4.2L	CCW				2789	
	8 Cyl. 4.6L	CCW				2789	
	8 Cyl. 5.4L	CCW				2789	
97-95	8 Cyl. 7.3L	CCW	Direct Injection			2835	
96-92	6 Cyl. 4.9L	CCW		2726			
96-90	8 Cyl. 5.0L	CCW	w/ AC		2733	**2783**	
	8 Cyl. 5.0L	CCW	w/o AC		2733		
96-88	8 Cyl. 5.8L	CCW	w/ AC		2733	**2783**	
	8 Cyl. 5.8L	CCW	w/o AC		2733	**2783**	
96-75	8 Cyl. 7.5L	CW				2799	
94-93	8 Cyl. 7.3L	CW	w/ Indirect Injection			2830	
92	8 Cyl. 7.3L	CW	From 2/14/92; w/ Indirect Injection			2830	
	8 Cyl. 7.3L	CW	To 2/14/92; w/ Indirect Injection			2830	
91-88	8 Cyl. 7.3L	CW				2830	
91-87	6 Cyl. 4.9L	CCW		2716			
89-87	8 Cyl. 5.0L	CCW			2733		
87-83	8 Cyl. 5.8L	CW	w/ AC		2747	**2797**	
	8 Cyl. 6.9L	CW				2830	
87-75	8 Cyl. 5.8L	CW	w/o AC	2710			1710
86-83	6 Cyl. 4.9L	CW		2715			
	8 Cyl. 5.0L	CW	w/o AC	2710			1710
86-79	8 Cyl. 5.0L	CW	w/ AC		2747		
82-80	8 Cyl. 6.6L	CW	w/ AC		2747	**2799**	
	8 Cyl. 6.6L	CW	w/o AC		2747		
82-79	8 Cyl. 5.0L	CW		2710			1710
82-75	8 Cyl. 5.8L	CW	w/ AC		2747	**2799**	
82-72	6 Cyl. 4.9L	CW		2710			1710
75-69	8 Cyl. 5.0L	CW		2710			1710
74-69	6 Cyl. 3.9L	CW		2711			
71-69	6 Cyl. 2.8L	CW		2711			
67	6 Cyl. 3.9L	CW		2711			
67-62	6 Cyl. 2.8L	CW		2711			

E SERIES MEDIUM DUTY VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16	8 Cyl. 5.4L	CCW	Air Conditioning			2918	
16-15	8 Cyl. 5.4L	CCW	w/o AC			2918	
15	10 Cyl. 6.8L	CCW	w/o AC			2918	
	8 Cyl. 5.4L	CCW	w/ AC			2918	
15-05	10 Cyl. 6.8L	CCW	w/ AC			2867	
14-07	8 Cyl. 5.4L	CCW				2918	
14-05	10 Cyl. 6.8L	CCW	w/o AC			2836	
10-04	8 Cyl. 6.0L	CCW		3261			

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FORD LIGHT TRUCK

E SERIES MEDIUM DUTY VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
06	8 Cyl. 5.4L	CCW				2917	
04-03	8 Cyl. 5.4L	CCW	w/ AC			2789	
	8 Cyl. 5.4L	CCW	w/o AC			2917	
04-00	10 Cyl. 6.8L	CCW				2836	
03-00	8 Cyl. 7.3L	CCW				2838	
02-00	8 Cyl. 5.4L	CCW	w/o AC			2789	

EXCURSION

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-03	8 Cyl. 6.0L	CCW		3261			
05-00	10 Cyl. 6.8L	CCW				2836	
	8 Cyl. 5.4L	CCW				2789	
03-00	8 Cyl. 7.3L	CCW				2837	

EXPEDITION

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
09	8 Cyl. 5.4L	CCW		3266			
08-07	8 Cyl. 5.4L	CCW		3264			
06-05	8 Cyl. 5.4L	CCW				2917	
04-97	8 Cyl. 4.6L	CCW				2789	
	8 Cyl. 5.4L	CCW				2789	

EXPLORER / SPORT / SPORT TRAC

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
10-06	6 Cyl. 4.0L	CCW		3263			
	8 Cyl. 4.6L	CCW		3263			
05-02	6 Cyl. 4.0L	CCW				2776	
	8 Cyl. 4.6L	CCW				2776	
01	6 Cyl. 4.0L	CCW	From 11/13/00			2776	
	6 Cyl. 4.0L	CCW	To 11/13/00			2794	
01-96	8 Cyl. 5.0L	CCW			2841		
00-95	6 Cyl. 4.0L	CCW				2794	
94-91	6 Cyl. 4.0L	CCW	Auto Trans			2794	
	6 Cyl. 4.0L	CCW	Manual Trans	2717			

F SERIES FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-11	10 Cyl. 6.8L	CCW				2867	
16-11	8 Cyl. 6.2L	CCW				3268	
	8 Cyl. 6.7L	CCW				3267	
10-09	8 Cyl. 4.6L	CCW		3266			
	8 Cyl. 5.4L	CCW	F-150	3266			
10-08	8 Cyl. 5.4L	CCW	F-250 Super Duty			2918	
	8 Cyl. 5.4L	CCW	F-350 Super Duty			2918	
	8 Cyl. 6.4L	CW	w/o Snow Plow Package	3265			
10-99	10 Cyl. 6.8L	CCW	w/ 6mm Fan Bolt Holes			2867	
08-07	8 Cyl. 4.6L	CCW	w/ Electronic Fan Clutch	3264			
	8 Cyl. 4.6L	CCW	w/ Thermo Fan Clutch			2917	
	8 Cyl. 5.4L	CCW	F-150	3264			
08-97	6 Cyl. 4.2L	CCW				2775	
07	8 Cyl. 5.4L	CCW	Superduty			2917	
07-03	8 Cyl. 6.0L	CCW	w/ Special Equipment Pkg.; w/ Snow Plow Pkg.	3262 (1)			
	8 Cyl. 6.0L	CCW	w/o Special Equipment Pkg.; w/o Snow Plow Pkg.	3261			

FORD LIGHT TRUCK

F SERIES FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
07-99	10 Cyl. 6.8L	CCW	w/ 5/16 Fan Bolt Holes			2836	
06	8 Cyl. 5.4L	CCW				2917	
06-05	8 Cyl. 4.6L	CCW				2917	
05	8 Cyl. 5.4L	CCW	F-150			2917	
	8 Cyl. 5.4L	CCW	F250 & F350 Superduty; To 11/20/04			2789	
	8 Cyl. 5.4L	CCW	Superduty; w/o AC			2917	
04-01	8 Cyl. 5.4L	CCW				2789	
04-97	8 Cyl. 4.6L	CCW				2789	
03-01	8 Cyl. 7.3L	CCW	w/ Direct Injection			2837	
00	8 Cyl. 7.3L	CCW				2837	
00-99	8 Cyl. 5.4L	CCW	Excl. F150 Lightning			2789	
	8 Cyl. 5.4L	CCW	F-150 Lightning			2836	
99	8 Cyl. 7.3L	CCW	w/ Direct Injection			2837	
98-97	8 Cyl. 5.4L	CCW				2789	
97	8 Cyl. 5.8L	CCW	18" Fan; w/o AC		2733		
	8 Cyl. 5.8L	CCW	19" Fan; w/ AC		2733	**2783**	
97-95	8 Cyl. 7.3L	CCW				2835	
97-83	8 Cyl. 7.5L	CW				2799	
96	8 Cyl. 5.0L	CCW	w/o AC		2733		
96-94	8 Cyl. 5.0L	CCW	w/ AC			2783	
96-93	6 Cyl. 4.9L	CCW	w/ 36mm Hex Nut, 30mm Pilot	2716			
	6 Cyl. 4.9L	CCW	w/ 40mm Hex Nut, 33mm Pilot	2726			
96-88	8 Cyl. 5.8L	CCW	w/ AC		2733	**2783**	
	8 Cyl. 5.8L	CCW	w/o AC		2733		
94	8 Cyl. 7.3L	CW	Excl. F Super Duty; w/ Indirect Injection			2830	
	8 Cyl. 7.3L	CCW	w/ Direct Injection			2835	
94-87	8 Cyl. 5.0L	CCW	w/o AC		2733		
93	8 Cyl. 7.3L	CW	w/ Indirect Injection			2830	
93-87	8 Cyl. 5.0L	CCW	w/ AC		2733		
92	8 Cyl. 7.3L	CW	Excl. F Super Duty; From 2/14/92; w/ Indirect Injection			2830	
	8 Cyl. 7.3L	CW	To 2/14/92; w/ Indirect Injection			2830	
92-87	6 Cyl. 4.9L	CCW		2716			
91-88	8 Cyl. 7.3L	CW				2830	
87-83	8 Cyl. 5.8L	CW	w/ AC		2747	**2797**	
	8 Cyl. 6.9L	CW				2830	
87-77	8 Cyl. 5.8L	CW	w/o AC	2710			1710
86-83	6 Cyl. 4.9L	CW	w/ Thread-On Fan Clutch	2715			
86-70	8 Cyl. 5.0L	CW	w/ AC		2747	**2797**	
86-69	8 Cyl. 5.0L	CW	w/o AC	2710			1710
83-82	6 Cyl. 3.8L	CCW		2723			
82-81	8 Cyl. 4.2L	CW		2710			1710
82-77	8 Cyl. 5.8L	CW	w/ AC		2747	**2799**	
	8 Cyl. 6.6L	CW	w/ AC		**2747**	2799	
	8 Cyl. 6.6L	CW	w/o AC			2797	
82-65	6 Cyl. 4.9L	CW		2710			1710
79-73	8 Cyl. 7.5L	CW				2799	
76-75	8 Cyl. 5.9L	CW	F-500	2710			1710
	8 Cyl. 6.4L	CW	F-500	2710			1710
76-68	8 Cyl. 5.9L	CW		2710			1710

(1) When present stock is exhausted use 3261

Application Guide

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FORD LIGHT TRUCK

F SERIES FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
76-68	8 Cyl. 6.4L	CW		2710			1710
74-65	6 Cyl. 3.9L	CW		2710			1710
69	8 Cyl. 5.0L	CW	w/ AC		2747		
67-66	8 Cyl. 5.8L	CW		2710			1710
66-65	8 Cyl. 5.9L	CW		2710			1710
64-61	6 Cyl. 3.6L	CW		2710			1710

F SERIES MEDIUM DUTY PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
16	10 Cyl. 6.8L	CCW	Air Conditioning			2867	
16-15	10 Cyl. 6.8L	CCW	w/o AC			2867	
16-11	8 Cyl. 6.7L	CCW				3267	
15	10 Cyl. 6.8L	CCW	w/ AC			2867	
14-08	10 Cyl. 6.8L	CCW				2867	
10-08	8 Cyl. 6.4L	CW	w/o Snow Plow Package	3265			
07-05	10 Cyl. 6.8L	CCW	w/ 6mm Fan Bolt Holes			2867	
07-03	8 Cyl. 6.0L	CCW	w/ Snow Plow Package	3262 (1)			
	8 Cyl. 6.0L	CCW	w/o Snow Plow Package	3261			
04-99	10 Cyl. 6.8L	CCW				2836	
00-99	8 Cyl. 7.3L	CCW				2837	
97-93	8 Cyl. 7.3L	CCW				2835	
97-88	8 Cyl. 7.5L	CW				2799	
94	8 Cyl. 7.3L	CW				2830	
92-88	8 Cyl. 7.3L	CW				2830	

LOBO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
10	8 Cyl. 4.6L	CCW		3266			
	8 Cyl. 5.4L	CCW		3266			
08-07	8 Cyl. 4.6L	CCW	w/ Electronic Fan Clutch	3264			
	8 Cyl. 5.4L	CCW		3264			
06-05	8 Cyl. 4.6L	CCW				2917	
	8 Cyl. 5.4L	CCW				2917	
04	8 Cyl. 4.6L	CCW				2789	
04-01	8 Cyl. 5.4L	CCW				2789	

MOTORHOME

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
74	8 Cyl. 5.9L	CW		2710			1710
73	All Eng.	CW		2710			1710
71	8 Cyl. 6.4L	CW		2710			1710

P SERIES

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
77-75	All Eng.	CW		2710			1710
74-68	6 Cyl. 4.9L	CW		2710			1710
73	8 Cyl. 5.9L	CW		2710			1710
73-72	8 Cyl. 6.4L	CW		2710			1710
72	8 Cyl. 5.0L	CW		2710			1710
72-68	6 Cyl. 3.9L	CW	P-350	2710			1710
67-65	6 Cyl. 2.8L	CW	P-100	2711			

RANCHERO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
79-77	8 Cyl. 5.0L	CW		2710			1710
79-69	8 Cyl. 5.8L	CW		2710			1710

FORD LIGHT TRUCK

RANCHERO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
78-72	8 Cyl. 6.6L	CW		2710			1710
77-75	8 Cyl. 7.5L	CW		2711			1710
74	8 Cyl. 7.5L	CW		2711			
74-69	6 Cyl. 4.1L	CW		2710			1710
74-68	8 Cyl. 5.0L	CW		2710			1710
73-68	8 Cyl. 7.0L	CW		2710			1710
69-67	8 Cyl. 6.4L	CW		2710			1710
68-64	6 Cyl. 3.3L	CW		2710			1710
67-65	8 Cyl. 4.7L	CW		2710			1710
63	8 Cyl. 4.3L	CW		2710			1710

RANGER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
11-05	4 Cyl. 2.3L	CCW		2675			
	6 Cyl. 4.0L	CCW				2794	
08-98	6 Cyl. 3.0L	CW				2779	
04-03	6 Cyl. 4.0L	CCW				2904	
04-01	4 Cyl. 2.3L	CCW		2681			
02-95	6 Cyl. 4.0L	CCW				2794	
01-98	4 Cyl. 2.5L	CW	w/ AC	2662			
	4 Cyl. 2.5L	CW	w/o AC	2557			
97-95	6 Cyl. 3.0L	CW	w/ Super Cooling			2779	
97-94	6 Cyl. 3.0L	CW	w/ Std Cooling	2618			
97-88	4 Cyl. 2.3L	CW	w/ AC	2557			
	4 Cyl. 2.3L	CW	w/o AC	2557			
94-92	6 Cyl. 4.0L	CCW	w/ Max Cooling			2794	
	6 Cyl. 4.0L	CCW	w/ Std Cooling	2717		2794	
93	6 Cyl. 3.0L	CW	w/ Std Cooling	2618		2794	
92-91	6 Cyl. 3.0L	CW	w/ Std Cooling	2618			
92-86	6 Cyl. 2.9L	CW	w/ AC	2614			
91	6 Cyl. 4.0L	CCW		2717		2794	
90	6 Cyl. 4.0L	CCW	w/ Max Cooling			2794	
	6 Cyl. 4.0L	CCW	w/ Std Cooling	2717		2794	
88-83	4 Cyl. 2.0L	CW	w/ AC	2557			
	4 Cyl. 2.0L	CW	w/o AC	2557			
87-85	4 Cyl. 2.3L	CW	Diesel	2617			
	4 Cyl. 2.3L	CW	Gas; w/ AC	2557			
	4 Cyl. 2.3L	CW	Gas; w/o AC	2557			
85-83	6 Cyl. 2.8L	CW	w/o AC	2614			
84-83	4 Cyl. 2.2L	CW					
	4 Cyl. 2.3L	CW	w/ AC	2557			
	4 Cyl. 2.3L	CW	w/o AC	2557			

FORD MEDIUM DUTY TRUCKS & BUSES

B600

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
91-90	All Eng.	CW	Manual Trans; w/o AC			2806	
89-88	6 Cyl. 6.6L	CW	Turbocharged; 165, 170HP; 185HP			2804	
	8 Cyl. 7.0L	CW				2803	
89-80	8 Cyl. 6.1L	CW				2803	
87-80	8 Cyl. 8.2L	CW				2802	

(1) When present stock is exhausted use 3261

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FORD MEDIUM DUTY TRUCKS & BUSES

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
B600							
86-80	8 Cyl. 6.1L	CW	Manual Trans; Lima Engine				2808
B700							
91-90	6 Cyl. 7.8L	CW	Turbocharged; 165, 170HP; 185HP				2804
	All Eng.	CW	Manual Trans; w/o AC				2806
89-88	6 Cyl. 6.6L	CW	Turbocharged; 165, 170HP; 185HP				2804
89-80	8 Cyl. 6.1L	CW					2803
	8 Cyl. 7.0L	CW					2803
87-83	8 Cyl. 10.4L	CW	Catepillar 3208 Engine; w/22 inch Fan				2852
86-80	8 Cyl. 6.1L	CW	Manual Trans; Lima Engine				2808
	8 Cyl. 7.0L	CW	Manual Trans; Lima Engine				2808
F450							
09-08	8 Cyl. 6.4L	CW	w/o Snow Plow Package	3265			
09-05	10 Cyl. 6.8L	CCW	w/ 6mm Fan Bolt Holes				2867
07-03	8 Cyl. 6.0L	CCW	w/ Snow Plow Package	3262 (1)			
	8 Cyl. 6.0L	CCW	w/o Snow Plow Package	3261			
07-99	10 Cyl. 6.8L	CCW	w/ 5/16 Fan Bolt Holes				2836
03-99	8 Cyl. 7.3L	CCW	Turbocharged; Diesel; w/ Dir Injection				2837
F550							
09-08	8 Cyl. 6.4L	CW	w/o Snow Plow Package	3265			
09-05	10 Cyl. 6.8L	CCW	w/ 6mm Fan Bolt Holes				2867
07-03	8 Cyl. 6.0L	CCW	w/ Snow Plow Package or Special Equipment Pkg.				3262 (1)
	8 Cyl. 6.0L	CCW	w/o Snow Plow Package	3261			
07-99	10 Cyl. 6.8L	CCW	w/ 5/16 Fan Bolt Holes				2836
03-99	8 Cyl. 7.3L	CCW	Turbocharged; Diesel; w/ Dir Injection				2837
F600							
94-93	6 Cyl. 5.9L	CW					2853
94-92	8 Cyl. 7.0L	CW	w/ PTO Package				2803
94-90	8 Cyl. 7.0L	CW	Gas; w/o PTO Package				2805
92-86	6 Cyl. 6.6L	CW	w/o PTO Package				2805
91	8 Cyl. 7.0L	CW	PTO				2803
91-90	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805
	8 Cyl. 6.1L	CW	w/ PTO Package				2803
90	8 Cyl. 7.0L	CW	w/ PTO Package				2803
89	6 Cyl. 6.6L	CW	Turbocharged; 165, 170HP; 185HP				2804
89-87	6 Cyl. 7.8L	CW	Turbocharged; 165, 170HP; 185HP				2804
89-80	8 Cyl. 6.1L	CW					2803
	8 Cyl. 7.0L	CW					2803
87-80	8 Cyl. 8.2L	CW					2802
86-80	8 Cyl. 6.1L	CW	Manual Trans; Lima Engine				2808
	8 Cyl. 7.0L	CW	Manual Trans; Lima Engine				2808
F650							
03-01	8 Cyl. 7.3L	CW					2853

FORD MEDIUM DUTY TRUCKS & BUSES

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
F700							
98-91	8 Cyl. 7.0L	CW	w/ PTO Package				2803
98-90	8 Cyl. 7.0L	CW	Gas; w/o PTO Package				2805
97-93	6 Cyl. 5.9L	CW					2853
91	6 Cyl. 6.6L	CW	w/o PTO Package				2805
	6 Cyl. 7.8L	CW	w/o PTO Package				2805
	8 Cyl. 6.1L	CW	w/ PTO Package				2803
91-90	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805
90	8 Cyl. 6.1L	CW	Gas; w/ PTO Package				2803
	8 Cyl. 7.0L	CW	PTO				2803
89-88	8 Cyl. 10.4L	CW	Catepillar 3208 Engine; w/22 inch Fan				2852
89-87	6 Cyl. 7.8L	CW	Turbocharged; 165, 170HP; 185HP				2804
89-86	6 Cyl. 6.6L	CW	w/o PTO Package				2805
89-80	8 Cyl. 6.1L	CW					2803
	8 Cyl. 7.0L	CW					2803
87	8 Cyl. 10.4L	CW					2852
87-80	8 Cyl. 7.0L	CW	Manual Trans; Lima Engine				2808
	8 Cyl. 8.2L	CW					2802
86-80	8 Cyl. 6.1L	CW	Manual Trans; Lima Engine				2808
84-83	All Eng.	CW	w/ 22 inch fan				2852
83	8 Cyl. 10.4L	CW	Catepillar 3208 Engine; w/22 inch Fan				2852
F750							
03-01	8 Cyl. 7.3L	CW					2853
F800							
98-97	8 Cyl. 7.0L	CW	Gas; w/o PTO Package				2805
	8 Cyl. 7.0L	CW	w/ PTO Package				2803
91	6 Cyl. 7.8L	CW	w/o PTO Package				2805
91-90	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805
	8 Cyl. 7.0L	CW	Gas; w/o PTO Package				2805
	8 Cyl. 7.0L	CW	w/ PTO Package				2803
91-88	8 Cyl. 6.1L	CW	w/ PTO Package				2803
89	8 Cyl. 6.1L	CW	w/o PTO Package				2805
89-88	6 Cyl. 6.6L	CW	Turbocharged; 165, 170HP; 185HP				2804
	6 Cyl. 7.8L	CW	Turbocharged; 165, 170HP; 185HP				2804
89-80	8 Cyl. 7.0L	CW					2803
88	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805
87	8 Cyl. 6.1L	CW					2803
87-80	8 Cyl. 7.0L	CW	Manual Trans; Lima Engine				2808
	8 Cyl. 8.2L	CW					2802
86-85	8 Cyl. 6.1L	CW	w/ PTO Package				2803
	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805
86-80	8 Cyl. 6.1L	CW	Manual Trans; Lima Engine				2808
84-83	All Eng.	CW	w/ 22 inch fan				2852
84-80	8 Cyl. 6.1L	CW					2803
FT800							
90	8 Cyl. 6.1L	CW					2803
	8 Cyl. 6.1L	CW	Gas; w/o PTO Package				2805

(1) When present stock is exhausted use 3261

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

FREIGHTLINER

SPRINTER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
18-10	6 Cyl. 3.0L	CW		8302			
17-14	4 Cyl. 2.1L	CW			8300		
09-07	6 Cyl. 3.0L	CCW			8301		
08-07	6 Cyl. 3.5L	CW			8303		
06-02	All Eng.	CCW		2598			

GMC LIGHT TRUCK

CABALLERO

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
87-86	6 Cyl. 4.3L	CW		2711			1705
	8 Cyl. 5.0L	CW			2747	**2797**	1705
85	6 Cyl. 4.3L	CW		2705			1705
85-82	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
84	6 Cyl. 3.8L	CW	229 CID; w/o AC	2707			1707
	6 Cyl. 3.8L	CW	231 CID; w/o AC	2707			1707
84-83	8 Cyl. 5.7L	CW				2797	
84-80	6 Cyl. 3.8L	CW	w/ AC	2705			1705
83-80	6 Cyl. 3.8L	CW	w/o AC	2707			1707
82-79	8 Cyl. 4.4L	CW	w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
81-79	8 Cyl. 4.4L	CW			2747		
81-78	8 Cyl. 5.0L	CW			2747	**2797**	
	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
79	8 Cyl. 5.7L	CW	w/ AC	2705			1705
79-78	6 Cyl. 3.3L	CW	w/ AC	2705			1705
	6 Cyl. 3.3L	CW	w/o AC	2707			1707
	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.7L	CW			2747		
	8 Cyl. 5.7L	CW	w/o AC	2707			1707
78	8 Cyl. 5.7L	CW	18" Fan; w/ AC	2705			1705
	8 Cyl. 5.7L	CW	19" Fan; w/ AC	2705			1705

CANYON

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-16	4 Cyl. 2.8L	CCW		3210			
12-09	8 Cyl. 5.3L	CCW				2889	
12-07	4 Cyl. 2.9L	CCW			2778		
	5 Cyl. 3.7L	CCW				2787	
06-04	4 Cyl. 2.8L	CCW			2778		
	5 Cyl. 3.5L	CCW				2787	

ENVOY

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
09-06	All Eng.	CCW	w/ Electronic Fan Clutch			3201 (2)	
	All Eng.	CCW	w/ Thermo Fan Clutch			2851	
05-03	8 Cyl. 5.3L	CCW				3200	
05-02	6 Cyl. 4.2L	CCW				3200	

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-11	8 Cyl. 6.0L	CCW				2980	
16-15	8 Cyl. 6.6L	CCW		3203			
14-11	8 Cyl. 6.6L	CCW		3202			
10-09	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	

GMC LIGHT TRUCK

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
10-06	8 Cyl. 6.6L	CCW					2850
08	8 Cyl. 6.0L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC			2744	**2786**
07	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC			2744	**2786**
07-06	8 Cyl. 4.8L	CCW				2744	
	8 Cyl. 4.8L	CCW	w/ AC			2744	**2786**
07-03	8 Cyl. 8.1L	CCW					2780
07-99	8 Cyl. 5.3L	CCW				2744	
	8 Cyl. 5.3L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio; w/ AC				2786
	8 Cyl. 5.3L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio; w/ AC			2744	**2786**
06	8 Cyl. 6.0L	CCW	Excl. Silverado SS			2744	**2786**
	8 Cyl. 6.0L	CCW	Excl. Silverado SS; w/ Heavy Duty Tow Pkg.; w/ AC			2744	**2786**
05-02	8 Cyl. 6.0L	CCW				2744	**2786**
	8 Cyl. 6.0L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC				2786
05-01	8 Cyl. 6.6L	CCW					2843
05-99	6 Cyl. 4.3L	CCW				2744	
	8 Cyl. 4.8L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio				2786
	8 Cyl. 4.8L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio			2744	
05-96	6 Cyl. 4.3L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC				2786
02-01	8 Cyl. 8.1L	CCW	New Body Style				2780
	8 Cyl. 8.1L	CCW	Old Body Style				2786
02-00	8 Cyl. 6.5L	CCW					2840
01-99	8 Cyl. 6.0L	CCW	w/ Trailer Tow Pkg.; w/ 3.73, 3.42, or 3.08 Rear Axle Ratio			2744	**2786**
	8 Cyl. 6.0L	CCW	w/o Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio			**2744**	2786
00-96	8 Cyl. 5.7L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC				2786
	8 Cyl. 5.7L	CCW	w/o AC	2626			
00-92	8 Cyl. 7.4L	CCW					2784
99	8 Cyl. 6.5L	CCW	Marked GDF; Threaded Type				2840
	8 Cyl. 6.5L	CCW	Marked GPC; Bolt-On Type				2839
99-96	8 Cyl. 5.0L	CCW	Ind. Heavy Duty Tow Pkg.; w/ AC				2786
	8 Cyl. 5.0L	CCW	w/o AC	2626			
98-97	8 Cyl. 6.5L	CCW					2839
98-96	6 Cyl. 4.3L	CCW	w/o AC	2626			
96-94	8 Cyl. 6.5L	CCW					2831
95-92	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC			**2734**	2784
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio			2734	**2784**
95-89	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC			**2734**	2784
	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC	2724			
	6 Cyl. 4.3L	CCW	w/ 3.73 Or Higher Rear Axle Ratio			2734	**2784**
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC			2734	**2784**
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio			**2734**	2784

(2) When present stock is exhausted use 3200

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

GMC LIGHT TRUCK

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
95-88	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
93-92	8 Cyl. 6.2L	CCW				2785	
	8 Cyl. 6.5L	CCW				2832	
91-88	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"		**2747**	2797	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 7.4L	CCW	Fan Mounting Holes are 10mm			2784	
	8 Cyl. 7.4L	CW	Fan Mounting Holes are 5/16"			2797	
91-85	8 Cyl. 6.2L	CCW	Fan Mounting Holes are 10mm			2785	
	8 Cyl. 6.2L	CW	Fan Mounting Holes are 5/16"			2799	
88	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/o AC	2724			
	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"; w/ AC		**2747**	2797	
	6 Cyl. 4.3L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	6 Cyl. 4.3L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/o AC	2724			
	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		**2734**	2784	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
88-78	6 Cyl. 4.8L	CW	w/ AC		2747	**2797**	
	6 Cyl. 4.8L	CW	w/o AC	2707			1707
88-77	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-85	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	6 Cyl. 4.3L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-82	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-77	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-73	8 Cyl. 7.4L	CW				2797	
84-83	8 Cyl. 6.2L	CW				2799	
84-78	6 Cyl. 4.1L	CW		2707			1707
82	8 Cyl. 6.2L	CW	w/ 4 Bolt Fan Clutch			2799	
	8 Cyl. 6.2L	CW	w/ 6 Bolt Fan Clutch			2828	
82-73	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705

GMC LIGHT TRUCK

FULLSIZE PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
81-73	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
80-75	8 Cyl. 6.6L	CW				2797	
77-67	6 Cyl. 4.1L	CW		2705			1705
	6 Cyl. 4.8L	CW		2705			1705
73	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-70	8 Cyl. 6.6L	CW		2707			1707
72-69	8 Cyl. 5.7L	CW		2705			1705
72-68	8 Cyl. 5.0L	CW		2705			1705
69-68	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 6.5L	CW		2707			1707
69-67	6 Cyl. 5.0L	CW		2705	2747		1705
68	8 Cyl. 5.4L	CW		2705			1705
67	8 Cyl. 5.3L	CW		2705			1705
	8 Cyl.	CW		2705			1705
66	6 Cyl.	CW		2705			1705
65-64	6 Cyl. 3.8L	CW	1000 Series	2705			1705
	6 Cyl. 3.8L	CW	1500 Series	2705			1705
	6 Cyl. 3.8L	CW	2500 Series	2705			1705
65-61	6 Cyl. 5.0L	CW	1000 Series	2705			1705
	6 Cyl. 5.0L	CW	1500 Series	2705			1705
	6 Cyl. 5.0L	CW	2500 Series	2705			1705
62-61	6 Cyl. 5.0L	CW	V3000 Forward Control	2705			1705

G SERIES FULLSIZE VAN / SAVANA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17	4 Cyl. 2.8L	CCW		3210			
17-16	8 Cyl. 6.0L	CCW				2786	
16-14	8 Cyl. 4.8L	CCW				2786	
16-10	8 Cyl. 6.6L	CCW		3222			
15	8 Cyl. 4.8L	CCW	Air Conditioning			2786	
	8 Cyl. 6.0L	CCW			**2744**	2786	
14	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 5.3L	CCW				2786	
	8 Cyl. 6.0L	CCW				2786	
13-11	6 Cyl. 4.3L	CCW			**2744**	2786	
	6 Cyl. 4.3L	CCW	w/ AC			2786	
	8 Cyl. 4.8L	CCW			**2744**	2786	
	8 Cyl. 4.8L	CCW	w/ AC			2786	
	8 Cyl. 5.3L	CCW			**2744**	2786	
	8 Cyl. 5.3L	CCW	w/ AC			2786	
13-03	8 Cyl. 6.0L	CCW			**2744**	2786	
12-03	8 Cyl. 6.0L	CCW	w/ AC			2786	
10-03	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 4.8L	CCW				2786	
	8 Cyl. 5.3L	CCW				2786	
09-06	8 Cyl. 6.6L	CCW	Turbocharged; Diesel			2843	
02-01	8 Cyl. 8.1L	CCW				2780	
02-99	8 Cyl. 6.5L	CCW				2850	
02-96	6 Cyl. 4.3L	CCW	w/ AC		2744		
	6 Cyl. 4.3L	CCW	w/o AC	2626			

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

GMC LIGHT TRUCK

G SERIES FULLSIZE VAN / SAVANA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
02-96	8 Cyl. 5.0L	CCW	w/ AC		**2744**	2786	
	8 Cyl. 5.0L	CCW	w/o AC	2626			
	8 Cyl. 5.7L	CCW	w/ AC		2744		
	8 Cyl. 5.7L	CCW	w/o AC	2626			
00-89	8 Cyl. 7.4L	CCW				2784	
98-97	8 Cyl. 6.5L	CCW				2839	
96	8 Cyl. 6.5L	CCW	Diesel; New Body Style			2831	
96-94	8 Cyl. 6.5L	CCW	Old Body Style			2785	
95-87	6 Cyl. 4.3L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/ AC		**2734**	2784	
	6 Cyl. 4.3L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	6 Cyl. 4.3L	CCW	w/ 3.73, 4.10, or 4.56 Rear Axle Ratio		2734	**2784**	
	8 Cyl. 5.0L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.0L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.0L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
93-83	8 Cyl. 6.2L	CW				2799	
88	8 Cyl. 7.4L	CCW			2734	**2784**	
88-73	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling			2797	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling		**2747**	2797	
86-85	6 Cyl. 4.3L	CW	w/ AC	2705	2747		
	6 Cyl. 4.3L	CW	w/o AC	2706			1706
86-81	8 Cyl. 5.0L	CW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2706			1706
	8 Cyl. 5.0L	CW	w/o Trailer Tow Pkg.; w/o AC		2747		1706
	8 Cyl. 5.7L	CW	w/o AC	2706			1706
86-77	8 Cyl. 5.0L	CW	w/ 2.73 Or 3.08 Rear Axle Ratio; w/ AC		**2747**	2797	
84-67	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			1706
80-78	8 Cyl. 6.6L	CW			2747		
80-77	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.0L	CW	w/o AC		2747	**2797**	
80-70	8 Cyl. 5.7L	CW	w/o AC	2705			1705
78-74	6 Cyl. 4.8L	CW		2707			1707
77-75	8 Cyl. 6.6L	CW		2705			1705
76-73	8 Cyl. 7.4L	CW				2797	
73-68	8 Cyl. 5.0L	CW		2705			1705
69-64	6 Cyl. 3.8L	CW		2705			1705
67	8 Cyl. 4.6L	CW		2705			1705
65-64	4 Cyl. 2.5L	CW		2705			1705
65-63	6 Cyl. 3.2L	CW		2705			1705

P SERIES VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
99	8 Cyl. 6.5L	CCW				2850	
99-96	6 Cyl. 4.3L	CCW				2786	
	8 Cyl. 5.7L	CCW				2787	
	8 Cyl. 7.4L	CCW				2784	
98-97	8 Cyl. 6.5L	CCW	Turbocharged			2831	
98-94	8 Cyl. 6.5L	CCW	w/o Turbo			2785	
96-92	8 Cyl. 7.0L	CCW				2834	

GMC LIGHT TRUCK

P SERIES VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
95-90	6 Cyl. 4.3L	CW				2782	
95-73	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling		2747	**2797**	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling		**2747**	2797	
	8 Cyl. 7.4L	CW				2797	
93-82	8 Cyl. 6.2L	CW				2799	
91-89	4 Cyl. 3.9L	CCW	Turbocharged; Diesel			2784	
90-85	6 Cyl. 4.8L	CW	Auto Trans			2872	
84-79	6 Cyl. 4.8L	CW			**2747**	2797	
78-75	6 Cyl. 4.8L	CW			2747		
	6 Cyl. 4.8L	CW	P15		2747		
74	6 Cyl. 4.1L	CW	P15/P1500 Van	2705			1705
74-73	6 Cyl. 4.1L	CW	w/ AC	2705			1705
	6 Cyl. 4.1L	CW	w/o AC	2706			
74-67	6 Cyl. 4.8L	CW		2707			1707
73-68	8 Cyl. 5.0L	CW		2705			1705
72	6 Cyl. 4.1L	CW	P25/P2500 Van	2705			1705
72-71	8 Cyl. 6.6L	CW	Exc. Heavy Duty Cooling		2747		
	8 Cyl. 6.6L	CW	w/ Heavy Duty Cooling			2797	
72-70	6 Cyl. 4.1L	CW	P35/P3500 Van; w/ AC	2705			1705
	6 Cyl. 4.1L	CW	P35/P3500 Van; w/o AC	2706			
	6 Cyl. 4.1L	CW	P15/P1500 Van	2705			1705
	8 Cyl. 5.7L	CW	Exc. Heavy Duty Cooling		2747		
	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling			2797	
71-70	8 Cyl. 7.4L	CW	P25/P2500 Van		2747		
	8 Cyl. 7.4L	CW	P35/P3500 Van			2797	
70	6 Cyl. 4.1L	CW	P25/P2500 Van	2705			1705
69-67	6 Cyl. 3.8L	CW		2705			1705
	6 Cyl. 4.1L	CW		2705			1705
67	8 Cyl. 4.6L	CW		2705			1705
66	All Eng.	CW		2705			1705

PB SERIES VAN

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
66	6 Cyl. 3.8L	CW		2705			1705
	6 Cyl. 4.1L	CW		2705			1705
	6 Cyl. 4.8L	CW		2707			1707
65-64	6 Cyl. 3.8L	CW	PB1500 Series	2705			1705
	6 Cyl. 3.8L	CW	PB2500 Series	2705			1705
63	6 Cyl. 3.8L	CW		2705			1705

S15 JIMMY

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-96	6 Cyl. 4.3L	CCW	w/ AC			2786	
	6 Cyl. 4.3L	CCW	w/o AC	2626			
95-94	6 Cyl. 4.3L	CCW	w/o AC	2739			
95-88	6 Cyl. 4.3L	CCW	w/ AC		2734	**2784**	
93-88	6 Cyl. 4.3L	CCW	w/o AC	2727			
89-87	6 Cyl. 2.8L	CCW	w/ Front Mounted Fan; w/o AC	2580			
	6 Cyl. 2.8L	CCW	w/ Rear Mounted Fan; w/ AC	2724			
88-87	4 Cyl. 2.5L	CCW	w/ Rear Mounted Fan; w/ AC	2722			
86	4 Cyl. 2.5L	CW	w/ AC	2708			
	6 Cyl. 2.8L	CW	w/ AC	2705	2747		

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

GMC LIGHT TRUCK

S15 JIMMY

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
86-85	4 Cyl. 2.5L	CW	w/o AC	2705			1705
86-83	6 Cyl. 2.8L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	Fan Mounting Holes are 5/16"; w/ AC	2615			
	4 Cyl. 2.5L	CW	Fan Mounting Holes are 8mm; w/ AC	2623			
85-83	6 Cyl. 2.8L	CW	w/ AC	2615			
84	4 Cyl. 1.9L	CW	Auto Trans; Rear Mounted Fan	2615			
	4 Cyl. 1.9L	CW	Front Mounted Fan; w/ AC	2551			
	4 Cyl. 1.9L	CW	Manual Trans; Rear Mounted Fan	2615			
84-83	4 Cyl. 2.0L	CW	Auto Trans	2615			
	4 Cyl. 2.0L	CW	Manual Trans	2551			
83	4 Cyl. 1.9L	CW	Auto Trans	2615			
	4 Cyl. 1.9L	CW	Manual Trans	2615			

S15 PICKUP

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
04-96	6 Cyl. 4.3L	CCW	w/ AC			2786	
	6 Cyl. 4.3L	CCW	w/o AC	2626			
03-97	4 Cyl. 2.2L	CCW	w/ AC	2626			
	4 Cyl. 2.2L	CCW	w/o AC	2632			
96-94	4 Cyl. 2.2L	CCW	w/ AC	2739			
	4 Cyl. 2.2L	CCW	w/o AC	2631			
95-94	6 Cyl. 4.3L	CCW	w/o AC	2739			
95-88	6 Cyl. 4.3L	CCW	w/ AC		2734	**2784**	
93-88	6 Cyl. 4.3L	CCW	w/o AC	2727			
93-87	4 Cyl. 2.5L	CCW	w/ Rear Mounted Fan; w/ AC	2722			
	6 Cyl. 2.8L	CCW	w/ Front Mounted Fan; w/o AC	2580			
	6 Cyl. 2.8L	CCW	w/ Rear Mounted Fan; w/ AC	2724			
91-89	4 Cyl. 2.5L	CCW	w/ Front Mount Fan	2580			
86	4 Cyl. 2.5L	CW	w/ AC	2708			
	6 Cyl. 2.8L	CW	w/ AC	2705	2747		
86-85	4 Cyl. 2.5L	CW	w/o AC	2705			1705
86-82	6 Cyl. 2.8L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	Fan Mounting Holes are 5/16"; w/ AC	2615			
	4 Cyl. 2.5L	CW	Fan Mounting Holes are 8mm; w/ AC	2623			
85-84	4 Cyl. 2.2L	CW		2551			
85-83	4 Cyl. 1.9L	CW	Manual Trans; w/ Front Mounted Fan	2551			
85-82	6 Cyl. 2.8L	CW	w/ AC	2615			
84-83	4 Cyl. 1.9L	CW	Auto Trans; w/ Rear Mounted Fan	2615			
	4 Cyl. 2.0L	CW	Auto Trans	2615			
	4 Cyl. 2.0L	CW	Manual Trans	2551			
82	4 Cyl. 1.9L	CW		2615			

SAFARI

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
05-96	6 Cyl. 4.3L	CCW				2786	
95-90	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
95-87	6 Cyl. 4.3L	CCW	w/ 3.73 Rear Axle Ratio; w/ AC		2734	**2784**	
94-88	6 Cyl. 4.3L	CCW	w/o AC	2739			
90-88	4 Cyl. 2.5L	CCW	w/ AC	2722			
89-87	6 Cyl. 4.3L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		2734		
87	4 Cyl. 2.5L	CCW	w/ Front Mounted Fan; w/o AC	2580			
86-85	4 Cyl. 2.5L	CW	w/ Front Mounted Fan; w/ AC	2551			

GMC LIGHT TRUCK

SAFARI

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
86-85	6 Cyl. 4.3L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC	2705	2747		
	6 Cyl. 4.3L	CW	w/ 3.73 Rear Axle Ratio; w/ AC		2747	**2797**	
	6 Cyl. 4.3L	CW	w/o AC	2706			1706
85	4 Cyl. 2.5L	CW	w/ Front Mounted Fan; w/o AC	2557			

SPRINT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
77-76	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
77-71	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705			1705
76	8 Cyl. 6.6L	CW		2705			1705
75	8 Cyl. 6.6L	CW			2747		
75-71	8 Cyl. 7.4L	CW			2747		
74	8 Cyl. 6.6L	CW	400 CID	2705			1705
	8 Cyl. 6.6L	CW	402 CID		2747		
73-71	8 Cyl. 5.0L	CW		2705			1705
72-71	8 Cyl. 6.6L	CW			2747		

SUBURBAN / FULLSIZE JIMMY / YUKON

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
13-12	8 Cyl. 6.0L	CCW				2786	
11	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
10	8 Cyl. 6.0L	CCW	Incl. Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
09-07	8 Cyl. 6.0L	CCW	w/ Heavy Duty Tow Pkg.; w/ AC		2744	**2786**	
07-06	8 Cyl. 4.8L	CCW			2744		
	8 Cyl. 4.8L	CCW	w/ AC		2744	**2786**	
07-00	8 Cyl. 5.3L	CCW			2744		
	8 Cyl. 5.3L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio; w/ AC			2786	
	8 Cyl. 5.3L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio; w/ AC		2744	**2786**	
06	8 Cyl. 6.0L	CCW	Excl. Silverado SS		2744	**2786**	
	8 Cyl. 6.0L	CCW	Excl. Silverado SS; w/ Heavy Duty Tow Pkg.; w/ AC			2786	
06-03	8 Cyl. 8.1L	CCW				2780	
05-02	8 Cyl. 6.0L	CCW			2744	**2786**	
	8 Cyl. 6.0L	CCW	Incl. Heavy Duty Tow Pkg.; w/ AC			2786	
05-00	8 Cyl. 4.8L	CCW	w/ Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio			2786	
	8 Cyl. 4.8L	CCW	w/o Trailer Tow Pkg.; w/ 3.08, 3.42, or 3.73 Rear Axle Ratio		2744		
02-01	8 Cyl. 8.1L	CCW	New Body Style			2780	
01-00	8 Cyl. 6.0L	CCW	w/ Trailer Tow Pkg.; w/ 3.73, 3.42, or 3.08 Rear Axle Ratio		2744	**2786**	
	8 Cyl. 6.0L	CCW	w/o Trailer Tow Pkg.; w/ 4.10 Rear Axle Ratio		**2744**	2786	
00-96	8 Cyl. 5.7L	CCW	Incl. Heavy Duty Tow Pkg.; w/ AC			2786	
	8 Cyl. 5.7L	CCW	w/o AC	2626			
99	8 Cyl. 6.5L	CCW	Marked GDF; Threaded Type			2840	
	8 Cyl. 6.5L	CCW	Marked GPC; Bolt-On Type			2839	
99-92	8 Cyl. 7.4L	CCW				2784	
98-97	8 Cyl. 6.5L	CCW				2839	

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
GMC LIGHT TRUCK							
SUBURBAN / FULLSIZE JIMMY / YUKON							
96-94	8 Cyl. 6.5L	CCW				2831	
95-92	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio		2734	**2784**	
95-88	8 Cyl. 5.7L	CCW	w/ 3.08 or 3.42 Rear Axle Ratio; w/o AC	2724			
91-88	8 Cyl. 5.7L	CCW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 10mm.; w/ AC		**2734**	2784	
	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio, Fan Mounting Holes are 5/16"		**2747**	2797	
	8 Cyl. 5.7L	CCW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 10mm.		2734	**2784**	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio, Fan Mounting Holes are 5/16"		2747	**2797**	
	8 Cyl. 7.4L	CCW	Fan Mounting Holes are 10mm			2784	
	8 Cyl. 7.4L	CW	Fan Mounting Holes are 5/16"			2797	
91-85	8 Cyl. 6.2L	CCW	Fan Mounting Holes are 10mm			2785	
	8 Cyl. 6.2L	CW	Fan Mounting Holes are 5/16"			2799	
87-82	8 Cyl. 5.7L	CW	w/ 3.42 Or Lower Rear Axle Ratio		**2747**	2797	
	8 Cyl. 5.7L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
87-77	8 Cyl. 5.0L	CW	w/ 3.42 Or Lower Rear Axle Ratio; w/o AC		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ 3.73 Or Higher Rear Axle Ratio		2747	**2797**	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
87-73	8 Cyl. 7.4L	CW				2797	
84	6 Cyl. 4.8L	CW	w/ AC		2747	**2797**	
	6 Cyl. 4.8L	CW	w/o AC	2707			1707
84-83	8 Cyl. 6.2L	CW				2799	
82	8 Cyl. 6.2L	CW	w/ 4 Bolt Fan Clutch			2799	
	8 Cyl. 6.2L	CW	w/ 6 Bolt Fan Clutch			2828	
82-78	6 Cyl. 4.1L	CW		2707			1707
	6 Cyl. 4.8L	CW	w/ AC		2747	**2797**	
	6 Cyl. 4.8L	CW	w/o AC	2707			1707
82-73	8 Cyl. 5.7L	CW	w/ Std Duty Fan Clutch	2705			1705
81-73	8 Cyl. 5.7L	CW	w/ HD Fan Clutch		2747	**2797**	
80-75	8 Cyl. 6.6L	CW				2797	
77-68	6 Cyl. 4.8L	CW		2705			1705
77-66	6 Cyl. 4.1L	CW		2705			1705
73	8 Cyl. 5.0L	CW	w/ HD Fan Clutch		**2747**	2797	
	8 Cyl. 5.0L	CW	w/ Std Duty Fan Clutch	2705			1705
72-70	8 Cyl. 6.6L	CW		2707			1707
72-69	8 Cyl. 5.7L	CW		2705			1705
72-68	8 Cyl. 5.0L	CW		2705			1705
69	6 Cyl. 5.0L	CW		2705	2747		1705
69-68	8 Cyl. 6.5L	CW		2707			1707
68	8 Cyl. 5.4L	CW		2705			1705
67	6 Cyl. 4.1L	CW	Suburban	2705			1705
	6 Cyl. 4.8L	CW	Suburban	2705			1705
	6 Cyl. 5.0L	CW	Suburban	2705			1705
	8 Cyl. 4.6L	CW	Suburban	2705			1705
	8 Cyl. 5.3L	CW	Suburban	2705			1705
67-63	6 Cyl. 5.0L	CW		2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
GMC LIGHT TRUCK							
SUBURBAN / FULLSIZE JIMMY / YUKON							
66	6 Cyl. 4.8L	CW		2705			1705
66-63	6 Cyl. 3.8L	CW		2705			1705
HONDA							
PASSPORT							
02-98	6 Cyl. 3.2L	CW		2663			
97-94	6 Cyl. 3.2L	CW		2671			
96-94	4 Cyl. 2.6L	CW		2610			
HUMMER (AM GENERAL)							
H1							
98	8 Cyl. 6.5L	CCW	w/o Turbo; To Chassis/VIN 180136			2839	
98-97	8 Cyl. 6.5L	CCW	Turbocharged			2839	
97	8 Cyl. 6.5L	CCW	w/o Turbo			2839	
96-95	8 Cyl. 5.7L	CCW			2734		
96-94	8 Cyl. 6.5L	CCW	w/o Turbo			2785	
H2							
07-03	8 Cyl. 6.0L	CCW				2786	
H3							
10-08	8 Cyl. 5.3L	CCW				2889	
10-07	5 Cyl. 3.7L	CCW				2787	
06	5 Cyl. 3.5L	CCW				2787	
INFINITI							
FX45							
08-03	8 Cyl. 4.5L	CW		2676			
G35							
05-03	6 Cyl. 3.5L	CW		2667			
J30							
97-93	6 Cyl. 3.0L	CW		2666			
M30							
92-90	6 Cyl. 3.0L	CW		2560			
Q45							
01-97	8 Cyl. 4.1L	CW		2676			
96-93	8 Cyl. 4.5L	CW		2664			
92-90	8 Cyl. 4.5L	CW		2669			
QX4							
03-01	6 Cyl. 3.5L	CW		2676			
00-97	6 Cyl. 3.3L	CW		2664			
QX56							
13-11	All Eng.	CCW		3330			
10-04	8 Cyl. 5.6L	CW			6600		
QX80							
17-14	All Eng.	CCW		3330			

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
INTERNATIONAL							
1000C							
68	6 Cyl. 3.9L	CW					
	6 Cyl. 4.0L	CW					
1000D							
70-69	6 Cyl. 3.9L	CW					
1100C							
68	6 Cyl. 3.9L	CW					
1100D							
70-69	6 Cyl. 3.9L	CW					
	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
1200C							
68	6 Cyl. 3.9L	CW					
	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
1200D							
70-69	6 Cyl. 3.9L	CW					
1300C							
68	6 Cyl. 3.9L	CW					
1300D							
70-69	6 Cyl. 3.9L	CW					
AB120							
65-57	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
AM120							
65-61	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
AM130							
65-61	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B100							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B102							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B110							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B112							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B120							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B122							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
B130							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
INTERNATIONAL							
B132							
60	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
M1100							
68	6 Cyl. 3.9L	CW					
M1200							
68	6 Cyl. 3.9L	CW					
67-65	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
M800							
68	6 Cyl. 3.9L	CW					
67-65	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
MA1200							
68	6 Cyl. 3.9L	CW					
MS1210							
75	All Eng.	CW	w/o Thread On Fan Clutch	2705			1705
PICKUP							
75	8 Cyl. 6.4L	CW		2705			1705
75-72	8 Cyl. 5.6L	CW		2705			1705
75-61	8 Cyl. 5.0L	CW	w/o Thread On Fan Clutch	2705			1705
74-72	6 Cyl. 4.2L	CW	w/o Thread On Fan Clutch	2705			1705
73-72	8 Cyl. 5.7L	CW		2705			1705
71	6 Cyl. 3.8L	CW	w/o Thread On Fan Clutch	2705			1705
	8 Cyl. 5.7L	CW	w/o Thread On Fan Clutch	2705			1705
70-69	6 Cyl. 3.8L	CW		2705			1705
70-68	6 Cyl. 3.9L	CW		2705			1705
	8 Cyl. 4.4L	CW		2705			1705
69-68	8 Cyl. 4.3L	CW		2705			1705
68	6 Cyl. 4.0L	CW		2705			1705
SCOUT / SCOUT II							
80-71	8 Cyl. 5.6L	CW		2705			1705
80-69	8 Cyl. 5.0L	CW	w/o Thread On Fan Clutch	2705			1705
75	8 Cyl. 6.4L	CW		2705			1705
74-72	8 Cyl. 5.7L	CW		2705			1705
71	6 Cyl. 3.8L	CW		2705			1705
70	6 Cyl. 4.3L	CW	w/o Thread On Fan Clutch	2705			1705
68	8 Cyl. 4.4L	CW	Exc. Thread-on Fan Clutch	2705			1705
TRAVELALL							
75	8 Cyl. 5.0L	CW	w/o Thread On Fan Clutch	2705			1705
	8 Cyl. 5.6L	CW		2705			1705
75-72	8 Cyl. 6.4L	CW		2705			1705
74-72	6 Cyl. 4.2L	CW	w/o Thread On Fan Clutch	2705			1705
73-72	8 Cyl. 5.0L	CW	w/o Thread On Fan Clutch	2705			1705
70-69	6 Cyl. 3.9L	CW	w/o Thread-On Fan Clutch	2705			1705
ISUZU							
AMIGO							
00-98	6 Cyl. 3.2L	CW		2663			

Application Guide

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
ISUZU							
AMIGO							
94-89	4 Cyl. 2.6L	CW		2567			
93-89	4 Cyl. 2.3L	CW		2567			
ASCENDER							
08	6 Cyl. 4.2L	CCW				2851	
07-06	6 Cyl. 4.2L	CCW				3201 (2)	
06	8 Cyl. 5.3L	CCW				3201 (2)	
05-03	6 Cyl. 4.2L	CCW				3200	
	8 Cyl. 5.3L	CCW				3200	
AXIOM							
04-03	All Eng.	CCW		6232			
02	6 Cyl. 3.5L	CCW		2663			
HOMBRE							
00-97	4 Cyl. 2.2L	CCW	w/ AC	2626			
	4 Cyl. 2.2L	CCW	w/o AC	2632			
	6 Cyl. 4.3L	CCW	w/ AC			2786	
	6 Cyl. 4.3L	CCW	w/o AC	2626			
96	4 Cyl. 2.2L	CCW	w/ AC	2739			
	4 Cyl. 2.2L	CCW	w/o AC	2631			
IMPULSE							
89-88	4 Cyl. 2.3L	CW		2567			
89-87	4 Cyl. 2.0L	CW	Turbocharged		2555		
86-85	4 Cyl. 2.0L	CW			2555		
PICKUP							
08-07	4 Cyl. 2.9L	CCW			2778		
	5 Cyl. 3.7L	CCW				2787	
06	4 Cyl. 2.8L	CCW			2778		
	5 Cyl. 3.5L	CCW				2787	
95-93	4 Cyl. 2.6L	CW	w/ Rear Mount Fan	2610			
95-86	4 Cyl. 2.3L	CW	w/ Front Mount Fan	2567			
94-91	6 Cyl. 3.1L	CCW		2658			
92-88	4 Cyl. 2.6L	CW	w/ Front Mount Fan	2567			
87-83	4 Cyl. 1.9L	CW	w/ AC	2561			
87-81	4 Cyl. 2.2L	CW		2561			
82-81	4 Cyl. 1.8L	CW	w/ AC	2561			
RODEO							
04	All Eng.	CCW		6232			
03	6 Cyl. 3.2L	CCW		6232			
02	6 Cyl. 3.2L	CW	To 8/02	2663			
01-98	6 Cyl. 3.2L	CW		2663			
97-95	6 Cyl. 3.2L	CW		2671			
97-94	4 Cyl. 2.6L	CW	w/ Rear Mount Fan	2610			
94-93	6 Cyl. 3.2L	CW		2657			
93-91	4 Cyl. 2.6L	CW	w/ Front Mount Fan	2567			
92-91	6 Cyl. 3.1L	CCW		2658			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
ISUZU							
RODEO SPORT							
03	6 Cyl. 3.2L	CCW		6232			
02	6 Cyl. 3.2L	CCW		2663			
01	6 Cyl. 3.2L	CW		2663			
TROOPER							
02-98	6 Cyl. 3.5L	CW		2672			
97-95	6 Cyl. 3.2L	CW	VIN:V, W	2671			
94	6 Cyl. 3.2L	CW	To 12/93	2657			
	6 Cyl. 3.2L	CW	VIN:V, W; From 12/93	2671			
93-92	6 Cyl. 3.2L	CW		2657			
91-89	6 Cyl. 2.8L	CCW		2658			
91-88	4 Cyl. 2.6L	CW		2567			
87-86	4 Cyl. 2.2L	CW		2561			
	4 Cyl. 2.3L	CW		2567			
85-84	4 Cyl. 1.9L	CW		2561			
84	4 Cyl. 2.2L	CW		2561			
VEHICROSS							
01-99	6 Cyl. 3.5L	CCW		2672			
ISUZU MEDIUM DUTY TRUCK							
NPR							
15-03	8 Cyl. 6.0L	CW				2787	
02-97	8 Cyl. 5.7L	CW				2787	
96	8 Cyl. 5.7L	CW				2786	
JAGUAR							
VANDEN PLAS							
92-90	6 Cyl. 4.0L	CW		2765			
89-88	6 Cyl. 3.6L	CW		2765			
87-85	6 Cyl. 4.2L	CW		2665			
XJ							
71	6 Cyl. 2.8L	CW		2705			
	6 Cyl. 4.2L	CW		2705			
XJ6							
92-90	6 Cyl. 4.0L	CW		2765			
89-87	6 Cyl. 3.6L	CW		2765			
87-85	6 Cyl. 4.2L	CW		2665			
73-72	6 Cyl. 4.2L	CW		2705			
XJS							
96-93	6 Cyl. 4.0L	CW		2665			
95-94	12 Cyl. 6.0L	CW		2665			
92-85	12 Cyl. 5.3L	CW		2665			
84-80	All Eng.	CW		2665			
JEEP							
CHEROKEE							
01-94	6 Cyl. 4.0L	CCW		2625			
00-94	4 Cyl. 2.5L	CCW			2737		

(2) When present stock is exhausted use 3200

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
JEEP							
CHEROKEE							
93-91	6 Cyl. 4.0L	CCW	Incl. Briarwood	2625			
93-84	4 Cyl. 2.5L	CCW		2622			
90-87	6 Cyl. 4.0L	CCW		2625			
86-84	4 Cyl. 2.5L	CW		2615			
	6 Cyl. 2.8L	CW		2615			
83-81	6 Cyl. 4.2L	CCW	Serpentine Belt; w/ Heavy Duty Cooling	2723			
	6 Cyl. 4.2L	CW	V-Belt; w/ Heavy Duty Cooling	2707			1707
83-74	8 Cyl. 5.9L	CW		2705			1705
80-74	6 Cyl. 4.2L	CW		2705			1705
78-74	8 Cyl. 6.6L	CW		2705			1705
CJ SERIES							
86-81	6 Cyl. 4.2L	CCW		2622			
	6 Cyl. 4.2L	CW		2706			
86-80	4 Cyl. 2.5L	CW		2615			
81-72	8 Cyl. 5.0L	CW		2705			1705
80-72	6 Cyl. 4.2L	CW		2705			1705
78-72	6 Cyl. 3.8L	CW		2705			1705
COMANCHE							
92-87	6 Cyl. 4.0L	CCW		2625			
92-86	4 Cyl. 2.5L	CCW	w/ Serpentine Belt	2622			
86	4 Cyl. 2.5L	CW	w/o Serpentine Belt	2615			
	6 Cyl. 2.8L	CW		2615			
COMMANDER							
10-08	6 Cyl. 3.7L	CCW			2635		
09	8 Cyl. 4.7L	CCW			2635		
08-06	8 Cyl. 4.7L	CCW				2905	
COMMANDO							
73	6 Cyl. 3.8L	CW		2705			1705
	6 Cyl. 4.2L	CW		2705			1705
73-72	8 Cyl. 5.0L	CW		2705			1705
DJ SERIES							
74	All Eng.	CW		2705			1705
73	6 Cyl. 3.8L	CW		2705			1705
	6 Cyl. 4.2L	CW		2705			1705
72	All Eng.	CW		2705			1705
GRAND CHEROKEE							
10-08	6 Cyl. 3.7L	CCW			2635		
09-05	8 Cyl. 4.7L	CCW				2905	
04-99	6 Cyl. 4.0L	CCW			2736		
00-99	8 Cyl. 4.7L	CCW			2736		
98	8 Cyl. 5.9L	CCW				2791	
98-94	8 Cyl. 5.2L	CCW				2791	
98-93	6 Cyl. 4.0L	CCW	w/ Max Cooling			2796	
93	8 Cyl. 5.2L	CCW	w/ Max Cooling		2770		
	8 Cyl. 5.2L	CCW	w/o Max Cooling		2774		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
JEEP							
GRAND WAGONEER							
93	8 Cyl. 5.2L	CCW			2770		
91-84	8 Cyl. 5.9L	CW		2705			1705
86-84	6 Cyl. 4.2L	CCW		2723			
	6 Cyl. 4.2L	CW		2706			1706
J SERIES							
88-74	8 Cyl. 5.9L	CW	w/o Heavy Duty Cooling	2705			1705
87-81	6 Cyl. 4.2L	CCW	w/ Serpentine Belt	2723			
	6 Cyl. 4.2L	CW	w/o Serpentine Belt	2706			1706
80-74	6 Cyl. 4.2L	CW		2705			1705
78-74	8 Cyl. 6.6L	CW	w/o Heavy Duty Cooling	2705			1705
73-72	8 Cyl. 5.9L	CW	J-100		2747		
	8 Cyl. 5.9L	CW	J-2500		2747		
	8 Cyl. 5.9L	CW	J-2600		2747		
	8 Cyl. 5.9L	CW	J-4500		2747		
	8 Cyl. 5.9L	CW	J-4600		2747		
	8 Cyl. 5.9L	CW	J-4700		2747		
	8 Cyl. 5.9L	CW	J-4800		2747		
72	8 Cyl. 5.0L	CW	J-2500	2705			1705
	8 Cyl. 5.0L	CW	J-2600	2705			1705
	8 Cyl. 5.0L	CW	J-4500	2705			1705
	8 Cyl. 5.0L	CW	J-4600	2705			1705
LIBERTY							
12-11	All Eng.	CCW			2635		
10-09	6 Cyl. 3.7L	CCW			2635		
08-06	6 Cyl. 3.7L	CCW			2736		
06	4 Cyl. 2.8L	CCW				2905	
05	4 Cyl. 2.8L	CCW	w/ Tow Package			2905	
	6 Cyl. 3.7L	CCW	w/ Towing Package		2736		
04	6 Cyl. 3.7L	CCW	w/ Tow Package		2736		
03-02	6 Cyl. 3.7L	CCW			2736		
SCRAMBLER							
85-81	4 Cyl. 2.5L	CW		2615			
	6 Cyl. 4.2L	CW	V-Belt Drive	2706			1706
WAGONEER							
90-87	6 Cyl. 4.0L	CCW		2625			
87-84	4 Cyl. 2.5L	CCW		2622			
	4 Cyl. 2.5L	CW		2615			
86-84	6 Cyl. 2.8L	CW		2615			
83-81	6 Cyl. 4.2L	CCW		2723			
	6 Cyl. 4.2L	CW		2706			1706
83-74	8 Cyl. 5.9L	CW		2705			1705
80	6 Cyl. 4.2L	CW		2705			1705
78-74	8 Cyl. 6.6L	CW		2705			1705
73-72	8 Cyl. 5.9L	CW			2747		
WRANGLER							
11	All Eng.	CCW			2636		

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
JEEP							
WRANGLER							
10-07	6 Cyl. 3.8L	CCW			2738		
06	6 Cyl. 4.0L	CCW			2771		
06-03	4 Cyl. 2.4L	CCW		2625			
05	6 Cyl. 4.0L	CW			2771		
04-00	6 Cyl. 4.0L	CCW			2771		
02-97	4 Cyl. 2.5L	CCW		2625			
99-97	6 Cyl. 4.0L	CCW			2737		
95-91	4 Cyl. 2.5L	CCW		2622			
	6 Cyl. 4.0L	CCW			2737		
90-87	4 Cyl. 2.5L	CW		2615			
	6 Cyl. 4.2L	CCW		2622			
	6 Cyl. 4.2L	CW		2615			
KIA							
SPORTAGE							
02	4 Cyl. 2.0L	CW		6201			
01	4 Cyl. 2.0L	CW	From 6/21/01	6201			
	4 Cyl. 2.0L	CW	To 6/21/01	6200			
00-95	4 Cyl. 2.0L	CW		6200			
LAND ROVER							
DEFENDER SERIES							
97	8 Cyl. 4.0L	CCW		2634			
DISCOVERY							
17	6 Cyl. 3.0L	CW		3302			
	All Eng.	CW		3302			
04-03	8 Cyl. 4.6L	CCW	w/ Fan Blades		6352		
	8 Cyl. 4.6L	CCW	w/o Fan Blades			2991	
02-00	8 Cyl. 4.0L	CCW	w/o Fan Blades			2991	
02-98	8 Cyl. 4.0L	CCW	w/ Fan Blades		6352		
99	8 Cyl. 4.0L	CCW	w/o Fan Blades	2634		2991	
98	8 Cyl. 4.0L	CCW	w/o Fan Blades	2634			
97-96	8 Cyl. 4.0L	CCW		2634			
95-94	8 Cyl. 3.9L	CCW		2634			
LR3							
09-05	8 Cyl. 4.4L	CCW				3300	
LR4							
16-14	All Eng.	CW	w/ Engine Cooling Fan Clutch Blade	3302			
13-10	All Eng.	CCW	Naturally Aspirated; w/ Engine Cooling Fan Clutch Blade	3303			
RANGE ROVER							
17	6 Cyl. 3.0L	CW	Base	3302			
	6 Cyl. 3.0L	CW	HSE	3302			
	6 Cyl. 3.0L	CW	SE	3302			
	All Eng.	CW	Autobiography	3302			
	All Eng.	CW	HSE Dynamic	3302			
	All Eng.	CW	SUPERCHARGED	3302			
	All Eng.	CW	SV Autobiography	3302			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
LAND ROVER							
RANGE ROVER							
17	All Eng.	CW	SVR	3302			
16-14	6 Cyl. 3.0L	CW	w/ Engine Cooling Fan Clutch Blade	3302			
	8 Cyl. 5.0L	CW	w/ Engine Cooling Fan Clutch Blade	3302			
13-10	8 Cyl. 5.0L	CCW	Naturally Aspirated; w/ Engine Cooling Fan Clutch Blade	3303			
	8 Cyl. 5.0L	CW	Supercharged; w/ Engine Cooling Fan Clutch Blade	3302			
09-06	8 Cyl. 4.2L	CCW					3301
	8 Cyl. 4.4L	CCW					3300
05-03	8 Cyl. 4.4L	CW		2595			
02-96	8 Cyl. 4.6L	CCW	w/ Fan Blades		6351		
	8 Cyl. 4.6L	CCW	w/o Fan Blades				2991
00-96	8 Cyl. 4.0L	CCW	w/ Fan Blades		6351		
	8 Cyl. 4.0L	CCW	w/o Fan Blades				2991
95	8 Cyl. 3.9L	CW	For 11 Blade Fan		2772		
	8 Cyl. 3.9L	CCW	For 7 Blade Fan	2634			
	8 Cyl. 4.0L	CCW					2991
	8 Cyl. 4.2L	CW	For 11 Blade Fan		2772		
	8 Cyl. 4.2L	CCW	For 7 Blade Fan	2634			
94-93	8 Cyl. 4.2L	CW			2772		
94-89	8 Cyl. 3.9L	CW			2772		
88	8 Cyl. 3.5L	CW	For 11 Blade Fan		2772		
87	8 Cyl. 3.5L	CW			2772		
LEXUS							
GS300							
98-93	6 Cyl. 3.0L	CW		2682			
GX460							
17-10	All Eng.	CCW					6630
GX470							
09-06	8 Cyl. 4.7L	CCW		2684			
05	8 Cyl. 4.7L	CCW	From 11/04	2684			
	8 Cyl. 4.7L	CCW	To 11/04	2679			
04-03	8 Cyl. 4.7L	CCW		2679			
LS400							
00	8 Cyl. 4.0L	CCW	Exc.Towing Package	2656			
	8 Cyl. 4.0L	CCW	w/ Trailer Tow Pkg.	2677			
99-97	8 Cyl. 4.0L	CW	w/ Trailer Tow Pkg.	2677			
	8 Cyl. 4.0L	CCW	w/o Trailer Tow Pkg.	2656			
96-90	8 Cyl. 4.0L	CCW		2656			
LX450							
97-96	6 Cyl. 4.5L	CW		2661			
LX470							
07-06	8 Cyl. 4.7L	CCW		2684			
05	8 Cyl. 4.7L	CCW	From 5/05	2684			
	8 Cyl. 4.7L	CW	To 5/05	2678			
04-98	8 Cyl. 4.7L	CW		2678			

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
LEXUS							
LX570							
17-13	All Eng.	CCW				6630	
11	All Eng.	CCW				6630	
10-08	8 Cyl. 5.7L	CCW				6630	
SC300							
00-92	6 Cyl. 3.0L	CW		2682			
LINCOLN							
AVIATOR							
05-03	8 Cyl. 4.6L	CCW				2776	
BLACKWOOD							
02	8 Cyl. 5.4L	CCW				2917 (3)	
CONTINENTAL							
90-88	6 Cyl. 3.8L	CW					
87-85	8 Cyl. 5.0L	CCW		2723			
84-82	8 Cyl. 5.0L	CW		2710			1710
82	6 Cyl. 3.8L	CCW		2723			
80	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
79-77	8 Cyl. 6.6L	CW		2710			1710
78-68	8 Cyl. 7.5L	CW		2710			1710
68	8 Cyl. 7.0L	CW		2710			1710
68-67	8 Cyl. 7.6L	CW		2710			1710
MARK LIGHT TRUCK							
08-07	8 Cyl. 5.4L	CCW	w/ Electronic Fan Clutch	3264			
08-06	8 Cyl. 5.4L	CCW	w/ Thermo Fan Clutch			2917	
MARK SERIES							
92-85	8 Cyl. 5.0L	CCW		2723			
84-80	8 Cyl. 5.0L	CW		2710			1710
80	8 Cyl. 5.8L	CW		2710			1710
79-77	8 Cyl. 6.6L	CW		2710			1710
78-71	8 Cyl. 7.5L	CW		2710			1710
70-69	All Eng.	CW		2710			1710
68	8 Cyl. 7.5L	CW		2710			1710
	8 Cyl. 7.6L	CW		2710			1710
NAVIGATOR							
09	8 Cyl. 5.4L	CCW		3266			
08-07	8 Cyl. 5.4L	CCW		3264			
06-05	8 Cyl. 5.4L	CCW				2917	
04	8 Cyl. 5.4L	CCW	From 11/04			2917	
	8 Cyl. 5.4L	CCW	To 11/04			2789	
03-98	8 Cyl. 5.4L	CCW				2789	
TOWN CAR							
03-93	8 Cyl. 4.6L	CCW				2795	
92-91	8 Cyl. 4.6L	CCW		2619			
90-81	8 Cyl. 5.0L	CW		2710			1710

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
LINCOLN							
VERSAILLES							
80-77	8 Cyl. 5.0L	CW		2710			1710
77	8 Cyl. 5.8L	CW		2710			1710
MAZDA							
929							
95-92	6 Cyl. 3.0L	CW		2587			
91-88	6 Cyl. 3.0L	CW		2585			
MPV							
98	6 Cyl. 3.0L	CW	Exc.Towing Package	2587			
97-96	6 Cyl. 3.0L	CW		2587			
94-89	4 Cyl. 2.6L	CW		2652			
91-89	6 Cyl. 3.0L	CW	To VIN#350466	2651			
NAVAJO							
94-91	6 Cyl. 4.0L	CCW		2717		2794	
PICKUP							
10-01	4 Cyl. 2.3L	CCW		2681			
10-98	6 Cyl. 4.0L	CCW				2794	
08-94	6 Cyl. 3.0L	CW	w/ Std Cooling	2618			
	6 Cyl. 3.0L	CW	w/ Super Cooling			2779	
01-98	4 Cyl. 2.5L	CW	w/ AC	2662			
	4 Cyl. 2.5L	CW	w/o AC	2557			
97-94	4 Cyl. 2.3L	CW		2557			
	6 Cyl. 4.0L	CCW	w/ Std Cooling	2717			
	6 Cyl. 4.0L	CCW	w/ Super Cooling			2794	
93-89	4 Cyl. 2.6L	CW		2652			
93-87	4 Cyl. 2.2L	CW	Manual Trans	2562			
88-87	4 Cyl. 2.6L	CW		2565			
87-86	4 Cyl. 2.0L	CW		2562			
84-82	4 Cyl. 2.0L	CW		2562			
MERCEDES-BENZ							
190 SERIES							
93-87	6 Cyl. 2.6L	CCW		2699			
89-86	5 Cyl. 2.5L	CW		2692			
85-84	4 Cyl. 2.2L	CW		2692			
260 SERIES							
89-87	6 Cyl. 2.6L	CW	260E	2692			
300 SERIES							
93	6 Cyl. 2.8L	CW	300E	2692			
	6 Cyl. 3.2L	CW	300CE	2692			
	6 Cyl. 3.2L	CW	300E	2692			
	6 Cyl. 3.2L	CW	300TE	2692			
93-92	6 Cyl. 3.2L	CCW	300SE	2693			
93-90	5 Cyl. 2.5L	CW		2692			
	6 Cyl. 3.0L	CCW	300SL	2693			
93-88	6 Cyl. 3.0L	CW	300TE	2692			
93-86	6 Cyl. 3.0L	CW	300E	2692			

(3) Application requires (4ea) 5/16-18 x 5/8 hex mounting bolts and (4ea) 5/16 lock washers.

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCEDES-BENZ							
300 SERIES							
92-90	6 Cyl. 2.6L	CW	300E	2692			
92-88	6 Cyl. 3.0L	CW	300CE	2692			
91-88	6 Cyl. 3.0L	CW	300SE	2692			
	6 Cyl. 3.0L	CW	300SEL	2692			
87-75	All Eng.	CCW		2693			
67-63	All Eng.	CCW		2693			
62-60	All Eng.	CCW	300SE	2693			
62-58	All Eng.	CCW	300SL	2693			
57	All Eng.	CCW		2693			
56-54	All Eng.	CCW	300SL	2693			
350 SERIES							
91-90	6 Cyl. 3.4L	CW		2692			
380 SERIES							
85-84	8 Cyl. 3.8L	CW	380SE	2592			
85-81	8 Cyl. 3.8L	CW	380SL	2592			
83-82	8 Cyl. 3.8L	CW	380SEC	2592			
83-81	8 Cyl. 3.8L	CW	380SEL	2592			
81	All Eng.	CW	380SLC	2695			
400 SERIES							
93	8 Cyl. 4.2L	CW	400SEL	2695			
93-92	8 Cyl. 4.2L	CW	400E	2695			
92	8 Cyl. 4.2L	CW	400SE	2695			
420 SERIES							
91-86	8 Cyl. 4.2L	CW	420SEL	2592			
500 SERIES							
93	8 Cyl. 5.0L	CW	500SEC	2695			
93-92	8 Cyl. 5.0L	CW	500SEL	2695			
	8 Cyl. 5.0L	CW	500E	2695			
93-90	8 Cyl. 5.0L	CW	500SL	2695			
85	8 Cyl. 5.0L	CW	500SEC	2592			
	8 Cyl. 5.0L	CW	500SEL	2592			
84	All Eng.	CW		2592			
560 SERIES							
91-86	8 Cyl. 5.6L	CW		2592			
C CLASS							
00-98	6 Cyl. 2.8L	CCW	C280	2696			
	8 Cyl. 4.3L	CCW	C43	2696			
00-97	4 Cyl. 2.3L	CW	C230	2694			
97-95	6 Cyl. 3.6L	CW	C36	2692			
97-94	6 Cyl. 2.8L	CW	C280	2692			
96-94	4 Cyl. 2.2L	CW	C220	2694			
CL CLASS							
00-98	8 Cyl. 5.0L	CW	CL500	2695			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCEDES-BENZ							
CLK CLASS							
03-99	8 Cyl. 4.3L	CCW	CLK430	2696			
02-01	8 Cyl. 5.5L	CCW		2696			
E CLASS							
03-98	6 Cyl. 3.2L	CCW	E320	2696			
02-98	8 Cyl. 4.3L	CCW	E430	2685			
97-96	6 Cyl. 3.2L	CCW	E320	2693			
ML CLASS							
05-03	6 Cyl. 3.7L	CCW		2697			
03	6 Cyl. 3.2L	CCW		2697			
03-00	8 Cyl. 5.5L	CCW		2685			
02-98	6 Cyl. 3.2L	CCW	ML320	2697			
01-99	8 Cyl. 4.3L	CCW		2685			
S CLASS							
99	8 Cyl. 4.2L	CW		2695			
99-94	6 Cyl. 3.2L	CCW	S320	2693			
	8 Cyl. 5.0L	CW	S500	2695			
98-94	8 Cyl. 4.2L	CW	S420	2695			
95	6 Cyl. 3.4L	CW	S350D	2692			
94	6 Cyl. 3.4L	CW	S350	2692			
SL CLASS							
02-00	8 Cyl. 5.0L	CCW		2685			
99	8 Cyl. 5.0L	CCW	SL500	2685			
98-94	8 Cyl. 5.0L	CW	SL500	2695			
97-94	6 Cyl. 3.2L	CCW	SL320	2693			
SPRINTER							
17	4 Cyl. 2.1L	CW			8300		
	6 Cyl. 3.0L	CW		8302			
16-14	4 Cyl. 2.1L	CCW			8300		
	6 Cyl. 3.0L	CCW		8302			
13-10	All Eng.	CCW		8302			
MERCURY							
BROUGHAM							
67	8 Cyl. 6.7L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
CALIENTE							
67-66	8 Cyl. 6.4L	CW		2710			1710
67-64	8 Cyl. 4.7L	CW		2710			1710
65	8 Cyl. 7.0L	CW		2710			1710
CAPRI							
86-83	6 Cyl. 3.8L	CCW	w/AC		2733		
	6 Cyl. 3.8L	CCW	w/o AC	2723			
86-82	8 Cyl. 5.0L	CCW	w/AC		2733		
	8 Cyl. 5.0L	CCW	w/o AC	2723			
86-79	4 Cyl. 2.3L	CW					

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCURY							
CAPRI							
82-81	6 Cyl. 3.3L	CCW		2723			
82-80	8 Cyl. 4.2L	CCW		2723			
82-79	6 Cyl. 3.3L	CW		2711			
79	6 Cyl. 2.8L	CW					
	8 Cyl. 5.0L	CW		2710			1710
67	8 Cyl. 7.0L	CW		2710			1710
67-66	6 Cyl. 3.3L	CW		2710			1710
COLONY PARK							
91-81	8 Cyl. 5.0L	CW		2710			1710
79	8 Cyl. 5.0L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
76-72	8 Cyl. 7.5L	CW		2711			
76-71	8 Cyl. 6.6L	CW		2710			1710
73-71	8 Cyl. 5.8L	CW		2710			1710
73-69	8 Cyl. 7.0L	CW		2710			1710
70-69	8 Cyl. 6.4L	CW		2710			1710
68-65	All Eng.	CW		2710			1710
64-62	8 Cyl. 6.4L	CW		2710			1710
COMET							
77-71	6 Cyl. 3.3L	CW		2711			1710
	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2710			1710
72-71	6 Cyl. 2.8L	CW					
69	6 Cyl. 3.3L	CW		2711			1710
	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.8L	CW		2710			1710
69-68	8 Cyl. 5.0L	CW		2710			1710
69-67	6 Cyl. 2.8L	CW					
69-66	8 Cyl. 6.4L	CW		2710			1710
68-64	6 Cyl. 3.3L	CW		2711			
67-65	8 Cyl. 7.0L	CW		2710			1710
67-64	8 Cyl. 4.7L	CW		2710			1710
COMMUTER							
68-65	All Eng.	CW		2710			1710
64	8 Cyl. 6.4L	CW		2710			1710
62-61	8 Cyl. 6.4L	CW		2710			1710
COUGAR							
97-95	6 Cyl. 3.8L	CW					
94-82	6 Cyl. 3.8L	CCW		2723			
93-91	8 Cyl. 5.0L	CCW	w/ Thread-On Fan Clutch	2620			
88-86	8 Cyl. 5.0L	CCW	w/o Thread-On Fan Clutch	2723			
85-83	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
82-80	6 Cyl. 3.3L	CW		2711			
	8 Cyl. 4.2L	CW		2710			1710
81-77	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
79-69	8 Cyl. 5.8L	CW		2710			1710
78-73	8 Cyl. 6.6L	CW		2710			1710

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCURY							
COUGAR							
76-74	8 Cyl. 7.5L	CW		2711			
73	8 Cyl. 7.5L	CW		2711			1710
71-68	8 Cyl. 7.0L	CW		2710			1710
70	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
69	8 Cyl. 5.0L	CW		2710			1710
69-67	8 Cyl. 6.4L	CW		2710			1710
68	8 Cyl. 5.0L	CW	w/o 2-3/4" Shaft	2710			1710
68-67	8 Cyl. 4.7L	CW		2710			1710
COUNTRY CRUISER							
63	8 Cyl. 3.6L	CW		2710			1710
CYCLONE							
71-69	8 Cyl. 5.8L	CW		2710			1710
71-68	8 Cyl. 7.0L	CW		2710			1710
70-68	8 Cyl. 5.0L	CW		2710			1710
69-66	8 Cyl. 6.4L	CW		2710			1710
67-64	8 Cyl. 4.7L	CW		2710			1710
65	8 Cyl. 7.0L	CW		2710			1710
GRAND MARQUIS							
06-98	8 Cyl. 4.6L	CCW				2795	
97-92	8 Cyl. 4.6L	CCW	w/ Trailer Tow Pkg.			2795	
92	8 Cyl. 4.6L	CCW	w/o Trailer Tow Pkg.	2619		2795	
91-79	8 Cyl. 5.0L	CW		2710			1710
89-83	8 Cyl. 5.8L	CW		2710			1710
86-84	8 Cyl. 5.0L	CCW		2723		2783	
82-81	8 Cyl. 4.2L	CW		2710			1710
81-78	8 Cyl. 5.8L	CW		2710			1710
78-75	8 Cyl. 6.6L	CW		2710			1710
	8 Cyl. 7.5L	CW		2711			
MARAUDER							
04-03	8 Cyl. 4.6L	CCW				2789	
70-67	8 Cyl. 7.0L	CW		2710			1710
70-66	8 Cyl. 6.4L	CW		2710			1710
67	8 Cyl. 6.7L	CW		2710			1710
65	All Eng.	CW		2710			1710
64-63	8 Cyl. 6.4L	CW		2710			1710
MARQUIS							
86-83	6 Cyl. 3.8L	CCW		2723			
83	4 Cyl. 2.3L	CW					
	6 Cyl. 3.3L	CW	Excl. Police	2711			
	6 Cyl. 3.3L	CW	Police Pkg.	2710			1710
82-81	8 Cyl. 4.2L	CW		2710			1710
82-79	8 Cyl. 5.0L	CW		2710			1710
81-78	8 Cyl. 5.8L	CW		2710			1710
78-77	8 Cyl. 7.5L	CW		2711			
78-71	8 Cyl. 6.6L	CW		2710			1710
76-75	8 Cyl. 7.5L	CW		2711			1710

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCURY							
MARQUIS							
74-72	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 5.8L	CW		2710			1710
73-67	8 Cyl. 7.0L	CW		2710			1710
70-67	8 Cyl. 6.4L	CW		2710			1710
67	8 Cyl. 6.7L	CW		2710			1710
METEOR							
63-62	8 Cyl. 3.6L	CW		2710			1710
61	8 Cyl. 6.4L	CW		2710			1710
MONARCH							
80	8 Cyl. 4.2L	CW		2710			1710
80-75	6 Cyl. 4.1L	CW		2710			1710
	8 Cyl. 5.0L	CW		2710			1710
77-75	6 Cyl. 3.3L	CW		2711			
	8 Cyl. 5.8L	CW		2710			1710
MONTCLAIR							
68-64	8 Cyl. 6.4L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
66	8 Cyl. 6.7L	CW		2710			1710
MONTEGO							
76-74	8 Cyl. 7.5L	CW		2711			
76-72	8 Cyl. 6.6L	CW		2710			1710
76-69	8 Cyl. 5.8L	CW		2710			1710
74-69	6 Cyl. 4.1L	CW		2711			1710
74-68	8 Cyl. 5.0L	CW		2710			1710
73	8 Cyl. 7.5L	CW		2711			1710
73-68	8 Cyl. 7.0L	CW		2710			1710
69-68	8 Cyl. 6.4L	CW		2710			1710
68	6 Cyl. 3.3L	CW		2710			
	8 Cyl. 4.7L	CW		2710			1710
MONTEREY							
74-72	8 Cyl. 7.5L	CW		2711			
74-71	8 Cyl. 5.8L	CW		2710			1710
	8 Cyl. 6.6L	CW		2710			1710
73-63	8 Cyl. 7.0L	CW		2710			1710
70-62	8 Cyl. 6.4L	CW		2710			1710
67	8 Cyl. 6.7L	CW		2710			1710
63	8 Cyl. 6.6L	CW		2710			1710
MOUNTAINEER							
10-06	6 Cyl. 4.0L	CCW		3263			
	8 Cyl. 4.6L	CCW		3263			
05-02	6 Cyl. 4.0L	CCW				2776	
	8 Cyl. 4.6L	CCW				2776	
01	6 Cyl. 4.0L	CCW	From 11/13/00			2776	
	6 Cyl. 4.0L	CCW	To 11/13/00			2794	
01-97	8 Cyl. 5.0L	CCW			2841		
00-98	6 Cyl. 4.0L	CCW				2794	

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MERCURY							
PARK LANE							
68	All Eng.	CW		2710			1710
67	8 Cyl. 6.7L	CW		2710			1710
	8 Cyl. 7.0L	CW		2710			1710
66-65	All Eng.	CW		2710			1710
64	8 Cyl. 6.4L	CW		2710			1710
VILLAGER							
67	8 Cyl. 7.0L	CW		2710			1710
67-66	8 Cyl. 6.4L	CW		2710			1710
67-64	8 Cyl. 4.7L	CW		2710			1710
65	8 Cyl. 7.0L	CW		2710			1710
VOYAGER							
67	8 Cyl. 7.0L	CW		2710			1710
67-66	8 Cyl. 4.7L	CW		2710			1710
	8 Cyl. 6.4L	CW		2710			1710
ZEPHYR							
83-78	6 Cyl. 3.3L	CW	Excl. Taxi	2711			
	6 Cyl. 3.3L	CW	Taxi	2710			1710
82-80	8 Cyl. 4.2L	CW		2710			1710
79-78	8 Cyl. 5.0L	CW		2710			1710
MERKUR							
SCORPIO							
89-88	6 Cyl. 2.9L	CW		2581			
MITSUBISHI							
MIGHTY MAX							
96-90	4 Cyl. 2.4L	CW		2559			
94-90	6 Cyl. 3.0L	CW		2654			
89-83	4 Cyl. 2.0L	CW		2559			
	4 Cyl. 2.6L	CW		2565			
85-83	4 Cyl. 2.3L	CW		2654			
MONTERO							
06-03	6 Cyl. 3.8L	CW			6231		
02-01	6 Cyl. 3.5L	CW			6231		
00-94	6 Cyl. 3.5L	CW		2654			
96-89	6 Cyl. 3.0L	CW		2654			
89-83	4 Cyl. 2.6L	CW		2565			
MONTERO SPORT							
04-03	6 Cyl. 3.5L	CW		2673			
03-97	6 Cyl. 3.0L	CW		2673			
02	6 Cyl. 3.5L	CW	From 12/01	2673			
	6 Cyl. 3.5L	CW	To 12/01	2654			
01-99	6 Cyl. 3.5L	CW		2654			
99-97	4 Cyl. 2.4L	CW		2668			
RAIDER							
09-06	6 Cyl. 3.7L	CCW				2961	

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
MITSUBISHI							
RAIDER							
07-06	8 Cyl. 4.7L	CCW				2961	
STARION							
89-83	4 Cyl. 2.6L	CW	Turbocharged	2565			
VAN							
90-87	4 Cyl. 2.4L	CW		2559			
NISSAN							
200 SERIES							
88-87	6 Cyl. 3.0L	CW		2560			
88-84	4 Cyl. 2.0L	CW		2550			
87-84	4 Cyl. 1.8L	CW		2550			
83-82	4 Cyl. 2.2L	CW	w/ Fan Clutch & Water Pump Combination	2590			
81-77	4 Cyl. 2.0L	CW	w/ Fan Clutch & Water Pump Combination	2590			
240 SERIES							
98-97	4 Cyl. 2.4L	CW		2560			
96-89	4 Cyl. 2.4L	CW	240SX	2560			
73-71	6 Cyl. 2.4L	CW	240Z	2560			
70	All Eng.	CW		2570			
260 SERIES							
75	All Eng.	CW		2570			
74	6 Cyl. 2.6L	CW		2560			
280 SERIES							
83-75	6 Cyl. 2.8L	CW		2560			
300 SERIES							
96-90	6 Cyl. 3.0L	CW		2664			
89	6 Cyl. 3.0L	CW	Turbocharged; VG30T Eng Desg	2560			
	6 Cyl. 3.0L	CW	w/o Turbo; VG30 Eng Desg	2560			
88-84	6 Cyl. 3.0L	CW		2560			
510							
81-78	All Eng.	CW		2590			
610							
76-74	All Eng.	CW		2590			
620 PICKUP							
79-76	4 Cyl. 2.0L	CW	w/ Fan Clutch & Water Pump Combination	2590			
75	All Eng.	CW		2590			
710							
77-75	4 Cyl. 2.0L	CW	w/ Fan Clutch & Water Pump Combination	2590			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
NISSAN							
720 PICKUP							
86-85	4 Cyl. 2.4L	CW	Gas; w/ Fan Clutch & Water Pump Combination	2590			
86-83	4 Cyl. 2.0L	CW	Gas; w/ Fan Clutch & Water Pump Combination	2590			
	4 Cyl. 2.5L	CW	Diesel	2560			
84-83	4 Cyl. 2.4L	CW		2590			
83	4 Cyl. 2.2L	CW	Gas	2590			
83-81	4 Cyl. 2.2L	CW	Diesel	2560			
82-81	4 Cyl. 2.2L	CW	Gas; w/ Fan Clutch & Water Pump Combination	2590			
80	4 Cyl. 2.0L	CW	Gas; w/ Fan Clutch & Water Pump Combination	2590			
810							
81	6 Cyl. 2.8L	CW	Diesel	2570			
81-77	6 Cyl. 2.4L	CW		2560			
ARMADA							
17	All Eng.	CCW		3330			
15-13	All Eng.	CW			6600		
12-05	8 Cyl. 5.6L	CW			6600		
D21 PICKUP							
94-90	4 Cyl. 2.4L	CW		2570			
	6 Cyl. 3.0L	CW		2664			
89-86	4 Cyl. 2.4L	CW	w/ Fan Clutch & Water Pump Combination	2590			
	6 Cyl. 3.0L	CW		2560			
FRONTIER							
17-05	4 Cyl. 2.5L	CCW		2923			
	6 Cyl. 4.0L	CW			6601		
04-01	6 Cyl. 3.3L	CW		2664			
04-98	4 Cyl. 2.4L	CW		2570			
00-99	6 Cyl. 3.3L	CW	w/o Supercharger	2664			
MAXIMA							
84-81	6 Cyl. 2.4L	CW		2560			
83-81	6 Cyl. 2.8L	CW		2570			
NP300							
14-09	4 Cyl. 2.5L	CW			6205		
NV VAN							
17-12	6 Cyl. 4.0L	CW			6601		
	8 Cyl. 5.6L	CW			6600		
PATHFINDER							
12-08	8 Cyl. 5.6L	CW			6600		
12-05	6 Cyl. 4.0L	CW			6601		
04	8 Cyl. 5.6L	CW			6600		
04-01	6 Cyl. 3.5L	CW		2676			
00-96	6 Cyl. 3.3L	CW		2664			

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
NISSAN							
PATHFINDER							
95	6 Cyl. 3.0L	CW	From 10/95	2664			
	6 Cyl. 3.0L	CW	To 9/95	2664			
94-90	6 Cyl. 3.0L	CW		2664			
89-87	6 Cyl. 3.0L	CW		2560			
88-87	4 Cyl. 2.4L	CW	w/ Fan Clutch & Water Pump Combination	2590			
PICKUP							
10-98	4 Cyl. 2.4L	CW	Mexico Built	2570			
97-94	4 Cyl. 2.4L	CW		2570			
95-94	6 Cyl. 3.0L	CW		2664			
TITAN							
17-16	8 Cyl. 5.6L	CCW		3330			
15-13	All Eng.	CW			6600		
12-04	8 Cyl. 5.6L	CW			6600		
URVAN							
13-08	4 Cyl. 2.5L	CW		6203			
	4 Cyl. 3.0L	CW		6203			
08-00	4 Cyl. 2.4L	CW		6203			
VAN							
88-87	4 Cyl. 2.4L	CW		2550			
XTERRA							
15-13	All Eng.	CW			6601		
12-05	6 Cyl. 4.0L	CW			6601		
04-00	4 Cyl. 2.4L	CW		2570			
	6 Cyl. 3.3L	CW		2664			
OLDSMOBILE							
442							
71-68	8 Cyl. 7.5L	CW		2705			1705
69-65	8 Cyl. 6.6L	CW		2705			1705
98 / 98 REGENCY							
85	6 Cyl. 3.8L	CW		2707			
84-80	8 Cyl. 5.0L	CW		2705	2747		1705
	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
83-81	6 Cyl. 4.1L	CW		2707			1707
80	8 Cyl. 5.7L	CW	Gas	2705	2747		1705
79-77	8 Cyl. 5.7L	CW		2705	2747		1705
	8 Cyl. 6.6L	CW		2705			1705
76-68	8 Cyl. 7.5L	CW		2705			1705
75	8 Cyl. 6.6L	CW		2705			1705
67-65	All Eng.	CW			2747		
64-60	All Eng.	CW		2705			1705
BRAVADA							
04-02	6 Cyl. 4.2L	CCW	w/ AC			3200	
01-96	6 Cyl. 4.3L	CCW	w/ AC			2786	

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
OLDSMOBILE							
BRAVADA							
01-96	6 Cyl. 4.3L	CCW	w/o AC	2626			
94	6 Cyl. 4.3L	CCW	w/o AC	2739			
94-91	6 Cyl. 4.3L	CCW	w/ AC		2734	**2784**	
93-91	6 Cyl. 4.3L	CCW	w/o AC	2727			
CALAIS / CUTLASS CALAIS							
84-82	6 Cyl. 4.3L	CW		2707			1707
	8 Cyl. 5.0L	CW		2705			1705
84-81	8 Cyl. 5.7L	CW				2797	
84-78	6 Cyl. 3.8L	CW		2707			1707
82	8 Cyl. 4.3L	CW	Gas	2705			1705
	8 Cyl. 4.4L	CW		2705			1705
81-78	8 Cyl. 4.3L	CW		2705			1705
80	8 Cyl. 5.7L	CW	Diesel			2797	
80-79	8 Cyl. 5.7L	CW	Gas		2747		
80-78	8 Cyl. 5.0L	CW		2705			1705
CUTLASS / CUTLASS SUPREME							
88-82	8 Cyl. 5.0L	CW		2705	2747		1705
87-77	6 Cyl. 3.8L	CW		2707			1707
85	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling		2747	**2797**	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling	2705			1705
84-82	6 Cyl. 4.3L	CW		2705			1705
84-80	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
82-80	8 Cyl. 4.3L	CW		2705	2747		1705
80	8 Cyl. 5.0L	CW			2747		
80-78	8 Cyl. 5.7L	CW	Gas		2747		
79	8 Cyl. 5.7L	CW	Diesel			2797	
79-78	8 Cyl. 5.0L	CW		2705			1705
79-75	8 Cyl. 4.3L	CW		2705			1705
78-68	8 Cyl. 5.7L	CW			2747		
77	8 Cyl. 6.6L	CW		2705	2747		1705
76	8 Cyl. 7.5L	CW		2705	2747		1705
76-75	6 Cyl. 4.1L	CW		2705			1705
75-70	8 Cyl. 7.5L	CW		2705			1705
71-67	6 Cyl. 4.1L	CW		2705			1705
68-65	8 Cyl. 6.6L	CW		2705			1705
67-64	8 Cyl. 5.4L	CW		2705			1705
CUTLASS CRUISER							
83-81	8 Cyl. 5.7L	CW				2797	
83-80	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.0L	CW		2705			1705
82	8 Cyl. 4.4L	CW		2705			1705
82-80	8 Cyl. 4.3L	CW		2705			1705
80	8 Cyl. 5.7L	CW	Diesel			2797	
	8 Cyl. 5.7L	CW	Gas		2747		
DELMONT 88							
68	8 Cyl. 5.7L	CW		2705			1705
	8 Cyl. 7.5L	CW			2747		

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
OLDSMOBILE							
DELMONT 88							
67	8 Cyl. 5.4L	CW		2705			1705
	8 Cyl. 7.0L	CW			2747		
DELTA 88 CUSTOM CRUISER / CUSTOM CRUISER							
92	8 Cyl. 5.7L	CCW			2734		
92-91	8 Cyl. 5.0L	CCW			2734		
90-88	8 Cyl. 5.0L	CW		2705	2747		1705
87-80	8 Cyl. 5.0L	CW		2705	**2747**	2797	1705
85-77	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
79	8 Cyl. 6.6L	CW			2747		
78-77	8 Cyl. 6.6L	CW		2705			1705
76-71	8 Cyl. 7.5L	CW		2705			1705
75	8 Cyl. 6.6L	CW		2705			1705
DELTA 88 SEDAN							
85-80	8 Cyl. 5.0L	CW		2705	**2747**	2797	1705
85-77	6 Cyl. 3.8L	CW		2707			1707
85-68	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
82-77	8 Cyl. 4.3L	CW		2705	2747		1705
81	8 Cyl. 4.4L	CW			2747		
79	8 Cyl. 4.9L	CW				2797	
	8 Cyl. 6.6L	CW			2747		
78-77	8 Cyl. 6.6L	CW		2705			1705
76-68	8 Cyl. 7.5L	CW		2705			1705
75	8 Cyl. 6.6L	CW		2705			1705
67-65	8 Cyl. 7.0L	CW			2747		
DYNAMIC							
66-65	All Eng.	CW			2747		
64-61	All Eng.	CW		2705			1705
60	8 Cyl. 6.5L	CW		2705			1705
F85							
72	8 Cyl. 7.5L	CW		2705			1705
72-68	8 Cyl. 5.7L	CW		2705			1705
71-66	6 Cyl. 4.1L	CW		2705			1705
70	8 Cyl. 7.5L	CW		2705			1705
67-64	8 Cyl. 5.4L	CW		2705			1705
66-65	8 Cyl. 6.6L	CW		2705			1705
FIESTA							
63-61	All Eng.	CW		2705			1705
60	8 Cyl. 6.5L	CW		2705			1705
JETSTAR 88							
66-65	8 Cyl. 5.4L	CW		2705			1705
64	All Eng.	CW		2705			1705
JETSTAR I							
65	8 Cyl. 7.0L	CW			2747		
64	8 Cyl. 6.5L	CW		2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
OLDSMOBILE							
OMEGA							
79-77	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.0L	CW		2705			1705
79-73	8 Cyl. 5.7L	CW		2705			1705
77-75	8 Cyl. 4.3L	CW		2705			1705
76-73	6 Cyl. 4.1L	CW		2705			1705
STARFIRE							
80-78	4 Cyl. 2.5L	CW		2705			1705
80-75	6 Cyl. 3.8L	CW		2707			1707
79-77	8 Cyl. 5.0L	CW		2705			1705
66-65	All Eng.	CW			2747		
64-61	All Eng.	CW		2705			1705
SUPER 88							
64-61	All Eng.	CW		2705			1705
60	8 Cyl. 6.5L	CW		2705			1705
TORONADO							
85	8 Cyl. 5.7L	CW	w/ Heavy Duty Cooling		2747	**2797**	
	8 Cyl. 5.7L	CW	w/o Heavy Duty Cooling	2705			1705
85-80	8 Cyl. 5.0L	CW		2705	2747		1705
84-81	6 Cyl. 4.1L	CW		2707			1707
	8 Cyl. 5.7L	CW				2797	
80-79	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
	8 Cyl. 5.7L	CW	Gas		2747	**2797**	
78-77	8 Cyl. 6.6L	CW		2705			1705
76-68	8 Cyl. 7.5L	CW		2705			1705
67-66	All Eng.	CW			2747		
VISTA CRUISER							
77	8 Cyl. 6.6L	CW			2747		
77-76	8 Cyl. 5.7L	CW			2747		
76	8 Cyl. 7.5L	CW			2747		
75	All Eng.	CW			2747		
74-70	8 Cyl. 7.5L	CW			2747		
74-68	8 Cyl. 5.7L	CW			2747		
69-68	8 Cyl. 6.6L	CW		2705			1705
67-64	8 Cyl. 5.4L	CW		2705			1705
PLYMOUTH							
ARROW							
80-79	4 Cyl. 2.6L	CW		2565			
ARROW PICKUP							
82-80	4 Cyl. 2.0L	CW		2559			
82-79	4 Cyl. 2.6L	CW		2565			
BARRACUDA							
74-71	8 Cyl. 5.9L	CW		2707			1707
74-67	8 Cyl. 5.2L	CW		2707	2747		1707
73-68	8 Cyl. 5.6L	CW		2707	2747		1707
72-70	8 Cyl. 7.2L	CW		2707			1707

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PLYMOUTH							
BARRACUDA							
72-64	6 Cyl. 3.7L	CW		2707			1707
71-70	6 Cyl. 3.2L	CW		2707			1707
71-68	8 Cyl. 7.0L	CW		2707			1707
71-67	8 Cyl. 6.3L	CW		2707	2747		1707
BELVEDERE							
70-69	8 Cyl. 5.2L	CW		2707			1707
70-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 6.3L	CW		2707	2747		1707
68-60	8 Cyl. 5.2L	CW		2707	2747		1707
67	8 Cyl. 7.2L	CW		2707			1707
59	8 Cyl. 5.9L	CW		2707			1707
59-58	8 Cyl. 5.2L	CW		2707			1707
CARAVELLE							
89-88	8 Cyl. 5.2L	CW		2707	2747		1707
84-83	8 Cyl. 5.2L	CW		2706			
83	6 Cyl. 3.7L	CW		2706			
82-80	All Eng.	CW		2706			
79-78	6 Cyl. 3.7L	CW		2706			
	8 Cyl. 5.2L	CW		2706			
	8 Cyl. 5.9L	CW		2707			1707
CONQUEST							
86-84	4 Cyl. 2.6L	CW		2565			
DUSTER							
76-74	8 Cyl. 5.9L	CW		2707	2747		1707
76-71	8 Cyl. 5.2L	CW		2707	2747		1707
76-70	6 Cyl. 3.7L	CW		2707			1707
74-70	6 Cyl. 3.2L	CW		2707			1707
73-70	8 Cyl. 5.6L	CW		2707	2747		1707
70	8 Cyl. 5.2L	CW		2707			1707
FLEET SPECIAL							
63-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707			1707
	8 Cyl. 6.3L	CW		2707			1707
FURY							
78	8 Cyl. 7.2L	CW			2747		
78-72	8 Cyl. 6.6L	CW		2706			
78-71	8 Cyl. 5.9L	CW		2707	2747		1707
78-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707	2747		1707
77	8 Cyl. 7.2L	CW		2707	2747		1707
75-66	8 Cyl. 7.2L	CW		2707	2747		1707
71-60	8 Cyl. 6.3L	CW		2707	2747		1707
59	8 Cyl. 5.9L	CW		2707			1707
59-58	8 Cyl. 5.2L	CW		2707			1707

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PLYMOUTH							
GRAN FURY							
89-80	8 Cyl. 5.2L	CW		2707	2747		1707
83-80	6 Cyl. 3.7L	CW		2707			1707
80	8 Cyl. 5.9L	CW		2707	2747		1707
77-72	8 Cyl. 5.2L	CW		2707	2747		1707
	8 Cyl. 5.9L	CW		2707	2747		1707
	8 Cyl. 6.6L	CW		2706			
	8 Cyl. 7.2L	CW		2707	2747		1707
GTX							
71	8 Cyl. 6.3L	CW		2707	2747		1707
71-67	8 Cyl. 7.2L	CW		2707	2747		1707
68	8 Cyl. 6.3L	CW		2707	2747		1707
PB SERIES VAN							
83-74	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707			1707
	8 Cyl. 5.9L	CW		2707			1707
78-76	8 Cyl. 6.6L	CW		2707			1707
	8 Cyl. 7.2L	CW			2747		
PLAZA							
58	8 Cyl. 5.2L	CW		2707			1707
ROADRUNNER							
75	8 Cyl. 5.2L	CW		2707			1707
	8 Cyl. 5.9L	CW		2707			1707
75-72	8 Cyl. 6.6L	CW		2706			
74	8 Cyl. 5.9L	CW		2707	2747		1707
74-72	8 Cyl. 5.2L	CW		2707	2747		1707
74-71	8 Cyl. 7.2L	CW		2707	2747		1707
73-71	8 Cyl. 5.6L	CW		2707			1707
71-68	8 Cyl. 6.3L	CW		2707	2747		1707
70	8 Cyl. 7.2L	CW		2707			1707
69	8 Cyl. 7.2L	CW		2707	2747		1707
68	8 Cyl. 5.2L	CW		2707	2747		1707
SAPPORO							
83-82	4 Cyl. 2.6L	CW		2565			
81-80	All Eng.	CW		2565			
79-78	4 Cyl. 2.6L	CW		2565			
SATELLITE							
74-73	8 Cyl. 7.2L	CW		2707	2747		1707
74-72	8 Cyl. 6.6L	CW		2706			
74-71	8 Cyl. 5.9L	CW		2707	2747		1707
74-65	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707	2747		1707
73-68	8 Cyl. 5.6L	CW		2707			1707
71-65	8 Cyl. 6.3L	CW		2707	2747		1707
68-67	8 Cyl. 4.5L	CW		2707			1707
67	8 Cyl. 7.0L	CW		2707	2747		1707
	8 Cyl. 7.2L	CW		2707	2747		1707

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

PLYMOUTH

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
SATELLITE							
66	8 Cyl. 7.0L	CW		2707			1707
	8 Cyl. 7.2L	CW			2747		
SAVOY							
64-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707	2747		1707
	8 Cyl. 6.3L	CW		2707	2747		1707
59	8 Cyl. 5.9L	CW		2707			1707
59-58	8 Cyl. 5.2L	CW		2707			1707
SCAMP							
76-71	All Eng.	CW		2707			1707
SPORT WAGON							
61-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 5.2L	CW		2707			1707
	8 Cyl. 6.3L	CW		2707			1707
SUBURBAN							
61-60	6 Cyl. 3.7L	CW		2707			1707
	8 Cyl. 6.3L	CW		2707			1707
61-58	8 Cyl. 5.2L	CW		2707			1707
59	8 Cyl. 5.9L	CW		2707			1707
SUPERBIRD							
70	8 Cyl. 7.2L	CW		2707			1707
TRAILDUSTER							
81-74	8 Cyl. 5.2L	CW		2707			1707
	8 Cyl. 5.9L	CW		2707			1707
80-75	6 Cyl. 3.7L	CW		2707			1707
78-77	8 Cyl. 6.6L	CW		2707			1707
78-74	8 Cyl. 7.2L	CW			2747		
VALIANT							
76	8 Cyl. 5.9L	CW		2707	2747		1707
76-71	8 Cyl. 5.2L	CW		2707	2747		1707
76-61	6 Cyl. 3.7L	CW		2707			1707
74-71	8 Cyl. 5.9L	CW		2707	2747		1707
74-70	6 Cyl. 3.2L	CW		2707			1707
73-68	8 Cyl. 5.6L	CW		2707	2747		1707
71-67	6 Cyl. 2.8L	CW					
70-68	8 Cyl. 5.2L	CW		2707			1707
69-67	8 Cyl. 4.5L	CW		2707	2747		1707
VIP							
67	8 Cyl. 5.2L	CW		2707	2747		1707
	8 Cyl. 7.2L	CW		2707	2747		1707
VOLARE							
80-76	All Eng.	CW		2706			

PONTIAC

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
6000							
84-82	4 Cyl. 2.5L	CW		2705			1705
	6 Cyl. 2.8L	CW		2705			1705
ACADIAN							
84-78	All Eng.	CW		2551			
77-76	4 Cyl. 1.6L	CW		2551			
ASTRE							
77	4 Cyl. 2.5L	CW		2705			1705
77-75	4 Cyl. 2.3L	CW					
BONNEVILLE							
87-80	6 Cyl. 3.8L	CW		2707			1707
86	6 Cyl. 4.3L	CW		2705			1705
86-83	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
84-80	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
82	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
81-80	8 Cyl. 4.3L	CW			2747		
	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
80	8 Cyl. 5.7L	CW	Gas	2707			1707
80-77	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/ AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
79-77	8 Cyl. 5.7L	CW		2707	**2747**	**2797**	1707
79-67	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
76-70	8 Cyl. 7.5L	CW			2747		
74	8 Cyl. 5.7L	CW			2747		
71	8 Cyl. 5.7L	CW			2747		
69	8 Cyl. 7.0L	CW				2797	
68-67	8 Cyl. 7.0L	CW			2747		
66-63	8 Cyl. 6.9L	CW			2747		
66-60	8 Cyl. 6.4L	CW			2747		
59	All Eng.	CW			2747		
CATALINA							
81	8 Cyl. 5.0L	CW	305 CID	2705	2747	**2797**	1705
	8 Cyl. 5.0L	CW	307 CID	2705	2747		1705
81-80	8 Cyl. 4.3L	CW			2747		
	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
	8 Cyl. 5.7L	CW	Diesel	2705	2747	**2797**	1705
81-77	6 Cyl. 3.8L	CW		2707			1707
80	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
	8 Cyl. 5.7L	CW	Gas	2707			1707
80-77	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/ AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
79-77	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
79-76	8 Cyl. 5.7L	CW		2707	2747		1707

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

PONTIAC

CATALINA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
76	8 Cyl. 6.6L	CW	Excl. Police Pkg.	2705			1705
	8 Cyl. 6.6L	CW	Police Pkg.		2747	**2797**	
76-70	8 Cyl. 7.5L	CW			2747		
75-67	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
74	6 Cyl. 4.1L	CW		2705			1705
74-70	8 Cyl. 5.7L	CW		2707			1707
69	8 Cyl. 7.0L	CW				2797	
68-67	8 Cyl. 7.0L	CW			2747		
66-61	8 Cyl. 6.9L	CW			2747		
66-60	8 Cyl. 6.4L	CW			2747		
59	All Eng.	CW			2747		

EXECUTIVE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
69-67	8 Cyl. 7.0L	CW			2747	**2797**	

FIREBIRD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
89-82	6 Cyl. 2.8L	CW		2705			1705
86-82	4 Cyl. 2.5L	CW		2705			1705
86-77	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
81	8 Cyl. 4.3L	CW	w/AC	2705			1705
	8 Cyl. 4.4L	CW			2747		
81-80	8 Cyl. 4.3L	CW			2747		
81-79	8 Cyl. 4.9L	CW			2747	**2797**	
	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
81-77	6 Cyl. 3.8L	CW		2707			1707
79-77	8 Cyl. 6.6L	CW	400 CID	2705	2747		1705
	8 Cyl. 6.6L	CW	403 CID	2705	**2747**	2797	1705
79-76	8 Cyl. 5.7L	CW		2705	**2747**	2797	1705
77	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
76-71	8 Cyl. 7.5L	CW			2747		
76-68	6 Cyl. 4.1L	CW		2705			1705
76-67	8 Cyl. 6.6L	CW		2705	2747		1705
75-68	8 Cyl. 5.7L	CW		2705			1705
67	6 Cyl. 3.8L	CW					
	8 Cyl. 5.3L	CW		2705			1705

GRAND AM

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
80-78	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
	8 Cyl. 5.0L	CW			2747	**2797**	
	8 Cyl. 5.0L	CW	w/AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
79	6 Cyl. 3.8L	CW		2707			1707
75-73	8 Cyl. 5.7L	CW		2707	2747		1707
	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
	8 Cyl. 7.5L	CW			2747		

PONTIAC

GRAND LEMANS

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
83-82	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.7L	CW				2797	
83-76	8 Cyl. 5.0L	CW	w/AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
82	6 Cyl. 4.1L	CW		2707			1707
82-79	8 Cyl. 4.4L	CW			2747		
81-80	6 Cyl. 3.8L	CW	229 CID	2705			1705
	6 Cyl. 3.8L	CW	231 CID	2707			1707
	8 Cyl. 4.3L	CW	w/AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
81-79	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
79-78	6 Cyl. 3.3L	CW		2705			1705
79-77	6 Cyl. 3.8L	CW		2707			1707
79-75	8 Cyl. 5.7L	CW		2707			1707
77	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
77-75	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 6.6L	CW	Exc. Police Models		2747		
	8 Cyl. 6.6L	CW	Police Models			2797	
76	8 Cyl. 4.3L	CW	w/AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
76-75	8 Cyl. 7.5L	CW			2747		

GRAND PRIX

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
87-86	6 Cyl. 4.3L	CW		2705			1705
87-85	6 Cyl. 3.8L	CW		2705			1705
87-83	8 Cyl. 5.0L	CW			2747	**2797**	
	8 Cyl. 5.0L	CW	w/AC	2705			1705
84	8 Cyl. 5.0L	CW	w/o AC	2707			1707
84-81	8 Cyl. 5.7L	CW		2705	2747	**2797**	1705
84-78	6 Cyl. 3.8L	CW		2707			1707
82	6 Cyl. 4.1L	CW		2707			1707
81	8 Cyl. 4.4L	CW			2747		
81-80	8 Cyl. 4.3L	CW			2747		
	8 Cyl. 4.3L	CW	w/AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
80-78	8 Cyl. 5.0L	CW			2747	**2797**	
	8 Cyl. 5.0L	CW	w/AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
80-77	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
77-76	8 Cyl. 5.7L	CW		2707	2747		1707
77-67	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
76-70	8 Cyl. 7.5L	CW			2747		
69	8 Cyl. 7.0L	CW				2797	
68-67	8 Cyl. 7.0L	CW			2747		
66-63	8 Cyl. 6.4L	CW			2747		
	8 Cyl. 6.9L	CW			2747		

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PONTIAC							
GRAND PRIX							
62	All Eng.	CW			2747		
GRAND SAFARI							
78	All Eng.	CW			2747		
	All Eng.	CW	Exc. Police Models	2705			1705
	All Eng.	CW	Police Models			2797	
77	8 Cyl. 4.9L	CW	w/ AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
	8 Cyl. 5.7L	CW		2707			1707
	8 Cyl. 6.6L	CW	400 CID; Exc. Police Models	2705			1705
	8 Cyl. 6.6L	CW	400 CID; Police Models		2747		
	8 Cyl. 6.6L	CW	403 CID; Exc. Police Models		2747		
	8 Cyl. 6.6L	CW	403 CID; Police Models			2797	
76-73	8 Cyl. 6.6L	CW	Exc. Police Models	2705			1705
	8 Cyl. 6.6L	CW	Police Models		2747		
76-71	8 Cyl. 7.5L	CW			2747		
71	8 Cyl. 6.6L	CW	Exc. Police Models	2705			1705
	8 Cyl. 6.6L	CW	Police Models		2747		
GRANDVILLE							
75-72	8 Cyl. 6.6L	CW	Exc. Police Models	2705			1705
	8 Cyl. 6.6L	CW	Police Models		2747		
	8 Cyl. 7.5L	CW			2747		
71	All Eng.	CW	Exc. Police Models	2705			1705
	All Eng.	CW	Police Models		2747		
GTO							
73-70	8 Cyl. 7.5L	CW			2747		
73-67	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
66	All Eng.	CW				2797	
65-64	8 Cyl. 6.4L	CW				2797	
LAURENTIAN							
81	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 4.3L	CW		2705			1705
	8 Cyl. 5.7L	CW				2797	
81-80	8 Cyl. 4.4L	CW			2747		
81-77	8 Cyl. 5.0L	CW		2705			1705
80	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.7L	CW	Diesel			2797	
	8 Cyl. 5.7L	CW	Gas	2707			1707
79-77	6 Cyl. 4.1L	CW		2705			1705
79-76	8 Cyl. 5.7L	CW		2707			1707
76	8 Cyl. 6.6L	CW	Exc. Police Models		2747		
	8 Cyl. 6.6L	CW	Police Models			2797	
	8 Cyl. 7.5L	CW			2747		
LEMANS							
81-80	6 Cyl. 3.8L	CW	229 CID	2705			1705
	6 Cyl. 3.8L	CW	231 CID	2707			1707
	8 Cyl. 4.3L	CW			2747		

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PONTIAC							
LEMANS							
81-80	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
81-79	8 Cyl. 4.4L	CW			2747		
	8 Cyl. 4.4L	CW	w/ AC	2705			1705
	8 Cyl. 4.4L	CW	w/o AC	2707			1707
	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/ AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
81-77	8 Cyl. 5.0L	CW			2747	**2797**	
	8 Cyl. 5.0L	CW	w/ AC	2705			1705
	8 Cyl. 5.0L	CW	w/o AC	2707			1707
79-77	6 Cyl. 3.8L	CW		2707			1707
79-68	8 Cyl. 5.7L	CW		2707	2747		1707
77	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/ AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
77-68	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
76	8 Cyl. 4.3L	CW			2747		
	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
	8 Cyl. 7.5L	CW			2747		
76-71	6 Cyl. 4.1L	CW			2747		
74-70	8 Cyl. 7.5L	CW			2747		
70	6 Cyl. 4.1L	CW		2705	2747		1705
69-68	6 Cyl. 4.1L	CW			2747		
67	6 Cyl. 3.8L	CW					
	8 Cyl. 5.3L	CW		2705			1705
PARISIENNE							
86-85	6 Cyl. 4.3L	CW		2705	2747		1705
86-83	8 Cyl. 5.0L	CW		2705	2747		1705
85-83	6 Cyl. 3.8L	CW			2747		
	8 Cyl. 5.7L	CW	Diesel	2705	2747		1705
85-81	6 Cyl. 3.8L	CW	w/ AC	2707			1707
	6 Cyl. 3.8L	CW	w/o AC	2705			1705
82-81	8 Cyl. 5.7L	CW				2797	
82-80	8 Cyl. 4.4L	CW			2747		
82-77	8 Cyl. 5.0L	CW		2705			1705
81	8 Cyl. 4.3L	CW	w/ AC	2705			1705
	8 Cyl. 4.3L	CW	w/o AC	2707			1707
80	6 Cyl. 3.8L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705		2797	1705
79-77	6 Cyl. 4.1L	CW		2705			1705
79-76	8 Cyl. 5.7L	CW		2707			1707
76	8 Cyl. 6.6L	CW	Exc. Police Models		2747		
	8 Cyl. 6.6L	CW	Police Models			2797	
	8 Cyl. 7.5L	CW			2747		
PHOENIX							
84-80	All Eng.	CW		2705			1705

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PONTIAC							
PHOENIX							
79-77	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 5.0L	CW		2705			1705
	8 Cyl. 5.7L	CW		2705	2747		1705
78-77	4 Cyl. 2.5L	CW		2705			1705
SAFARI							
89-87	8 Cyl. 5.0L	CW		2705			1705
76	8 Cyl. 6.6L	CW	Excl. Police Pkg.	2705			1705
	8 Cyl. 6.6L	CW	Police Pkg.		2747		
	8 Cyl. 7.5L	CW			2747		
70-68	6 Cyl. 4.1L	CW		2705			1705
	8 Cyl. 5.7L	CW		2707			1707
70-67	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
67	8 Cyl. 7.0L	CW			2747		
66	8 Cyl. 6.4L	CW			2747		
66-65	8 Cyl. 6.9L	CW			2747		
65-64	8 Cyl. 6.4L	CW				2797	
63	8 Cyl. 6.4L	CW			2747		
62-61	All Eng.	CW			2747		
STAR CHIEF							
66-65	8 Cyl. 6.9L	CW			2747		
66-59	8 Cyl. 6.4L	CW			2747		
SUNBIRD							
80-77	4 Cyl. 2.5L	CW		2705			1705
80-76	6 Cyl. 3.8L	CW		2710			
79-78	8 Cyl. 5.0L	CW		2705			1705
T1000							
87-81	4 Cyl. 1.6L	CW		2551			
TEMPEST							
70	6 Cyl. 4.1L	CW			2747		
	8 Cyl. 5.7L	CW		2707	2747		1707
70-68	8 Cyl. 6.6L	CW		2705	2747	**2797**	1705
69	8 Cyl. 5.7L	CW		2707			1707
69-68	6 Cyl. 4.1L	CW		2705	2747		1705
68	8 Cyl. 5.7L	CW		2707	2747		1707
61	8 Cyl. 6.4L	CW			2747		
VENTURA							
77	4 Cyl. 2.5L	CW		2705			1705
	6 Cyl. 3.8L	CW		2707			1707
	8 Cyl. 4.9L	CW			2747		
	8 Cyl. 4.9L	CW	w/AC	2705			1705
	8 Cyl. 4.9L	CW	w/o AC	2707			1707
	8 Cyl. 5.0L	CW		2705	2747	**2797**	1705
77-72	8 Cyl. 5.7L	CW		2705	2747		1705
76-75	8 Cyl. 4.3L	CW			2747		
76-71	6 Cyl. 4.1L	CW		2705			1705
73-71	8 Cyl. 5.0L	CW		2705			1705

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
PONTIAC							
VENTURA							
61	8 Cyl. 6.9L	CW			2747		
61-60	8 Cyl. 6.4L	CW			2747		
SAAB							
9-7							
09-08	6 Cyl. 4.2L	CCW				2851	
	8 Cyl. 5.3L	CCW				2851	
	8 Cyl. 6.0L	CCW				2851	
07-05	6 Cyl. 4.2L	CCW				3201 (2)	
	8 Cyl. 5.3L	CCW				3201 (2)	
SUZUKI							
EQUATOR							
12-09	6 Cyl. 4.0L	CW			6601		
GRAND VITARA							
05-99	6 Cyl. 2.5L	CW		2680			
01	6 Cyl. 2.7L	CW		2680			
SAMURAI							
95-85	4 Cyl. 1.3L	CW		2583			
SIDEKICK							
98-96	4 Cyl. 1.8L	CW		2680			
98-92	4 Cyl. 1.6L	CW		2582			
91-89	4 Cyl. 1.6L	CW		2583			
89	4 Cyl. 1.3L	CW		2583			
VITARA							
04	6 Cyl. 2.5L	CW		2680			
03-99	4 Cyl. 2.0L	CW		2680			
02-99	4 Cyl. 1.6L	CW		2583			
X-90							
98-96	4 Cyl. 1.6L	CW		2582			
XL-7							
03-02	6 Cyl. 2.7L	CW		2680			
TOYOTA							
4RUNNER							
17-11	All Eng.	CW			6631		
10	4 Cyl. 2.7L	CW		2670			
	6 Cyl. 4.0L	CW			6631		
09-05	8 Cyl. 4.7L	CCW		2684			
09-03	6 Cyl. 4.0L	CW		2683			
04	8 Cyl. 4.7L	CCW	From 11/04	2684			
	8 Cyl. 4.7L	CCW	To 11/04	2679			
03	8 Cyl. 4.7L	CCW		2679			
02-96	6 Cyl. 3.4L	CW		2671			
00-96	4 Cyl. 2.7L	CW		2670			
95-88	6 Cyl. 3.0L	CW		2657			
95-84	4 Cyl. 2.4L	CW		2554			

(2) When present stock is exhausted use 3200

Application Guide

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD .....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD .....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

TOYOTA

CARINA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
73-72	All Eng.	CW		2556			

CELICA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
86	4 Cyl. 2.0L	CW		2653			
85-81	4 Cyl. 2.4L	CW		2554			
80-76	4 Cyl. 2.2L	CW		2554			
75	All Eng.	CW		2554			

COROLLA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
87-83	4 Cyl. 1.6L	CW		2556			
85-84	4 Cyl. 1.8L	CW		2556			
82-80	4 Cyl. 1.8L	CW		2556			
79	4 Cyl. 1.2L	CW		2556			
79-71	4 Cyl. 1.6L	CW		2556			

CORONA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
82-81	4 Cyl. 2.4L	CW		2554			
80-76	4 Cyl. 2.2L	CW		2554			
75	All Eng.	CW		2554			

CRESSIDA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
92-89	6 Cyl. 3.0L	CW		2653			
88-81	6 Cyl. 2.8L	CW		2653			
80-78	6 Cyl. 2.6L	CW		2653			

FJ CRUISER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
14-11	All Eng.	CW			6631		
10	6 Cyl. 4.0L	CW			6631		
09-07	6 Cyl. 4.0L	CW		2683			

HIACE

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
14-06	4 Cyl. 2.7L	CW		2670			

HILUX

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
14-04	4 Cyl. 2.7L	CW		2670			

LAND CRUISER

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-13	All Eng.	CCW				6630	
11	All Eng.	CCW				6630	
10-08	8 Cyl. 5.7L	CCW				6630	
07-06	8 Cyl. 4.7L	CCW		2684			
05	8 Cyl. 4.7L	CW	From 5/05	2684			
	8 Cyl. 4.7L	CW	To 5/05	2678			
04-98	8 Cyl. 4.7L	CW		2678			
97-93	6 Cyl. 4.5L	CW		2661			
92-90	6 Cyl. 4.0L	CW		2657			
89-88	6 Cyl. 4.0L	CW	Excl. Canada	2657			
87-77	6 Cyl. 4.2L	CW	Excl. Canada	2657			
86	4 Cyl. 3.4L	CW	Excl. Canada	2657			
76-75	All Eng.	CW		2657			

PICKUP - STANDARD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
95-88	6 Cyl. 3.0L	CW		2657			

TOYOTA

PICKUP - STANDARD

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
95-81	4 Cyl. 2.4L	CW	Gas	2554			
85	4 Cyl. 2.4L	CW	Diesel	2554			
84	All Eng.	CW		2554			
83-76	4 Cyl. 2.2L	CW		2554			
75	All Eng.	CW		2554			

PREVIA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
97-91	4 Cyl. 2.4L	CW		2655			

SEQUOIA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-10	All Eng.	CCW				6630	
09-08	8 Cyl. 5.7L	CCW				6630	
09-06	8 Cyl. 4.7L	CCW		2684			
05	8 Cyl. 4.7L	CCW	From 8/05	2684			
	8 Cyl. 4.7L	CCW	To 8/05	2679			
04-01	8 Cyl. 4.7L	CCW		2679			

SUPRA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
98-93	6 Cyl. 3.0L	CW		2682			
92-86	6 Cyl. 3.0L	CW		2653			
86-81	6 Cyl. 2.8L	CW		2653			
80-79	6 Cyl. 2.6L	CW		2653			

T100

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
98-95	6 Cyl. 3.4L	CW		2671			
98-94	4 Cyl. 2.7L	CW		2670			
94-93	6 Cyl. 3.0L	CW		2657			

TACOMA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17-16	6 Cyl. 3.5L	CW			6631		
17-06	4 Cyl. 2.7L	CW		2670			
15-05	6 Cyl. 4.0L	CW		2683			
05	4 Cyl. 2.7L	CW		2674			
04-95	4 Cyl. 2.4L	CW		2670			
	4 Cyl. 2.7L	CW		2670			
	6 Cyl. 3.4L	CW		2671			

TUNDRA

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
17	All Eng.	CCW				6630	
16	8 Cyl. 4.6L	CCW				6630	
	8 Cyl. 5.7L	CCW				6630	
15	All Eng.	CCW				6630	
14-12	6 Cyl. 4.0L	CW			6631		
14-10	8 Cyl. 4.6L	CCW				6630	
14-07	8 Cyl. 5.7L	CCW				6630	
11-05	6 Cyl. 4.0L	CW		2683			
09-06	8 Cyl. 4.7L	CCW		2684			
05	8 Cyl. 4.7L	CCW	From 8/05	2684			
	8 Cyl. 4.7L	CCW	To 8/05	2679			
04-03	8 Cyl. 4.7L	CCW		2679			
04-00	6 Cyl. 3.4L	CW		2671			
02-00	8 Cyl. 4.7L	CW		2677			

Application Guide

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

AC.....AIR CONDITIONING
HD.....HEAVY DUTY
CCW.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
STD.....STANDARD
CW.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN BOLDED, NUMBER INDICATES O.E. EQUIVALENT

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL
TOYOTA							
VAN / VAN WAGON							
89-86	4 Cyl. 2.2L	CW		2559			
85-84	4 Cyl. 2.0L	CW		2559			
VOLKSWAGEN							
PASSAT / CC							
05-04	4 Cyl. 2.0L	CW		2596			
05-98	4 Cyl. 1.8L	CW		2596			
	6 Cyl. 2.8L	CW		2597			
VOLVO							
140 SERIES							
74-69	All Eng.	CW		2558			
160 SERIES							
75-69	All Eng.	CW		2558			
240 SERIES							
93-81	4 Cyl. 2.3L	CW		2558			
85-76	4 Cyl. 2.1L	CW		2558			
84-82	6 Cyl. 2.4L	CW		2558			
75	4 Cyl. 2.0L	CW		2558			
260 SERIES							
82-80	6 Cyl. 2.8L	CW		2558			
81-80	4 Cyl. 2.1L	CW		2558			
	6 Cyl. 2.4L	CW		2558			
79-76	6 Cyl. 2.7L	CW		2558			
740 SERIES							
92-85	4 Cyl. 2.3L	CW		2558			
86-85	6 Cyl. 2.4L	CW		2558			
760 SERIES							
90-87	6 Cyl. 2.8L	CW		2659			
90-84	4 Cyl. 2.3L	CW		2558			
86-83	6 Cyl. 2.8L	CW		2558			
85-83	6 Cyl. 2.4L	CW		2558			
780 SERIES							
91-89	4 Cyl. 2.3L	CW		2558			
90-87	6 Cyl. 2.8L	CW		2659			
940 SERIES							
91	4 Cyl. 2.3L	CW		2558			

YEAR	ENGINE	ROT	NOTE	STD DUTY	HEAVY DUTY	SEVERE DUTY	NON-THERMAL

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
ACURA				
CL				
03-01	All Eng.		Tensioner	5975
99-97	6 Cyl. 3.0L		Tensioner	5975
INTEGRA				
99-90	All Eng.		Idler	5941
LEGEND				
90-86	All Eng.		Idler	5003
MDX				
12-03	All Eng.		Tensioner	5979
07-03	All Eng.	Grooved	Idler	5045
	All Eng.	Smooth	Idler	5026
RDX				
12-11	All Eng.		Tensioner	5011
10-07	4 Cyl. 2.3L		Tensioner	5011
RL				
12-05	All Eng.		Tensioner	5979
08-05	All Eng.	Grooved	Idler	5045
	All Eng.	Smooth	Idler	5026
04-96	6 Cyl. 3.5L	w/ AC	Idler	5080
RSX				
06-02	All Eng.		Tensioner	5011
SLX				
99-98	All Eng.		Idler	5996
	All Eng.		Tensioner	5969
97-96	All Eng.	AC Belt Drive	Idler	5024
TL				
12-04	All Eng.		Tensioner	5979
08-04	All Eng.	Grooved	Idler	5045
	All Eng.	Smooth	Idler	5026
03-99	All Eng.		Tensioner	5975
99-95	All Eng.	w/ AC	Idler	5080
TSX				
12-10	6 Cyl. 3.5L		Tensioner	5979
10-09	4 Cyl. 2.4L		Tensioner	5011
08-04	All Eng.		Tensioner	5011
ZDX				
12-10	All Eng.		Tensioner	5979
AMERICAN MOTORS				
AMBASSADOR				
74-73	8 Cyl.	Intermediate Pulley (Grooved)	Idler	5900
74-68	8 Cyl.	Smooth	Idler	5901
67-65	8 Cyl.	Intermediate Pulley (Grooved)	Idler	5902
AMERICAN				
68-67	8 Cyl.	Intermediate Pulley (Grooved)	Idler	5902
	8 Cyl.	Smooth	Idler	5901
AMX				
80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
AMERICAN MOTORS				
AMX				
80-79	All Eng.		Idler	5900
78	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
	All Eng.	Intermediate Pulley (Grooved)	Idler	5900
70-68	All Eng.	Intermediate Pulley (Grooved)	Idler	5902
CONCORD				
83-80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
83-78	All Eng.		Bolt	5920
	All Eng.		Idler	5900
79-78	8 Cyl.	7/16 x 1-1/2" Long	Bolt	5920
EAGLE				
88-80	All Eng.		Idler	5900
	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
84-80	All Eng.		Bolt	5920
GREMLIN				
78-77	4 Cyl.	Intermediate Pulley (Grooved); Mtd. on Eccentric	Idler	5900
74-72	6 Cyl.	Intermediate Pulley (Grooved)	Idler	5902
71-70	All Eng.	Backside pulley	Idler	5901
	All Eng.	Intermediate pulley	Idler	5900
HORNET				
77-75	All Eng.		Idler	5900
77-70	All Eng.		Bolt	5920
	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
74-70	All Eng.	Backside pulley	Idler	5901
	All Eng.	Intermediate pulley	Idler	5900
JAVELIN				
74-73	6 Cyl.	Intermediate Pulley (Grooved)	Idler	5902
	8 Cyl.	Intermediate Pulley (Grooved)	Idler	5900
72-68	All Eng.	Intermediate Pulley (Grooved)	Idler	5902
MARLIN				
67-65	All Eng.		Idler	5900
MATADOR				
78-75	All Eng.		Idler	5900
74-73	6 Cyl.	Intermediate Pulley (Grooved)	Idler	5902
	8 Cyl.	Smooth	Idler	5901
72	All Eng.	Backside idler pulley	Idler	5901
72-71	All Eng.	Intermediate pulley	Idler	5900
71	All Eng.	Backside pulley	Idler	5901
PACER				
80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
80-76	All Eng.		Idler	5900
79-78	6 Cyl. 4.2L		Bolt	5920
79-75	6 Cyl.	7/16 x 1-1/2" Long	Bolt	5920
77-75	All Eng.		Bolt	5920
75	All Eng.	Backside pulley	Idler	5901
	All Eng.	Intermediate pulley	Idler	5900

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
AMERICAN MOTORS				
REBEL				
70	6 Cyl. 3.8L	Backside pulley	Idler	5901
	6 Cyl. 3.8L	Intermediate pulley	Idler	5900
	8 Cyl. 5.0L	Backside pulley	Idler	5901
	8 Cyl. 5.0L	Intermediate pulley	Idler	5900
	8 Cyl. 6.4L	Backside pulley	Idler	5901
	8 Cyl. 6.4L	Intermediate pulley	Idler	5900
69	All Eng.	Backside pulley	Idler	5901
	All Eng.	Intermediate pulley	Idler	5900
68	6 Cyl. 3.8L	Backside pulley	Idler	5901
	6 Cyl. 3.8L	Intermediate pulley	Idler	5900
	8 Cyl. 4.7L	Backside pulley	Idler	5901
	8 Cyl. 4.7L	Intermediate pulley	Idler	5900
	8 Cyl. 5.6L	Backside pulley	Idler	5901
	8 Cyl. 5.6L	Intermediate pulley	Idler	5900
	8 Cyl. 6.4L	Backside pulley	Idler	5901
	8 Cyl. 6.4L	Intermediate pulley	Idler	5900
67	All Eng.		Idler	5900
SPIRIT				
83-80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
83-79	All Eng.		Idler	5900
82-80	6 Cyl.	7/16 x 1-1/2" Long	Bolt	5920
AUDI				
100 SERIES				
94-92	6 Cyl. 2.8L		Idler	5039
90 SERIES				
95	6 Cyl. 2.8L		Idler	5039
94-93	6 Cyl. 2.8L	Quattro; AWD	Idler	5039
A3 SERIES				
07-06	4 Cyl. 2.0L		Tensioner	5974
	6 Cyl. 3.2L		Tensioner	5013
A4 SERIES				
06-05	6 Cyl. 3.2L		Tensioner	5972
01-97	4 Cyl. 1.8L	Turbocharged	Idler Assy	5059
A6 SERIES				
06-05	6 Cyl. 3.2L		Tensioner	5972
A8 SERIES				
04-97	8 Cyl. 4.2L		Idler	5974
ALLROAD QUATTRO				
04	8 Cyl. 4.2L		Idler	5974
CABRIOLET				
98-94	6 Cyl. 2.8L		Idler	5039
	6 Cyl. 2.8L		Tensioner	5974
RS6				
04-03	8 Cyl. 4.2L		Idler	5974
S SERIES				
03	8 Cyl. 4.2L		Idler	5974

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
AUDI				
TT SERIES				
12	5 Cyl. 2.5L	TT Quattro; AWD	Idler	5972
06-00	4 Cyl. 1.8L		Tensioner	5013
V8 QUATTRO				
94-92	8 Cyl. 4.2L		Idler	5974
91-90	8 Cyl. 3.6L		Idler	5974
BMW				
128 SERIES				
13-08	6 Cyl. 3.0L	128i	Idler	5086
12-11	All Eng.	128i	Tensioner	5013
10-08	6 Cyl. 3.0L		Tensioner	5013
318 SERIES				
99-94	All Eng.	AC Belt Drive	Idler	5053
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5983
93-91	All Eng.		Idler	5983
320 SERIES				
05-01	6 Cyl. 2.2L		Idler	5983
93-92	6 Cyl. 2.0L	w/ Bracket	Idler Assy	5049
83	4 Cyl. 1.8L	w/ Bracket	Idler Assy	5049
323 SERIES				
11-08	6 Cyl. 2.5L	323I	Idler	5086
00-98	6 Cyl. 2.5L		Idler	5044
	6 Cyl. 2.5L	AC Belt Drive	Tensioner	5983
	6 Cyl. 2.5L	Alternator & Pwr Str Belt Drive	Tensioner	5983
325 SERIES				
06	6 Cyl. 3.0L	325i	Idler	5086
	6 Cyl. 3.0L	325xi	Idler	5086
06-01	6 Cyl. 2.5L		Idler	5044
	6 Cyl. 2.5L	Alternator & Pwr Str Belt Drive	Tensioner	5983
95-92	6 Cyl. 2.5L	AC Belt Drive	Tensioner	5983
	6 Cyl. 2.5L	Alternator & Pwr Str Belt Drive	Tensioner	5983
	6 Cyl. 2.5L	Alternator & Water Pump; w/ Hydraulic Tensioner	Idler	5044
	6 Cyl. 2.5L	Alternator & Water Pump; w/ Hydraulic Tensioner	Tensioner	5983
328 SERIES				
13-09	6 Cyl. 3.0L	328i xDrive	Idler	5086
13-07	6 Cyl. 3.0L	328I	Idler	5086
10-07	6 Cyl. 3.0L		Tensioner	5013
08-07	6 Cyl. 3.0L	328xi	Idler	5086
00	6 Cyl. 2.8L	Alternator & Pwr Str Belt Drive	Idler	5044
00-97	6 Cyl. 2.8L	Alternator, Water Pump, Power Steering	Idler	5044
00-96	6 Cyl. 2.8L	Alternator & Pwr Str Belt Drive	Tensioner	5983
96	6 Cyl. 2.8L	AC Belt Drive	Tensioner	5983
	6 Cyl. 2.8L	Alternator & Water Pump; w/ Hydraulic Tensioner	Tensioner	5044
330 SERIES				
06	6 Cyl. 3.0L	330I	Idler	5086
	6 Cyl. 3.0L	330XI	Idler	5086

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BMW				
330 SERIES				
06-01	6 Cyl. 3.0L	Alternator & Pwr Str Belt Drive	Tensioner	5983
05-01	6 Cyl. 3.0L		Idler	5044
525 SERIES				
07-06	6 Cyl. 3.0L		Tensioner	5013
	6 Cyl. 3.0L	525I	Idler	5086
	6 Cyl. 3.0L	525XI	Idler	5086
05-01	All Eng.		Idler	5044
	All Eng.	Alternator & Pwr Str Belt Drive	Tensioner	5983
95-92	All Eng.		Idler	5983
	All Eng.	Alternator & Pwr Str Belt Drive	Tensioner	5983
91-90	All Eng.		Idler	5044
	All Eng.	AC Belt Drive	Tensioner	5983
528 SERIES				
10-09	6 Cyl. 3.0L	528i xDrive	Idler	5086
10-08	6 Cyl. 3.0L		Tensioner	5013
	6 Cyl. 3.0L	528I	Idler	5086
08	6 Cyl. 3.0L	528xi	Idler	5086
00-98	6 Cyl. 2.8L		Idler	5044
00-97	6 Cyl. 2.8L	Alternator & Pwr Str Belt Drive	Tensioner	5983
97	6 Cyl. 2.8L	AC Belt Drive	Tensioner	5983
	6 Cyl. 2.8L	Alternator & Water Pump; w/ Hydraulic Tensioner	Idler	5044
	6 Cyl. 2.8L	Alternator & Water Pump; w/ Hydraulic Tensioner	Tensioner	5983
530 SERIES				
07-06	6 Cyl. 3.0L	530I	Idler	5086
	6 Cyl. 3.0L	530XI	Idler	5086
	All Eng.		Tensioner	5013
05-01	All Eng.		Idler	5044
	All Eng.	Alternator & Pwr Str Belt Drive	Tensioner	5983
95-94	All Eng.	Left Side	Idler	5984
	All Eng.	Right Side	Idler	5985
	All Eng.	w/ Bracket	Idler Assy	5048
540 SERIES				
00-98	8 Cyl. 4.4L	AC Belt Drive	Idler Assy	5048
97	8 Cyl. 4.4L	AC Belt Drive	Idler	5984
	8 Cyl. 4.4L	Serpentine Belt Drive	Idler	5984
95-94	8 Cyl. 4.0L	AC Idler w/ Bracket	Idler Assy	5048
	8 Cyl. 4.0L	AC Idler w/o Bracket	Idler	5984
	8 Cyl. 4.0L	Alt & Power Steering Drive Belt Lower	Idler	5984
740 SERIES				
00-96	8 Cyl. 4.4L	AC Belt Drive	Idler Assy	5048
95	All Eng.	AC Belt Drive	Idler Assy	5048
95-93	All Eng.	Left Side Alternator Belt Drive	Idler	5984
	All Eng.	Right Side Alternator Belt Drive	Idler	5985
94-93	All Eng.	Lower Idler w/ Bracket	Idler Assy	5048

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BMW				
750 SERIES				
01	All Eng.	Alt & Power Steering Drive Belt w/ Auto Tensioner	Idler Assy	5046
01-88	All Eng.	AC Belt Drive	Idler Assy	5986
00-94	All Eng.	Alternator & Pwr Str Belt Drive	Idler Assy	5046
93-88	All Eng.	Alternator & Pwr Str Belt Drive	Idler Assy	5986
840 SERIES				
97-94	All Eng.	Alternator, Water Pump, Power Steering; w/ Bracket	Idler Assy	5054
	All Eng.	Left Side; w/o Bracket	Idler	5984
	All Eng.	Right Side; w/o Bracket	Idler	5985
	All Eng.	w/ Bracket; Tensioner Pulley	Idler Assy	5048
850 SERIES				
97-91	All Eng.	AC Belt Drive	Idler Assy	5986
	All Eng.	Alternator & Pwr Str Belt Drive	Idler Assy	5986
M SERIES				
06	6 Cyl. 3.2L		Idler	5044
05-01	6 Cyl. 3.2L	Alternator, Water Pump, Power Steering	Idler	5044
	6 Cyl. 3.2L	Alternator, Water Pump, Power Steering	Tensioner	5983
99-97	All Eng.	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Idler	5044
	All Eng.	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Tensioner	5983
98-97	All Eng.	AC Belt Drive	Tensioner	5053
96-95	All Eng.	Alternator & Water Pump; w/ Hydraulic Tensioner	Idler	5044
	All Eng.	Alternator & Water Pump; w/ Hydraulic Tensioner	Tensioner	5983
95	6 Cyl. 3.0L	AC Belt Drive	Tensioner	5053
94	All Eng.	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Idler	5044
X SERIES				
10	6 Cyl. 3.0L		Tensioner	5013
10-09	6 Cyl. 3.0L	X5	Idler	5086
	6 Cyl. 3.0L	X5 XDrive30I; w/o Rear AC	Tensioner	5013
10-07	6 Cyl. 3.0L	X3	Idler	5086
09	6 Cyl. 3.0L	X3	Tensioner	5013
08	6 Cyl. 3.0L	X3 3.0SI	Tensioner	5013
08-07	6 Cyl. 3.0L	X5; w/o Rear AC	Tensioner	5013
07	6 Cyl. 3.0L	X3	Tensioner	5013
06	6 Cyl. 3.0L	Alternator & Pwr Str Belt Drive	Tensioner	5983
05-04	6 Cyl. 2.5L	AC Belt Drive	Tensioner	5013
	6 Cyl. 2.5L	Alt & Power Steering Drive Belt w/ Hydraulic Tensioner	Tensioner	5983
	8 Cyl. 4.8L	AC Belt Drive	Tensioner	5013
05-01	6 Cyl. 3.0L	AC Belt Drive	Tensioner	5013
	6 Cyl. 3.0L	Alt & Power Steering Drive Belt w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 3.0L	Alternator & Pwr Str Belt Drive	Idler	5044
05-00	8 Cyl. 4.4L	AC Belt Drive	Tensioner	5013
03-02	8 Cyl. 4.6L	AC Belt Drive	Tensioner	5013
Z SERIES				
10-06	6 Cyl. 3.0L		Tensioner	5013

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BMW				
Z SERIES				
08-06	6 Cyl. 3.2L		Idler	5044
05-04	6 Cyl. 2.5L	Alternator & Pwr Str Belt Drive	Idler	5044
05-01	6 Cyl. 3.0L	Alternator & Pwr Str Belt Drive	Idler	5044
02-01	6 Cyl. 2.5L	Alternator & Pwr Str Belt Drive	Idler	5044
01	6 Cyl. 3.2L	Alt & Power Steering Drive Belt w/ Hydraulic Tensioner	Idler	5044
	6 Cyl. 3.2L	Alt & Power Steering Drive Belt w/ Hydraulic Tensioner	Tensioner	5983
00-99	6 Cyl. 2.5L	AC Belt Drive; w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 2.5L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Idler	5044
	6 Cyl. 2.5L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 2.8L	AC Belt Drive; w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 2.8L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 3.2L	AC Belt Drive; w/ Hydraulic Tensioner	Tensioner	5983
	6 Cyl. 3.2L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Tensioner	5983
00-98	6 Cyl. 2.8L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Idler	5044
	6 Cyl. 3.2L	Alternator, Water Pump, Power Steering; w/ Hydraulic Tensioner	Idler	5044
98-97	6 Cyl. 2.8L	Alternator & Pwr Str Belt Drive	Tensioner	5983
97	4 Cyl. 1.9L		Idler	5983
	6 Cyl. 2.8L		Idler	5983
BUICK				
ALLURE				
10	6 Cyl. 3.0L		Idler	5083
	6 Cyl. 3.6L		Idler	5083
09-08	8 Cyl. 5.3L	Grooved Pulley	Idler	5909
	8 Cyl. 5.3L	Smooth Pulley	Idler	5932
09-05	6 Cyl. 3.8L		Tensioner	5979
08-05	6 Cyl. 3.6L		Idler	5083
CENTURY SEDAN / COUPE				
05-98	All Eng.		Tensioner	5975
97	All Eng.		Tensioner	5973
96-94	6 Cyl. 3.1L		Tensioner	5973
96-93	4 Cyl. 2.2L		Tensioner	5968
93-89	6 Cyl. 3.3L		Tensioner	5969
92-87	4 Cyl. 2.5L		Tensioner	5968
89-87	6 Cyl. 2.8L		Idler	5971
	6 Cyl. 2.8L		Tensioner	5973
88-86	6 Cyl. 3.8L		Tensioner	5970
86	4 Cyl. 2.5L		Idler	5902
	4 Cyl. 2.5L		Tensioner	5902
	6 Cyl. 3.8L		Idler	5975
85-82	6 Cyl. 4.3L		Tensioner	5970

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BUICK				
ELECTRA SEDAN / COUPE				
90-88	All Eng.		Tensioner	5969
87-86	All Eng.		Idler	5975
	All Eng.		Tensioner	5970
85	6 Cyl. 4.3L		Tensioner	5970
ENCLAVE				
17-08	6 Cyl. 3.6L		Idler	5083
ESTATE WAGON (CENTURY,ELECTRA,LESABRE,REGAL,ROADMASTER)				
96-94	8 Cyl. 5.7L		Tensioner	5975
93-92	8 Cyl. 5.7L		Tensioner	5979
91	8 Cyl. 5.0L		Tensioner	5979
89	6 Cyl.		Tensioner	5969
89-87	4 Cyl. 2.5L		Tensioner	5968
88-87	6 Cyl. 2.8L		Idler	5971
	6 Cyl. 2.8L		Tensioner	5973
88-86	6 Cyl. 3.8L		Tensioner	5970
86	6 Cyl. 3.8L		Idler	5975
85	6 Cyl. 4.3L		Tensioner	5970
LACROSSE				
16-10	6 Cyl. 3.6L		Idler	5083
11	4 Cyl. 2.4L		Tensioner	5012
10	6 Cyl. 3.0L		Idler	5083
09-08	8 Cyl. 5.3L	Grooved Pulley	Idler	5909
	8 Cyl. 5.3L	Smooth Pulley	Idler	5932
09-05	6 Cyl. 3.8L		Tensioner	5979
08-05	All Eng.		Idler	5083
LESABRE SEDAN / COUPE				
05-99	All Eng.		Tensioner	5979
98-96	All Eng.		Tensioner	5972
95-91	All Eng.		Tensioner	5969
90-89	6 Cyl. 3.8L		Tensioner	5969
88	6 Cyl. 3.8L		Idler	5969
	6 Cyl. 3.8L	w/ MPFI	Tensioner	5969
87-86	6 Cyl. 3.8L		Idler	5975
	6 Cyl. 3.8L		Tensioner	5970
LUCERNE				
11-09	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
	8 Cyl. 4.6L	Serpentine Belt Drive	Idler	5072
10-09	8 Cyl. 4.6L	Serpentine Belt Drive	Tensioner	5979
08-06	6 Cyl. 3.8L		Tensioner	5979
	8 Cyl. 4.6L	Accessory Belt Drive	Idler	5072
	8 Cyl. 4.6L	Accessory Belt Drive	Tensioner	5979
PARK AVENUE				
05-01	All Eng.	Supercharged	Tensioner	5979
05-99	All Eng.	w/o Supercharger	Tensioner	5979

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BUICK				
PARK AVENUE				
05-96	All Eng.	Supercharged; Smooth	Idler	5973
05-91	All Eng.	Supercharged; Grooved	Idler	5971
98-96	All Eng.	Supercharged	Tensioner	5979
98-95	All Eng.	w/o Supercharger	Tensioner	5972
95-94	All Eng.	Supercharger Belt Drive	Tensioner	5972
	All Eng.	Supercharged; Alternator & Pwr Str Belt Drive	Tensioner	5972
95-91	All Eng.	Supercharged; Smooth	Idler	5972
94-91	All Eng.	w/o Supercharger	Tensioner	5969
93	All Eng.	Supercharged	Tensioner	5979
92	All Eng.	Supercharged; Serpentine Belt Drive	Tensioner	5972
92-91	All Eng.	Supercharged; Alternator & Pwr Str Belt Drive	Tensioner	5972
91	All Eng.	Supercharger Belt Drive	Tensioner	5972
RAINIER				
07-04	6 Cyl. 4.2L		Idler	5026
	6 Cyl. 4.2L		Tensioner	5025
	8 Cyl. 5.3L		Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
REATTA				
91-88	All Eng.		Tensioner	5969
REGAL SEDAN / COUPE				
04-99	All Eng.	w/o Supercharger	Tensioner	5979
04-97	All Eng.	Supercharged	Tensioner	5979
	All Eng.	Supercharged; Grooved	Idler	5971
	All Eng.	Supercharged; Smooth	Idler	5973
98-97	All Eng.	w/o Supercharger	Tensioner	5972
96	6 Cyl. 3.8L		Tensioner	5972
96-89	6 Cyl. 3.1L		Tensioner	5973
95-90	6 Cyl. 3.8L		Tensioner	5969
89	6 Cyl. 2.8L		Idler	5971
	6 Cyl. 2.8L		Tensioner	5973
88	All Eng.		Idler	5971
	All Eng.		Tensioner	5973
87	6 Cyl. 3.8L	Turbocharged	Tensioner	5975
86	6 Cyl. 3.8L		Tensioner	5970
84-82	6 Cyl. 4.3L		Tensioner	5970
RENDEZVOUS				
07-06	6 Cyl. 3.5L		Idler	5979
	6 Cyl. 3.5L		Tensioner	5971
06-04	6 Cyl. 3.6L		Idler	5083
05-02	6 Cyl. 3.4L		Idler	5979
	6 Cyl. 3.4L		Tensioner	5971
RIVIERA				
99	All Eng.	Accessory Belt Drive	Tensioner	5979
99-98	All Eng.	Supercharged; Smooth	Idler	5973
99-95	All Eng.	Supercharged; Grooved	Idler	5971

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
BUICK				
RIVIERA				
98-97	All Eng.	Supercharger Belt Drive	Tensioner	5979
97-96	All Eng.	Supercharged; Smooth	Idler	5979
97-95	All Eng.	w/o Supercharger	Tensioner	5972
96	All Eng.	Supercharged	Tensioner	5979
95	All Eng.		Tensioner	5972
	All Eng.	Supercharged; Smooth	Idler	5972
93-88	All Eng.		Tensioner	5969
87	All Eng.		Idler	5975
87-86	All Eng.		Tensioner	5970
ROADMASTER				
96-94	All Eng.		Tensioner	5975
93-91	All Eng.		Tensioner	5979
SKYHAWK				
89	4 Cyl. 2.0L		Idler	5968
	4 Cyl. 2.0L		Tensioner	5968
88-87	4 Cyl. 2.0L	VIN:1	Idler	5968
	4 Cyl. 2.0L	VIN:1	Tensioner	5968
	4 Cyl. 2.0L	VIN:K	Tensioner	5979
86-83	4 Cyl. 2.0L		Idler	5902
86-82	4 Cyl. 1.8L		Idler	5902
SKYLARK				
98-96	4 Cyl. 2.4L		Tensioner	5012
98-94	6 Cyl. 3.1L		Tensioner	5973
95-88	4 Cyl. 2.3L		Tensioner	5012
93-89	6 Cyl. 3.3L		Tensioner	5969
88-86	6 Cyl. 3.0L		Tensioner	5970
85	6 Cyl. 2.8L		Idler	5970
SOMERSET				
87-86	4 Cyl. 2.5L		Idler	5902
87-85	6 Cyl. 3.0L		Idler	5975
	6 Cyl. 3.0L		Tensioner	5970
TERRAZA				
07-06	6 Cyl. 3.9L		Tensioner	5971
	6 Cyl. 3.9L	; Grooved	Idler	5971
	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
06-05	6 Cyl. 3.5L		Tensioner	5971
	6 Cyl. 3.5L	Smooth	Idler	5979
CADILLAC				
ALLANTE				
93	All Eng.		Idler	5975
	All Eng.		Tensioner	5979
92-90	All Eng.		Tensioner	5975
92-87	All Eng.		Idler	5990
89-87	All Eng.		Tensioner	5979

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CADILLAC				
ATS				
15-13	6 Cyl. 3.6L		Idler	5083
CATERA				
01-97	All Eng.		Tensioner	5971
CIMARRON				
88-87	All Eng.		Tensioner	5973
86-85	4 Cyl. 2.0L		Idler	5902
	6 Cyl. 2.8L		Idler	5975
84-83	All Eng.		Idler	5957
82	All Eng.		Idler	5902
COMMERCIAL CHASSIS				
96-94	All Eng.	Serpentine Belt Drive	Tensioner	5975
89-85	All Eng.		Tensioner	5979
CTS				
15-09	8 Cyl. 6.2L	Alternator, Water Pump, Power Steering	Idler	5932
	8 Cyl. 6.2L	Supercharger; Lower	Idler	5082
	8 Cyl. 6.2L	Supercharger; Upper	Idler	5081
09-04	6 Cyl. 3.6L	AC Belt Drive; Pwr Str Belt Drive	Idler	5919
07	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5996
07-06	8 Cyl. 6.0L		Idler	5932
	8 Cyl. 6.0L	AC Belt Drive	Tensioner	5084
07-05	6 Cyl. 2.8L	AC Belt Drive; Pwr Str Belt Drive	Idler	5919
06	8 Cyl. 6.0L	Main Drive	Tensioner	5996
05-04	8 Cyl. 5.7L		Idler	5932
	8 Cyl. 5.7L	Accessory Belt Drive	Tensioner	5996
04-03	6 Cyl. 3.2L		Tensioner	5971
DEVILLE				
05-00	All Eng.	Accessory	Idler	5072
	All Eng.	Accessory	Tensioner	5979
99	8 Cyl. 4.6L	Accessory Belt Drive	Idler	5072
	8 Cyl. 4.6L	Accessory Belt Drive	Tensioner	5979
98	8 Cyl. 4.6L	Accessory Belt Drive	Tensioner	5072
97	8 Cyl. 4.6L		Idler	5975
97-96	8 Cyl. 4.6L	Accessory Belt Drive	Tensioner	5979
96	8 Cyl. 4.6L	VIN:Y	Idler	5975
95	8 Cyl. 4.6L		Idler	5975
95-94	8 Cyl. 4.9L		Idler	5990
	8 Cyl. 4.9L		Tensioner	5975
93-90	All Eng.		Tensioner	5975
93-86	All Eng.		Idler	5990
89-86	All Eng.		Tensioner	5979
85	6 Cyl. 4.3L		Tensioner	5970
	8 Cyl. 4.1L		Tensioner	5979
84-79	8 Cyl. 5.7L		Idler	5900
DTS				
11-06	8 Cyl. 4.6L	Serpentine Belt Drive	Idler	5072

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CADILLAC				
DTS				
10-06	8 Cyl. 4.6L	Serpentine Belt Drive	Tensioner	5979
ELDORADO				
02-00	All Eng.	Accessory	Idler	5072
02-94	All Eng.	Accessory	Tensioner	5979
99-98	All Eng.	Accessory Belt Drive	Idler	5072
97-94	All Eng.		Idler	5975
93-90	All Eng.		Tensioner	5975
93-86	All Eng.		Idler	5990
89-86	All Eng.		Tensioner	5979
85	8 Cyl. 5.7L		Idler	5065
84-80	8 Cyl. 5.7L		Idler	5900
79	All Eng.		Idler	5900
ESCALADE				
13-11	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
10	All Eng.	Serpentine Belt Drive	Idler	5975
	All Eng.	Serpentine Belt Drive	Tensioner	5971
09	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
09-08	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
07	All Eng.	Serpentine Belt Drive	Idler	5975
07-02	All Eng.	Serpentine Belt Drive	Tensioner	5971
06-02	All Eng.		Idler	5975
00-99	All Eng.		Idler	5975
	All Eng.		Tensioner	5996
FLEETWOOD / BROUGHAM				
96-94	All Eng.	Serpentine Belt Drive	Tensioner	5975
93	8 Cyl. 4.9L	60 Special	Idler	5990
	8 Cyl. 4.9L	60 Special	Tensioner	5975
	8 Cyl. 5.7L	Fleetwood; w/ Heavy Duty Cooling	Tensioner	5979
	8 Cyl. 5.7L	Fleetwood; w/o Heavy Duty Cooling	Tensioner	5968
93-90	8 Cyl. 5.7L	Brougham	Tensioner	5979
92	8 Cyl. 4.9L	Fleetwood	Tensioner	5975
92-91	8 Cyl. 4.9L	Fleetwood	Idler	5990
92-90	8 Cyl. 5.0L	Brougham	Tensioner	5979
91	8 Cyl. 4.9L	Fleetwood	Tensioner	5973
90	8 Cyl. 4.5L	Fleetwood	Idler	5990
	8 Cyl. 4.5L	Fleetwood	Tensioner	5973
89-86	All Eng.	Fleetwood	Idler	5990
	All Eng.	Fleetwood	Tensioner	5979
86	All Eng.	Brougham	Idler	5979
85	6 Cyl. 4.3L	Fleetwood	Tensioner	5970

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CADILLAC				
FLEETWOOD / BROUGHAM				
85	8 Cyl. 4.1L	Fleetwood	Tensioner	5979
	8 Cyl. 5.7L	Brougham	Idler	5065
84-79	8 Cyl. 5.7L	Brougham	Idler	5900
SEVILLE				
04-98	All Eng.	Accessory	Idler	5072
04-94	All Eng.	Accessory	Tensioner	5979
97-94	All Eng.		Idler	5975
93	8 Cyl. 4.6L		Idler	5975
	8 Cyl. 4.6L		Tensioner	5979
	8 Cyl. 4.9L		Idler	5990
	8 Cyl. 4.9L		Tensioner	5973
92-91	All Eng.		Idler	5990
	All Eng.		Tensioner	5975
90	All Eng.		Idler	5975
	All Eng.		Tensioner	5990
89-86	All Eng.		Idler	5990
	All Eng.		Tensioner	5979
85	8 Cyl. 5.7L		Idler	5065
84-80	8 Cyl. 5.7L		Idler	5900
79-78	All Eng.		Idler	5900
SRX				
16-12	6 Cyl. 3.6L		Idler	5083
11-10	6 Cyl. 2.8L		Idler	5083
09	6 Cyl. 3.6L	AC Belt Drive; Pwr Str Belt Drive	Idler	5919
09-04	8 Cyl. 4.6L	Alternator Belt Drive	Tensioner	5979
STS				
11-05	6 Cyl. 3.6L	AC Belt Drive; Pwr Str Belt Drive	Idler	5919
09-05	8 Cyl. 4.6L	Alternator Belt Drive	Tensioner	5979
XLR				
07-06	8 Cyl. 4.4L	AC Belt Drive	Tensioner	5979
05-04	All Eng.	AC Belt Drive	Tensioner	5979
XTS				
17-13	6 Cyl. 3.6L		Idler	5083
CHECKER				
MARATHON				
82-80	8 Cyl. 5.7L		Idler	5065
CHEVROLET				
AVEO				
08-04	All Eng.		Tensioner	5972
BERETTA				
96-90	4 Cyl. 2.2L		Tensioner	5968
	6 Cyl. 3.1L		Tensioner	5973
94-90	4 Cyl. 2.3L		Tensioner	5012
93-90	6 Cyl. 3.1L	w/o AC	Idler	5971
89-87	4 Cyl. 2.0L		Tensioner	5968

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET				
BERETTA				
89-87	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
CAMARO				
15-12	8 Cyl. 6.2L	Supercharger; Lower	Idler	5082
	8 Cyl. 6.2L	Supercharger; Upper	Idler	5081
	8 Cyl. 6.2L	w/o Supercharger; Smooth Pulley	Idler	5932
11-10	8 Cyl. 6.2L		Idler	5932
02-01	8 Cyl. 5.7L	Main Drive	Idler	5072
	8 Cyl. 5.7L	Main Drive	Tensioner	5996
02-98	6 Cyl. 3.8L		Tensioner	5979
	8 Cyl. 5.7L	AC Belt Drive	Idler	5084
	8 Cyl. 5.7L	AC Belt Drive	Tensioner	5084
02-97	6 Cyl. 3.8L		Idler	5979
00-98	8 Cyl. 5.7L	Serpentine Belt Drive	Idler	5979
	8 Cyl. 5.7L	Serpentine Belt Drive	Tensioner	5996
97-95	6 Cyl. 3.8L		Tensioner	5972
97-93	8 Cyl. 5.7L		Tensioner	5975
96	6 Cyl. 3.8L	Grooved; w/o AC	Idler	5971
	6 Cyl. 3.8L	Smooth	Idler	5979
95	6 Cyl. 3.8L		Idler	5979
95-94	6 Cyl. 3.4L		Idler	5971
95-93	6 Cyl. 3.4L		Tensioner	5975
	8 Cyl. 5.7L		Idler	5971
93	6 Cyl. 3.4L	w/o AC	Idler	5971
92-90	6 Cyl. 3.1L		Tensioner	5968
92-88	8 Cyl. 5.0L		Idler	5978
	8 Cyl. 5.7L		Idler	5978
92-87	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.7L		Tensioner	5979
89-87	6 Cyl. 2.8L		Idler	5971
	6 Cyl. 2.8L		Tensioner	5968
CAPRICE				
11	All Eng.		Tensioner	5996
96-94	8 Cyl. 4.3L		Tensioner	5975
	8 Cyl. 5.7L		Tensioner	5975
93-92	6 Cyl. 4.3L		Tensioner	5979
93-89	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.7L		Tensioner	5979
90-89	6 Cyl. 4.3L		Tensioner	5979
CAVALIER				
05-03	4 Cyl. 2.2L		Tensioner	5008
02	4 Cyl. 2.2L	VIN: 4	Idler	5012
	4 Cyl. 2.2L	VIN: 4	Tensioner	5972
	4 Cyl. 2.2L	VIN:F	Idler	5012
	4 Cyl. 2.2L	VIN:F	Tensioner	5008

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET				
CAVALIER				
02-99	4 Cyl. 2.4L		Tensioner	5020
01-98	4 Cyl. 2.2L		Idler	5012
	4 Cyl. 2.2L		Tensioner	5972
98-96	4 Cyl. 2.4L		Tensioner	5012
97-93	4 Cyl. 2.2L		Idler	5968
97-90	4 Cyl. 2.2L		Tensioner	5968
95	4 Cyl. 2.3L		Tensioner	5012
94-90	6 Cyl. 3.1L		Tensioner	5973
93-90	6 Cyl. 3.1L	w/o AC	Idler	5971
89-87	4 Cyl. 2.0L		Idler	5968
	4 Cyl. 2.0L		Tensioner	5968
	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
86-85	4 Cyl. 2.0L		Idler	5902
	6 Cyl. 2.8L		Idler	5975
84-82	All Eng.		Idler	5902
CELEBRITY				
90	6 Cyl. 3.1L		Tensioner	5973
90-87	4 Cyl. 2.5L		Tensioner	5968
89-87	4 Cyl. 2.5L		Idler	5968
	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
86	4 Cyl. 2.5L		Idler	5957
85-82	6 Cyl. 4.3L		Idler	5959
	6 Cyl. 4.3L		Tensioner	5970
CLASSIC				
05-04	4 Cyl. 2.2L		Tensioner	5008
COBALT				
10-08	4 Cyl. 2.0L		Tensioner	5008
10-05	4 Cyl. 2.2L		Tensioner	5008
08-06	4 Cyl. 2.4L		Tensioner	5008
07-05	4 Cyl. 2.0L		Tensioner	5038
CORSICA				
96-90	4 Cyl. 2.2L		Tensioner	5968
	6 Cyl. 3.1L		Tensioner	5973
93-90	6 Cyl. 3.1L	w/o AC	Idler	5971
89-87	4 Cyl. 2.0L		Tensioner	5968
	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
CORVETTE				
13	8 Cyl. 7.0L	w/o Supercharger; AC Belt Drive	Tensioner	5084
13-09	8 Cyl. 6.2L		Idler	5932
	8 Cyl. 6.2L	w/o Supercharger; AC Belt Drive	Tensioner	5084
	8 Cyl. 7.0L		Idler	5932
12-09	8 Cyl. 6.2L	w/o Supercharger; Main Drive	Tensioner	5996

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET				
CORVETTE				
11-09	8 Cyl. 7.0L	Main Drive	Tensioner	5996
10-09	8 Cyl. 7.0L	AC Belt Drive	Tensioner	5084
08-07	All Eng.		Idler	5932
08-06	All Eng.	AC Belt Drive	Tensioner	5084
	All Eng.	Main Drive	Tensioner	5996
06	8 Cyl. 7.0L		Idler	5932
05-97	All Eng.	Accessory Belt Drive	Tensioner	5996
04-97	All Eng.	AC Belt Drive	Idler	5084
	All Eng.	AC Belt Drive	Tensioner	5084
	All Eng.	Main Drive	Idler	5979
96-94	All Eng.		Idler	5972
	All Eng.		Tensioner	5972
93	All Eng.	Grooved	Idler	5971
	All Eng.	Grooved	Tensioner	5971
	All Eng.	Smooth	Idler	5972
	All Eng.	Smooth	Tensioner	5972
92	8 Cyl. 5.7L	VIN:J; DOHC	Idler	5979
	8 Cyl. 5.7L	VIN:J; DOHC	Tensioner	5972
	8 Cyl. 5.7L	VIN:P; OHV	Idler	5971
	8 Cyl. 5.7L	VIN:P; OHV	Tensioner	5971
91-88	All Eng.		Tensioner	5972
90-89	All Eng.		Idler	5974
88-84	All Eng.		Idler	5959
87-84	All Eng.		Tensioner	5979
IMPALA				
17-12	6 Cyl. 3.6L		Idler	5083
11-06	6 Cyl. 3.5L		Tensioner	5971
	6 Cyl. 3.5L	Lower; Smooth	Idler	5918
	6 Cyl. 3.5L	Upper; Smooth	Idler	5979
	6 Cyl. 3.9L		Tensioner	5971
	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
09-06	8 Cyl. 5.3L	; Grooved Pulley	Idler	5909
	8 Cyl. 5.3L	Grooved	Tensioner	5996
	8 Cyl. 5.3L	Lower; Smooth Pulley	Idler	5979
	8 Cyl. 5.3L	Smooth Pulley; Upper	Idler	5932
08-06	6 Cyl. 3.5L	; Grooved	Idler	5971
	6 Cyl. 3.9L	; Grooved	Idler	5971
05-04	6 Cyl. 3.8L	Supercharged	Tensioner	5979
	6 Cyl. 3.8L	Supercharged; Grooved	Idler	5971
	6 Cyl. 3.8L	Supercharged; Smooth	Idler	5975
	6 Cyl. 3.8L	w/o Supercharger	Tensioner	5979
05-00	6 Cyl. 3.4L		Tensioner	5975
03-00	6 Cyl. 3.8L		Tensioner	5979
94	8 Cyl. 5.7L		Tensioner	5975

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET				
IMPALA SS				
96-94	All Eng.		Tensioner	5975
LUMINA				
01-98	6 Cyl. 3.1L		Tensioner	5975
99	6 Cyl. 3.8L		Tensioner	5979
98	6 Cyl. 3.8L		Idler	5979
	6 Cyl. 3.8L		Tensioner	5972
97-91	6 Cyl. 3.4L		Tensioner	5969
97-90	6 Cyl. 3.1L		Tensioner	5973
93-90	6 Cyl. 3.1L	w/o AC	Idler	5971
92-90	4 Cyl. 2.5L		Tensioner	5968
LUMINA APV				
96	6 Cyl. 3.4L		Tensioner	5973
95-92	6 Cyl. 3.8L		Tensioner	5969
95-90	6 Cyl. 3.1L		Idler	5971
	6 Cyl. 3.1L		Tensioner	5973
MALIBU / MALIBU MAXX				
12-11	4 Cyl. 2.4L		Tensioner	5008
12-08	6 Cyl. 3.6L		Idler	5083
10-08	4 Cyl. 2.4L	Stationary	Tensioner	5008
10-07	6 Cyl. 3.5L	Lower; Smooth	Idler	5918
	6 Cyl. 3.5L	Upper; Smooth	Idler	5979
10-04	6 Cyl. 3.5L		Tensioner	5971
08-04	4 Cyl. 2.2L		Tensioner	5008
07-06	6 Cyl. 3.9L		Tensioner	5971
	6 Cyl. 3.9L	; Grooved	Idler	5971
	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
06-04	6 Cyl. 3.5L	Grooved	Idler	5971
03-97	6 Cyl. 3.1L		Idler	5979
	6 Cyl. 3.1L		Tensioner	5971
99	4 Cyl. 2.4L		Tensioner	5020
98-97	4 Cyl. 2.4L		Tensioner	5012
83-82	6 Cyl. 4.3L		Idler	5959
	6 Cyl. 4.3L		Tensioner	5970
MONTE CARLO				
07-06	6 Cyl. 3.5L		Tensioner	5971
	6 Cyl. 3.5L	; Grooved	Idler	5971
	6 Cyl. 3.5L	Lower; Smooth	Idler	5918
	6 Cyl. 3.5L	Upper; Smooth	Idler	5979
	8 Cyl. 5.3L	; Grooved Pulley	Idler	5909
	8 Cyl. 5.3L	Lower; Smooth Pulley	Idler	5979
	8 Cyl. 5.3L	Smooth Pulley; Upper	Idler	5932
06	6 Cyl. 3.9L		Tensioner	5971
	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET				
MONTE CARLO				
05-04	6 Cyl. 3.8L	Supercharged	Tensioner	5979
	6 Cyl. 3.8L	Supercharged; Grooved	Idler	5971
	6 Cyl. 3.8L	Supercharged; Smooth	Idler	5975
	6 Cyl. 3.8L	w/o Supercharger	Tensioner	5979
05-00	6 Cyl. 3.4L		Tensioner	5975
03-99	6 Cyl. 3.8L		Tensioner	5979
99-98	6 Cyl. 3.1L		Tensioner	5975
98	6 Cyl. 3.8L		Idler	5979
	6 Cyl. 3.8L		Tensioner	5972
97-95	6 Cyl. 3.1L		Tensioner	5973
	6 Cyl. 3.4L		Tensioner	5969
83-82	6 Cyl. 4.3L		Idler	5959
	6 Cyl. 4.3L		Tensioner	5970
OPTRA				
06-05	4 Cyl. 2.0L		Tensioner	5013
VECTRA				
05-04	4 Cyl. 2.2L		Tensioner	5008
VENTURE				
05-99	All Eng.		Tensioner	5971
01-99	All Eng.		Idler	5979
98-97	All Eng.		Tensioner	5973
CHEVROLET LIGHT TRUCK				
ASTRO				
05-96	All Eng.		Tensioner	5996
	All Eng.	Grooved; w/o AC	Idler	5996
	All Eng.	Smooth	Idler	5975
95-92	All Eng.	w/o AC	Idler	5971
95-91	All Eng.	w/o AC	Tensioner	5971
	All Eng.	w/ AC	Idler	5975
	All Eng.	w/ AC	Tensioner	5975
91	All Eng.	w/o AC	Idler	5973
90	6 Cyl. 4.3L	w/ AC	Idler	5975
	6 Cyl. 4.3L	w/o AC	Idler	5973
	6 Cyl. 4.3L	w/o AC	Tensioner	5971
90-87	4 Cyl. 2.5L		Tensioner	5970
	6 Cyl. 4.3L	w/ AC	Tensioner	5975
89-87	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Tensioner	5982
86-85	6 Cyl. 4.3L		Idler	5902
AVALANCHE				
13-02	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
09-07	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
06-02	8 Cyl. 8.1L	AC Belt Drive	Tensioner	5084

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET LIGHT TRUCK				
AVALANCHE				
06-02	8 Cyl. 8.1L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 8.1L	Serpentine Belt Drive	Tensioner	5971
CAPTIVA / CAPTIVA SPORT				
10-08	6 Cyl. 3.6L		Idler	5083
CHEYENNE				
13-10	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
COLORADO				
12-09	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
12-07	4 Cyl. 2.9L		Idler	5047
	4 Cyl. 2.9L		Tensioner	5025
	5 Cyl. 3.7L		Idler	5047
	5 Cyl. 3.7L		Tensioner	5025
06-04	4 Cyl. 2.8L		Idler	5047
	4 Cyl. 2.8L		Tensioner	5025
	5 Cyl. 3.5L		Idler	5047
	5 Cyl. 3.5L		Tensioner	5025
EQUINOX				
17-13	6 Cyl. 3.6L		Idler	5083
13-10	4 Cyl. 2.4L		Tensioner	5008
10	6 Cyl. 3.0L		Idler	5083
09-08	6 Cyl. 3.6L		Idler	5083
09-05	6 Cyl. 3.4L		Tensioner	5971
07-05	6 Cyl. 3.4L	Grooved	Idler	5971
FULLSIZE PICKUP				
16-01	8 Cyl. 6.6L	Grooved; w/o AC	Idler	5935
13-09	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
13-01	8 Cyl. 6.6L	Smooth	Idler	5071
13-99	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
11	6 Cyl. 4.3L	Silverado 1500	Tensioner	5996
10-96	6 Cyl. 4.3L		Tensioner	5996
07-03	8 Cyl. 8.1L	Main Drive	Idler	5975
07-01	8 Cyl. 8.1L	Main Drive	Tensioner	5971
	8 Cyl. 8.1L	AC Belt Drive	Tensioner	5084
07-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
02	8 Cyl. 8.1L	; Grooved; w/o AC	Idler	5996
	8 Cyl. 8.1L	Serpentine Belt Drive	Idler	5975

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET LIGHT TRUCK				
FULLSIZE PICKUP				
02-01	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
02-96	8 Cyl. 6.5L		Tensioner	5979
01	8 Cyl. 6.6L		Tensioner	5979
	8 Cyl. 6.6L	Grooved; w/ AC	Idler	5996
	8 Cyl. 8.1L	Main Drive	Idler	5975
00-96	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
	8 Cyl. 7.4L		Tensioner	5996
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
	8 Cyl. 7.4L	Smooth	Idler	5975
99-96	8 Cyl. 5.0L		Tensioner	5996
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
95	8 Cyl. 6.5L		Tensioner	5975
	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
95-94	8 Cyl. 7.4L	w/ AC	Tensioner	5066
	8 Cyl. 7.4L	w/o AC	Tensioner	5971
95-88	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/ AC	Tensioner	5975
	6 Cyl. 4.3L	w/o AC	Idler	5010
	8 Cyl. 5.0L	w/ AC	Idler	5979
	8 Cyl. 5.0L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/o AC	Idler	5010
	8 Cyl. 5.7L	w/ AC	Idler	5979
	8 Cyl. 5.7L	w/o AC	Idler	5010
95-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
	8 Cyl. 7.4L	w/ AC	Idler	5975
93-92	8 Cyl. 7.4L	2500 & 3500	Tensioner	5975
93-88	8 Cyl. 6.2L		Idler	5970
	8 Cyl. 7.4L	w/o AC	Idler	5976
92	8 Cyl. 6.2L		Tensioner	5975
91-88	8 Cyl. 7.4L	w/ AC	Tensioner	5975
89-88	6 Cyl. 4.3L	w/o AC	Tensioner	5982
	8 Cyl. 5.0L	w/o AC	Tensioner	5982
	8 Cyl. 5.7L	w/o AC	Tensioner	5982
87	8 Cyl. 5.7L		Idler	5979
	8 Cyl. 7.4L		Tensioner	5975
G SERIES FULLSIZE VAN / EXPRESS				
13-06	8 Cyl. 6.6L	Smooth	Idler	5071
13-03	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

CHEVROLET LIGHT TRUCK

G SERIES FULLSIZE VAN / EXPRESS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
13-03	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
11-97	6 Cyl. 4.3L		Tensioner	5996
07-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
02-01	8 Cyl. 6.5L	Smooth Pulley; w/ Dual 105 Amp Alternator	Idler	5990
	8 Cyl. 8.1L		Tensioner	5979
	8 Cyl. 8.1L	Grooved; w/o AC	Idler	5996
	8 Cyl. 8.1L	Smooth	Idler	5975
02-00	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
02-97	8 Cyl. 5.7L		Tensioner	5996
02-96	8 Cyl. 5.0L		Tensioner	5996
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
02-94	8 Cyl. 6.5L		Tensioner	5979
00	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
00-97	8 Cyl. 7.4L	w/ Air Pump	Tensioner	5975
	8 Cyl. 7.4L	w/o Air Pump	Tensioner	5996
00-96	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
00-94	8 Cyl. 7.4L	Smooth	Idler	5975
99	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
98	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5970
97	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
96	6 Cyl. 4.3L	w/ AC	Tensioner	5996
	8 Cyl. 7.4L	Express; w/o Air Pump	Tensioner	5996
	8 Cyl. 7.4L	G Series Fullsize Van	Tensioner	5968
96-92	6 Cyl. 4.3L	w/o AC	Tensioner	5971
	8 Cyl. 5.7L	w/o AC	Tensioner	5971
96-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
95	8 Cyl. 6.5L	Smooth; w/ Dual Alternator	Idler	5990
95-94	8 Cyl. 6.5L	Grooved	Idler	5971
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5971
95-92	6 Cyl. 4.3L		Idler	5975
	8 Cyl. 5.0L	w/o AC	Tensioner	5971
	8 Cyl. 5.0L		Idler	5975
	8 Cyl. 5.7L		Idler	5975
	8 Cyl. 7.4L		Tensioner	5968
95-87	6 Cyl. 4.3L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/ AC	Tensioner	5975
94	8 Cyl. 6.5L	Smooth	Idler	5990
93-92	8 Cyl. 7.4L		Idler	5975
91-90	8 Cyl. 7.4L		Tensioner	5975

CHEVROLET LIGHT TRUCK

G SERIES FULLSIZE VAN / EXPRESS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
91-90	8 Cyl. 7.4L	w/ AC	Idler	5973
91-88	8 Cyl. 7.4L	w/o AC	Idler	5066
91-87	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Tensioner	5982
	8 Cyl. 5.0L	w/ AC	Idler	5979
	8 Cyl. 5.0L	w/o AC	Tensioner	5982
	8 Cyl. 5.7L	w/ AC	Idler	5979
	8 Cyl. 5.7L	w/o AC	Tensioner	5982
89	8 Cyl. 7.4L	w/ AC	Idler	5975
89-88	8 Cyl. 7.4L	w/ AC	Tensioner	5975
88	8 Cyl. 7.4L	w/ AC	Idler	5973
87	8 Cyl. 5.7L	w/o AC	Idler	5010
86-85	6 Cyl.	w/ AC	Idler	5957
	8 Cyl.	w/ AC	Idler	5957
84	8 Cyl.	w/ AC	Idler	5902
83-73	All Eng.		Idler Assy	5960

HHR

11	All Eng.		Tensioner	5008
10-08	4 Cyl. 2.0L		Tensioner	5008
10-07	4 Cyl. 2.4L		Tensioner	5008
10-06	4 Cyl. 2.2L		Tensioner	5008
06	4 Cyl. 2.4L		Tensioner	5012

LLV (POSTAL VEHICLE)

95-94	All Eng.		Tensioner	5975
93-87	All Eng.		Tensioner	5970

P SERIES VAN

99-96	6 Cyl. 4.3L		Tensioner	5996
	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
	8 Cyl. 7.4L		Tensioner	5996
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
	8 Cyl. 7.4L	Smooth	Idler	5975
99-94	8 Cyl. 6.5L		Tensioner	5979
95-94	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990

S10 BLAZER

05-96	6 Cyl. 4.3L		Tensioner	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
03-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
95-91	6 Cyl. 4.3L		Tensioner	5975
95-88	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Idler	5010
90-88	6 Cyl. 4.3L	w/ AC	Tensioner	5975

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET LIGHT TRUCK				
S10 BLAZER				
89-86	6 Cyl. 2.8L		Tensioner	5975
	6 Cyl. 2.8L	w/ AC	Idler	5990
88-87	4 Cyl. 2.5L		Tensioner	5975
	4 Cyl. 2.5L	w/o AC	Idler	5991
	6 Cyl. 2.8L	w/o AC	Idler	5935
S10 PICKUP				
04-96	6 Cyl. 4.3L		Tensioner	5996
	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
03-98	4 Cyl. 2.2L		Tensioner	5972
97-94	4 Cyl. 2.2L		Tensioner	5975
96-94	4 Cyl. 2.2L		Pulley Bracket	5786
95-92	6 Cyl. 4.3L		Tensioner	5975
95-88	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Idler	5010
93-92	4 Cyl. 2.5L	w/o AC	Idler	5991
93-91	4 Cyl. 2.5L		Tensioner	5975
93-87	6 Cyl. 2.8L		Tensioner	5975
	6 Cyl. 2.8L	w/ AC	Idler	5990
91-88	6 Cyl. 4.3L	w/ AC	Tensioner	5975
91-87	4 Cyl. 2.5L	w/o Pwr Str; w/o AC	Idler	5991
90	4 Cyl. 2.5L		Tensioner	5978
89-87	4 Cyl. 2.5L		Tensioner	5975
88-87	6 Cyl. 2.8L	w/o AC	Idler	5935
SSR				
06	8 Cyl. 6.0L		Idler	5975
06-05	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
05	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
04-03	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
SUBURBAN / FULLSIZE BLAZER / TAHOE				
13-00	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
09	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
09-00	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
06-01	8 Cyl. 8.1L	AC Belt Drive	Tensioner	5084
	8 Cyl. 8.1L	Main Drive	Idler	5975
	8 Cyl. 8.1L	Main Drive	Tensioner	5971
00-96	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHEVROLET LIGHT TRUCK				
SUBURBAN / FULLSIZE BLAZER / TAHOE				
99-96	8 Cyl. 6.5L		Tensioner	5979
	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
	8 Cyl. 7.4L		Tensioner	5996
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
	8 Cyl. 7.4L	Smooth	Idler	5975
95	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
95-94	8 Cyl. 7.4L		Idler	5975
	8 Cyl. 7.4L	w/ AC	Tensioner	5066
	8 Cyl. 7.4L	w/o AC	Tensioner	5971
95-92	8 Cyl. 5.7L		Tensioner	5975
95-87	8 Cyl. 5.7L	w/ AC	Idler	5979
	8 Cyl. 5.7L	w/o AC	Idler	5010
93-89	8 Cyl. 7.4L	w/o AC	Idler	5976
93-87	8 Cyl. 7.4L		Tensioner	5975
	8 Cyl. 7.4L	w/ AC	Idler	5975
91-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
87	8 Cyl. 5.0L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/o AC	Idler	5010
TRACKER				
03-99	4 Cyl. 2.0L		Idler	5075
	4 Cyl. 2.0L		Tensioner	5073
TRAILBLAZER				
09-06	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
09-02	6 Cyl. 4.2L		Idler	5026
	6 Cyl. 4.2L		Tensioner	5025
08-05	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
08-03	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
04-03	8 Cyl. 5.3L		Idler	5975
TRAVERSE				
17-09	6 Cyl. 3.6L		Idler	5083
UPLANDER				
09-06	6 Cyl. 3.9L		Tensioner	5971
08-06	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
06	6 Cyl. 3.5L	Upper; Smooth	Idler	5979
	6 Cyl. 3.9L	; Grooved	Idler	5056
06-05	6 Cyl. 3.5L		Tensioner	5971
05	6 Cyl. 3.5L	Smooth	Idler	5979
CHRYSLER				
200 SERIES				
14-11	4 Cyl. 2.4L	Upper	Idler	5076
12-11	4 Cyl. 2.4L	Lower	Idler	5013

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHRYSLER				
300 SERIES				
12-11	6 Cyl. 3.6L		Idler	5038
	8 Cyl.		Idler	5013
10-05	6 Cyl. 2.7L		Idler	5038
	6 Cyl. 3.5L		Idler	5038
	8 Cyl. 5.7L		Idler	5013
	8 Cyl. 6.1L		Idler	5013
04-99	All Eng.	300M; AC Belt Drive	Idler	5017
	All Eng.	300M; Alternator & Pwr Str Belt Drive	Idler	5018
71-70	All Eng.	300	Idler	5954
69-67	All Eng.	300	Idler	5900
66	All Eng.	300; Dealer Air	Idler	5900
65	All Eng.	300	Idler	5900
ASPEN				
09	8 Cyl. 5.7L	LIMITED	Idler	5013
09-07	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
08-07	8 Cyl. 5.7L		Idler	5979
	8 Cyl. 5.7L		Tensioner	5980
CIRRUS				
00-95	All Eng.		Idler	5018
CONCORDE				
04-02	6 Cyl. 2.7L	AC Belt Drive	Tensioner	5056
	6 Cyl. 3.5L	AC Belt Drive	Idler	5017
	6 Cyl. 3.5L	Alternator & Pwr Str Belt Drive	Idler	5018
04-01	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive	Idler	5018
01-98	6 Cyl. 2.7L	AC Belt Drive	Tensioner	5971
	6 Cyl. 3.2L	AC Belt Drive	Idler	5017
	6 Cyl. 3.2L	Alternator & Pwr Str Belt Drive	Idler	5018
00-98	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive	Idler	5019
97	All Eng.	AC Belt Drive	Idler	5017
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
96-93	6 Cyl. 3.3L		Idler	5954
	6 Cyl. 3.5L	AC Belt Drive	Idler	5017
	6 Cyl. 3.5L	Alternator & Pwr Str Belt Drive	Idler	5018
CONQUEST				
89-88	All Eng.		Tensioner	5018
CORDOBA				
83-80	6 Cyl. 3.7L		Idler	5954
79-75	All Eng.	Dealer Air	Idler	5900
CROSSFIRE				
08-07	All Eng.		Idler	5038
06-05	All Eng.	w/o Supercharger	Idler	5038
04	All Eng.		Idler	5038
DAYTONA				
93	6 Cyl. 3.0L	Canada	Tensioner	5975

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHRYSLER				
DAYTONA				
92-91	6 Cyl. 3.0L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L	Canada	Tensioner	5973
	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
90	6 Cyl. 3.0L		Tensioner	5975
89	All Eng.	Canada	Bushing	5907
	All Eng.	Canada	Idler	5900
88	4 Cyl. 2.2L	Canada	Idler	5900
87-85	All Eng.	Canada	Idler	5900
DYNASTY				
93	All Eng.	Canada	Idler	5975
	All Eng.	Canada	Tensioner	5975
92	6 Cyl. 3.3L	Canada	Tensioner	5975
92-89	4 Cyl. 2.5L	Canada	Idler	5900
91	6 Cyl. 3.3L	To 2/28/91; Canada	Tensioner	5975
90-89	6 Cyl. 3.0L	Canada	Tensioner	5975
88	All Eng.	Canada	Idler	5900
E CLASS				
84-83	4 Cyl. 2.2L		Idler	5954
	4 Cyl. 2.6L		Idler	5954
EXECUTIVE				
86	4 Cyl. 2.2L		Idler	5954
85-84	4 Cyl. 2.6L		Idler	5954
FIFTH AVENUE				
84	All Eng.		Idler	5954
83	6 Cyl. 3.7L		Idler	5954
	8 Cyl. 5.2L		Idler	5954
IMPERIAL				
93-90	All Eng.		Idler	5018
	All Eng.		Tensioner	5018
83-81	All Eng.		Idler	5900
75-74	All Eng.	Dealer Air	Idler	5900
	All Eng.	Factory Air	Idler	5968
73	All Eng.		Idler	5954
72-69	All Eng.		Idler	5900
INTREPID				
03-02	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive; Canada	Idler	5019
01	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive	Idler	5019
01-98	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive; Canada	Bushing	5907
	6 Cyl. 2.7L	AC Belt Drive; Canada	Tensioner	5971
	6 Cyl. 3.2L	AC Belt Drive	Idler	5017
	6 Cyl. 3.2L	Alternator & Pwr Str Belt Drive	Idler	5018
00-98	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive; Canada	Idler	5019
99	6 Cyl. 2.7L	AC Belt Drive	Tensioner	5056
97-94	6 Cyl. 3.3L		Idler	5954
	6 Cyl. 3.5L	AC Belt Drive	Idler	5017

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHRYSLER				
INTREPID				
97-94	6 Cyl. 3.5L	Alternator & Pwr Str Belt Drive	Idler	5018
LASER				
86	4 Cyl. 2.5L		Idler	5954
86-84	4 Cyl. 2.2L		Idler	5954
LEBARON				
95-94	All Eng.	AC Belt Drive	Idler	5954
	All Eng.	Serpentine Belt Drive	Idler	5018
	All Eng.	Serpentine Belt Drive	Tensioner	5018
93-91	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
	6 Cyl. 3.0L	Serpentine Belt Drive	Tensioner	5018
93-90	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
93-86	4 Cyl. 2.5L		Idler	5954
90	6 Cyl. 3.0L		Tensioner	5975
90-84	4 Cyl. 2.2L		Idler	5954
85-84	4 Cyl. 2.6L		Idler	5954
83-82	4 Cyl. 2.2L	Factory Air	Idler	5954
	4 Cyl. 2.6L	Factory Air	Idler	5954
83-81	All Eng.	Dealer Air	Idler	5900
81	6 Cyl. 3.7L	Factory Air	Idler	5954
	8 Cyl. 5.2L	Factory Air	Idler	5954
80-79	6 Cyl. 3.7L		Idler	5900
78	6 Cyl. 3.7L	Factory Air	Idler	5900
78-77	All Eng.	Dealer Air	Idler	5900
LHS				
01-99	All Eng.	AC Belt Drive	Idler	5017
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
97-94	All Eng.	AC Belt Drive	Idler	5017
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
NEW YORKER				
96-94	All Eng.	AC Belt Drive	Idler	5017
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
93-90	All Eng.		Tensioner	5018
	All Eng.	Back Idler	Idler	5018
90	All Eng.	Dealer Air; 1/2" Belt	Idler	5900
	All Eng.	Factory Air; 3/8" Belt	Idler	5954
89-88	6 Cyl. 3.0L		Idler	5954
	6 Cyl. 3.0L		Tensioner	5018
88-83	4 Cyl. 2.2L		Idler	5954
87-86	4 Cyl. 2.5L		Idler	5954
85-84	4 Cyl. 2.6L		Idler	5954
83	4 Cyl. 2.6L	Factory Air	Idler	5954
82	6 Cyl. 3.7L	Factory Air	Idler	5954
	8 Cyl. 5.2L	Factory Air	Idler	5954
82-81	All Eng.	Dealer Air	Idler	5900
81	All Eng.	Factory Air	Idler	5954

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
CHRYSLER				
NEW YORKER				
80	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.9L	w/ AC	Idler	5900
79	8 Cyl. 5.9L	Dealer Air	Idler	5900
78	All Eng.	Dealer Air	Idler	5900
77	8 Cyl. 5.9L	Dealer Air	Idler	5900
77-76	8 Cyl. 7.2L	w/ AC	Idler	5900
77-75	8 Cyl. 6.6L	Dealer Air	Idler	5900
74	All Eng.		Idler	5968
73-70	All Eng.		Idler	5954
69-66	All Eng.		Idler	5900
65	8 Cyl. 6.8L		Idler	5900
NEWPORT				
81	6 Cyl. 3.7L		Idler	5954
	8 Cyl. 5.2L	Factory Air	Idler	5954
80-79	6 Cyl. 3.7L	Dealer Air	Idler	5900
78	8 Cyl. 6.6L	Factory Air; w/ Std Alt; w/o Air Pump	Idler	5968
78-76	8 Cyl. 7.2L	Factory Air	Idler	5968
	All Eng.	Dealer Air	Idler	5900
77-76	8 Cyl. 6.6L	Factory Air	Idler	5968
75-74	8 Cyl. 6.6L		Idler	5968
	8 Cyl. 7.2L		Idler	5968
73	8 Cyl. 6.6L	Factory Air	Idler	5954
	8 Cyl. 7.2L	Factory Air	Idler	5954
72	8 Cyl. 6.6L		Idler	5954
72-71	8 Cyl. 5.9L		Idler	5954
72-70	8 Cyl. 7.2L		Idler	5954
71-70	8 Cyl. 6.3L		Idler	5954
69-67	8 Cyl. 6.3L		Idler	5900
	8 Cyl. 7.2L		Idler	5900
66	8 Cyl. 7.2L	Dealer Air	Idler	5900
66-65	8 Cyl. 6.3L	Dealer Air	Idler	5900
PACIFICA				
07	6 Cyl. 4.0L	4591720AA	Idler	5013
07-05	6 Cyl. 3.8L		Tensioner	5014
06	6 Cyl. 3.5L		Tensioner	5014
PROWLER				
02	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
02-01	All Eng.	AC Belt Drive	Idler	5017
SEBRING				
10-07	4 Cyl. 2.4L	Lower	Idler	5013
	4 Cyl. 2.4L	Upper	Idler	5076
05-01	6 Cyl. 3.0L		Tensioner	5904
00-95	All Eng.		Idler	5018
TC MASERATI				
91	All Eng.	AC Belt Drive	Idler	5900

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE DESCRIPTION		TYPE	PART NO.
CHRYSLER				
TC MASERATI				
91	All Eng.	Serpentine Belt Drive	Idler	5018
	All Eng.	Serpentine Belt Drive	Tensioner	5018
90	4 Cyl.	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L		Idler	5954
	6 Cyl. 3.0L	Alt & Power Steering Tensioner	Tensioner	5018
TOWN & COUNTRY				
12-11	6 Cyl. 3.6L		Idler	5038
10-08	6 Cyl. 3.3L		Idler	5013
	6 Cyl. 3.8L		Idler	5013
	6 Cyl. 4.0L		Idler	5013
07	6 Cyl. 3.3L	4792581AB	Idler	5979
	6 Cyl. 3.8L	4792581AB	Idler	5979
07-01	6 Cyl. 3.3L		Tensioner	5013
	6 Cyl. 3.8L		Tensioner	5013
06-01	6 Cyl. 3.3L		Idler	5019
	6 Cyl. 3.8L		Idler	5019
00	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
00-99	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
99-98	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
98-97	6 Cyl. 3.8L		Idler	5971
	6 Cyl. 3.8L		Tensioner	5971
97-96	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
96	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
95-91	All Eng.		Idler	5018
	All Eng.		Tensioner	5018
90	6 Cyl. 3.3L	From 3/1/90	Idler	5975
	6 Cyl. 3.3L	From 3/1/90	Tensioner	5975
88-86	4 Cyl. 2.5L		Idler	5954
88-82	4 Cyl. 2.2L		Idler	5954
85-84	4 Cyl. 2.6L		Idler	5954
81	6 Cyl. 3.7L		Idler	5954
VOYAGER / GRAND VOYAGER				
03-01	6 Cyl. 3.3L		Idler	5019
	6 Cyl. 3.3L		Tensioner	5013
00	4 Cyl. 2.4L		Idler	5018
	6 Cyl. 3.0L	Grooved	Idler	5971

YEAR	ENGINE DESCRIPTION		TYPE	PART NO.
CHRYSLER				
VOYAGER / GRAND VOYAGER				
00	6 Cyl. 3.0L	Grooved	Tensioner	5971
	6 Cyl. 3.0L	Smooth	Idler	5018
	6 Cyl. 3.0L	Smooth	Tensioner	5018
	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
DAEWOO				
LEGANZA				
02-99	All Eng.		Tensioner	5013
DODGE				
400				
83-82	4 Cyl. 2.2L		Idler	5954
	4 Cyl. 2.6L		Idler	5954
600				
88-86	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
88-83	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
85	4 Cyl. 2.6L	Dealer Air	Idler	5900
85-83	4 Cyl. 2.6L	Factory Air	Idler	5954
ARIES				
89-88	4 Cyl. 2.2L	AC Belt Drive	Idler	5900
	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
87-86	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
87-84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
85	4 Cyl. 2.6L	Dealer Air	Idler	5900
85-81	4 Cyl. 2.6L	Factory Air	Idler	5954
83-81	4 Cyl. 2.2L		Idler	5954
ASPEN				
80	6 Cyl. 3.7L		Idler	5900
79-78	6 Cyl. 3.7L	Dealer Air	Idler	5900
	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.9L	Dealer Air	Idler	5900
78-77	6 Cyl. 3.7L	Factory Air	Idler	5900
77-76	8 Cyl. 5.2L	Factory Air	Idler	5065
	8 Cyl. 5.9L	Factory Air	Idler	5065
AVENGER				
14-08	4 Cyl. 2.4L	Upper	Idler	5076
12-08	4 Cyl. 2.4L	Lower	Idler	5013
10-08	6 Cyl. 3.5L		Idler	5013
00-95	6 Cyl. 2.5L		Idler	5018
99-95	4 Cyl. 2.0L		Idler	5018
CALIBER				
12-07	4 Cyl. 2.0L	Lower	Idler	5013
	4 Cyl. 2.4L	Upper	Idler	5076
11-09	4 Cyl. 2.4L	Lower	Idler	5013

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE				
CALIBER				
09-07	4 Cyl. 1.8L	Lower	Idler	5013
	4 Cyl. 1.8L	Upper	Idler	5076
08	4 Cyl. 2.4L	Lower	Idler	5076
CHALLENGER				
12-11	8 Cyl. 6.4L		Idler	5013
12-09	8 Cyl. 5.7L		Idler	5013
10-08	8 Cyl. 6.1L		Idler	5013
09	6 Cyl. 3.5L		Idler	5038
83-80	All Eng.	Dealer Air	Idler	5900
79	4 Cyl. 2.6L	Dealer Air	Idler	5900
74	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.2L	Factory Air; w/ Std Alt; w/o Air Pump	Idler	5900
	8 Cyl. 5.9L	Dealer Air	Idler	5900
	8 Cyl. 5.9L	Factory Air; w/ Std Alt; w/o Air Pump	Idler	5900
73	8 Cyl. 5.2L	Dealer Air	Idler	5954
	8 Cyl. 5.6L	Dealer Air	Idler	5954
CHARGER				
12	8 Cyl. 6.4L		Idler	5013
12-06	8 Cyl. 5.7L		Idler	5013
11	6 Cyl. 3.6L		Idler	5038
10-06	6 Cyl. 2.7L		Idler	5038
	6 Cyl. 3.5L		Idler	5038
	8 Cyl. 6.1L		Idler	5013
87-86	4 Cyl. 2.2L	AC Belt Drive	Idler	5900
85-84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
84	4 Cyl. 1.6L		Idler	5954
83	4 Cyl. 2.2L		Idler	5900
78-74	8 Cyl. 5.2L	Factory Air	Idler	5954
	8 Cyl. 5.9L	Factory Air	Idler	5954
	8 Cyl. 6.6L	Factory Air	Idler	5968
	All Eng.	Dealer Air	Idler	5900
76	6 Cyl. 3.7L	Factory Air	Idler	5900
74	6 Cyl. 3.7L	Factory Air	Idler	5900
	8 Cyl. 7.2L	Factory Air	Idler	5968
73	6 Cyl. 3.7L		Idler	5900
	8 Cyl. 6.6L		Idler	5954
	8 Cyl. 7.2L		Idler	5954
72-66	All Eng.		Idler	5900
COLT				
94-90	4 Cyl. 1.5L	AC Idler	Idler	5902
91-90	4 Cyl. 2.0L	AC Idler	Idler	5902
84	4 Cyl. 2.0L	Dealer Air	Idler	5900
84-80	4 Cyl. 1.4L	7/16 x 1-1/2" Long	Bolt	5920
	4 Cyl. 1.6L	Dealer Air	Idler	5900
80	4 Cyl. 2.6L	Dealer Air	Idler	5900

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE				
COLT				
79	All Eng.		Idler	5900
CONQUEST				
85-84	All Eng.	Turbocharged	Idler	5900
CORONET				
76-74	6 Cyl. 3.7L	Factory Air	Idler	5900
	8 Cyl. 5.2L	Factory Air	Idler	5954
	8 Cyl. 5.9L	Factory Air	Idler	5954
	8 Cyl. 6.6L	Factory Air	Idler	5968
	8 Cyl. 7.2L	Factory Air	Idler	5968
	All Eng.	Dealer Air	Idler	5900
73	6 Cyl. 3.7L		Idler	5900
	8 Cyl. 6.6L		Idler	5954
	8 Cyl. 7.2L		Idler	5954
72-66	All Eng.		Idler	5900
DART				
76	6 Cyl. 3.7L	Dealer Air	Idler	5900
76-74	6 Cyl. 3.7L	Factory Air	Idler	5900
75-74	All Eng.	Dealer Air	Idler	5900
74	6 Cyl. 3.2L	Factory Air	Idler	5900
73	6 Cyl. 3.2L	w/o Air Pump	Idler	5900
	6 Cyl. 3.2L	w/o Pwr Str; w/ Air Pump	Idler	5954
	6 Cyl. 3.7L	w/o Air Pump	Idler	5900
	6 Cyl. 3.7L	w/o Pwr Str; w/ Air Pump	Idler	5954
72-70	All Eng.		Idler	5900
68-65	All Eng.	Dealer Air	Idler	5900
DAYTONA				
93-92	4 Cyl. 2.2L		Idler	5018
93-91	6 Cyl. 3.0L		Tensioner	5018
93-90	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
92-90	6 Cyl. 3.0L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
90	4 Cyl. 2.2L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L		Tensioner	5975
89-88	All Eng.	AC Belt Drive	Idler	5900
87	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
86	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
85	All Eng.	AC Belt Drive	Idler	5900
84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
DIPLOMAT				
82-80	6 Cyl. 3.7L		Idler	5954
79-78	8 Cyl. 5.9L	Factory Air	Idler	5954
79-77	8 Cyl. 5.2L	Factory Air	Idler	5954
	All Eng.	Dealer Air	Idler	5900
DYNASTY				
93-90	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE				
DYNASTY				
93-90	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
93-88	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
	6 Cyl. 3.0L		Tensioner	5018
	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
INTREPID				
04	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive	Idler	5018
04-00	6 Cyl. 3.5L	AC Belt Drive	Idler	5017
	6 Cyl. 3.5L	Alternator & Pwr Str Belt Drive	Idler	5018
04-98	6 Cyl. 2.7L	AC Belt Drive	Tensioner	5056
03-98	6 Cyl. 2.7L	Alternator & Pwr Str Belt Drive	Idler	5019
01-98	6 Cyl. 3.2L	AC Belt Drive	Idler	5017
	6 Cyl. 3.2L	Alternator & Pwr Str Belt Drive	Idler	5018
97-93	6 Cyl. 3.3L	V-Belt Drive	Idler	5954
	6 Cyl. 3.5L	AC Belt Drive	Idler	5017
	6 Cyl. 3.5L	Serpentine Belt Drive	Idler	5018
LANCER				
89-86	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
89-85	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
MAGNUM				
08-06	8 Cyl. 6.1L		Idler	5013
08-05	6 Cyl. 2.7L		Idler	5038
	6 Cyl. 3.5L		Idler	5038
	8 Cyl. 5.7L		Idler	5013
79-78	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.2L	Factory Air	Idler	5954
	8 Cyl. 5.9L	Dealer Air	Idler	5900
78	8 Cyl. 5.9L	Factory Air	Idler	5954
	8 Cyl. 6.6L	Factory Air	Idler	5968
MIRADA				
82-81	6 Cyl. 3.7L		Idler	5954
MONACO				
92-90	All Eng.		Idler	5018
	All Eng.		Tensioner	5018
78	8 Cyl. 5.2L	Factory Air	Idler	5954
	8 Cyl. 5.9L	Factory Air	Idler	5954
	8 Cyl. 6.6L	Factory Air	Idler	5968
	8 Cyl. 7.2L	Factory Air	Idler	5968
	All Eng.	Dealer Air	Idler	5900
77	6 Cyl. 3.7L		Idler	5900
77-75	8 Cyl. 5.2L		Idler	5954
	8 Cyl. 5.9L		Idler	5954
77-74	8 Cyl. 6.6L		Idler	5968
	8 Cyl. 7.2L		Idler	5968
74	8 Cyl. 5.9L	w/ Std Alt; w/o Air Pump	Idler	5954

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE				
MONACO				
73	8 Cyl. 5.9L	Dealer Air	Idler	5954
	8 Cyl. 6.6L		Idler	5954
	8 Cyl. 7.2L		Idler	5954
72	8 Cyl. 6.6L		Idler	5900
72-71	8 Cyl. 5.9L		Idler	5900
72-70	8 Cyl. 7.2L		Idler	5900
71-70	8 Cyl. 6.3L		Idler	5900
70	8 Cyl. 5.2L		Idler	5900
OMNI				
90-87	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
86	4 Cyl. 1.6L	Dealer Air	Idler	5900
86-85	4 Cyl. 2.2L	AC Belt Drive	Idler	5900
86-83	4 Cyl. 1.6L	Factory Air	Idler	5954
85	4 Cyl. 1.6L	w/o Turbo; Dealer Air	Idler	5900
84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
84-83	4 Cyl. 1.6L	Dealer Air	Idler	5900
83-81	4 Cyl. 1.7L		Idler	5954
	4 Cyl. 2.2L		Idler	5954
80-78	All Eng.		Idler	5900
POLARA				
73	8 Cyl. 5.2L	Dealer Air	Idler	5954
	8 Cyl. 5.9L	Dealer Air	Idler	5954
	8 Cyl. 6.6L		Idler	5954
	8 Cyl. 7.2L		Idler	5954
72-70	All Eng.		Idler	5900
69-65	All Eng.	Dealer Air	Idler	5954
ROYAL MONACO				
77	8 Cyl. 5.2L		Idler	5954
77-75	8 Cyl. 5.9L		Idler	5954
	8 Cyl. 6.6L		Idler	5968
	8 Cyl. 7.2L		Idler	5968
75	8 Cyl. 5.2L		Idler	5954
SHADOW				
94-92	6 Cyl. 3.0L		Tensioner	5018
	6 Cyl. 3.0L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
94-88	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
94-87	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
SPIRIT				
95-89	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
	6 Cyl. 3.0L	Serpentine Belt Drive	Tensioner	5018
92-91	4 Cyl. 2.2L	Turbocharged	Idler	5018
ST. REGIS				
81	6 Cyl. 3.7L		Idler	5900

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE				
ST. REGIS				
80	6 Cyl. 3.7L		Idler	5968
79	6 Cyl. 3.7L		Idler	5900
STEALTH				
96	All Eng.		Tensioner	5018
STRATUS				
05	6 Cyl. 2.7L		Tensioner	5973
05-01	6 Cyl. 3.0L		Tensioner	5904
00-95	4 Cyl. 2.0L		Idler	5018
	4 Cyl. 2.4L		Idler	5018
	6 Cyl. 2.5L		Idler	5018
VIPER				
06-03	10 Cyl. 8.3L		Idler	5979
02-92	All Eng.		Idler	5016
DODGE LIGHT TRUCK				
A SERIES VAN				
70	8 Cyl.	A100	Idler	5900
CARAVAN / GRAND CARAVAN				
12-11	6 Cyl. 3.6L		Idler	5038
10-09	6 Cyl. 3.8L		Idler	5013
	6 Cyl. 4.0L		Idler	5013
10-08	6 Cyl. 3.3L		Idler	5013
08	6 Cyl. 3.8L	SXT	Idler	5013
	6 Cyl. 4.0L	SXT	Idler	5013
07	6 Cyl. 3.3L	4792581AB	Idler	5979
	6 Cyl. 3.8L	4792581AB	Idler	5979
07-01	6 Cyl. 3.3L		Tensioner	5013
	6 Cyl. 3.8L		Tensioner	5013
06-05	6 Cyl. 3.3L		Idler	5979
	6 Cyl. 3.8L		Idler	5979
04-01	6 Cyl. 3.3L		Idler	5019
	6 Cyl. 3.8L		Idler	5019
00	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
00-99	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
00-97	6 Cyl. 3.0L	Grooved	Idler	5971
	6 Cyl. 3.0L	Grooved	Tensioner	5971
	6 Cyl. 3.0L	Smooth	Idler	5018
	6 Cyl. 3.0L	Smooth	Tensioner	5018
00-96	4 Cyl. 2.4L		Idler	5018
99	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
98-97	6 Cyl. 3.8L	Grooved	Idler	5971

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE LIGHT TRUCK				
CARAVAN / GRAND CARAVAN				
98-97	6 Cyl. 3.8L	Grooved	Tensioner	5971
	6 Cyl. 3.8L	Smooth	Idler	5018
	6 Cyl. 3.8L	Smooth	Tensioner	5018
98-96	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
96	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
96-91	6 Cyl. 3.0L		Tensioner	5018
95	4 Cyl. 2.5L		Idler	5900
95-94	6 Cyl. 3.8L		Idler	5975
	6 Cyl. 3.8L		Tensioner	5975
95-91	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
95-87	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
94-91	4 Cyl. 2.5L	w/ AC	Idler	5954
90	6 Cyl. 3.0L		Tensioner	5975
	6 Cyl. 3.3L	From 3/1/90	Idler	5975
	6 Cyl. 3.3L	From 3/1/90	Tensioner	5975
90-89	4 Cyl. 2.5L	Factory Air	Idler	5954
89-88	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5019
89-87	6 Cyl. 3.0L		Tensioner	5018
88	4 Cyl. 2.5L	w/ AC	Idler	5954
87	4 Cyl. 2.6L	w/ AC	Idler	5954
87-84	4 Cyl. 2.2L	w/ AC	Idler	5954
86-84	4 Cyl. 2.6L	w/ AC	Idler	5900
DAKOTA				
11-04	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5975
11-00	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
07-04	6 Cyl. 3.7L		Idler	5018
07-00	8 Cyl. 4.7L		Idler	5018
03-98	8 Cyl. 5.9L		Idler	5016
	8 Cyl. 5.9L		Tensioner	5980
03-92	6 Cyl. 3.9L		Idler	5016
	6 Cyl. 3.9L		Tensioner	5980
02-96	4 Cyl. 2.5L	Adjustable	Idler	5018
	4 Cyl. 2.5L	Stationary	Idler	5019
99-92	8 Cyl. 5.2L		Idler	5016
	8 Cyl. 5.2L		Tensioner	5980
95-92	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
91-90	6 Cyl. 3.9L		Bushing	5907
91-89	4 Cyl. 2.5L	AC Belt Drive	Idler	5954

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE LIGHT TRUCK				
DAKOTA				
91-89	8 Cyl. 5.2L		Idler	5018
88	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
87	4 Cyl. 2.2L	w/ AC	Idler	5954
	6 Cyl. 3.9L		Idler	5954
DURANGO				
12-11	6 Cyl. 3.6L		Idler	5038
	8 Cyl. 5.7L		Idler	5013
09	8 Cyl. 5.7L		Idler	5013
09-08	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
08	8 Cyl. 5.7L		Idler	5979
08-04	8 Cyl. 5.7L		Tensioner	5980
07	8 Cyl. 4.7L	Smooth	Tensioner	5972
07-04	6 Cyl. 3.7L		Idler	5018
	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5975
	8 Cyl. 5.7L		Idler	59791
06-00	8 Cyl. 4.7L		Idler	5018
	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
03-99	8 Cyl. 5.9L		Idler	5016
03-98	8 Cyl. 5.9L		Tensioner	5980
00-99	8 Cyl. 5.2L		Idler	5016
00-98	8 Cyl. 5.2L		Tensioner	5980
99	6 Cyl. 3.9L		Idler	5016
99-98	6 Cyl. 3.9L		Tensioner	5980
98	All Eng.		Idler	5016
JOURNEY				
14-09	4 Cyl. 2.4L	Upper	Idler	5076
12-11	6 Cyl. 3.6L		Idler	5038
12-09	4 Cyl. 2.4L	Lower	Idler	5013
10-09	6 Cyl. 3.5L		Idler	5013
NITRO				
11-07	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5972
10-07	6 Cyl. 4.0L	Smooth	Idler	5013
PICKUP - FULLSIZE / RAMCHARGER				
15-07	6 Cyl. 6.7L		Idler	5917
12-09	8 Cyl. 5.7L		Idler	5013
12-02	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5975
	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
09-03	6 Cyl. 5.9L		Idler	5917
08-07	8 Cyl. 5.7L		Idler	5979

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE LIGHT TRUCK				
PICKUP - FULLSIZE / RAMCHARGER				
08-03	8 Cyl. 5.7L		Tensioner	5980
07	6 Cyl. 3.7L		Idler	5018
	8 Cyl. 4.7L		Idler	5018
06	10 Cyl. 8.3L		Idler	5018
	6 Cyl. 3.7L		Idler	50181
	8 Cyl. 4.7L		Idler	50181
	8 Cyl. 5.7L		Idler	59791
05-04	10 Cyl. 8.3L		Idler	5019
05-03	8 Cyl. 5.7L		Idler	5979
05-02	6 Cyl. 3.7L		Idler	5018
	8 Cyl. 4.7L		Idler	5018
03	8 Cyl. 5.9L		Tensioner	5980
03-02	10 Cyl. 8.0L		Idler	5016
	8 Cyl. 5.9L		Idler	5016
02	10 Cyl. 8.0L	Smooth	Tensioner	5979
01	8 Cyl. 5.9L	VIN: Z	Tensioner	5980
01-94	10 Cyl. 8.0L		Tensioner	5979
01-92	6 Cyl. 3.9L		Tensioner	5980
	8 Cyl. 5.2L		Tensioner	5980
	All Eng.	Gas	Idler	5016
00-98	8 Cyl. 5.9L	VIN:Z	Tensioner	5980
00-93	8 Cyl. 5.9L		Tensioner	5980
95	8 Cyl. 5.9L	Ram 2500; VIN: Z	Tensioner	5980
89	All Eng.		Idler	5900
87-86	All Eng.		Idler	5900
85-82	6 Cyl. 3.7L		Idler	5954
83-82	8 Cyl. 5.9L	w/o Pwr Str; w/ 100 Amp Alternator	Idler	5954
83-81	8 Cyl. 5.2L		Idler	5954
81	8 Cyl. 5.9L		Idler	5954
81-78	6 Cyl.		Idler	5900
80-79	8 Cyl. 5.2L		Idler	5900
78	8 Cyl. 5.2L	w/ 100 Amp Alt; w/ AC	Idler	5900
	8 Cyl. 5.9L	w/o 100 Amp Alt; w/ AC	Idler	5900
	8 Cyl. 6.6L	w/o Pwr Str; w/ AC	Idler	5900
	8 Cyl. 7.2L	w/o Pwr Str; w/ AC	Idler	5900
77-74	8 Cyl.	w/o Bracket	Idler	5900
73-69	All Eng.		Idler	5954
PICKUP - MINI				
86-83	All Eng.		Idler	5900
86-80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
82-80	All Eng.	Dealer Air	Idler	5900
RAMPAGE				
84-82	All Eng.	Dealer Air	Idler	5900
	All Eng.	Factory Air	Idler	5954

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
DODGE LIGHT TRUCK				
SPRINTER				
06-03	5 Cyl. 2.7L		Idler	5038
VAN - FULLSIZE				
03-92	All Eng.		Idler	5016
	All Eng.		Tensioner	5980
87-82	6 Cyl.		Idler	5954
85-84	8 Cyl.		Idler	5900
83-81	8 Cyl.		Idler	5954
81-78	6 Cyl.		Idler	5900
80-79	8 Cyl.		Idler	5900
78	8 Cyl. 5.2L	w/o 100 Amp Alt	Idler	5900
	8 Cyl. 5.9L	w/o 100 Amp Alt	Idler	5900
	8 Cyl. 6.6L	w/o Pwr Str; w/ AC	Idler	5900
	8 Cyl. 7.2L	w/o Pwr Str; w/ AC	Idler	5900
77-74	8 Cyl.	w/o Bracket	Idler	5900
73-72	All Eng.		Idler	5900
VAN - MINI				
88	6 Cyl. 3.0L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5979
88-87	6 Cyl. 3.0L		Tensioner	5018
87	6 Cyl. 3.0L		Idler	5900
86-85	4 Cyl. 2.2L		Idler	5900
DODGE MEDIUM DUTY TRUCK				
DODGE MEDIUM DUTY TRUCK				
10-08	6 Cyl. 6.7L		Idler	5917
EAGLE				
PREMIER				
92-91	All Eng.		Tensioner	5018
92-88	All Eng.		Idler	5018
SUMMIT				
96-89	4 Cyl. 1.5L	AC Idler Pulley	Idler	5902
93	4 Cyl. 2.4L	AC Belt Drive	Idler	5900
	4 Cyl. 2.4L	Alternator & Pwr Str Belt Drive	Idler	5018
TALON				
98-95	All Eng.		Idler	5018
VISION				
97-93	6 Cyl. 3.3L	AC Belt Drive	Idler	5954
	6 Cyl. 3.5L	AC Belt Drive	Idler	5017
	6 Cyl. 3.5L	Alt Belt Idler	Idler	5018
FORD				
ASPIRE				
97-94	All Eng.	Dealer Air	Idler	5024
	All Eng.	Factory Air	Idler	5940
CONTOUR				
00-99	4 Cyl. 2.0L		Idler	5013
00-98	4 Cyl. 2.0L		Tensioner	5996
	6 Cyl. 2.5L		Idler	5996

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
CONTOUR				
00-95	6 Cyl. 2.5L		Tensioner	5979
98	4 Cyl. 2.0L	From 3/98	Idler	5013
	4 Cyl. 2.0L	To 2/98	Idler	5979
97-95	4 Cyl. 2.0L		Idler	5975
COUNTRY SQUIRE				
91-90	All Eng.		Idler	5975
89-88	All Eng.		Idler	5979
CROWN VICTORIA				
11-00	All Eng.	Grooved	Idler	5056
	All Eng.	Smooth	Idler	5975
11-92	All Eng.		Tensioner	5979
99-92	All Eng.		Idler	5979
91-90	8 Cyl. 5.0L		Idler	5975
	8 Cyl. 5.8L	Police Pkg.	Idler	5975
89	8 Cyl. 5.0L		Idler	5979
	8 Cyl. 5.8L		Idler	5979
88-87	8 Cyl. 5.0L	Dealer Air	Idler Assy	5951
	8 Cyl. 5.0L	Factory Air	Idler Assy	5942
	8 Cyl. 5.8L	Dealer Air	Idler Assy	5951
	8 Cyl. 5.8L	Factory Air	Idler Assy	5942
EDGE				
17-16	4 Cyl. 2.0L		Idler	5084
ESCORT				
02-98	4 Cyl. 2.0L	SOHC	Idler	5975
	4 Cyl. 2.0L	SOHC	Tensioner	5975
97	All Eng.		Idler	5975
	All Eng.		Tensioner	5975
96-91	4 Cyl. 1.9L		Tensioner	5975
87-86	4 Cyl. 1.9L		Idler Assy	5965
	4 Cyl. 2.0L		Idler Assy	5965
85-84	4 Cyl. 2.0L	w/ Pwr Str	Idler Assy	5965
83	All Eng.		Tensioner	5979
EXP				
87-84	All Eng.	w/ Pwr Str	Idler Assy	5965
83	All Eng.		Tensioner	5979
FAIRLANE				
70	8 Cyl. 5.0L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable	Idler Assy	5950
70-69	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
68	8 Cyl. 5.0L	From 3/1/68; Adjustable	Idler Assy	5950
	8 Cyl. 7.0L	Adjustable; Cobra Jet	Idler Assy	5950
67	8 Cyl. 4.7L	Left Side	Idler	5902
	8 Cyl. 6.4L	Left Side	Idler	5902

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
FAIRMONT				
83	4 Cyl. 2.3L	Dealer Air	Idler	5900
83-78	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
	6 Cyl. 3.3L	Dealer Air	Idler	5900
82-80	8 Cyl. 4.2L	Dealer Air	Idler	5900
81-80	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
81-78	4 Cyl. 2.3L	Dealer Air	Idler	5900
79-78	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
FALCON				
70-69	8 Cyl. 5.0L	Right Side	Idler Assy	5950
70-68	8 Cyl. 5.0L	Left Side	Idler	5902
68	8 Cyl. 4.7L	Right Side; From 3/1/68	Idler Assy	5950
	8 Cyl. 5.0L	Right Side; From 3/1/68	Idler Assy	5950
68-67	8 Cyl. 4.7L	Left Side	Idler	5902
FESTIVA				
93-89	All Eng.	Dealer Air	Idler	5902
	All Eng.	Factory Air	Idler	5000
FIESTA				
80-78	All Eng.	Dealer Air	Idler	5900
FIVE HUNDRED				
07-05	6 Cyl. 3.0L		Tensioner	5979
FOCUS				
17-16	4 Cyl. 2.3L		Idler	5084
17-13	4 Cyl. 2.0L		Idler	5084
11-07	4 Cyl. 2.0L	Smooth	Idler	5013
11-05	4 Cyl. 2.0L	Grooved	Idler	5996
04-00	4 Cyl. 2.0L	DOHC	Tensioner	5996
03-00	4 Cyl. 2.0L	DOHC	Idler	5013
FUSION				
17-13	4 Cyl. 2.0L		Idler	5084
	4 Cyl. 2.5L		Idler	5084
12-11	4 Cyl. 2.5L	Smooth	Idler	5013
10-06	4 Cyl. 2.3L	Grooved	Tensioner	5996
09-06	4 Cyl. 2.3L		Idler	5979
	6 Cyl. 3.0L		Tensioner	5979
07	6 Cyl. 3.0L	To 02/2009; Grooved	Idler	5996
	6 Cyl. 3.0L	To 02/2009; Smooth	Idler	5979
06	6 Cyl. 3.0L	Grooved	Idler	5996
	6 Cyl. 3.0L	Smooth	Idler	5979
GRANADA				
82	4 Cyl. 2.3L	Dealer Air	Idler	5900
81	6 Cyl. 3.3L	Dealer Air	Idler	5900
81-80	8 Cyl. 4.2L	Dealer Air	Idler	5900
	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
	8 Cyl. 4.2L	Factory Air	Tensioner	5959
80	8 Cyl. 5.0L	Factory Air	Tensioner	5959

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
GRANADA				
80-75	6 Cyl. 4.1L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
77-75	6 Cyl. 3.3L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
GT				
06-05	8 Cyl. 5.4L		Tensioner	5979
	8 Cyl. 5.4L	Grooved	Idler	5069
	8 Cyl. 5.4L	Smooth	Idler	5975
LTD				
86	6 Cyl. 3.8L		Idler Assy	5964
85	8 Cyl. 5.0L		Idler Assy	5950
85-84	8 Cyl. 5.0L		Tensioner	5979
85-83	4 Cyl. 2.3L	Dealer Air	Idler	5065
84-83	6 Cyl. 3.8L	Dealer Air	Idler	5065
83	6 Cyl. 3.3L	Dealer Air	Idler	5065
82	8 Cyl. 4.2L		Tensioner	5979
	8 Cyl. 5.0L		Tensioner	5979
82-81	8 Cyl. 4.2L	Dealer Air	Idler	5065
80	8 Cyl. 5.0L	Dealer Air	Idler	5900
78	8 Cyl. 6.6L	Dealer Air	Idler	5900
LTD II				
79-78	8 Cyl. 5.0L		Idler Assy	5950
	8 Cyl. 5.8L		Idler Assy	5950
77	8 Cyl. 5.0L	Right Side	Idler Assy	5950
	8 Cyl. 5.8L	Right Side	Idler Assy	5950
	8 Cyl. 6.6L	Right Side	Idler Assy	5950
MAVERICK				
77-72	8 Cyl. 5.0L		Idler Assy	5950
71	8 Cyl. 5.0L		Idler	5902
MUSTANG				
17-15	4 Cyl. 2.3L		Idler	5084
16-11	8 Cyl. 5.0L		Tensioner	5013
12-10	8 Cyl. 5.4L	Serpentine Belt Drive	Tensioner	5979
10-07	8 Cyl. 5.4L	Grooved	Idler	5056
10-06	6 Cyl. 4.0L		Tensioner	5996
10-05	8 Cyl. 4.6L		Tensioner	5979
	8 Cyl. 4.6L	Grooved	Idler	5069
	8 Cyl. 4.6L	Smooth	Idler	5975
09-08	8 Cyl. 5.4L	SHELBY GT500; Serpentine Belt Drive	Tensioner	5979
07	8 Cyl. 5.4L	Serpentine Belt Drive	Tensioner	5979
07-05	6 Cyl. 4.0L	Smooth	Idler	5975
05	6 Cyl. 4.0L	6R3E-6B209-AB	Tensioner	5996
04	6 Cyl. 3.9L		Tensioner	5971

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
MUSTANG				
04	8 Cyl. 4.6L	Grooved	Idler	5056
04-03	8 Cyl. 4.6L	Supercharger Belt Drive	Idler	5014
	8 Cyl. 4.6L	Accessory Belt Drive; Grooved	Idler	5056
	8 Cyl. 4.6L	Accessory Belt Drive; Smooth	Idler	5975
04-94	6 Cyl. 3.8L		Tensioner	5971
03-01	6 Cyl. 3.8L		Idler	5979
02-00	8 Cyl. 4.6L	Grooved	Idler	5056
	8 Cyl. 4.6L	Smooth	Idler	5979
00-99	6 Cyl. 3.8L	w/ AC	Idler	5979
	6 Cyl. 3.8L	w/o AC	Idler	5978
99-96	8 Cyl. 4.6L		Idler	5979
	8 Cyl. 4.6L		Tensioner	5979
98	6 Cyl. 3.8L	From 9/98; w/ AC	Idler	5979
	6 Cyl. 3.8L	From 9/98; w/o AC	Idler	5978
	6 Cyl. 3.8L	To 8/98; w/ AC	Idler	5014
	6 Cyl. 3.8L	To 8/98; w/o AC	Idler	5978
97-94	6 Cyl. 3.8L	w/ AC	Idler	5014
	6 Cyl. 3.8L	w/o AC	Idler	5978
95-94	8 Cyl. 5.0L		Idler	5014
95-86	8 Cyl. 5.0L		Tensioner	5979
93-92	4 Cyl. 2.3L	Water Pump Drive	Tensioner	5066
93-91	4 Cyl. 2.3L	Serpentine Belt Drive	Tensioner	5975
91	4 Cyl. 2.3L	Right Side; Water Pump Drive	Tensioner	5066
90	4 Cyl. 2.3L	Grooved	Tensioner	5066
	4 Cyl. 2.3L	Smooth	Tensioner	5975
89-87	4 Cyl. 2.3L	Left Side	Tensioner	5975
	4 Cyl. 2.3L	Right Side	Tensioner	5066
87	4 Cyl. 2.3L	Dealer Air	Idler	5900
86	4 Cyl. 2.3L	w/o Turbo; Factory Air	Idler Assy	5951
86-85	6 Cyl. 3.8L	Factory Air	Idler Assy	5964
	8 Cyl. 5.0L	Dealer Air	Idler	5900
85	6 Cyl. 3.8L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
	8 Cyl. 5.0L	w/o Fixed Mounting Stud	Tensioner	5979
84	8 Cyl. 5.0L		Tensioner	5979
84-83	6 Cyl. 3.8L	From 3/83	Idler Assy	5964
	6 Cyl. 3.8L	To 3/83	Idler	5959
84-82	8 Cyl. 5.0L	Factory Air	Idler	5959
84-79	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
83	8 Cyl. 5.0L	Serpentine Belt Drive	Tensioner	5979
82	8 Cyl. 5.0L		Tensioner	5979
82-81	8 Cyl. 4.2L		Tensioner	5979
	8 Cyl. 4.2L	Factory Air	Idler	5959
80	4 Cyl. 2.3L	Dealer Air	Idler	5900
	8 Cyl. 4.2L	Factory Air	Tensioner	5959

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
MUSTANG				
79	6 Cyl. 2.8L	Factory Air	Idler Assy	5951
	6 Cyl. 3.3L	Factory Air	Idler Assy	5951
	8 Cyl. 5.0L		Tensioner	5974
	8 Cyl. 5.0L	Factory Air; Grooved	Idler Assy	5950
	8 Cyl. 5.0L	Factory Air; Serpentine Belt Drive	Idler	5959
73-71	8 Cyl. 5.0L	Right Side	Idler Assy	5950
	8 Cyl. 5.8L	Right Side	Idler Assy	5950
71	8 Cyl. 7.0L	Right Side	Idler Assy	5950
70-69	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler	5902
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
70-68	8 Cyl. 7.0L	Adjustable	Idler Assy	5950
	8 Cyl. 7.0L	Fixed	Idler	5902
68	8 Cyl. 4.7L	From 3/1/68; Adjustable	Idler Assy	5950
	8 Cyl. 4.7L	From 3/1/68; Fixed	Idler	5902
	8 Cyl. 5.0L	From 3/1/68; Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	From 3/1/68; Fixed	Idler	5902
	8 Cyl. 6.4L	Right Side	Idler Assy	5950
MUSTANG II				
78	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air; Grooved	Idler Assy	5950
	8 Cyl. 5.0L	Factory Air; Serpentine Belt Drive	Idler	5959
78-74	6 Cyl. 2.8L	Factory Air	Idler Assy	5951
77-75	8 Cyl. 5.0L	Factory Air	Idler Assy	5951
	All Eng.	Dealer Air	Idler	5900
77-74	4 Cyl. 2.3L	Factory Air; Adjustable	Idler Assy	5951
74	4 Cyl. 2.3L	Dealer Air	Idler	5900
	6 Cyl. 2.8L	Dealer Air	Idler	5900
PINTO				
80	All Eng.	Adjustable	Idler Assy	5951
	All Eng.	Dealer Air	Idler	5900
79-78	4 Cyl. 2.3L		Idler Assy	5951
73	4 Cyl. 1.6L		Idler Assy	5951
	4 Cyl. 2.0L		Idler Assy	5951
PROBE				
97-93	6 Cyl. 2.5L	Alternator Belt Drive	Idler	5934
	6 Cyl. 2.5L	Pwr Str Belt Drive	Idler	5087
92-90	4 Cyl. 2.2L		Tensioner	5974
	6 Cyl. 3.0L		Idler	5969
	6 Cyl. 3.0L		Tensioner	5979
89	All Eng.		Tensioner	5974
TAURUS				
17-13	4 Cyl. 2.0L		Idler	5084

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
TAURUS				
07	6 Cyl. 3.0L		Tensioner	5979
07-06	6 Cyl. 3.0L		Idler	5975
06-96	6 Cyl. 3.0L	OHV	Tensioner	5979
05-01	6 Cyl. 3.0L	DOHC; Accessory Belt Drive	Tensioner	5979
05-98	6 Cyl. 3.0L	OHV	Idler	5975
97	8 Cyl. 3.4L		Tensioner	5979
97-96	6 Cyl. 3.0L	OHV	Idler	5969
95	6 Cyl. 3.0L	SHO	Tensioner	5064
95-93	6 Cyl. 3.0L	Excl. SHO	Idler	5969
	6 Cyl. 3.0L	Excl. SHO	Tensioner	5979
95-91	6 Cyl. 3.8L		Idler	5981
95-88	6 Cyl. 3.8L		Tensioner	5971
92-88	6 Cyl. 3.0L	Excl. SHO	Tensioner	5969
91-86	4 Cyl. 2.5L		Tensioner	5979
90-89	6 Cyl. 3.8L		Idler	5973
88	6 Cyl. 3.0L		Tensioner	5969
87-86	6 Cyl. 3.0L		Idler	5970
	6 Cyl. 3.0L		Tensioner	5959
TEMPO				
94-92	4 Cyl. 2.3L		Tensioner	5020
	4 Cyl. 2.3L	w/ AC	Idler	5020
	6 Cyl. 3.0L	Serpentine Belt Drive	Tensioner	5979
93	6 Cyl. 3.0L		Idler	5969
93-92	4 Cyl. 2.3L	Dealer Air	Idler Assy	5965
91-90	All Eng.		Tensioner	5979
89-88	All Eng.	w/ 6 Ribbed Belt	Tensioner	5979
87	All Eng.	w/ Pwr Str; Dealer Air; w/ AC	Tensioner	5979
86	4 Cyl. 2.3L	w/ Pwr Str; Dealer Air; w/ AC	Idler Assy	5965
	4 Cyl. 2.3L	w/ Pwr Str; Dealer Air; w/o AC	Idler	5959
86-84	4 Cyl. 2.0L	w/ Pwr Str; Dealer Air	Idler Assy	5965
85	4 Cyl. 2.3L	w/ Pwr Str; Dealer Air	Idler Assy	5965
84	4 Cyl. 2.3L	w/ Pwr Str; Dealer Air	Idler	5959
THUNDERBIRD				
05-02	8 Cyl. 3.9L		Tensioner	5979
03-02	8 Cyl. 3.9L		Idler	5975
97-96	6 Cyl. 3.8L		Idler	5975
	6 Cyl. 3.8L		Tensioner	5971
97-94	8 Cyl. 4.6L		Idler	5979
	8 Cyl. 4.6L		Tensioner	5979
95-91	6 Cyl. 3.8L	Supercharged	Tensioner	5981
	6 Cyl. 3.8L	w/o Supercharger	Idler	5973
	6 Cyl. 3.8L	w/o Supercharger; Grooved	Tensioner	5971
	6 Cyl. 3.8L	w/o Supercharger; Smooth	Tensioner	5979
90	All Eng.	w/o Supercharger	Idler	5973
90-89	All Eng.	w/o Supercharger; Grooved	Tensioner	5971

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
THUNDERBIRD				
90-89	All Eng.	w/o Supercharger; Smooth	Tensioner	5979
	All Eng.	Supercharged	Tensioner	5981
89	All Eng.	Factory Air; Back Idler	Idler Assy	5964
	All Eng.	w/o Supercharger; w/o AC	Idler	5975
88	6 Cyl. 3.8L		Tensioner	5959
88-87	4 Cyl. 2.3L	Left Side	Tensioner	5975
	4 Cyl. 2.3L	Right Side	Tensioner	5066
88-85	6 Cyl. 3.8L	Factory Air	Idler Assy	5964
88-83	8 Cyl. 5.0L		Tensioner	5979
86-85	4 Cyl. 2.3L	Dealer Air	Idler	5900
	6 Cyl. 3.8L	Dealer Air	Idler	5900
84-83	6 Cyl. 3.8L	From 3/83	Idler Assy	5964
	6 Cyl. 3.8L	To 3/83	Idler	5959
82	6 Cyl. 3.8L	Factory Air	Idler	5959
	8 Cyl. 4.2L		Tensioner	5979
81	8 Cyl. 4.2L	AOD Tran; Dealer Air	Idler	5900
81-80	8 Cyl. 4.2L	Auto Trans; Factory Air	Idler Assy	5950
	8 Cyl. 5.0L	Auto Trans; Factory Air	Idler Assy	5950
80-77	8 Cyl. 5.0L	Dealer Air	Idler	5900
79-77	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
78-77	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
76-74	All Eng.	Dealer Air	Idler	5900
	All Eng.	Factory Air	Idler Assy	5950
73	8 Cyl. 7.0L	Dealer Air	Idler	5900
	8 Cyl. 7.0L	Factory Air	Idler Assy	5950
	8 Cyl. 7.5L	Dealer Air	Idler	5900
	8 Cyl. 7.5L	Factory Air	Idler Assy	5950
72	8 Cyl. 6.6L	From 10/4/71	Idler	5902
	8 Cyl. 7.0L	From 10/4/71	Idler	5902
	8 Cyl. 7.5L	From 10/4/71	Idler	5902
71-70	All Eng.	Right Side	Idler Assy	5950
69	All Eng.	w/ 4 BBL Carb	Idler	5902
	All Eng.	w/ 4 BBL Carb	Idler Assy	5950
68	8 Cyl. 7.0L		Idler	5902
TORINO				
76-73	8 Cyl. 7.5L	Right Side	Idler Assy	5950
76-72	8 Cyl. 5.8L	Right Side	Idler Assy	5950
	8 Cyl. 6.6L	Right Side	Idler Assy	5950
74-73	8 Cyl. 5.0L	Right Side	Idler Assy	5950
73-70	8 Cyl. 7.0L	Right Side	Idler Assy	5950
71-69	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler	5902
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD				
TORINO				
68	8 Cyl. 5.0L	From 3/1/68; Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	From 3/1/68; Fixed	Idler	5902
	8 Cyl. 6.4L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable; Cobra Jet	Idler Assy	5950
	8 Cyl. 7.0L	Fixed; Cobra Jet	Idler	5902
ZX2				
03-98	4 Cyl. 2.0L		Tensioner	5979
	4 Cyl. 2.0L	Grooved	Idler	5996
	4 Cyl. 2.0L	Smooth	Idler	5979
FORD LIGHT TRUCK				
AEROSTAR				
97-96	6 Cyl. 4.0L		Idler	5975
	6 Cyl. 4.0L		Tensioner	5996
97-95	6 Cyl. 3.0L		Tensioner	5979
97-90	6 Cyl. 3.0L	w/ 100mm Dia. Pulley	Idler	5968
	6 Cyl. 3.0L	w/ 76mm Dia. Pulley	Idler	5972
95-90	6 Cyl. 4.0L		Idler	5968
	6 Cyl. 4.0L		Tensioner	5968
94-90	6 Cyl. 3.0L		Idler Assy	5963
89-88	All Eng.	Alt Belt Idler	Idler	5974
	All Eng.	w/ Pwr Str	Idler Assy	5963
87-86	6 Cyl. 3.0L	Alt Belt Idler	Idler	5974
	6 Cyl. 3.0L	w/ Pwr Str	Idler Assy	5963
BRONCO				
96-93	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.0L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L		Tensioner	5979
96-92	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
96-90	8 Cyl. 5.0L	Factory Air	Idler	5972
	8 Cyl. 5.8L	Factory Air	Idler	5979
92	8 Cyl. 5.8L	Dealer Air	Tensioner	5975
92-90	8 Cyl. 5.0L	Dealer Air	Idler	5973
92-87	6 Cyl. 4.9L		Idler	5970
	6 Cyl. 4.9L		Tensioner	5014
	8 Cyl. 5.0L		Tensioner	5975
91	8 Cyl. 5.8L	Dealer Air	Idler	5973
91-88	8 Cyl. 5.8L		Tensioner	5975
90	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
87	8 Cyl. 5.0L	w/o AC	Idler	5978
86-80	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
	All Eng.	Dealer Air	Idler	5900
86-78	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
79-78	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
78	All Eng.	Dealer Air	Idler	5900

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
BRONCO II				
84	6 Cyl. 2.8L	Dealer Air	Idler	5900
COURIER				
81-72	All Eng.	Dealer Air	Idler	5900
E SERIES FULLSIZE VAN				
13-03	8 Cyl. 4.6L	Smooth; w/ AC	Idler	5975
13-02	10 Cyl. 6.8L	Grooved; w/ AC	Idler	5069
	10 Cyl. 6.8L	Smooth; w/ AC	Idler	5975
	10 Cyl. 6.8L	w/ AC	Tensioner	5979
	8 Cyl. 4.6L	Grooved; w/ AC	Idler	5069
	8 Cyl. 4.6L	w/ AC	Tensioner	5979
	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
10	8 Cyl. 6.0L	Superduty; Dual Alt, Secondary Drive	Tensioner	5979
10-07	8 Cyl. 6.0L	Dual Alt, Main Drive; Smooth	Tensioner	5011
	8 Cyl. 6.0L	w/ Single Alternator; Grooved	Tensioner	5045
	8 Cyl. 6.0L	w/ Single Alternator; Smooth	Tensioner	5011
10-04	10 Cyl. 6.8L	w/o AC	Tensioner	5045
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
10-03	8 Cyl. 4.6L	w/o AC	Tensioner	5045
08	8 Cyl. 6.0L	Superduty; Dual Alt, Secondary Drive	Tensioner	5979
07	8 Cyl. 6.0L	Dual Alt, Secondary Drive	Tensioner	5979
03-98	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Idler	5992
	8 Cyl. 7.3L	Smooth	Tensioner	5011
03-97	6 Cyl. 4.2L	Grooved	Tensioner	5971
	6 Cyl. 4.2L	Smooth	Idler	5975
	6 Cyl. 4.2L	Smooth	Tensioner	5973
02	8 Cyl. 4.6L	Smooth	Idler	5975
02-97	8 Cyl. 5.4L	w/o AC	Tensioner	5045
01-97	10 Cyl. 6.8L		Idler	5014
	10 Cyl. 6.8L	w/ AC	Tensioner	5981
	10 Cyl. 6.8L	w/o AC	Tensioner	5045
	8 Cyl. 4.6L		Idler	5014
	8 Cyl. 4.6L	w/ AC	Tensioner	5981
	8 Cyl. 4.6L	w/o AC	Tensioner	5045
	8 Cyl. 5.4L		Idler	5014
	8 Cyl. 5.4L	w/ AC	Tensioner	5981
97-96	8 Cyl. 7.3L		Tensioner	5014
97-95	8 Cyl. 7.3L	Grooved	Idler	5036
	8 Cyl. 7.3L	Smooth	Idler	5014
96	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Dealer Air	Idler	5900
96-95	8 Cyl. 5.0L	w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L	w/ 60 Amp Alternator	Idler	5973

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

FORD LIGHT TRUCK

E SERIES FULLSIZE VAN

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
96-93	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.8L		Tensioner	5979
96-90	6 Cyl. 4.9L		Idler	5970
	8 Cyl. 5.0L	Factory Air	Idler	5979
	8 Cyl. 5.8L	Factory Air	Idler	5979
96-87	6 Cyl. 4.9L		Tensioner	5014
	8 Cyl. 7.5L		Tensioner	5975
95	8 Cyl. 7.3L	w/ Dir Injection	Tensioner	5014
	8 Cyl. 7.3L	w/ InDir Injection	Tensioner	5969
94	8 Cyl. 7.3L		Tensioner	5969
	8 Cyl. 7.3L	Smooth	Idler	5975
94-93	8 Cyl. 5.0L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
94-92	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
93	8 Cyl. 7.3L	2nd Design	Tensioner	5969
	8 Cyl. 7.3L	w/ Open Spring Design	Tensioner	5979
92	8 Cyl. 5.0L	Dealer Air	Idler	5973
	8 Cyl. 7.3L		Tensioner	5979
92-87	8 Cyl. 5.0L		Tensioner	5975
	8 Cyl. 5.8L		Tensioner	5975
91	8 Cyl. 5.0L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L	Dealer Air	Idler	5973
90	8 Cyl. 5.0L	Dealer Air	Idler	5973
	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
89-87	8 Cyl. 5.0L		Idler	5978
	8 Cyl. 5.8L		Idler	5978
	8 Cyl. 7.5L		Idler	5978
87	8 Cyl. 5.0L	w/o AC	Idler	5978
86	6 Cyl. 4.9L		Idler Assy	5950
	8 Cyl. 5.8L		Idler Assy	5950
86-83	6 Cyl. 4.9L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Dealer Air	Idler	5900
86-79	8 Cyl. 5.0L	Dealer Air	Idler	5900
85-83	6 Cyl. 4.9L	Factory Air	Idler Assy	5950
85-82	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
85-80	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
82	8 Cyl. 6.6L	E-250 Econoline Club Wagon; Dealer Air	Idler	5900
	8 Cyl. 6.6L	E-350 Econoline Club Wagon; Dealer Air	Idler	5900
82-81	8 Cyl. 5.8L	E-250 Econoline Club Wagon; Dealer Air	Idler	5900
	8 Cyl. 5.8L	E-350 Econoline Club Wagon; Dealer Air	Idler	5900
82-80	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
79-75	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
78	8 Cyl. 7.5L	E150; Factory Air	Idler Assy	5950
78-77	8 Cyl. 7.5L	Dealer Air	Idler	5900
78-75	8 Cyl. 5.8L	Dealer Air	Idler	5900
75-70	8 Cyl. 5.0L	Dealer Air	Idler	5900

FORD LIGHT TRUCK

E SERIES MEDIUM DUTY VAN

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
13-11	All Eng.		Tensioner	5979
	All Eng.	Grooved	Idler	5069
	All Eng.	Smooth	Idler	5975
11-06	8 Cyl. 5.4L	w/o AC	Tensioner	5045
11-04	10 Cyl. 6.8L	w/o AC	Tensioner	5045
10-08	8 Cyl. 6.0L	Dual Alt, Secondary Drive	Tensioner	5979
10-06	8 Cyl. 5.4L	Grooved	Idler	5069
	8 Cyl. 5.4L	Smooth	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
10-03	10 Cyl. 6.8L	Grooved	Idler	5069
	10 Cyl. 6.8L	Smooth	Idler	5975
10-02	10 Cyl. 6.8L	w/ AC	Tensioner	5979
09-08	8 Cyl. 6.0L	w/ Single Alternator; Grooved	Tensioner	5045
	8 Cyl. 6.0L	w/ Single Alternator; Smooth	Tensioner	5011
08	8 Cyl. 6.0L	Dual Alt, Main Drive; Smooth	Tensioner	5011
05-04	8 Cyl. 6.0L	Dual Alt, Main Drive; Smooth	Tensioner	5011
	8 Cyl. 6.0L	Dual Alt, Secondary Drive	Tensioner	5979
	8 Cyl. 6.0L	w/ Single Alternator; Grooved	Tensioner	5045
	8 Cyl. 6.0L	w/ Single Alternator; Smooth	Tensioner	5011
04	8 Cyl. 5.4L	w/ AC	Tensioner	5979
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
04-03	8 Cyl. 5.4L	Grooved	Idler	5069
	8 Cyl. 5.4L	Smooth	Idler	5975
03	8 Cyl. 5.4L		Tensioner	5979
03-02	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Tensioner	5011
02	10 Cyl. 6.8L	Grooved; w/ AC	Idler	5069
	10 Cyl. 6.8L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
01	8 Cyl. 7.3L	Grooved Pulley	Tensioner	5045
	8 Cyl. 7.3L	Smooth Pulley	Tensioner	5011
01-98	10 Cyl. 6.8L	w/ AC	Idler	5014
	10 Cyl. 6.8L	w/ AC	Tensioner	5981
01-97	10 Cyl. 6.8L	w/o AC	Tensioner	5045
00-99	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Tensioner	5011
98	8 Cyl. 7.3L	Grooved Pulley	Tensioner	5045
	8 Cyl. 7.3L	Smooth Pulley	Tensioner	5011
97	8 Cyl. 5.4L	w/o AC	Tensioner	5045
97-96	8 Cyl. 7.3L		Tensioner	5014
	8 Cyl. 7.3L	Smooth	Idler	5014
	8 Cyl. 7.3L	w/ 3-1/2" Dia. 8 Groove Pulley	Idler	5036
	8 Cyl. 7.3L	w/ 5" Dia. Grooved Pulley	Idler	5037

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT .....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT .....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
E SERIES MEDIUM DUTY VAN				
96	8 Cyl. 5.8L		Tensioner	5979
	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Idler	5979
	8 Cyl. 5.8L	w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 7.5L		Tensioner	5975
ESCAPE				
17-13	4 Cyl. 2.0L		Idler	5084
	4 Cyl. 2.5L		Idler	5084
08	6 Cyl. 3.0L	LIMITED	Tensioner	5979
	6 Cyl. 3.0L	LIMITED; Grooved	Idler	5996
	6 Cyl. 3.0L	LIMITED; Smooth	Idler	5979
	6 Cyl. 3.0L	XLT	Tensioner	5979
	6 Cyl. 3.0L	XLT; Grooved	Idler	5996
	6 Cyl. 3.0L	XLT; Smooth	Idler	5979
08-05	4 Cyl. 2.3L	HYBRID	Tensioner	5996
07	6 Cyl. 3.0L		Tensioner	5979
06-02	6 Cyl. 3.0L	Accessory Belt Drive	Tensioner	5979
04-01	4 Cyl. 2.0L		Idler	5013
	4 Cyl. 2.0L		Tensioner	5996
01	6 Cyl. 3.0L	From 9/16/2001; Accessory Belt Drive	Tensioner	5979
EXCURSION				
05	8 Cyl. 5.4L	Smooth	Tensioner	5979
	8 Cyl. 6.0L		Tensioner	5045
05-02	10 Cyl. 6.8L		Tensioner	5979
	10 Cyl. 6.8L	Grooved	Idler	5069
	10 Cyl. 6.8L	Smooth	Idler	5975
	8 Cyl. 5.4L	Grooved	Idler	5069
	8 Cyl. 5.4L	Smooth	Idler	5975
04-02	8 Cyl. 5.4L		Tensioner	5979
03-01	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Idler	5992
	8 Cyl. 7.3L	Smooth	Tensioner	5011
01-00	10 Cyl. 6.8L		Idler	5014
	10 Cyl. 6.8L		Tensioner	5981
	8 Cyl. 5.4L		Idler	5014
	8 Cyl. 5.4L		Tensioner	5981
00	8 Cyl. 7.3L	Grooved Pulley	Tensioner	5045
	8 Cyl. 7.3L	w/o AC	Idler	5992
	8 Cyl. 7.3L	w/o AC	Tensioner	5014
EXPEDITION				
13-02	8 Cyl. 5.4L		Tensioner	5979
	8 Cyl. 5.4L	Grooved	Idler	5069
	8 Cyl. 5.4L	Smooth	Idler	5975
04-02	8 Cyl. 4.6L		Tensioner	5979
	8 Cyl. 4.6L	Smooth	Idler	5975

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
EXPEDITION				
01	8 Cyl. 4.6L	Smooth	Idler	5014
	8 Cyl. 5.4L	Smooth	Idler	5014
01-97	8 Cyl. 4.6L		Tensioner	5981
	8 Cyl. 5.4L		Tensioner	5981
00-97	8 Cyl. 4.6L		Idler	5014
	8 Cyl. 5.4L		Idler	5014
EXPLORER / SPORT / SPORT TRAC				
17-16	4 Cyl. 2.3L		Idler	5084
15-14	4 Cyl. 2.0L		Idler	5084
10-02	8 Cyl. 4.6L		Tensioner	5979
	8 Cyl. 4.6L	Grooved	Idler	5069
	8 Cyl. 4.6L	Smooth	Idler	5975
10-01	6 Cyl. 4.0L		Tensioner	5996
10-96	6 Cyl. 4.0L		Idler	5975
01-97	8 Cyl. 5.0L	Grooved	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
01-96	8 Cyl. 5.0L		Tensioner	5968
00	6 Cyl. 4.0L	DOHC, SOHC	Tensioner	5996
99-96	6 Cyl. 4.0L		Tensioner	5996
96	8 Cyl. 5.0L		Idler	5973
95-94	All Eng.		Idler	5975
95-93	All Eng.		Tensioner	5996
93-91	All Eng.		Idler	5968
92-91	All Eng.		Tensioner	5968
F SERIES FULLSIZE PICKUP				
16-14	8 Cyl. 6.7L	Dual Alt, Main Drive; Grooved Pulley	Idler	5079
16-11	8 Cyl. 5.0L	Serpentine Belt Drive	Tensioner	5013
13-11	8 Cyl. 6.7L	Grooved Pulley	Idler	5079
10-09	8 Cyl. 5.4L	Super Duty; w/o AC	Tensioner	5045
10-05	10 Cyl. 6.8L	w/o AC	Tensioner	5045
	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
10-02	10 Cyl. 6.8L	Grooved; w/ AC	Idler	5069
	10 Cyl. 6.8L	Smooth; w/ AC	Idler	5975
	10 Cyl. 6.8L	w/ AC	Tensioner	5979
	8 Cyl. 4.6L	Grooved; w/ AC	Idler	5069
	8 Cyl. 4.6L	Smooth; w/ AC	Idler	5975
	8 Cyl. 4.6L	w/ AC	Tensioner	5979
08-05	6 Cyl. 4.2L		Tensioner	5973
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
08-04	8 Cyl. 4.6L	w/o AC	Tensioner	5045
08-97	6 Cyl. 4.2L	Smooth	Idler	5975
07-05	8 Cyl. 6.0L	Grooved Pulley	Idler	5079
07-03	8 Cyl. 6.0L	Grooved; w/ Single Alternator	Tensioner	5045

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
F SERIES FULLSIZE PICKUP				
07-03	8 Cyl. 6.0L	Smooth; w/ Dual Alternator; Main Drive	Tensioner	5011
	8 Cyl. 6.0L	Smooth; w/ Single Alternator	Tensioner	5011
	8 Cyl. 6.0L	Dual Alt, Secondary Drive	Tensioner	5979
04	8 Cyl. 5.4L	Supercharged; Smooth; w/ AC	Idler	5975
04-02	8 Cyl. 5.4L	w/o Supercharger; Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	w/o Supercharger; w/ AC	Tensioner	5979
	8 Cyl. 5.4L	Supercharged	Idler	5014
	8 Cyl. 5.4L	Supercharged; Accessory Belt Drive	Tensioner	5981
04-97	6 Cyl. 4.2L	Grooved	Tensioner	5971
	6 Cyl. 4.2L	Smooth	Tensioner	5973
03-02	8 Cyl. 5.4L	w/o Supercharger; Smooth; w/ AC	Idler	5975
03-99	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Idler	5992
	8 Cyl. 7.3L	Smooth	Tensioner	5011
01-99	10 Cyl. 6.8L		Idler	5014
	10 Cyl. 6.8L	w/ AC	Tensioner	5981
	10 Cyl. 6.8L	w/o AC	Tensioner	5045
01-97	8 Cyl. 4.6L		Idler	5014
	8 Cyl. 4.6L	w/ AC	Tensioner	5981
	8 Cyl. 4.6L	w/o AC	Tensioner	5045
	8 Cyl. 5.4L		Idler	5014
	8 Cyl. 5.4L	w/ AC	Tensioner	5981
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
97-96	8 Cyl. 5.8L	w/ 60 Amp Alternator	Idler	5973
97-95	8 Cyl. 7.3L		Tensioner	5014
	8 Cyl. 7.3L	Grooved	Idler	5036
	8 Cyl. 7.3L	Smooth	Idler	5014
97-93	8 Cyl. 5.8L		Tensioner	5979
97-88	8 Cyl. 7.5L		Tensioner	5975
96-94	8 Cyl. 5.0L	w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L	Factory Air	Idler	5972
96-93	8 Cyl. 5.0L		Tensioner	5979
96-90	8 Cyl. 5.0L	Factory Air	Idler	5972
96-87	6 Cyl. 4.9L		Idler	5970
	6 Cyl. 4.9L		Tensioner	5014
95	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
94	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 7.3L	Smooth; w/ 6 Ribbed Belt	Idler	5972
	8 Cyl. 7.3L	w/ 6 Ribbed Belt	Idler	5058
	8 Cyl. 7.3L	w/ Dir Injection	Tensioner	5014
	8 Cyl. 7.3L	w/ InDir Injection	Tensioner	5969
93	8 Cyl. 7.3L		Idler	5972
	8 Cyl. 7.3L	2nd Design	Tensioner	5969

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
F SERIES FULLSIZE PICKUP				
93	8 Cyl. 7.3L	w/ Open Spring Design	Tensioner	5979
93-90	8 Cyl. 5.0L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L	Dealer Air; w/ 60 Amp Alternator	Idler	5973
	8 Cyl. 5.8L	Factory Air	Idler	5979
	8 Cyl. 7.5L		Idler	5978
92	8 Cyl. 5.8L		Tensioner	5975
	8 Cyl. 7.3L		Idler	5900
	8 Cyl. 7.3L	Serpentine Belt Drive	Tensioner	5979
92-87	8 Cyl. 5.0L		Tensioner	5975
91	8 Cyl. 5.8L		Tensioner	5973
91-88	8 Cyl. 7.3L	Dealer Air	Idler	5900
90-88	8 Cyl. 5.8L		Tensioner	5975
89-88	8 Cyl. 7.5L	w/ ETA19A216-AA Assy	Idler	5978
89-87	8 Cyl. 5.0L		Idler	5978
	8 Cyl. 5.8L		Idler	5978
87	8 Cyl. 5.0L	w/o AC	Idler	5978
	8 Cyl. 7.5L	w/ ETA19A216-AA Assy; w/ Serpentine Belt	Idler	5978
86	8 Cyl. 5.0L		Idler	5900
	8 Cyl. 5.0L		Idler Assy	5950
	8 Cyl. 5.8L		Idler	5900
	8 Cyl. 5.8L		Idler Assy	5950
86-85	6 Cyl. 4.9L	Dealer Air	Idler	5900
	8 Cyl. 7.5L	Dealer Air	Idler	5900
85	8 Cyl. 5.0L	Factory Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Idler	5900
85-77	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
84-72	All Eng.	Dealer Air	Idler	5900
82-81	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
82-77	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
79-77	8 Cyl. 7.5L	Factory Air	Idler Assy	5950
76-73	8 Cyl.	Factory Air	Idler Assy	5950
72	8 Cyl. 5.0L	Factory Air; Left Side	Idler	5902
	8 Cyl. 5.0L	Factory Air; Right Side	Idler Assy	5950
71-70	8 Cyl. 5.0L	Left Side	Idler	5902
	8 Cyl. 5.0L	Right Side	Idler Assy	5950
F SERIES MEDIUM DUTY PICKUP				
16-14	8 Cyl. 6.7L	Dual Alt, Main Drive; Grooved Pulley	Idler	5079
13-11	8 Cyl. 6.7L	Grooved Pulley	Idler	5079
12-02	10 Cyl. 6.8L	w/ AC	Tensioner	5979
10-05	10 Cyl. 6.8L	w/o AC	Tensioner	5045
10-02	10 Cyl. 6.8L	Grooved; w/ AC	Idler	5069
07-05	8 Cyl. 6.0L	Smooth; w/ Single Alternator	Tensioner	5011
	8 Cyl. 6.0L	Grooved Pulley	Idler	5079
	8 Cyl. 6.0L	Grooved; w/ Single Alternator	Tensioner	5045

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
F SERIES MEDIUM DUTY PICKUP				
07-03	8 Cyl. 6.0L	Dual Alt, Secondary Drive	Tensioner	5979
	8 Cyl. 6.0L	Smooth; w/ Dual Alternator; Main Drive	Tensioner	5011
07-02	10 Cyl. 6.8L	Smooth; w/ AC	Idler	5975
04	8 Cyl. 6.0L	Accessory Belt Drive; Grooved	Tensioner	5045
	8 Cyl. 6.0L	Accessory Belt Drive; Smooth	Tensioner	5011
03	8 Cyl. 6.0L	Grooved; w/ Single Alternator	Tensioner	5045
	8 Cyl. 6.0L	Smooth; w/ Single Alternator	Tensioner	5011
03-99	8 Cyl. 7.3L	Grooved	Tensioner	5045
	8 Cyl. 7.3L	Smooth	Idler	5992
	8 Cyl. 7.3L	Smooth	Tensioner	5011
01-99	10 Cyl. 6.8L		Idler	5014
	10 Cyl. 6.8L	w/ AC	Tensioner	5981
	10 Cyl. 6.8L	w/o AC	Tensioner	5045
97-96	8 Cyl. 7.3L	Smooth	Idler	5975
97-95	8 Cyl. 7.3L		Tensioner	5014
	8 Cyl. 7.3L	Grooved	Idler	5036
97-90	8 Cyl. 7.5L		Tensioner	5975
95	8 Cyl. 7.3L	Smooth	Idler	5014
94	8 Cyl. 7.3L	w/ Direct Injection	Tensioner	5014
	8 Cyl. 7.3L	w/ Indirect Injection	Tensioner	5969
93	8 Cyl. 7.3L		Idler	5972
	8 Cyl. 7.3L	2nd Design	Tensioner	5969
93-92	8 Cyl. 7.3L	w/ Open Spring Design	Tensioner	5979
89-88	8 Cyl. 7.5L		Idler	5978
FREESTAR				
07-04	6 Cyl. 3.9L		Tensioner	5996
	6 Cyl. 4.2L		Tensioner	5996
FREESTYLE				
07-05	6 Cyl. 3.0L		Tensioner	5979
LOBO				
10	8 Cyl. 4.6L	Grooved; w/ AC	Idler	5069
	8 Cyl. 4.6L	Smooth; w/ AC	Idler	5975
	8 Cyl. 4.6L	w/ AC	Tensioner	5979
	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
08-05	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
	8 Cyl. 5.4L	w/ AC	Tensioner	5979
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
08-04	8 Cyl. 4.6L	Grooved; w/ AC	Idler	5069
	8 Cyl. 4.6L	Smooth; w/ AC	Idler	5975
	8 Cyl. 4.6L	w/ AC	Tensioner	5979
	8 Cyl. 4.6L	w/o AC	Tensioner	5045
04-02	8 Cyl. 5.4L	w/o Supercharger; Grooved; w/ AC	Idler	5069

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
FORD LIGHT TRUCK				
LOBO				
04-02	8 Cyl. 5.4L	w/o Supercharger; w/ AC	Tensioner	5979
03-02	8 Cyl. 5.4L	w/ Supercharger	Idler	5014
	8 Cyl. 5.4L	w/ Supercharger; Accessory Belt Drive	Tensioner	5981
	8 Cyl. 5.4L	w/o Supercharger; Smooth; w/ AC	Idler	5975
01	8 Cyl. 5.4L		Idler	5014
	8 Cyl. 5.4L	w/ AC	Tensioner	5981
	8 Cyl. 5.4L	w/o AC	Tensioner	5045
RANGER				
11-08	4 Cyl. 2.3L		Tensioner	5013
11-94	6 Cyl. 4.0L		Tensioner	5996
10-08	6 Cyl. 4.0L		Idler	5975
08-92	6 Cyl. 3.0L		Tensioner	5979
07	4 Cyl. 2.3L		Tensioner	5979
07-94	6 Cyl. 4.0L	Smooth	Idler	5975
07-93	6 Cyl. 3.0L		Idler	5975
06	4 Cyl. 2.3L	XL	Tensioner	5979
05-01	4 Cyl. 2.3L		Tensioner	5979
01-98	4 Cyl. 2.5L		Idler	5975
	4 Cyl. 2.5L		Tensioner	5979
97-90	4 Cyl. 2.3L		Tensioner	5979
	4 Cyl. 2.3L	Dealer Air	Idler	5971
	4 Cyl. 2.3L	Factory Air	Idler	5973
93-90	6 Cyl. 4.0L		Idler	5968
	6 Cyl. 4.0L		Tensioner	5968
92-91	6 Cyl. 3.0L	w/ Pwr Str	Idler Assy	5963
91	6 Cyl. 3.0L		Idler	5972
90	6 Cyl. 2.9L	w/ Pwr Str	Idler Assy	5963
89-85	4 Cyl.		Idler	5974
87	6 Cyl.	Dealer Air	Idler	5900
84-83	4 Cyl. 2.0L	Dealer Air	Idler	5975
	4 Cyl. 2.0L	Factory Air	Idler	5959
	4 Cyl. 2.2L		Idler	5959
	4 Cyl. 2.3L	Dealer Air	Idler	5975
	4 Cyl. 2.3L	Factory Air	Idler	5959
	6 Cyl. 2.8L		Idler	5900
TRANSIT CONNECT				
17-14	4 Cyl. 2.5L		Idler	5084
WINDSTAR				
03-99	6 Cyl. 3.8L		Tensioner	5996
03-98	6 Cyl. 3.8L		Idler	5975
00-96	6 Cyl. 3.0L		Idler	5969
00-95	6 Cyl. 3.0L		Tensioner	5979
98-95	6 Cyl. 3.8L		Tensioner	5971
97-96	6 Cyl. 3.8L		Idler	5969
95	6 Cyl. 3.8L		Idler	5981

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GEO				
METRO				
94-90	All Eng.		Idler	5003
PRIZM				
97-89	All Eng.		Idler	5003
GMC LIGHT TRUCK				
ACADIA				
17-07	6 Cyl. 3.6L		Idler	5083
CANYON				
12-09	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
12-07	4 Cyl. 2.9L		Idler	5047
	4 Cyl. 2.9L		Tensioner	5025
	5 Cyl. 3.7L		Idler	5047
	5 Cyl. 3.7L		Tensioner	5025
06-04	4 Cyl. 2.8L		Idler	5047
	4 Cyl. 2.8L		Tensioner	5025
	5 Cyl. 3.5L		Idler	5047
	5 Cyl. 3.5L		Tensioner	5025
ENVOY				
09-03	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
09-02	6 Cyl. 4.2L		Idler	5026
	6 Cyl. 4.2L		Tensioner	5025
FULLSIZE PICKUP				
13-10	8 Cyl. 4.8L		Tensioner	5971
	8 Cyl. 5.3L		Tensioner	5971
	8 Cyl. 6.0L		Tensioner	5971
	8 Cyl. 6.2L		Tensioner	5971
13-08	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
13-01	8 Cyl. 6.6L	Grooved; w/o AC	Idler	5935
	8 Cyl. 6.6L	Smooth	Idler	5071
13-99	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
11	6 Cyl. 4.3L	Sierra 1500	Tensioner	5996
10-96	6 Cyl. 4.3L		Tensioner	5996
09-07	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
09-99	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
07-01	8 Cyl. 8.1L	AC Belt Drive	Tensioner	5084
	8 Cyl. 8.1L	Main Drive	Idler	5975
	8 Cyl. 8.1L	Main Drive	Tensioner	5971
07-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
02	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GMC LIGHT TRUCK				
FULLSIZE PICKUP				
02-96	8 Cyl. 6.5L		Tensioner	5979
01	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5934
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5975
	8 Cyl. 6.6L		Tensioner	5979
	8 Cyl. 6.6L	Grooved; w/ AC	Idler	5996
00-96	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
	8 Cyl. 7.4L		Tensioner	5996
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
00-95	8 Cyl. 7.4L	Smooth	Idler	5975
99-96	8 Cyl. 5.0L		Tensioner	5996
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
95	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5010
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5010
	8 Cyl. 5.0L	Smooth; w/ AC	Idler	5979
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5010
	8 Cyl. 6.5L		Tensioner	5975
	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
95-94	8 Cyl. 7.4L	w/ AC	Tensioner	5066
	8 Cyl. 7.4L	w/o AC	Tensioner	5971
95-88	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/ AC	Tensioner	5975
	8 Cyl. 5.7L	w/ AC	Idler	5979
95-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
94	8 Cyl. 7.4L		Idler	5975
94-89	6 Cyl. 4.3L	w/o AC	Idler	5010
	8 Cyl. 5.0L	w/o AC	Idler	5010
	8 Cyl. 5.7L	w/o AC	Idler	5010
94-88	8 Cyl. 5.0L	w/ AC	Idler	5979
93-92	8 Cyl. 6.2L	w/ AC	Idler	5970
	8 Cyl. 7.4L		Tensioner	5975
93-88	8 Cyl. 7.4L	w/o AC	Idler	5976
93-87	8 Cyl. 7.4L	w/ AC	Idler	5975
91-88	8 Cyl. 6.2L		Idler	5970
	8 Cyl. 7.4L	w/ AC	Tensioner	5975
89-88	6 Cyl. 4.3L	w/o AC	Tensioner	5982
	8 Cyl. 5.0L	w/o AC	Tensioner	5982
	8 Cyl. 5.7L	w/o AC	Tensioner	5982
88	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5010
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5010

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GMC LIGHT TRUCK				
FULLSIZE PICKUP				
88	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5010
87	8 Cyl. 5.7L		Idler	5979
	8 Cyl. 7.4L		Tensioner	5975
G SERIES FULLSIZE VAN / SAVANA				
16-06	8 Cyl. 6.6L	Grooved Pulley; w/o AC	Idler	5935
11-97	6 Cyl. 4.3L		Tensioner	5996
10-03	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
07-97	6 Cyl. 4.3L	Smooth	Idler	5975
07-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
02-01	8 Cyl. 8.1L		Tensioner	5979
	8 Cyl. 8.1L	Grooved; w/o AC	Idler	5996
	8 Cyl. 8.1L	Smooth	Idler	5975
02-00	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
02-97	8 Cyl. 5.7L		Tensioner	5996
02-96	8 Cyl. 5.0L		Tensioner	5996
	8 Cyl. 5.0L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
	8 Cyl. 6.5L		Tensioner	5979
00-97	8 Cyl. 7.4L	Smooth	Idler	5975
	8 Cyl. 7.4L	w/ Air Pump	Tensioner	5975
	8 Cyl. 7.4L	w/o Air Pump	Tensioner	5996
00-96	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
99-97	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
96	6 Cyl. 4.3L	Back Idler	Idler	5975
	6 Cyl. 4.3L	w/ AC	Tensioner	5996
	8 Cyl. 7.4L	G Series Fullsize Van	Tensioner	5968
	8 Cyl. 7.4L	Savana; w/o Air Pump	Tensioner	5996
	8 Cyl. 7.4L	Smooth; w/o AC	Idler	5976
	8 Cyl. 7.4L	w/ AC	Idler	5975
96-92	6 Cyl. 4.3L	w/o AC	Tensioner	5971
	8 Cyl. 5.7L	w/o AC	Tensioner	5971
96-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
95-94	8 Cyl. 6.5L	Grooved	Idler	5971
	8 Cyl. 6.5L	Smooth	Idler	5990
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5971
	8 Cyl. 7.4L	Smooth	Idler	5975
95-92	6 Cyl. 4.3L		Idler	5975

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GMC LIGHT TRUCK				
G SERIES FULLSIZE VAN / SAVANA				
95-92	8 Cyl. 5.0L	w/o AC	Tensioner	5971
	8 Cyl. 5.0L		Idler	5975
	8 Cyl. 5.7L		Idler	5975
	8 Cyl. 7.4L		Tensioner	5968
95-87	6 Cyl. 4.3L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/ AC	Tensioner	5975
94	8 Cyl. 6.5L		Tensioner	5979
93-92	8 Cyl. 7.4L		Idler	5975
91-90	8 Cyl. 7.4L		Tensioner	5975
	8 Cyl. 7.4L	w/ AC	Idler	5973
	8 Cyl. 7.4L	w/o AC	Idler	5066
91-87	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Tensioner	5982
	8 Cyl. 5.0L	w/ AC	Idler	5979
	8 Cyl. 5.0L	w/o AC	Tensioner	5982
	8 Cyl. 5.7L	w/ AC	Idler	5979
	8 Cyl. 5.7L	w/o AC	Tensioner	5982
89	8 Cyl. 7.4L	w/ AC	Idler	5975
89-88	8 Cyl. 7.4L	w/ AC	Tensioner	5975
	8 Cyl. 7.4L	w/o AC	Idler	5976
88	8 Cyl. 7.4L	w/ AC	Idler	5973
87	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5010
86-85	6 Cyl.	w/ AC	Idler	5957
	8 Cyl.	w/ AC	Idler	5957
84	8 Cyl.	w/ AC	Idler	5902
83-73	All Eng.		Idler Assy	5960
P SERIES VAN				
99-98	8 Cyl. 7.4L		Tensioner	5996
99-97	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
	8 Cyl. 7.4L	Smooth	Idler	5975
99-96	6 Cyl. 4.3L		Tensioner	5996
	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
99-94	8 Cyl. 6.5L		Tensioner	5979
97	8 Cyl. 7.4L	Excl. Motor Home	Tensioner	5996
96	8 Cyl. 7.4L		Tensioner	5996
95-94	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
S15 JIMMY				
05-96	6 Cyl. 4.3L		Tensioner	5996
	6 Cyl. 4.3L	Smooth	Idler	5975
03-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
95-88	6 Cyl. 4.3L		Tensioner	5975

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GMC LIGHT TRUCK				
S15 JIMMY				
95-88	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Idler	5010
89-86	6 Cyl. 2.8L		Tensioner	5975
	6 Cyl. 2.8L	w/ AC	Idler	5990
88-87	4 Cyl. 2.5L		Tensioner	5975
S15 PICKUP				
04	6 Cyl. 4.3L	Back Idler	Idler	5975
04-96	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
	6 Cyl. 4.3L		Tensioner	5996
03-98	4 Cyl. 2.2L		Tensioner	5972
03-96	6 Cyl. 4.3L	Smooth	Idler	5975
97-94	4 Cyl. 2.2L		Tensioner	5975
96-94	4 Cyl. 2.2L		Pulley Bracket	5786
95-94	6 Cyl. 4.3L	w/ AC	Idler	5979
95-90	6 Cyl. 4.3L		Tensioner	5975
95-88	6 Cyl. 4.3L	w/o AC	Idler	5010
93	6 Cyl. 4.3L	w/o Turbo; w/ AC	Idler	5979
93-91	4 Cyl. 2.5L	w/o AC	Idler	5991
93-88	6 Cyl. 2.8L	w/ AC	Idler	5990
93-87	4 Cyl. 2.5L		Tensioner	5975
	6 Cyl. 2.8L		Tensioner	5975
92-88	6 Cyl. 4.3L	w/ AC	Idler	5979
90-87	4 Cyl. 2.5L	w/o Pwr Str; w/o AC	Idler	5991
89-88	6 Cyl. 4.3L	w/ AC	Tensioner	5975
87	6 Cyl. 2.8L	w/ AC	Idler	5975
SAFARI				
05-96	All Eng.		Tensioner	5996
	All Eng.	Grooved; w/o AC	Idler	5996
	All Eng.	Smooth	Idler	5975
95-92	All Eng.	w/o AC	Idler	5971
95-91	All Eng.	w/o AC	Tensioner	5971
	All Eng.	w/ AC	Idler	5975
	All Eng.	w/ AC	Tensioner	5975
91	All Eng.	w/o AC	Idler	5973
90	6 Cyl. 4.3L	w/ AC	Idler	5975
	6 Cyl. 4.3L	w/o AC	Idler	5973
	6 Cyl. 4.3L	w/o AC	Tensioner	5971
90-87	4 Cyl. 2.5L		Tensioner	5970
	6 Cyl. 4.3L	w/ AC	Tensioner	5975
89-87	6 Cyl. 4.3L	w/ AC	Idler	5979
	6 Cyl. 4.3L	w/o AC	Tensioner	5982
86-85	6 Cyl. 4.3L		Idler	5902
SUBURBAN / FULLSIZE JIMMY / YUKON				
13-07	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
GMC LIGHT TRUCK				
SUBURBAN / FULLSIZE JIMMY / YUKON				
13-00	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
09-00	8 Cyl. 4.8L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 4.8L	Serpentine Belt Drive	Tensioner	5971
06-01	8 Cyl. 8.1L	AC Belt Drive	Tensioner	5084
	8 Cyl. 8.1L	Main Drive	Idler	5975
	8 Cyl. 8.1L	Main Drive	Tensioner	5971
00-96	8 Cyl. 5.7L		Tensioner	5996
	8 Cyl. 5.7L	Grooved; w/o AC	Idler	5996
	8 Cyl. 5.7L	Smooth	Idler	5975
99-98	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
99-96	8 Cyl. 6.5L		Tensioner	5979
	8 Cyl. 7.4L		Tensioner	5996
	8 Cyl. 7.4L	Grooved; w/o AC	Idler	5996
99-95	8 Cyl. 7.4L	Smooth	Idler	5975
97-96	8 Cyl. 6.5L	Grooved Pulley; w/o AC	Idler	5935
	8 Cyl. 6.5L	Smooth Pulley; w/ Dual Alternator	Idler	5990
95	8 Cyl. 5.7L	w/ AC	Tensioner	5975
	8 Cyl. 6.5L	w/ Dual Alternator	Idler	5990
95-94	8 Cyl. 7.4L	w/ AC	Tensioner	5066
	8 Cyl. 7.4L	w/o AC	Tensioner	5971
95-87	8 Cyl. 5.7L	w/o AC	Idler	5010
	8 Cyl. 5.7L	w/ AC	Idler	5979
94	8 Cyl. 5.7L		Tensioner	5975
	8 Cyl. 7.4L		Idler	5975
93	8 Cyl. 5.7L	w/ AC	Tensioner	5975
93-89	8 Cyl. 7.4L	w/o AC	Idler	5976
93-87	8 Cyl. 7.4L		Tensioner	5975
	8 Cyl. 7.4L	w/ AC	Idler	5975
92	8 Cyl. 5.7L		Tensioner	5975
91-87	8 Cyl. 5.7L	w/ AC	Tensioner	5975
87	8 Cyl. 5.0L	w/ AC	Idler	5979
	8 Cyl. 5.0L	w/ AC	Tensioner	5975
	8 Cyl. 5.0L	w/o AC	Idler	5010
TERRAIN				
13-10	4 Cyl. 2.4L		Tensioner	5008
12-10	6 Cyl. 3.0L		Idler	5083
HONDA				
ACCORD				
12-10	6 Cyl. 3.5L	2 Door	Tensioner	5979
12-08	4 Cyl. 2.4L	USA Built	Tensioner	5011
09-08	6 Cyl. 3.5L		Tensioner	5979
07	6 Cyl. 3.0L	Gas	Idler	5026

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
HONDA				
ACCORD				
07	6 Cyl. 3.0L	Gas	Tensioner	5979
07-03	4 Cyl. 2.4L		Tensioner	5011
06	6 Cyl. 3.0L		Idler	5026
06-03	6 Cyl. 3.0L		Tensioner	5979
05	6 Cyl. 3.0L		Idler	5979
04-03	6 Cyl. 3.0L		Idler	5026
02-00	6 Cyl. 3.0L		Idler	5975
02-98	6 Cyl. 3.0L		Tensioner	5975
97-95	6 Cyl. 2.7L	AC Belt Drive	Idler	5001
89-86	4 Cyl. 2.0L		Idler	5941
CIVIC				
12	4 Cyl. 2.4L		Tensioner	5011
11-05	4 Cyl. 2.0L		Tensioner	5011
04-02	4 Cyl. 2.0L	SI	Tensioner	5011
00-89	All Eng.	AC Belt Drive	Idler	5941
CIVIC DEL SOL				
97-93	All Eng.	AC Belt Drive	Idler	5941
CR-V				
12-02	4 Cyl. 2.4L		Tensioner	5011
01-97	4 Cyl. 2.0L		Idler	5941
CRX				
91-90	All Eng.	AC Belt Drive	Idler	5941
89-88	All Eng.		Idler	5941
ELEMENT				
11-03	4 Cyl. 2.4L		Tensioner	5011
FIT				
08-07	4 Cyl. 1.5L		Idler	5012
INSIGHT				
06-01	All Eng.	Smooth Pulley	Idler	5043
06-00	All Eng.	Grooved Pulley; w/o AC	Idler	5080
ODYSSEY				
10-08	6 Cyl. 3.5L	EX	Tensioner	5979
	6 Cyl. 3.5L	LX	Tensioner	5979
07	6 Cyl. 3.5L	EX; J35A6	Tensioner	5979
	6 Cyl. 3.5L	EX; J35A6 Eng Desg.	Idler	5026
	6 Cyl. 3.5L	LX; J35A6 Eng Desg.	Idler	5026
	6 Cyl. 3.5L	LX; J35A6 Eng Desg.	Tensioner	5979
06-05	All Eng.		Idler	5026
	All Eng.		Tensioner	5979
04-99	All Eng.		Idler	5975
	All Eng.		Tensioner	5975
PASSPORT				
02-98	All Eng.		Idler	5996
	All Eng.		Tensioner	5969
97-94	6 Cyl. 3.2L	AC Idler	Idler	5024

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
HONDA				
PASSPORT				
96-94	4 Cyl. 2.6L		Idler	5902
PILOT				
10-07	6 Cyl. 3.5L	4WD	Tensioner	5979
06-05	All Eng.	4WD	Idler	5026
	All Eng.	4WD	Tensioner	5979
RIDGELINE				
11-06	All Eng.		Tensioner	5979
06	All Eng.		Idler	5026
S2000				
07-04	4 Cyl. 2.2L		Tensioner	5056
HUMMER (AM GENERAL)				
H1				
04-97	All Eng.		Tensioner	5979
97	All Eng.	w/ AC	Idler	5975
96-95	8 Cyl. 5.7L		Tensioner	5975
	8 Cyl. 5.7L	w/ AC	Idler	5979
	8 Cyl. 6.5L	w/ AC	Idler	5975
96-94	8 Cyl. 6.5L		Tensioner	5979
94	8 Cyl. 6.5L	w/o AC	Idler	5975
H2				
09-08	8 Cyl. 6.2L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.2L	Serpentine Belt Drive	Tensioner	5971
07-03	8 Cyl. 6.0L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive	Tensioner	5971
H3				
10-08	8 Cyl. 5.3L	Serpentine Belt Drive	Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive	Tensioner	5971
10-07	5 Cyl. 3.7L		Idler	5047
	5 Cyl. 3.7L		Tensioner	5025
06	5 Cyl. 3.5L		Tensioner	5025
HYUNDAI				
ACCENT				
11-01	4 Cyl. 1.6L	AC Belt Drive	Tensioner	5022
02-95	4 Cyl. 1.5L	AC Belt Drive	Tensioner	5022
AZERA				
15-06	All Eng.		Idler	5923
10-07	6 Cyl. 3.3L		Tensioner	5013
10-06	6 Cyl. 3.8L		Tensioner	5013
ELANTRA				
12-96	All Eng.	AC Belt Drive	Tensioner	5022
ENTOURAGE				
09	6 Cyl. 3.8L		Tensioner	5013
08-07	All Eng.		Idler	5923
07	6 Cyl. 3.8L		Tensioner	5013
EXCEL				
94-86	All Eng.		Idler	5957

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
HYUNDAI				
GENESIS				
14-09	6 Cyl. 3.8L		Idler	5923
SANTA FE				
14-13	6 Cyl. 3.3L		Idler	5923
12-10	6 Cyl. 3.5L		Idler	5923
09-07	6 Cyl. 2.7L		Idler	5936
	6 Cyl. 3.3L		Idler	5923
	6 Cyl. 3.3L		Tensioner	5013
06-03	6 Cyl. 3.5L	Pwr Str Idler Pulley	Idler	5080
06-01	6 Cyl. 2.7L		Idler	5969
	6 Cyl. 2.7L		Tensioner	5969
SCOUPE				
92-91	All Eng.		Idler	5957
SONATA				
10-06	6 Cyl. 3.3L		Idler	5923
	6 Cyl. 3.3L		Tensioner	5013
05-02	6 Cyl. 2.7L		Idler	5969
	6 Cyl. 2.7L		Tensioner	5969
03-01	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5022
01-99	6 Cyl. 2.5L		Idler	5969
	6 Cyl. 2.5L		Tensioner	5969
98-92	6 Cyl. 3.0L	AC Belt Drive	Idler	5024
	6 Cyl. 3.0L	AC Belt Drive	Tensioner	5000
TIBURON				
08-03	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5022
	6 Cyl. 2.7L		Tensioner	5969
07-03	6 Cyl. 2.7L		Idler	5969
01-99	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5022
98	All Eng.	AC Belt Drive	Tensioner	5022
TUCSON				
09-05	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5022
	6 Cyl. 2.7L		Tensioner	5969
05	6 Cyl. 2.7L		Idler	5969
VERA CRUZ				
12-07	6 Cyl. 3.8L		Idler	5923
10-07	6 Cyl. 3.8L		Tensioner	5013
XG300				
01	All Eng.	Pwr Str Idler Pulley	Idler	5080
XG350				
05-02	All Eng.	Pwr Str Idler Pulley	Idler	5080
INFINITI				
FX35				
08-03	6 Cyl. 3.5L		Idler	5916
FX45				
08-03	8 Cyl. 4.5L		Tensioner	5012
G35				
07-03	6 Cyl. 3.5L		Idler	5916

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
INFINITI				
I30				
01-96	All Eng.	AC Belt Drive	Idler	5004
I35				
04-02	All Eng.	AC Belt Drive	Idler	5004
M35				
08	6 Cyl. 3.5L		Idler	5916
M45				
10-06	8 Cyl. 4.5L	Pwr Str Belt Drive	Tensioner	5012
04-03	8 Cyl. 4.5L	Pwr Str Belt Drive	Tensioner	5012
Q45				
06-02	8 Cyl. 4.5L	Pwr Str Belt Drive	Tensioner	5012
96-90	8 Cyl. 4.5L	Alt Belt	Idler	5062
QX4				
03-02	6 Cyl. 3.5L		Idler	5916
00-97	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5062
99-97	All Eng.	A/C Mounting	Idler	5002
ISUZU				
AMIGO				
00-98	6 Cyl. 3.2L		Idler	5996
	6 Cyl. 3.2L		Tensioner	5969
94-89	All Eng.		Idler	5902
ASCENDER				
08-03	6 Cyl. 4.2L		Idler	5026
	6 Cyl. 4.2L		Tensioner	5025
06-03	8 Cyl. 5.3L	Accessory Belt Drive	Idler	5975
	8 Cyl. 5.3L	Accessory Belt Drive	Tensioner	5971
AXIOM				
04-02	6 Cyl. 3.5L		Idler	5996
	6 Cyl. 3.5L		Tensioner	5969
HOMBRE				
00	6 Cyl. 4.3L	Serpentine Belt Drive; Grooved	Idler	5996
00-98	4 Cyl. 2.2L		Tensioner	5972
00-97	6 Cyl. 4.3L	Smooth	Idler	5975
	6 Cyl. 4.3L		Tensioner	5996
99-97	6 Cyl. 4.3L	Grooved; w/o AC	Idler	5996
97	4 Cyl. 2.2L		Tensioner	5975
96	All Eng.		Tensioner	5975
PICKUP				
08	4 Cyl. 2.9L		Idler	5047
08-07	4 Cyl. 2.9L		Tensioner	5025
	5 Cyl. 3.7L		Tensioner	5025
07-06	4 Cyl.		Idler	5047
06	4 Cyl. 2.8L		Tensioner	5025
	4 Cyl.		Tensioner	5025
	5 Cyl. 3.5L		Idler	5047
	5 Cyl. 3.5L		Tensioner	5025
95	All Eng.	AC Idler Pulley	Idler	5902

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
ISUZU				
PICKUP				
94-91	4 Cyl. 2.3L	AC Idler Pulley	Idler	5902
	4 Cyl. 2.6L	AC Idler Pulley	Idler	5902
	6 Cyl. 3.1L		Idler	5990
	6 Cyl. 3.1L		Tensioner	5971
90-88	All Eng.	AC Idler Pulley	Idler	5902
87-86	4 Cyl. 2.3L	AC Idler Pulley	Idler	5902
RODEO				
04	6 Cyl. 3.5L		Idler	5996
	6 Cyl. 3.5L		Tensioner	5969
04-98	6 Cyl. 3.2L		Idler	5996
	6 Cyl. 3.2L		Tensioner	5969
97-93	6 Cyl. 3.2L	AC Idler Pulley	Idler	5024
97-91	4 Cyl. 2.6L	AC Idler Pulley	Idler	5902
92-91	6 Cyl. 3.1L		Idler	5990
	6 Cyl. 3.1L		Tensioner	5971
RODEO SPORT				
03-01	4 Cyl. 2.2L		Tensioner	5013
	6 Cyl. 3.2L		Idler	5996
	6 Cyl. 3.2L		Tensioner	5969
TROOPER				
02-98	6 Cyl. 3.5L		Idler	5996
	6 Cyl. 3.5L		Tensioner	5969
97-94	6 Cyl. 3.2L	AC Idler Pulley	Idler	5024
93-92	6 Cyl. 3.2L		Idler	5015
91-89	6 Cyl. 2.8L		Idler	5990
	6 Cyl. 2.8L		Tensioner	5975
91-88	4 Cyl. 2.6L	AC Idler Pulley	Idler	5902
87-86	4 Cyl. 2.3L	AC Idler Pulley	Idler	5902
VEHICROSS				
01-99	6 Cyl. 3.5L		Idler	5996
	6 Cyl. 3.5L		Tensioner	5969
JAGUAR				
S-TYPE				
08-05	6 Cyl. 3.0L		Tensioner	5979
08-03	8 Cyl. 4.2L	Serpentine Belt Drive	Tensioner	5979
04-03	6 Cyl. 3.0L	VIN: T	Tensioner	5979
02-01	6 Cyl. 3.0L		Tensioner	5979
02-00	8 Cyl. 4.0L		Idler	5975
	8 Cyl. 4.0L		Tensioner	5979
00	6 Cyl. 3.0L	From Chassis/VIN L76000	Tensioner	5979
SUPER V8				
09-05	8 Cyl. 4.2L	Serpentine Belt Drive	Tensioner	5979
VANDEN PLAS				
09-05	8 Cyl. 4.2L		Tensioner	5979
04	8 Cyl. 4.2L	w/o Supercharger	Tensioner	5979

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
JAGUAR				
X-TYPE				
08-02	All Eng.		Tensioner	5979
XF				
10	8 Cyl. 4.2L		Tensioner	5979
09	8 Cyl. 4.2L	LUXURY	Tensioner	5979
	8 Cyl. 4.2L	PREMIUM LUXURY	Tensioner	5979
	8 Cyl. 4.2L	Supercharged; Serpentine Belt Drive	Tensioner	5979
XJ8				
09-04	8 Cyl. 4.2L		Tensioner	5979
XJR				
09-04	8 Cyl. 4.2L	Serpentine Belt Drive	Tensioner	5979
XK				
09-07	8 Cyl. 4.2L		Tensioner	5979
XK8				
06-03	8 Cyl. 4.2L		Tensioner	5979
XKR				
09-03	8 Cyl. 4.2L	Serpentine Belt Drive	Tensioner	5979
JEEP				
CHEROKEE				
01-98	6 Cyl. 4.0L	Adjustable	Idler	5018
01-96	6 Cyl. 4.0L	Grooved	Idler	5066
00	4 Cyl. 2.5L	Stationary	Idler	5019
00-98	4 Cyl. 2.5L	Adjustable	Idler	5018
00-96	4 Cyl. 2.5L	Grooved	Idler	5066
99-98	4 Cyl. 2.5L	Stationary	Idler	5979
	6 Cyl. 4.0L	Stationary	Idler	5979
97	4 Cyl. 2.5L	3" Dia	Idler	5018
	4 Cyl. 2.5L	3.5" Dia.	Idler	5019
	6 Cyl. 4.0L	3" Dia	Idler	5019
	6 Cyl. 4.0L	3.5" Dia.	Idler	5018
96-95	4 Cyl. 2.5L	Adjustable	Idler	5018
	6 Cyl. 4.0L	Adjustable	Idler	5018
94-87	6 Cyl. 4.0L	Grooved	Idler	5066
	6 Cyl. 4.0L	Smooth	Idler	5018
94-86	4 Cyl. 2.5L	Grooved	Idler	5066
	4 Cyl. 2.5L	Smooth	Idler	5018
87-85	4 Cyl. 2.1L		Idler	5900
COMANCHE				
92-87	4 Cyl. 2.5L	Grooved	Idler	5976
	4 Cyl. 2.5L	Smooth	Idler	5018
	6 Cyl. 4.0L	Grooved	Idler	5976
	6 Cyl. 4.0L	Smooth	Idler	5018
87-86	4 Cyl. 2.1L		Idler	5900
COMMANDER				
10-06	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5972

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
JEEP				
COMMANDER				
10-06	8 Cyl. 5.7L		Idler	5013
09-06	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5972
COMPASS				
13-07	4 Cyl. 2.0L	Upper	Idler	5076
	4 Cyl. 2.4L	Upper	Idler	5076
12-11	All Eng.	Lower	Idler	5013
10-07	4 Cyl. 2.4L	Lower	Idler	5013
GRAND CHEROKEE				
12	8 Cyl. 6.4L		Idler	5013
12-05	8 Cyl. 5.7L		Idler	5013
10-06	8 Cyl. 6.1L		Idler	5013
10-05	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5972
09-05	8 Cyl. 4.7L	Smooth	Tensioner	5972
09-99	8 Cyl. 4.7L	Grooved	Tensioner	5971
06-05	6 Cyl. 3.7L		Idler	5975
	8 Cyl. 4.7L		Idler	5018
04-99	6 Cyl. 4.0L		Tensioner	5013
	8 Cyl. 4.7L	Smooth	Tensioner	5975
04-98	6 Cyl. 4.0L	Stationary	Idler	5019
02	8 Cyl. 4.7L	Adjustable	Idler	5018
98	8 Cyl. 5.9L		Idler	5016
	8 Cyl. 5.9L		Tensioner	5980
98-93	8 Cyl. 5.2L		Idler	5016
	8 Cyl. 5.2L		Tensioner	5980
97-93	6 Cyl. 4.0L	Adjustable	Idler	5018
GRAND WAGONEER				
93	All Eng.		Idler	5016
	All Eng.		Tensioner	5980
90-87	All Eng.		Idler	5900
J SERIES				
88-87	All Eng.		Idler	5900
LIBERTY				
12-02	6 Cyl. 3.7L	Grooved	Tensioner	5971
	6 Cyl. 3.7L	Smooth	Tensioner	5972
07	6 Cyl. 3.7L		Idler	5018
06-02	6 Cyl. 3.7L		Idler	5019
05-02	4 Cyl. 2.4L		Idler	5979
	4 Cyl. 2.4L		Tensioner	5013
PATRIOT				
13-07	4 Cyl. 2.0L	Upper	Idler	5076
	4 Cyl. 2.4L	Lower	Idler	5013
	4 Cyl. 2.4L	Upper	Idler	5076

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
JEEP				
TJ				
02	6 Cyl. 4.0L		Tensioner	5013
01	4 Cyl. 2.5L	Canada	Tensioner	5975
	4 Cyl. 2.5L	Stationary; Canada	Idler	5019
01-00	6 Cyl. 4.0L	Canada	Idler	5019
	6 Cyl. 4.0L	Canada	Tensioner	5972
	6 Cyl. 4.0L	Excl. Canada	Tensioner	5013
00	4 Cyl. 2.5L	Stationary	Idler	5019
00-99	4 Cyl. 2.5L	Adjustable	Idler	5975
99	4 Cyl. 2.5L	Stationary; Canada	Idler	5019
	6 Cyl. 4.0L	Adjustable	Idler	5975
	6 Cyl. 4.0L	Stationary; Canada	Idler	5019
WAGONEER				
90-88	All Eng.	Grooved	Idler	5976
	All Eng.	Smooth	Idler	5018
87	6 Cyl. 4.0L	Grooved	Idler	5976
	6 Cyl. 4.0L	Smooth	Idler	5018
85	4 Cyl. 2.1L		Idler	5900
WRANGLER				
06-03	4 Cyl. 2.4L		Idler	5979
	4 Cyl. 2.4L		Tensioner	5013
06-02	6 Cyl. 4.0L		Tensioner	5013
06-01	6 Cyl. 4.0L		Idler	5019
02	4 Cyl. 2.5L	Adjustable	Idler	5018
	4 Cyl. 2.5L	Stationary	Idler	5019
02-01	4 Cyl. 2.5L		Tensioner	5018
01-00	4 Cyl. 2.5L		Idler	5975
	6 Cyl. 4.0L	Excl. Canada	Tensioner	5013
00	6 Cyl. 4.0L		Idler	5975
99	4 Cyl. 2.5L	Adjustable	Idler	5975
99-97	6 Cyl. 4.0L	Adjustable	Idler	5975
98-97	4 Cyl. 2.5L	Adjustable	Idler	5018
	4 Cyl. 2.5L	Stationary	Idler	5019
95	4 Cyl. 2.5L		Idler	5018
	6 Cyl. 4.0L		Idler	5018
94-91	4 Cyl. 2.5L	Grooved	Idler	5976
	6 Cyl. 4.0L	Grooved	Idler	5976
	6 Cyl. 4.0L	Smooth	Idler	5018
94-87	4 Cyl. 2.5L	Smooth	Idler	5018
90-87	6 Cyl. 4.2L		Idler	5018
KIA				
AMANTI				
09-07	All Eng.		Idler	5923
06-04	All Eng.	Pwr Str Idler Pulley	Idler	5080
BORREGO				
09	6 Cyl. 3.8L		Idler	5923

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
KIA				
MAGENTIS				
10-07	6 Cyl. 2.7L		Idler	5936
06-02	6 Cyl. 2.7L		Tensioner	5969
06-01	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5022
01	6 Cyl. 2.5L		Tensioner	5969
OPTIMA				
10-06	6 Cyl. 2.7L		Idler	5936
07-02	6 Cyl. 2.7L		Tensioner	5969
06-01	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5022
05-02	6 Cyl. 2.7L		Idler	5969
01	6 Cyl. 2.5L		Idler	5969
	6 Cyl. 2.5L		Tensioner	5969
RIO / RIO5				
11-06	All Eng.	AC Belt Drive	Tensioner	5022
RONDO				
10-07	6 Cyl. 2.7L		Idler	5936
SEDONA				
12-11	6 Cyl. 3.5L	Upper	Idler	5923
10-06	6 Cyl. 3.8L		Idler	5923
	6 Cyl. 3.8L		Tensioner	5013
05-02	6 Cyl. 3.5L	AC Belt Drive	Tensioner	5969
	6 Cyl. 3.5L	Pwr Str Idler Pulley	Idler	5080
SORENTO				
15	6 Cyl. 3.3L		Idler	5923
13-11	6 Cyl. 3.5L		Idler	5923
09-08	6 Cyl. 3.3L		Tensioner	5013
09-07	6 Cyl. 3.8L		Idler	5923
	6 Cyl. 3.8L		Tensioner	5013
SOUL				
11-10	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5022
SPECTRA / SPECTRA5				
09-04	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5022
SPORTAGE				
10-05	4 Cyl. 2.0L		Tensioner	5022
	6 Cyl. 2.7L		Tensioner	5969
07-05	6 Cyl. 2.7L		Idler	5969
01-95	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5000
LAND ROVER				
DISCOVERY				
04-03	8 Cyl. 4.6L		Tensioner	5058
02-99	8 Cyl. 4.0L		Tensioner	5058
LR3				
09	8 Cyl. 4.4L	HSE; Serpentine Belt Drive	Tensioner	5979
08-05	8 Cyl. 4.4L	Serpentine Belt Drive	Tensioner	5979
07-05	8 Cyl. 4.4L	Fan Belt	Tensioner	5979
RANGE ROVER				
09-06	8 Cyl. 4.2L	Fan Belt	Tensioner	5979

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
LAND ROVER				
RANGE ROVER				
09-06	8 Cyl. 4.2L	Serpentine Belt Drive	Tensioner	5979
	8 Cyl. 4.4L	Fan Belt	Tensioner	5979
	8 Cyl. 4.4L	Serpentine Belt Drive	Tensioner	5979
02-96	8 Cyl. 4.6L		Tensioner	5058
00-96	8 Cyl. 4.0L		Tensioner	5058
LEXUS				
ES350				
12-07	6 Cyl. 3.5L		Idler	5070
GS F				
16	All Eng.		Idler	5938
GS300				
05-93	All Eng.		Tensioner	5064
GS350				
13	All Eng.	RWD	Idler	5070
11-07	All Eng.	RWD	Idler	5070
GS400				
00-98	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
GS430				
07-01	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
GS460				
11-08	All Eng.		Idler	5938
GX460				
16-10	All Eng.		Idler	5933
GX470				
09-03	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
HS250				
11-10	4 Cyl. 2.4L	HYBRID	Tensioner	5941
IS F				
14-08	All Eng.		Idler	5938
IS250				
13-06	6 Cyl. 2.5L	RWD	Idler	5070
IS300				
05-01	All Eng.		Tensioner	5064
IS350				
10-06	6 Cyl. 3.5L		Idler	5070
LS400				
00-90	All Eng.		Idler	5021
	All Eng.		Pulley Bracket	5785
	All Eng.		Tensioner	5064
LS430				
06-01	All Eng.		Idler	5021
	All Eng.		Tensioner	5064

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
LEXUS				
LS460				
16-07	All Eng.		Idler	5938
LX470				
07-98	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
LX570				
16-13	All Eng.		Idler	5933
11-08	All Eng.		Idler	5933
RCF				
16-15	All Eng.		Idler	5938
RX350				
13	6 Cyl. 3.5L		Idler	5070
11-07	6 Cyl. 3.5L		Idler	5070
SC300				
00-92	All Eng.		Tensioner	5064
SC400				
00-92	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
SC430				
10-02	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
LINCOLN				
AVIATOR				
05-03	All Eng.		Tensioner	5979
	All Eng.	Grooved	Idler	5069
	All Eng.	Smooth	Idler	5975
BLACKWOOD				
02	All Eng.	Grooved	Idler	5069
	All Eng.	Smooth	Idler	5975
	All Eng.	w/ AC	Tensioner	5979
CONTINENTAL				
02-95	All Eng.		Idler	5979
	All Eng.		Tensioner	5979
94-90	All Eng.		Idler	5981
94-88	All Eng.		Tensioner	5971
89	All Eng.		Idler	5973
88-86	All Eng.		Idler	5959
87-86	All Eng.		Tensioner	5979
85-84	8 Cyl. 5.0L		Idler	5959
	8 Cyl. 5.0L		Tensioner	5979
80	8 Cyl. 5.0L		Idler Assy	5942
	8 Cyl. 5.8L		Idler Assy	5942
77	8 Cyl. 6.6L	Right Side	Idler Assy	5950
	8 Cyl. 7.5L	Right Side	Idler Assy	5950
76-73	All Eng.		Idler Assy	5950
72	All Eng.	To 4/10/72	Idler	5902
71	All Eng.	To 1/22/71	Idler Assy	5950

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
LINCOLN				
CONTINENTAL				
70	All Eng.		Idler Assy	5950
69	All Eng.		Idler	5902
68	8 Cyl. 7.5L		Idler	5902
LS				
05-00	6 Cyl. 3.0L		Idler	5066
	6 Cyl. 3.0L		Tensioner	5979
	8 Cyl. 3.9L		Tensioner	5979
03-00	8 Cyl. 3.9L		Idler	5975
MARK LIGHT TRUCK				
08-07	8 Cyl. 5.4L		Tensioner	5979
08-06	8 Cyl. 5.4L	Grooved; w/ AC	Idler	5069
	8 Cyl. 5.4L	Smooth; w/ AC	Idler	5975
06	8 Cyl. 5.4L	w/ AC	Tensioner	5979
MARK SERIES				
98-93	All Eng.		Idler	5979
98-86	All Eng.		Tensioner	5979
92-88	All Eng.		Idler	5959
85	8 Cyl. 5.0L	w/ Fixed Mounting Stud	Idler Assy	5942
85-84	8 Cyl. 5.0L		Idler	5959
	8 Cyl. 5.0L		Tensioner	5979
84	8 Cyl. 5.0L		Idler Assy	5942
83-81	All Eng.		Idler Assy	5942
	All Eng.		Tensioner	5959
80	8 Cyl. 5.0L		Idler Assy	5942
	8 Cyl. 5.0L		Tensioner	5959
	8 Cyl. 5.8L		Idler Assy	5942
	8 Cyl. 5.8L		Tensioner	5959
77	8 Cyl. 6.6L	Right Side	Idler Assy	5950
	8 Cyl. 7.5L	Right Side	Idler Assy	5950
76-73	All Eng.		Idler Assy	5950
72	All Eng.	From 10/4/71	Idler	5902
71-70	All Eng.	Adjustable	Idler Assy	5950
69	All Eng.		Idler	5902
68	8 Cyl. 7.5L		Idler	5902
	8 Cyl. 7.6L		Idler	5902
MKC				
17-15	All Eng.		Idler	5084
MKT				
16-13	4 Cyl. 2.0L		Idler	5084
MKZ				
17-13	4 Cyl. 2.0L		Idler	5084
NAVIGATOR				
12-02	All Eng.		Tensioner	5979
10-03	All Eng.	Smooth	Idler	5975
02-98	All Eng.		Idler	5014

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
LINCOLN				
NAVIGATOR				
01-98	All Eng.		Tensioner	5981
TOWN CAR				
10-00	All Eng.	Grooved	Idler	5056
	All Eng.	Smooth	Idler	5975
10-92	All Eng.		Tensioner	5979
99-92	All Eng.		Idler	5979
90	All Eng.		Idler	5975
89-86	All Eng.		Idler	5959
85-84	All Eng.		Tensioner	5979
83-82	All Eng.		Idler Assy	5942
VERSAILLES				
80-78	All Eng.		Idler Assy	5950
ZEPHYR				
06	6 Cyl. 3.0L		Tensioner	5975
MAZDA				
323				
94	All Eng.		Idler	5015
93-90	All Eng.		Idler	5024
89-88	All Eng.		Idler	5940
626				
02-93	6 Cyl. 2.5L	Alternator Belt Drive	Idler	5934
	6 Cyl. 2.5L	Pwr Str Belt Drive	Idler	5087
91-86	All Eng.		Idler	5959
929				
95	All Eng.		Idler	5003
93-92	All Eng.		Idler	5000
MAZDA 3				
12-07	4 Cyl. 2.0L		Tensioner	5996
09-07	4 Cyl. 2.3L	w/o Turbo	Tensioner	5996
06-04	All Eng.		Tensioner	5996
MAZDA 5				
10-06	All Eng.		Tensioner	5996
MIATA				
99	All Eng.	w/ AC	Idler	5024
97-91	All Eng.	w/ AC	Idler	5024
MILLENIA				
02-95	6 Cyl. 2.5L	Alternator Belt Drive	Idler	5934
	6 Cyl. 2.5L	Pwr Str Belt Drive	Idler	5087
MPV				
06-02	6 Cyl. 3.0L	Accessory Belt Drive	Tensioner	5979
01-00	6 Cyl. 2.5L	Accessory Belt Drive	Tensioner	5979
94-93	4 Cyl. 2.6L		Idler	5000
	6 Cyl. 3.0L		Idler	5000
92-91	4 Cyl. 2.6L		Idler	5902
	6 Cyl. 3.0L		Idler	5902
90-89	4 Cyl. 2.6L		Idler	5000

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MAZDA				
MPV				
90-89	6 Cyl. 3.0L		Idler	5000
MX-3				
94-92	6 Cyl. 1.8L	Alternator Belt Drive	Idler	5934
	6 Cyl. 1.8L	Pwr Str Belt Drive	Idler	5087
MX-6				
97-93	6 Cyl. 2.5L	Alternator Belt Drive	Idler	5934
	6 Cyl. 2.5L	Pwr Str Belt Drive	Idler	5087
NAVAJO				
94	All Eng.		Idler	5975
94-93	All Eng.		Tensioner	5996
92-91	All Eng.		Idler	5968
	All Eng.		Tensioner	5968
PICKUP				
09-08	4 Cyl. 2.3L		Tensioner	5013
09-03	6 Cyl. 4.0L		Idler	5975
	6 Cyl. 4.0L		Tensioner	5996
08-03	6 Cyl. 3.0L		Tensioner	5979
07-03	4 Cyl. 2.3L		Tensioner	5979
	6 Cyl. 3.0L		Idler	5975
02-01	All Eng.	B2300	Tensioner	5979
02-00	All Eng.	B3000	Idler	5975
02-98	All Eng.	B3000	Tensioner	5979
02-94	All Eng.	B4000	Idler	5975
	All Eng.	B4000	Tensioner	5996
01-98	All Eng.	B2500	Idler	5975
	All Eng.	B2500	Tensioner	5979
99	All Eng.	B3000	Idler	5979
98	All Eng.	B3000	Idler	5975
97	All Eng.	B3000; Canada	Idler	5979
	All Eng.	B3000; Canada	Tensioner	5979
	All Eng.	B2300	Idler	5979
97-94	All Eng.	B2300	Tensioner	5979
96-95	All Eng.	B3000	Tensioner	5979
96-94	All Eng.	B2300; Dealer Air	Idler	5971
	All Eng.	B3000	Idler	5975
94	All Eng.	B3000	Tensioner	5975
93-92	All Eng.	B2600	Idler	5902
PROTEGE				
96-95	All Eng.	w/ AC	Idler	5015
94-90	All Eng.	w/ AC	Idler	5024
RX-8				
09-04	2 Cyl. 1.3L		Idler	5941
TRIBUTE				
10-09	4 Cyl. 2.5L	Excl. Hybrid; Smooth	Idler	5013
	4 Cyl. 2.5L	HYBRID	Tensioner	5996

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MAZDA				
TRIBUTE				
08	4 Cyl. 2.3L	Excl. Hybrid; Smooth	Idler	5013
	4 Cyl. 2.3L	HYBRID	Tensioner	5996
06-02	6 Cyl. 3.0L	Accessory Belt Drive	Tensioner	5979
04-01	4 Cyl. 2.0L		Idler	5013
	4 Cyl. 2.0L		Tensioner	5996
01	6 Cyl. 3.0L	From 9/16/2001; Accessory Belt Drive	Tensioner	5979
MERCEDES-BENZ				
190 SERIES				
93-87	6 Cyl. 2.6L	190E	Tensioner	5987
89-86	5 Cyl. 2.5L	190D	Idler	5989
88-86	4 Cyl. 2.3L	190E	Idler	5989
87	6 Cyl. 2.6L	190E	Idler	5052
260 SERIES				
89-87	All Eng.	260E; Grooved	Idler	5052
	All Eng.	260E; Smooth	Tensioner	5987
300 SERIES				
93	6 Cyl. 2.8L	300E	Idler	5027
	6 Cyl. 3.0L	300E	Idler	5027
	6 Cyl. 3.2L	300CE	Idler	5027
	6 Cyl. 3.2L	300CE	Tensioner	5987
93-92	6 Cyl. 3.0L	300TE	Tensioner	5987
93-90	6 Cyl. 3.0L	300SL	Idler	5027
	6 Cyl. 3.0L	300SL	Tensioner	5987
93-86	6 Cyl. 3.0L	300E	Tensioner	5987
92-90	6 Cyl. 2.6L	300E	Idler	5052
	6 Cyl. 2.6L	300E	Tensioner	5987
92-88	6 Cyl. 3.0L	300TE	Idler	5027
	6 Cyl. 3.0L	300CE	Idler	5052
	6 Cyl. 3.0L	300CE	Tensioner	5987
92-86	6 Cyl. 3.0L	300E	Idler	5052
91-90	6 Cyl. 3.0L	300SEL	Idler	5027
91-88	6 Cyl. 3.0L	300SEL	Tensioner	5987
	6 Cyl. 3.0L	300SE	Idler	5052
	6 Cyl. 3.0L	300SE	Tensioner	5987
90-88	6 Cyl. 3.0L	300TE	Tensioner	5987
88	6 Cyl. 3.0L	300SEL	Idler	5052
400 SERIES				
92	8 Cyl. 4.2L		Tensioner	5050
420 SERIES				
91	8 Cyl. 4.2L		Idler	5028
500 SERIES				
92-90	8 Cyl. 5.0L		Tensioner	5050
560 SERIES				
91	8 Cyl. 5.6L	560SEC	Idler	5028
	8 Cyl. 5.6L	560SEL	Idler	5028

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCEDES-BENZ				
600 SERIES				
93-92	12 Cyl. 6.0L		Idler	5051
C CLASS				
07	6 Cyl. 2.5L		Idler	5038
	6 Cyl. 3.0L		Idler	5038
06	6 Cyl. 3.5L		Idler	5038
05	6 Cyl. 3.2L		Idler	5038
05-04	6 Cyl. 2.6L		Idler	5038
04-02	6 Cyl. 3.2L	C320	Idler	5038
02-01	6 Cyl. 2.6L		Idler	5038
01	6 Cyl. 3.2L		Idler	5028
00-98	8 Cyl. 4.3L		Idler	5038
99-98	6 Cyl. 2.8L		Idler	5038
97-95	All Eng.	C36	Tensioner	5987
	All Eng.	C36; w/ 6 Groove Pulley	Idler	5027
97-94	All Eng.	C280	Tensioner	5987
	All Eng.	C280; w/ 6 Groove Pulley	Idler	5027
CL CLASS				
05-98	8 Cyl. 5.0L		Idler	5038
02-01	8 Cyl. 5.5L		Idler	5038
99-98	12 Cyl. 6.0L		Idler	5051
CLK CLASS				
07	8 Cyl. 5.5L		Idler	5038
07-06	6 Cyl. 3.5L		Idler	5038
05-03	8 Cyl. 5.0L		Idler	5038
05-01	8 Cyl. 5.5L		Idler	5038
05-98	6 Cyl. 3.2L		Idler	5038
03-99	8 Cyl. 4.3L		Idler	5038
E CLASS				
07	8 Cyl. 5.5L		Idler	5038
07-06	6 Cyl. 3.5L		Idler	5038
06-03	8 Cyl. 5.0L		Idler	5038
06-98	6 Cyl. 3.2L		Idler	5038
02-99	8 Cyl. 5.5L		Idler	5038
02-98	8 Cyl. 4.3L		Idler	5038
97	All Eng.	E420; w/ 6 Groove Pulley	Idler	5027
97-94	All Eng.	E320; w/ 6 Groove Pulley	Idler	5027
96	All Eng.	E320	Tensioner	5987
95	All Eng.	E320; Smooth	Tensioner	5987
94	All Eng.	E320	Tensioner	5987
G CLASS				
08-02	8 Cyl. 5.0L		Idler	5038
05	8 Cyl. 5.5L	Serpentine Belt Drive	Idler	5038
04-03	8 Cyl. 5.5L		Idler	5038
ML CLASS				
07	8 Cyl. 5.0L		Idler	5038

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCEDES-BENZ				
ML CLASS				
05-03	6 Cyl. 3.7L		Idler	5038
05-02	8 Cyl. 5.0L		Idler	5038
03-00	8 Cyl. 5.5L		Idler	5038
03-98	6 Cyl. 3.2L		Idler	5038
01-99	8 Cyl. 4.3L		Idler	5038
R CLASS				
07	6 Cyl. 3.5L		Idler	5038
	8 Cyl. 5.0L		Idler	5038
S CLASS				
07	8 Cyl. 5.5L		Idler	5038
06-00	8 Cyl. 4.3L		Idler	5038
	8 Cyl. 5.0L		Idler	5038
02-01	8 Cyl. 5.5L		Idler	5038
99-96	8 Cyl. 4.2L		Idler	5027
	8 Cyl. 5.0L		Idler	5027
99-94	12 Cyl. 6.0L		Idler	5051
	6 Cyl. 3.2L		Idler	5027
	6 Cyl. 3.2L		Tensioner	5987
SL CLASS				
07	8 Cyl. 5.5L		Idler	5038
06-99	8 Cyl. 5.0L		Idler	5038
01-00	12 Cyl. 6.0L		Idler	5027
99-94	12 Cyl. 6.0L		Idler	5051
98	8 Cyl. 5.0L		Idler	5027
97-96	8 Cyl. 5.0L		Idler	5989
97-94	6 Cyl. 3.2L		Tensioner	5987
95	8 Cyl. 5.0L	SL500	Idler	5989
94	8 Cyl. 5.0L		Idler	5989
SLK CLASS				
10-07	8 Cyl. 5.5L		Idler	5038
07-06	6 Cyl. 3.0L		Idler	5038
07-05	6 Cyl. 3.5L		Idler	5038
05	8 Cyl. 5.5L		Idler	5038
04-02	6 Cyl. 3.2L	w/o Supercharger	Idler	5038
01	6 Cyl. 3.2L		Idler	5038
MERCURY				
BOBCAT				
80	All Eng.	Dealer Air	Idler	5900
	All Eng.	Factory Air	Idler Assy	5951
78-75	4 Cyl. 2.3L	Adjustable	Idler Assy	5951
CAPRI				
86	6 Cyl. 3.8L		Idler Assy	5964
86-85	8 Cyl. 5.0L	Factory Air	Tensioner	5979
86-83	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
86-82	8 Cyl. 5.0L	Factory Air	Idler	5959

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
CAPRI				
85	6 Cyl. 3.8L	Factory Air	Idler Assy	5964
84	8 Cyl. 5.0L		Tensioner	5979
84-83	6 Cyl. 3.8L	From 3/83	Idler Assy	5964
	6 Cyl. 3.8L	To 3/83	Idler	5959
83	8 Cyl. 5.0L	Serpentine Belt Drive	Tensioner	5979
82	8 Cyl. 4.2L		Tensioner	5979
	8 Cyl. 5.0L		Tensioner	5979
82-80	4 Cyl. 2.3L		Idler Assy	5951
	All Eng.	Dealer Air	Idler	5900
81-80	8 Cyl. 4.2L		Tensioner	5974
79	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
	8 Cyl. 5.0L		Tensioner	5974
	8 Cyl. 5.0L	Factory Air; Grooved	Idler Assy	5960
	8 Cyl. 5.0L	Factory Air; Serpentine Belt Drive	Idler	5959
77-76	4 Cyl. 2.3L	Dealer Air	Idler	5900
	4 Cyl. 2.3L	Factory Air; Adjustable	Idler Assy	5951
	6 Cyl. 2.8L	Dealer Air	Idler	5900
74	4 Cyl. 2.0L	Dealer Air	Idler	5900
	4 Cyl. 2.0L	Factory Air	Idler	5902
	6 Cyl. 2.8L	Dealer Air	Idler	5900
	6 Cyl. 2.8L	Factory Air	Idler	5902
73-71	All Eng.	Dealer Air	Idler	5900
COLONY PARK				
91-89	All Eng.		Idler	5975
91-86	All Eng.		Idler Assy	5942
85-84	All Eng.		Tensioner	5979
82	All Eng.		Tensioner	5979
COMET				
77-72	8 Cyl. 5.0L		Idler Assy	5950
71	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler	5902
69	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
	8 Cyl. 6.4L	Adjustable	Idler Assy	5950
	8 Cyl. 6.4L	Fixed	Idler	5902
69-68	8 Cyl. 5.0L	Fixed	Idler	5902
68	8 Cyl. 5.0L	From 3/1/68; Adjustable	Idler Assy	5950
67	8 Cyl. 4.7L	From 3/1/67	Idler	5902
COUGAR				
02-01	6 Cyl. 2.5L		Idler	5013
	6 Cyl. 2.5L	Serpentine Belt Drive	Tensioner	5979
02-99	4 Cyl. 2.0L		Idler	5013
	4 Cyl. 2.0L		Tensioner	5996
97-94	6 Cyl. 3.8L		Idler	5975

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
COUGAR				
97-94	8 Cyl. 4.6L		Idler	5979
	8 Cyl. 4.6L		Tensioner	5979
97-92	6 Cyl. 3.8L		Tensioner	5971
93-92	6 Cyl. 3.8L		Idler	5973
91	8 Cyl. 5.0L		Idler	5975
91-89	6 Cyl. 3.8L	w/o Supercharger	Idler	5973
90-89	6 Cyl. 3.8L	Supercharged	Tensioner	5981
	6 Cyl. 3.8L	w/o Supercharger; Grooved	Tensioner	5971
	6 Cyl. 3.8L	w/o Supercharger; Smooth	Tensioner	5979
88	6 Cyl. 3.8L		Tensioner	5959
88-87	6 Cyl. 3.8L		Idler Assy	5964
88-83	8 Cyl. 5.0L		Tensioner	5979
86-85	6 Cyl. 3.8L	Dealer Air	Idler	5900
	6 Cyl. 3.8L	Factory Air	Idler Assy	5964
84-83	6 Cyl. 3.8L	From 3/83	Idler Assy	5964
	6 Cyl. 3.8L	To 3/83	Idler	5959
82	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
	All Eng.	Dealer Air	Idler	5900
81	4 Cyl. 2.3L	Dealer Air	Idler	5900
	6 Cyl. 3.3L	Dealer Air	Idler	5900
	8 Cyl. 4.2L		Idler Assy	5950
	8 Cyl. 4.2L	Dealer Air	Idler	5900
80	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
	8 Cyl. 5.0L	Dealer Air	Idler	5900
80-77	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
79-76	All Eng.	Dealer Air	Idler	5900
79-73	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
78-73	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
75-74	8 Cyl. 6.6L	Dealer Air	Idler	5900
75-73	8 Cyl. 5.8L	Dealer Air	Idler	5900
72-71	8 Cyl. 5.8L		Idler Assy	5950
71	8 Cyl. 7.0L		Idler Assy	5950
70	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable	Idler Assy	5950
	8 Cyl. 7.0L	Fixed	Idler	5902
69	8 Cyl. 5.8L	w/o T.E.; Adjustable	Idler	5900
	8 Cyl. 5.8L	w/o T.E.; Fixed	Idler	5902
	8 Cyl. 6.4L	w/o T.E.; Adjustable	Idler	5900
	8 Cyl. 6.4L	w/o T.E.; Fixed	Idler	5902
	8 Cyl. 7.0L	w/o T.E.; Adjustable	Idler	5900
	8 Cyl. 7.0L	w/o T.E.; Fixed	Idler	5902
68	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler	5902
	8 Cyl. 6.4L	Adjustable	Idler Assy	5950

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
COUGAR				
68	8 Cyl. 6.4L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable	Idler Assy	5950
	8 Cyl. 7.0L	Fixed	Idler	5902
GRAND MARQUIS				
11-03	All Eng.	Grooved	Idler	5056
	All Eng.	Smooth	Idler	5975
11-93	All Eng.		Tensioner	5979
02-00	All Eng.		Idler	5056
99-93	All Eng.		Idler	5979
92	All Eng.	From 6/92	Idler	5979
	All Eng.	From 6/92	Tensioner	5979
91-90	All Eng.		Idler	5975
89	8 Cyl. 5.0L		Idler	5975
89-87	8 Cyl. 5.8L		Idler Assy	5942
88-87	8 Cyl. 5.0L		Idler Assy	5942
86	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air	Idler Assy	5942
86-83	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Idler Assy	5942
85-82	8 Cyl. 5.0L		Tensioner	5979
84-83	8 Cyl. 5.8L	Factory Air	Tensioner	5959
82	8 Cyl. 4.2L		Tensioner	5979
	8 Cyl. 5.0L	Dealer Air	Idler	5900
82-81	8 Cyl. 4.2L	Adjustable	Idler Assy	5950
82-80	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
81-80	8 Cyl. 5.8L		Idler	5959
	8 Cyl. 5.8L		Tensioner	5959
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler Assy	5942
79	8 Cyl. 5.0L	Dealer Air	Idler	5900
79-78	8 Cyl. 5.8L	Dealer Air	Idler	5900
78-75	8 Cyl. 6.6L	Dealer Air	Idler	5900
	8 Cyl. 7.5L	Dealer Air	Idler	5900
77	8 Cyl. 6.6L	Factory Air; Right Side	Idler Assy	5950
76-75	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
	8 Cyl. 7.5L	Factory Air	Idler Assy	5950
LYNX				
87-84	4 Cyl. 2.0L	w/ Pwr Str	Idler Assy	5965
MARAUDER				
04-03	All Eng.		Tensioner	5979
MARINER				
10-09	4 Cyl. 2.5L	Excl. Hybrid; Smooth	Idler	5013
08	6 Cyl. 3.0L		Idler	5979
08-07	6 Cyl. 3.0L		Tensioner	5979
08-06	4 Cyl. 2.3L	HYBRID	Tensioner	5996

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
MARINER				
06-05	6 Cyl. 3.0L	Accessory Belt Drive	Tensioner	5979
MARQUIS				
86-85	6 Cyl. 3.8L	Dealer Air	Idler	5900
86-84	4 Cyl. 2.3L	Dealer Air	Idler	5900
	6 Cyl. 3.8L	Factory Air	Idler Assy	5964
86-83	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
83	6 Cyl. 3.3L	From 3/83	Idler Assy	5964
	6 Cyl. 3.3L	To 3/83	Idler	5959
	6 Cyl. 3.8L	From 3/83	Idler Assy	5964
	6 Cyl. 3.8L	To 3/83	Idler	5959
82	8 Cyl. 4.2L		Idler	5959
	8 Cyl. 4.2L		Tensioner	5979
	8 Cyl. 5.0L		Tensioner	5979
82-81	8 Cyl. 4.2L	Adjustable	Idler Assy	5950
	8 Cyl. 4.2L	Fixed	Idler Assy	5942
	8 Cyl. 5.0L		Idler	5959
82-80	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler Assy	5942
81	8 Cyl. 4.2L		Tensioner	5959
81-80	8 Cyl. 5.8L		Idler	5959
	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler Assy	5942
80	8 Cyl. 5.0L		Tensioner	5959
79-75	All Eng.	Dealer Air	Idler	5900
77	8 Cyl. 6.6L	Factory Air; Right Side	Idler Assy	5950
76-72	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
	8 Cyl. 7.5L	Factory Air	Idler Assy	5950
74	8 Cyl. 6.6L	Dealer Air	Idler	5900
	8 Cyl. 7.5L	Dealer Air	Idler	5900
73-72	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
	8 Cyl. 7.0L	Factory Air	Idler Assy	5950
72	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 6.6L	Dealer Air	Idler	5900
	8 Cyl. 7.0L	Dealer Air	Idler	5900
	8 Cyl. 7.5L	Dealer Air	Idler	5900
71	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
	8 Cyl. 6.6L	Adjustable	Idler Assy	5950
	8 Cyl. 6.6L	Fixed	Idler	5902
70-68	8 Cyl. 6.4L	Adjustable	Idler Assy	5950
	8 Cyl. 6.4L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable	Idler Assy	5950
	8 Cyl. 7.0L	Fixed	Idler	5902
MILAN				
10	4 Cyl. 2.5L	Excl. Hybrid; Smooth	Idler	5013

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
MILAN				
09-06	6 Cyl. 3.0L		Tensioner	5979
07-06	6 Cyl. 3.0L	Grooved	Idler	5996
	6 Cyl. 3.0L	Smooth	Idler	5979
MONARCH				
80	8 Cyl. 4.2L	Factory Air	Idler	5959
	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
80-78	8 Cyl. 5.0L	Factory Air	Tensioner	5959
	8 Cyl. 5.0L	Dealer Air	Idler	5900
80-75	6 Cyl. 4.1L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
77	8 Cyl. 5.0L		Tensioner	5959
	8 Cyl. 5.0L	Factory Air	Idler	5959
	8 Cyl. 5.8L		Tensioner	5959
	8 Cyl. 5.8L	Factory Air	Idler	5959
77-75	6 Cyl. 3.3L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
76	8 Cyl. 5.0L	Dealer Air	Idler	5900
	8 Cyl. 5.0L	Factory Air	Tensioner	5959
	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 5.8L	Factory Air	Tensioner	5959
75	8 Cyl. 5.0L		Tensioner	5959
	8 Cyl. 5.0L	Factory Air	Idler	5959
	8 Cyl. 5.8L		Tensioner	5959
	8 Cyl. 5.8L	Factory Air	Idler	5959
MONTEGO				
07-05	6 Cyl. 3.0L		Tensioner	5979
76-75	8 Cyl. 5.8L	Dealer Air	Idler	5900
	8 Cyl. 6.6L	Dealer Air	Idler	5900
76-72	8 Cyl. 5.8L	Factory Air	Idler Assy	5950
	8 Cyl. 6.6L	Factory Air	Idler Assy	5950
74-72	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
74-70	6 Cyl. 4.1L	Dealer Air	Idler	5900
73-70	8 Cyl. 7.0L	Factory Air	Idler Assy	5950
71-70	8 Cyl. 5.0L	To 11/2/70	Idler	5902
	8 Cyl. 5.8L	After 11/2/70	Idler Assy	5950
	8 Cyl. 5.8L	To 11/2/70	Idler	5902
69	8 Cyl. 5.8L	Adjustable	Idler Assy	5950
	8 Cyl. 5.8L	Fixed	Idler	5902
	8 Cyl. 6.4L	Adjustable	Idler Assy	5950
	8 Cyl. 6.4L	Fixed	Idler	5902
	8 Cyl. 7.0L	Adjustable; Cobra Jet	Idler Assy	5950
	8 Cyl. 7.0L	Fixed; Cobra Jet	Idler	5902
69-68	8 Cyl. 5.0L	Adjustable	Idler Assy	5950
	8 Cyl. 5.0L	Fixed	Idler	5902

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
MONTEREY				
07-04	6 Cyl. 4.2L		Tensioner	5996
MOUNTAINEER				
10-06	8 Cyl. 4.6L	Grooved	Idler	5069
	8 Cyl. 4.6L	Smooth	Idler	5975
10-05	6 Cyl. 4.0L		Idler	5975
10-02	8 Cyl. 4.6L		Tensioner	5979
10-98	6 Cyl. 4.0L		Tensioner	5996
05	8 Cyl. 4.6L		Idler	5975
04	6 Cyl. 4.0L		Idler	5978
	8 Cyl. 4.6L	Grooved	Idler	5069
	8 Cyl. 4.6L	Smooth	Idler	5975
03	8 Cyl. 4.6L		Idler	5975
03-98	6 Cyl. 4.0L		Idler	5975
02	8 Cyl. 4.6L	Grooved	Idler	5069
	8 Cyl. 4.6L	Smooth	Idler	5975
01-98	8 Cyl. 5.0L		Tensioner	5968
	8 Cyl. 5.0L	Grooved	Idler	5996
	8 Cyl. 5.0L	Smooth	Idler	5975
97	All Eng.		Tensioner	5968
	All Eng.	Grooved	Idler	5996
	All Eng.	Smooth	Idler	5975
MYSTIQUE				
00-99	4 Cyl. 2.0L		Idler	5013
00-98	4 Cyl. 2.0L		Tensioner	5996
00-95	6 Cyl. 2.5L		Tensioner	5979
98	4 Cyl. 2.0L	From 2/98	Idler	5013
	4 Cyl. 2.0L	To 3/98	Idler	5975
97-95	4 Cyl. 2.0L		Idler	5975
SABLE				
05-01	6 Cyl. 3.0L	DOHC; Accessory Belt Drive	Tensioner	5979
05-98	6 Cyl. 3.0L	OHV	Idler	5975
05-96	6 Cyl. 3.0L	OHV	Tensioner	5979
97-96	6 Cyl. 3.0L	OHV	Idler	5969
95-93	6 Cyl. 3.0L		Idler	5969
	6 Cyl. 3.0L		Tensioner	5979
95-91	6 Cyl. 3.8L		Idler	5981
95-88	6 Cyl. 3.8L		Tensioner	5971
92-91	6 Cyl. 3.0L		Idler	5979
92-88	6 Cyl. 3.0L		Tensioner	5969
90-89	6 Cyl. 3.8L		Idler	5973
87	All Eng.		Idler	5970
	All Eng.		Tensioner	5959
86	4 Cyl. 2.5L		Tensioner	5979
	6 Cyl. 3.0L		Idler	5970
	6 Cyl. 3.0L		Tensioner	5959

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MERCURY				
TOPAZ				
94	6 Cyl. 3.0L	AC Belt Drive	Tensioner	5979
94-92	4 Cyl. 2.3L	Factory Air	Tensioner	5020
	4 Cyl. 2.3L	w/ AC	Idler	5020
	6 Cyl. 3.0L		Idler	5969
93-92	4 Cyl. 2.3L	Dealer Air	Idler Assy	5965
	6 Cyl. 3.0L	Serpentine Belt Drive	Tensioner	5979
91-88	All Eng.		Tensioner	5979
87	All Eng.	Dealer Air	Idler Assy	5965
86	4 Cyl. 2.3L	Dealer Air	Idler Assy	5965
86-84	4 Cyl. 2.0L	w/ Pwr Str; Dealer Air	Idler Assy	5965
85-84	4 Cyl. 2.3L	w/ Pwr Str; Dealer Air	Idler	5959
	4 Cyl. 2.3L	w/o Pwr Str; Dealer Air	Idler Assy	5965
TRACER				
99-97	All Eng.		Idler	5975
	All Eng.		Tensioner	5975
96-91	4 Cyl. 1.9L		Tensioner	5975
VILLAGER				
02	All Eng.	Water Pump Drive	Idler	5055
02-93	All Eng.	AC Belt Drive	Idler	5940
	All Eng.	Pwr Str Mount	Idler	5008
ZEPHYR				
83-78	4 Cyl. 2.3L	Dealer Air	Idler	5900
	4 Cyl. 2.3L	Factory Air	Idler Assy	5951
	6 Cyl. 3.3L	Dealer Air	Idler	5900
82-80	8 Cyl. 4.2L	Dealer Air	Idler	5900
	8 Cyl. 4.2L	Factory Air	Idler Assy	5950
79-78	8 Cyl. 5.0L	Factory Air	Idler Assy	5950
MERKUR				
XR4TI				
89-87	4 Cyl. 2.3L	Grooved Pulley	Tensioner	5976
MITSUBISHI				
DIAMANTE				
04-97	6 Cyl. 3.5L		Tensioner	5904
ECLIPSE				
12-06	4 Cyl. 2.4L		Idler	5906
	4 Cyl. 2.4L		Tensioner	5926
	6 Cyl. 3.8L		Tensioner	5904
	6 Cyl. 3.8L	Pwr Str Idler Pulley	Idler	5939
98-95	4 Cyl. 2.0L		Idler	5062
ENDEAVOR				
11-10	6 Cyl. 3.8L	Pwr Str Idler Pulley	Idler	5939
11-04	6 Cyl. 3.8L		Tensioner	5904
08-04	6 Cyl. 3.8L	Pwr Str Idler Pulley	Idler	5939
GALANT				
12-04	4 Cyl. 2.4L		Idler	5906

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
MITSUBISHI				
GALANT				
12-04	4 Cyl. 2.4L		Tensioner	5926
09-04	6 Cyl. 3.8L		Tensioner	5904
	6 Cyl. 3.8L	Pwr Str Idler Pulley	Idler	5939
03-99	6 Cyl. 3.0L		Tensioner	5904
LANCER				
10-09	4 Cyl. 2.4L	Lower	Idler	5013
06-04	4 Cyl. 2.4L		Idler	5906
	4 Cyl. 2.4L		Tensioner	5926
06-02	4 Cyl. 2.0L		Idler	5906
MIGHTY MAX				
86-85	4 Cyl. 2.6L	AC Idler Pulley	Idler	5902
MIRAGE				
96-90	4 Cyl. 1.5L	AC Idler Pulley	Idler	5902
MONTERO				
06-03	6 Cyl. 3.8L	Smooth	Idler	5906
02-01	6 Cyl. 3.5L	Smooth	Idler	5906
OUTLANDER				
10-08	4 Cyl. 2.4L	Lower	Idler	5013
06-03	4 Cyl. 2.4L		Idler	5926
	4 Cyl. 2.4L	Smooth	Idler	5906
PRECIS				
92-90	All Eng.		Idler	5957
RAIDER				
07-06	8 Cyl. 4.7L	Grooved	Tensioner	5971
	8 Cyl. 4.7L	Smooth	Tensioner	5975
NISSAN				
200 SERIES				
98-95	4 Cyl. 1.6L	A/C Mounting	Idler	5004
240 SERIES				
97-89	All Eng.	A/C Mounting	Idler	5002
350Z				
06-03	6 Cyl. 3.5L		Idler	5916
720 PICKUP				
86	4 Cyl. 2.4L	4WD; A/C Mounting	Idler	5007
ALTIMA				
13-07	6 Cyl. 3.5L	Lower	Idler	5077
	6 Cyl. 3.5L	Upper	Idler	5937
06-05	6 Cyl. 3.5L		Idler	5062
04-02	6 Cyl. 3.5L	AC Belt Drive	Idler	5004
	6 Cyl. 3.5L	AC Belt Drive	Tensioner	5004
01-98	4 Cyl. 2.4L	AC Belt Drive	Idler	5940
	4 Cyl. 2.4L	Alternator & Pwr Str Belt Drive	Idler	5940
97-96	4 Cyl. 2.4L		Idler	5062
95-93	4 Cyl. 2.4L	AC Belt Drive	Idler	5006
	4 Cyl. 2.4L	Alternator, Water Pump, Power Steering	Idler	5062

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
NISSAN				
AXXESS				
90	4 Cyl. 2.4L		Idler	5062
D21 PICKUP				
93-90	4 Cyl. 2.4L	A/C Mounting	Idler	5007
	4 Cyl. 2.4L	Pwr Str Mount	Idler	5000
89-86	4 Cyl. 2.4L	Pwr Str Idler Pulley	Idler	5957
FRONTIER				
17-15	6 Cyl. 4.0L		Idler	5922
16-06	4 Cyl. 2.5L	w/ AC	Idler	5078
13-12	6 Cyl. 4.0L		Idler	5922
10-05	6 Cyl. 4.0L		Idler	5922
03-98	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5065
	4 Cyl. 2.4L	Pwr Str Idler Pulley	Idler	5957
01-00	6 Cyl. 3.3L	Pwr Str Belt Tensioner	Tensioner	5969
MAXIMA				
15-09	6 Cyl. 3.5L	Lower	Idler	5077
	6 Cyl. 3.5L	Upper	Idler	5937
08	All Eng.		Idler	5062
07-95	All Eng.	Alternator & A/C Belt Drive	Idler	5062
94-90	All Eng.	A/C Mounting	Idler	5006
MURANO				
14-09	6 Cyl. 3.5L	Lower	Idler	5077
	6 Cyl. 3.5L	Upper	Idler	5937
07-03	All Eng.	Alternator & A/C Belt Drive	Idler	5062
04-03	All Eng.	A/C Mounting	Idler	5004
NV VAN				
17-15	6 Cyl. 4.0L		Idler	5922
13	6 Cyl. 4.0L		Idler	5922
PATHFINDER				
12-05	6 Cyl. 4.0L		Idler	5922
04-03	6 Cyl. 3.5L		Idler	5916
02-01	All Eng.		Idler	5916
00-96	All Eng.	A/C Mounting	Idler	5002
	All Eng.	Alternator & A/C Belt Drive	Idler	5062
95-90	6 Cyl. 3.0L	A/C Mounting	Tensioner	5902
87	4 Cyl. 2.4L	Pwr Str Idler Pulley	Idler	5957
PICKUP				
97-94	4 Cyl. 2.4L	A/C Mounting	Idler	5007
	4 Cyl. 2.4L	Pwr Str Mount	Idler	5000
95-86	6 Cyl. 3.0L	A/C Mounting	Tensioner	5902
PULSAR NX / NX				
93-91	4 Cyl. 1.6L	A/C Mounting	Idler	5002
90-89	4 Cyl. 1.6L	A/C Mounting	Idler	5006
QUEST				
13-11	6 Cyl. 3.5L	Lower	Idler	5077
	6 Cyl. 3.5L	Upper	Idler	5937

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
NISSAN				
QUEST				
09-06	All Eng.		Idler	5062
05-04	All Eng.	A/C Mounting	Idler	5062
02-93	All Eng.	A/C Mounting	Idler	5940
	All Eng.	Pwr Str Mount	Idler	5008
ROGUE				
13-08	4 Cyl. 2.5L	Grooved Pulley	Idler	5078
12-08	4 Cyl. 2.5L	Smooth Pulley	Idler	5012
SENTRA				
12-07	4 Cyl. 2.5L		Idler	5078
06-05	4 Cyl. 1.8L		Idler	5005
04-00	4 Cyl. 1.8L	A/C Mounting	Idler	5005
99-95	4 Cyl. 1.6L	A/C Mounting	Idler	5062
	4 Cyl. 1.6L	Pwr Str Mount	Idler	5006
94-89	4 Cyl. 1.6L	A/C Mounting	Idler	5006
STANZA				
86-85	All Eng.		Idler	5902
TSURU				
99-95	4 Cyl. 1.6L	A/C Mounting	Idler	5062
	4 Cyl. 1.6L	Pwr Str Mount	Idler	5006
VERSA				
17-09	All Eng.	Adjustable	Idler	5085
XTERRA				
13-05	6 Cyl. 4.0L		Idler	5922
04-00	4 Cyl. 2.4L		Idler	5957
	4 Cyl. 2.4L		Tensioner	5065
01-00	6 Cyl. 3.3L	Pwr Str Belt Tensioner	Tensioner	5969
OLDSMOBILE				
98 / 98 REGENCY				
98-96	All Eng.		Tensioner	5972
95	All Eng.	w/o Supercharger	Tensioner	5972
95-94	All Eng.	Supercharged; Alternator & Pwr Str Belt Drive	Tensioner	5972
95-92	All Eng.	Supercharged; Grooved	Idler	5971
	All Eng.	Supercharged; Smooth	Idler	5972
	All Eng.	Supercharger Belt Drive	Tensioner	5972
94-92	All Eng.	w/o Supercharger	Tensioner	5969
91-88	All Eng.		Tensioner	5969
87-86	All Eng.		Tensioner	5970
85	6 Cyl. 4.3L		Tensioner	5970
80	8 Cyl. 5.0L		Idler	5900
ACHIEVA				
98	6 Cyl. 3.1L		Tensioner	5975
98-96	4 Cyl. 2.4L		Tensioner	5012
97-94	6 Cyl. 3.1L		Tensioner	5973
95-92	4 Cyl. 2.3L		Tensioner	5012
93-92	6 Cyl. 3.3L		Tensioner	5969

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
OLDSMOBILE				
ALERO				
04-02	4 Cyl. 2.2L		Tensioner	5008
04-99	6 Cyl. 3.4L		Tensioner	5971
03-99	6 Cyl. 3.4L		Idler	5979
01-00	4 Cyl. 2.4L		Tensioner	5020
99	4 Cyl. 2.4L	1st Design	Tensioner	5012
	4 Cyl. 2.4L	2nd Design	Tensioner	5020
AURORA				
03-01	8 Cyl. 4.0L		Tensioner	5979
	8 Cyl. 4.0L	Accessory Belt Drive	Idler	5072
02-01	6 Cyl. 3.5L		Idler	5072
	6 Cyl. 3.5L		Tensioner	5056
99-95	All Eng.		Idler	5975
	All Eng.		Tensioner	5979
BRAVADA				
04-02	All Eng.		Idler	5026
	All Eng.		Tensioner	5025
01-99	All Eng.	Back Idler	Idler	5975
01-98	All Eng.	Grooved; w/o AC	Idler	5996
01-96	All Eng.		Tensioner	5996
98	All Eng.	w/ AC	Idler	5975
97-96	All Eng.		Idler	5975
94-91	All Eng.		Tensioner	5975
	All Eng.	w/ AC	Idler	5979
	All Eng.	w/o AC	Idler	5010
CALAIS / CUTLASS CALAIS				
91-89	6 Cyl. 3.3L		Tensioner	5969
91-87	4 Cyl. 2.3L		Tensioner	5012
88-85	6 Cyl. 3.0L		Tensioner	5970
87-85	6 Cyl. 3.0L		Idler	5975
84-82	6 Cyl. 4.3L		Tensioner	5970
CIERA / CUTLASS CIERA				
96-94	6 Cyl. 3.1L		Tensioner	5973
96-93	4 Cyl. 2.2L		Tensioner	5968
93-89	6 Cyl. 3.3L		Tensioner	5969
92-87	4 Cyl. 2.5L		Tensioner	5968
89-87	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
88-86	6 Cyl. 3.8L		Tensioner	5970
86	4 Cyl. 2.5L		Idler	5902
85-82	6 Cyl. 4.3L		Tensioner	5970
CUTLASS / CUTLASS SUPREME				
99-98	All Eng.		Idler	5979
	All Eng.		Tensioner	5971
97	All Eng.	Cutlass	Idler	5979
	All Eng.	Cutlass	Tensioner	5971

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
OLDSMOBILE				
CUTLASS / CUTLASS SUPREME				
97	All Eng.	Cutlass Supreme	Tensioner	5973
96-91	6 Cyl. 3.4L		Tensioner	5969
96-89	6 Cyl. 3.1L		Tensioner	5973
91-90	4 Cyl. 2.3L		Tensioner	5012
89-88	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
84-82	6 Cyl. 4.3L		Idler	5975
	6 Cyl. 4.3L		Tensioner	5970
CUTLASS CRUISER				
94	All Eng.		Tensioner	5973
93-91	All Eng.		Tensioner	5969
90-89	6 Cyl. 3.3L		Tensioner	5969
90-87	4 Cyl. 2.5L		Tensioner	5968
89-87	6 Cyl. 2.8L		Tensioner	5973
88-87	6 Cyl. 3.8L		Tensioner	5970
82	8 Cyl. 4.3L		Tensioner	5959
DELTA 88 CUSTOM CRUISER / CUSTOM CRUISER				
92	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.7L		Tensioner	5979
91	All Eng.		Tensioner	5979
87-86	All Eng.		Idler	5970
DELTA 88 SEDAN				
99	All Eng.		Tensioner	5979
98-96	All Eng.		Tensioner	5972
95	All Eng.	Supercharged; Alternator & Pwr Str Belt Drive	Tensioner	5972
	All Eng.	Supercharged; Grooved	Idler	5971
	All Eng.	Supercharged; Smooth	Idler	5979
	All Eng.	Supercharger Belt Drive	Tensioner	5972
	All Eng.	w/o Supercharger	Tensioner	5972
94-88	All Eng.		Tensioner	5969
87	All Eng.		Tensioner	5970
86	6 Cyl. 3.0L		Tensioner	5970
	6 Cyl. 3.8L		Tensioner	5970
FIRENZA				
88	All Eng.		Idler	5968
	All Eng.	VIN: 1	Tensioner	5968
88-87	4 Cyl. 2.0L	VIN: 1	Tensioner	5968
87	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
86-85	6 Cyl. 2.8L		Idler	5975
86-83	4 Cyl. 2.0L		Idler	5902
84-83	4 Cyl. 1.8L		Idler	5902
82	All Eng.		Idler	5902
INTRIGUE				
02-00	All Eng.		Idler	5072

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
OLDSMOBILE				
INTRIGUE				
02-00	All Eng.		Tensioner	5971
99	6 Cyl. 3.5L		Idler	5072
	6 Cyl. 3.5L		Tensioner	5056
	6 Cyl. 3.8L		Tensioner	5979
98	All Eng.		Tensioner	5972
LSS				
99	All Eng.	w/o Supercharger	Tensioner	5979
99-96	All Eng.	Supercharged; Grooved	Idler	5971
	All Eng.	Supercharged; Smooth	Idler	5973
98-96	All Eng.	Supercharged	Tensioner	5979
	All Eng.	w/o Supercharger	Tensioner	5972
SILHOUETTE				
04-99	All Eng.		Idler	5979
	All Eng.		Tensioner	5971
98-96	All Eng.		Tensioner	5973
95-92	6 Cyl. 3.8L		Tensioner	5969
94-92	6 Cyl. 3.1L		Idler	5971
	6 Cyl. 3.1L		Tensioner	5973
91-90	All Eng.		Idler	5971
	All Eng.		Tensioner	5973
TORONADO				
92-88	All Eng.		Idler	5969
	All Eng.		Tensioner	5969
87-86	All Eng.		Tensioner	5970
PLYMOUTH				
ACCLAIM				
95	4 Cyl. 2.5L		Tensioner	5018
95-91	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
95-90	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
	6 Cyl. 3.0L	AC Belt Drive	Idler	5900
95-89	6 Cyl. 3.0L		Tensioner	5018
89	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
ARROW				
80	All Eng.		Bolt	5920
	All Eng.	Factory Air	Idler	5900
ARROW PICKUP				
82-81	4 Cyl. 2.6L		Idler	5900
82-80	4 Cyl. 2.0L		Idler	5900
	4 Cyl. 2.0L	7/16 x 1-1/2" Long	Bolt	5920
	4 Cyl. 2.6L	7/16 x 1-1/2" Long	Bolt	5920
BARRACUDA				
74	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.2L	Factory Air; Std Alt; w/o Air Pump	Idler	5900
	8 Cyl. 5.9L	Dealer Air	Idler	5900
	8 Cyl. 5.9L	Factory Air; Std Alt; w/o Air Pump	Idler	5900

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PLYMOUTH				
BARRACUDA				
72-69	All Eng.		Idler	5900
66	8 Cyl. 4.5L	Dealer Air; 5/8" Long Thread	Idler	5900
BELVEDERE				
70	All Eng.	Dealer Air	Idler	5900
69	6 Cyl. 3.7L	Dealer Air	Idler	5900
	8 Cyl. 5.2L		Idler	5900
	8 Cyl. 6.3L		Idler	5900
67	6 Cyl. 3.7L	Dealer Air	Idler	5900
66	All Eng.	5/8" Long Thread	Idler	5900
BREEZE				
00-96	All Eng.		Idler	5018
CARAVELLE				
89	All Eng.	Dealer Air; 1/2" Belt	Idler	5900
88-86	4 Cyl. 2.5L	1/2" Belt; Canada	Idler	5900
	4 Cyl. 2.5L	3/8" Belt; USA	Idler	5954
	8 Cyl. 5.2L	Dealer Air; 1/2" Belt	Idler	5900
88-84	4 Cyl. 2.2L	1/2" Belt; Canada	Idler	5900
	4 Cyl. 2.2L	3/8" Belt; USA	Idler	5954
85	4 Cyl. 2.6L	Dealer Air	Idler	5900
	4 Cyl. 2.6L	Factory Air	Idler	5954
	8 Cyl. 5.2L	Dealer Air	Idler	5900
84-83	4 Cyl. 2.6L		Idler	5954
84-81	8 Cyl. 5.2L		Idler	5954
83	4 Cyl. 2.2L	Canada	Idler	5900
	4 Cyl. 2.2L	USA	Idler	5954
83-81	6 Cyl. 3.7L	Canada	Idler	5900
	6 Cyl. 3.7L	USA	Idler	5954
CHAMP				
82-80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
	All Eng.	Factory Air	Idler	5900
COLT				
94	4 Cyl. 1.5L	AC Idler	Tensioner	5902
93-92	4 Cyl. 1.5L	AC Idler	Idler	5957
91-90	All Eng.	AC Idler	Idler	5957
84-83	All Eng.	Factory Air	Idler	5900
84-80	All Eng.	7/16 x 1-1/2" Long	Bolt	5920
82-80	4 Cyl. 1.4L		Idler	5900
	4 Cyl. 1.6L		Idler	5900
80	4 Cyl. 2.6L		Idler	5900
CONQUEST				
84	All Eng.	Factory Air	Idler	5900
EXPO				
89-87	All Eng.	AC Belt Drive	Idler	5954
FURY				
78-75	8 Cyl. 5.2L	w/ AC	Idler	5900

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PLYMOUTH				
FURY				
78-74	8 Cyl. 5.9L	w/ AC	Idler	5900
GRAN FURY				
85-84	All Eng.	Factory Air, Dealer Air	Idler	5900
83-81	6 Cyl. 3.7L		Idler	5954
80	6 Cyl. 3.7L		Idler	5900
77-75	8 Cyl. 5.2L	w/ AC	Idler	5900
	8 Cyl. 5.9L	w/ AC	Idler	5900
74	8 Cyl. 5.9L	Dealer Air; w/ Std Alt; w/o Air Pump	Idler	5900
	8 Cyl. 6.6L		Idler	5968
	8 Cyl. 7.2L		Idler	5968
72	8 Cyl. 5.2L	Factory Air	Idler	5900
	8 Cyl. 5.9L	Factory Air	Idler	5900
	8 Cyl. 6.6L	Factory Air	Idler	5900
	8 Cyl. 7.2L	Factory Air	Idler	5900
HORIZON				
90-87	All Eng.	AC Belt Drive	Idler	5954
86-85	4 Cyl. 1.6L		Idler	5900
86-84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
84-83	4 Cyl. 1.6L		Idler	5954
83-81	4 Cyl. 1.7L		Idler	5954
	4 Cyl. 2.2L		Idler	5954
PROWLER				
00-99	All Eng.	AC Belt Drive	Idler	5017
97	All Eng.	AC Belt Drive	Idler	5017
	All Eng.	Alternator & Pwr Str Belt Drive	Idler	5018
RELIANT				
89	All Eng.	AC Belt Drive	Bushing	5907
	All Eng.	AC Belt Drive	Idler	5900
88-87	4 Cyl. 2.5L	AC Belt Drive	Idler	5900
88-84	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
86	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
85	4 Cyl. 2.6L	AC Belt Drive	Idler	5954
84-81	4 Cyl. 2.6L		Idler	5954
83-81	4 Cyl. 2.2L		Idler	5954
SAPPORO				
83-80	All Eng.	Factory Air	Idler	5900
SATELLITE				
74	6 Cyl. 3.7L	Dealer Air	Idler	5900
	6 Cyl. 3.7L	Factory Air	Idler	5900
	8 Cyl. 5.2L	Dealer Air; Std Alt; w/o Air Pump	Idler	5900
	8 Cyl. 5.9L	Dealer Air; Std Alt; w/o Air Pump	Idler	5900
	8 Cyl. 6.6L	Dealer Air	Idler	5900
	8 Cyl. 6.6L	Factory Air	Idler	5968
	8 Cyl. 7.2L	Dealer Air	Idler	5900
	8 Cyl. 7.2L	Factory Air	Idler	5968

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PLYMOUTH				
SATELLITE				
73-69	All Eng.		Idler	5900
67	6 Cyl. 3.7L	Dealer Air	Idler	5900
66	8 Cyl. 4.5L	Dealer Air; 5/8" Long Thread	Idler	5900
	8 Cyl. 5.2L	Dealer Air; 5/8" Long Thread	Idler	5900
	8 Cyl. 7.0L	Dealer Air; 5/8" Long Thread	Idler	5900
	8 Cyl. 7.2L	Dealer Air; 5/8" Long Thread	Idler	5900
SCAMP				
83	All Eng.		Idler	5900
SUNDANCE				
94-92	6 Cyl. 3.0L		Tensioner	5018
	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5018
94-88	4 Cyl. 2.5L	AC Belt Drive	Idler	5954
94-87	4 Cyl. 2.2L	AC Belt Drive	Idler	5954
TRAILDUSTER				
81	8 Cyl. 5.9L		Idler	5900
81-79	8 Cyl. 5.2L		Idler	5900
80-78	6 Cyl.		Idler	5900
78	8 Cyl. 5.2L	w/ 100 Amp Alt; w/ AC	Idler	5900
	8 Cyl. 5.9L	w/o 100 Amp Alt; w/ AC	Idler	5900
	8 Cyl. 6.6L	w/ AC	Idler	5900
	8 Cyl. 7.2L	w/ AC	Idler	5900
77-74	8 Cyl.	w/o Bracket	Idler	5900
TURISMO				
85	All Eng.	Dealer Air	Idler	5900
	All Eng.	Factory Air	Idler	5954
83	4 Cyl. 1.6L	Factory Air	Idler	5954
VALIANT				
76	8 Cyl. 5.9L	Dealer Air	Idler	5900
76-74	6 Cyl. 3.7L		Idler	5900
	8 Cyl. 5.2L	Dealer Air	Idler	5900
73	6 Cyl. 3.2L	w/ Air Pump	Idler	5954
	6 Cyl. 3.7L	w/ Air Pump	Idler	5954
	6 Cyl. 3.7L	w/o Air Pump	Idler	5900
72-71	All Eng.		Idler	5900
70	6 Cyl. 3.2L		Idler	5900
	6 Cyl. 3.7L		Idler	5900
70-69	8 Cyl. 5.2L		Idler	5900
69	6 Cyl. 2.8L	Dealer Air	Idler	5900
	6 Cyl. 3.7L	Dealer Air	Idler	5900
	8 Cyl. 4.5L		Idler	5900
67	6 Cyl. 2.8L	Dealer Air	Idler	5900
66	8 Cyl. 4.5L	Dealer Air; 5/8" Long Thread	Idler	5900
VOLARE				
80	6 Cyl. 3.7L	Factory Air	Idler	5900

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PLYMOUTH				
VOLARE				
79-78	6 Cyl. 3.7L	w/ AC	Idler	5900
	8 Cyl. 5.2L	Dealer Air	Idler	5900
	8 Cyl. 5.9L	Dealer Air	Idler	5900
77-76	6 Cyl. 3.7L	Dealer Air	Idler	5900
	6 Cyl. 3.7L	Factory Air	Idler	5968
	8 Cyl. 5.2L		Idler	5900
	8 Cyl. 5.9L		Idler	5900
VOYAGER / GRAND VOYAGER				
00	6 Cyl. 3.0L	Grooved	Idler	5954
	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
00-97	6 Cyl. 3.0L	Grooved	Tensioner	5971
	6 Cyl. 3.0L	Smooth	Idler	5018
	6 Cyl. 3.0L	Smooth	Tensioner	5018
00-96	4 Cyl. 2.4L		Idler	5018
99	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
99-97	6 Cyl. 3.0L	Grooved	Idler	5971
98	6 Cyl. 3.8L	Grooved	Idler	5971
	6 Cyl. 3.8L	Grooved	Tensioner	5971
	6 Cyl. 3.8L	Smooth	Idler	5018
	6 Cyl. 3.8L	Smooth	Tensioner	5018
98-96	6 Cyl. 3.3L	Grooved	Idler	5971
	6 Cyl. 3.3L	Grooved	Tensioner	5971
	6 Cyl. 3.3L	Smooth	Idler	5018
	6 Cyl. 3.3L	Smooth	Tensioner	5018
97	6 Cyl. 3.8L		Idler	5971
	6 Cyl. 3.8L		Tensioner	5971
96-87	6 Cyl. 3.0L		Tensioner	5018
95	4 Cyl. 2.5L		Idler	5900
95-94	6 Cyl. 3.8L		Idler	5018
	6 Cyl. 3.8L		Tensioner	5018
95-91	6 Cyl. 3.3L		Idler	5018
	6 Cyl. 3.3L		Tensioner	5018
95-87	6 Cyl. 3.0L	AC Belt Drive	Idler	5954
94-91	4 Cyl. 2.5L		Idler	5954
90	6 Cyl. 3.3L	From 3/1/90	Idler	5018
	6 Cyl. 3.3L	From 3/1/90	Tensioner	5018
90-87	4 Cyl. 2.5L	Factory Air	Idler	5954
89	6 Cyl. 3.0L	Serpentine Belt Drive	Idler	5019
87	4 Cyl. 2.2L	Factory Air	Idler	5900

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PLYMOUTH				
VOYAGER / GRAND VOYAGER				
87-84	4 Cyl. 2.6L	Dealer Air	Idler	5900
	4 Cyl. 2.6L	Factory Air	Idler	5954
86-84	4 Cyl. 2.2L	Factory Air	Idler	5954
PONTIAC				
6000				
91-88	6 Cyl. 3.1L		Tensioner	5973
91-87	4 Cyl. 2.5L		Tensioner	5968
89	6 Cyl. 3.1L		Idler	5971
89-87	6 Cyl. 2.8L		Tensioner	5973
	6 Cyl. 2.8L	w/o AC	Idler	5971
86	4 Cyl. 2.5L		Idler	5902
85-82	6 Cyl. 4.3L		Tensioner	5970
AZTEK				
05-03	6 Cyl. 3.4L		Tensioner	5971
02-01	All Eng.		Idler	5979
	All Eng.		Tensioner	5971
BONNEVILLE				
05	6 Cyl. 3.8L		Tensioner	5979
05-04	8 Cyl. 4.6L	Serpentine Belt Drive	Idler	5072
	8 Cyl. 4.6L	Serpentine Belt Drive	Tensioner	5979
04	6 Cyl. 3.8L	Accessory Belt Drive	Tensioner	5979
03-01	All Eng.	Supercharger Belt Drive	Tensioner	5959
03-00	All Eng.	w/o Supercharger	Tensioner	5979
03-96	All Eng.	Supercharged; Smooth	Idler	5973
03-92	All Eng.	Supercharged; Grooved	Idler	5971
99-96	All Eng.	w/o Supercharger	Tensioner	5972
98-96	All Eng.	Supercharged	Tensioner	5979
95	All Eng.	; Alternator & Pwr Str Belt Drive	Tensioner	5972
	All Eng.	; Supercharger Belt Drive	Tensioner	5979
	All Eng.	Supercharged; Smooth	Idler	5972
94-92	All Eng.	Supercharged; Alternator & Pwr Str Belt Drive	Tensioner	5972
	All Eng.	Supercharger Belt Drive	Tensioner	5972
	All Eng.	w/o Supercharger	Tensioner	5969
93-92	All Eng.	Supercharged; Smooth	Idler	5972
91-88	All Eng.		Tensioner	5969
87	All Eng.		Tensioner	5970
FIERO				
88-87	4 Cyl. 2.5L		Idler	5968
	4 Cyl. 2.5L		Tensioner	5968
FIREBIRD				
02-01	8 Cyl. 5.7L	Main Drive	Idler	5072
02-98	6 Cyl. 3.8L		Tensioner	5979
	8 Cyl. 5.7L	AC Belt Drive	Idler	5084
	8 Cyl. 5.7L	AC Belt Drive	Tensioner	5084
	8 Cyl. 5.7L	Main Drive	Tensioner	5996

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PONTIAC				
FIREBIRD				
02-95	6 Cyl. 3.8L		Idler	5979
00-98	8 Cyl. 5.7L	Main Drive	Idler	5979
97-95	6 Cyl. 3.8L		Tensioner	5972
97-93	8 Cyl. 5.7L		Tensioner	5975
95-94	6 Cyl. 3.4L		Idler	5971
95-93	6 Cyl. 3.4L		Tensioner	5975
	8 Cyl. 5.7L		Idler	5971
92-90	6 Cyl. 3.1L		Tensioner	5968
92-89	8 Cyl. 5.0L		Idler	5978
	8 Cyl. 5.7L		Idler	5978
92-87	8 Cyl. 5.0L		Tensioner	5979
	8 Cyl. 5.7L		Tensioner	5979
89	6 Cyl. 3.8L		Idler	5975
	6 Cyl. 3.8L		Tensioner	5975
89-87	6 Cyl. 2.8L		Idler	5971
	6 Cyl. 2.8L		Tensioner	5968
87	8 Cyl. 5.0L		Idler	5979
	8 Cyl. 5.7L		Idler	5979
G5				
10-07	4 Cyl. 2.2L		Tensioner	5008
08-07	4 Cyl. 2.4L		Tensioner	5008
G6				
10-08	6 Cyl. 3.5L		Tensioner	5971
10-07	6 Cyl. 3.5L	Lower; Smooth	Idler	5918
	6 Cyl. 3.5L	Upper; Smooth	Idler	5979
10-06	4 Cyl. 2.4L		Tensioner	5008
09-08	6 Cyl. 3.9L		Tensioner	5971
09-07	6 Cyl. 3.6L		Idler	5083
09-06	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
07	6 Cyl. 3.5L	; Grooved	Idler	5056
	6 Cyl. 3.5L	Grooved	Tensioner	5971
	6 Cyl. 3.9L	Grooved	Tensioner	5971
07-06	6 Cyl. 3.9L	; Grooved	Idler	5056
06	6 Cyl. 3.5L	Grooved	Idler	5056
	6 Cyl. 3.5L	Smooth	Idler	5979
	6 Cyl. 3.9L		Tensioner	5971
06-05	6 Cyl. 3.5L		Tensioner	5979
G8				
09	8 Cyl. 6.0L	Main Drive	Idler	5072
	8 Cyl. 6.2L	AC Belt Drive	Tensioner	5084
	8 Cyl. 6.2L	Main Drive	Idler	5072
	8 Cyl. 6.2L	Main Drive	Tensioner	5996
09-08	8 Cyl. 6.0L	Main Drive	Tensioner	5996
	8 Cyl. 6.0L	AC Belt Drive	Tensioner	5084

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PONTIAC				
G8				
08	8 Cyl. 6.0L		Idler	5072
GRAND AM				
05-02	4 Cyl. 2.2L		Tensioner	5008
05-99	6 Cyl. 3.4L		Idler	59791
	6 Cyl. 3.4L		Tensioner	5971
01-00	4 Cyl. 2.4L		Tensioner	5020
99	4 Cyl. 2.4L	1st Design	Tensioner	5012
	4 Cyl. 2.4L	2nd Design	Tensioner	5020
98	6 Cyl. 3.1L		Tensioner	5975
98-96	4 Cyl. 2.4L		Tensioner	5012
97-94	6 Cyl. 3.1L		Tensioner	5973
95-88	4 Cyl. 2.3L		Tensioner	5012
93-92	6 Cyl. 3.3L		Tensioner	5969
87-85	6 Cyl. 3.0L		Tensioner	5970
GRAND PRIX				
08-05	8 Cyl. 5.3L	Grooved Pulley	Idler	5909
	8 Cyl. 5.3L	Lower; Smooth Pulley	Idler	5979
08-00	6 Cyl. 3.8L	Serpentine Belt Drive	Tensioner	5979
07-99	6 Cyl. 3.8L	Supercharger Belt Drive	Tensioner	5979
07-97	6 Cyl. 3.8L	Supercharged; Grooved	Idler	5971
	6 Cyl. 3.8L	Supercharged; Smooth	Idler	5973
03-98	6 Cyl. 3.1L		Tensioner	5975
98-97	6 Cyl. 3.8L	; Serpentine Belt Drive	Tensioner	5972
	6 Cyl. 3.8L	; Supercharger Belt Drive	Tensioner	5979
97-89	6 Cyl. 3.1L		Tensioner	5973
96-91	6 Cyl. 3.4L		Tensioner	5969
91-90	4 Cyl. 2.3L		Tensioner	5012
89	6 Cyl. 2.8L		Tensioner	5973
88	All Eng.		Tensioner	5973
	All Eng.	w/o AC	Idler	5971
GTO				
06-05	8 Cyl. 6.0L	AC Belt Drive	Tensioner	5084
	8 Cyl. 6.0L	Main Drive	Idler	5072
	8 Cyl. 6.0L	Main Drive	Tensioner	5996
04	8 Cyl. 5.7L	AC Belt Drive	Idler	5084
	8 Cyl. 5.7L	AC Belt Drive	Tensioner	5084
	8 Cyl. 5.7L	Main Drive	Idler	5072
	8 Cyl. 5.7L	Main Drive	Tensioner	5996
J2000				
84-83	4 Cyl. 1.8L		Idler	5902
	4 Cyl. 2.0L		Idler	5902
82	All Eng.		Idler	5902
MONTANA				
09-06	6 Cyl. 3.9L		Tensioner	5971
06	6 Cyl. 3.5L		Idler	5979

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
PONTIAC				
MONTANA				
06	6 Cyl. 3.5L		Tensioner	5971
	6 Cyl. 3.9L	Lower; Smooth	Idler	5918
	6 Cyl. 3.9L	Upper; Smooth	Idler	5979
05-99	All Eng.		Idler	5979
	All Eng.		Tensioner	5971
PURSUIT				
06	4 Cyl. 2.4L		Tensioner	5008
06-05	4 Cyl. 2.2L		Tensioner	5008
SOLSTICE				
09	All Eng.	Pwr Str Belt Drive	Tensioner	5084
09-08	4 Cyl. 2.0L	Main Drive	Tensioner	5008
	4 Cyl. 2.4L	Main Drive	Tensioner	5008
08-06	4 Cyl. 2.4L	Pwr Str Belt Drive	Tensioner	5084
07	4 Cyl. 2.0L	AC Belt Drive	Tensioner	5008
07-06	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5008
SUNBIRD				
94-91	6 Cyl. 3.1L		Tensioner	5973
86	4 Cyl. 1.8L	w/o Turbo; w/ AC	Idler	5902
	4 Cyl. 2.0L	w/o Turbo	Idler	5957
85	4 Cyl. 1.8L		Idler	5902
	4 Cyl. 2.0L		Idler	5957
SUNFIRE				
05-03	4 Cyl. 2.2L		Tensioner	5008
02	4 Cyl. 2.2L	VIN:4	Idler	5012
	4 Cyl. 2.2L	VIN:4	Tensioner	5972
	4 Cyl. 2.2L	VIN:F	Tensioner	5008
02-99	4 Cyl. 2.4L		Tensioner	5020
01-98	4 Cyl. 2.2L		Idler	5012
	4 Cyl. 2.2L		Tensioner	5972
98-96	4 Cyl. 2.4L		Tensioner	5012
97-95	4 Cyl. 2.2L		Tensioner	5968
95	4 Cyl. 2.3L		Tensioner	5012
TEMPEST				
91-90	4 Cyl. 2.2L	Canada	Tensioner	5968
	6 Cyl. 3.1L	Canada	Tensioner	5973
	6 Cyl. 3.1L	Canada; w/o AC	Idler	5971
89-87	4 Cyl. 2.0L	Canada	Tensioner	5968
	6 Cyl. 2.8L	Canada	Tensioner	5973
88-87	6 Cyl. 2.8L	Canada; w/o AC	Idler	5971
TORRENT				
09-08	6 Cyl. 3.6L		Idler	5083
09-06	6 Cyl. 3.4L		Tensioner	5971
07-06	6 Cyl. 3.4L	Grooved	Idler	5056
TRANS SPORT				
98-96	All Eng.		Tensioner	5973

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION		TYPE	PART NO.
PONTIAC					
TRANS SPORT					
95	6 Cyl. 3.1L	w/o AC		Idler	5971
95-92	6 Cyl. 3.1L			Tensioner	5973
	6 Cyl. 3.8L			Tensioner	5969
91	All Eng.			Idler	5971
91-90	All Eng.			Tensioner	5973
90	All Eng.	w/o AC		Idler	5971
WAVE					
08-05	All Eng.			Tensioner	5979
	All Eng.	w/o AC		Idler	5010
SAAB					
9-3					
11	All Eng.	9-3 Aero		Tensioner	5008
	All Eng.	9-3 Turbo4		Tensioner	5008
	All Eng.	9-3X Base		Tensioner	5008
10-04	4 Cyl. 2.0L			Tensioner	5008
00	4 Cyl. 2.3L			Idler	5042
99	4 Cyl. 2.0L			Idler	5042
9-5					
04-01	4 Cyl. 2.3L			Idler	5043
00-99	4 Cyl. 2.3L	Grooved		Idler	5042
	4 Cyl. 2.3L	Smooth		Idler	5043
9-7					
09-08	8 Cyl. 6.0L	Serpentine Belt Drive		Idler	5975
	8 Cyl. 6.0L	Serpentine Belt Drive		Tensioner	5971
09-05	6 Cyl. 4.2L			Idler	5026
	6 Cyl. 4.2L			Tensioner	5025
	8 Cyl. 5.3L	Serpentine Belt Drive		Idler	5975
	8 Cyl. 5.3L	Serpentine Belt Drive		Tensioner	5971
900 SERIES					
98-94	4 Cyl. 2.0L			Idler	5042
	4 Cyl. 2.3L			Idler	5042
97-94	6 Cyl. 2.5L			Idler	5041
	6 Cyl. 2.5L			Tensioner	5971
94	4 Cyl. 2.1L			Idler	5042
9000 SERIES					
98	4 Cyl. 2.3L			Idler	5969
98-90	4 Cyl. 2.3L			Tensioner	5040
97-95	6 Cyl. 3.0L			Idler	5041
	6 Cyl. 3.0L			Tensioner	5971
97-90	4 Cyl. 2.3L			Idler	5043
90-86	4 Cyl. 2.0L			Idler	5043
	4 Cyl. 2.0L			Tensioner	5969
SATURN					
AURA					
09-07	4 Cyl. 2.4L	Stationary		Tensioner	5008

YEAR	ENGINE	DESCRIPTION		TYPE	PART NO.
SATURN					
AURA					
09-07	6 Cyl. 3.6L			Idler	5083
08-07	6 Cyl. 3.5L			Tensioner	5971
	6 Cyl. 3.5L		Lower; Smooth	Idler	5918
	6 Cyl. 3.5L		Upper; Smooth	Idler	5979
07	6 Cyl. 3.5L		; Grooved	Idler	5971
ION					
07-06	4 Cyl. 2.4L			Tensioner	5008
07-04	4 Cyl. 2.0L			Tensioner	5038
07-03	4 Cyl. 2.2L			Tensioner	5008
L SERIES					
05-02	6 Cyl. 3.0L			Tensioner	5971
04-01	4 Cyl. 2.2L			Tensioner	5008
LS SERIES					
00	4 Cyl. 2.2L			Tensioner	5008
	6 Cyl. 3.0L			Tensioner	5971
LW SERIES					
03-00	4 Cyl. 2.2L			Tensioner	5008
	6 Cyl. 3.0L			Tensioner	5971
OUTLOOK					
10-07	6 Cyl. 3.6L			Idler	5083
RELAY					
07-06	6 Cyl. 3.9L			Tensioner	5971
	6 Cyl. 3.9L		Lower; Smooth	Idler	5918
	6 Cyl. 3.9L		Upper; Smooth	Idler	5979
06	6 Cyl. 3.9L		; Grooved	Idler	5971
06-05	6 Cyl. 3.5L			Tensioner	5971
SC SERIES					
02-00	All Eng.			Idler	5968
02-91	All Eng.			Tensioner	5073
91	All Eng.		Grooved	Idler	5976
SKY					
10-07	All Eng.		AC Belt Drive	Tensioner	5008
	All Eng.		Pwr Str Belt Drive	Tensioner	5084
SL SERIES					
02-00	All Eng.			Idler	5968
02-91	All Eng.			Tensioner	5073
SW SERIES					
01-00	All Eng.			Idler	5968
01-93	All Eng.			Tensioner	5073
99-93	All Eng.		Smooth	Idler	5968
VUE					
10-08	4 Cyl. 2.4L		Gas	Tensioner	5008
	6 Cyl. 3.5L			Tensioner	5971
	6 Cyl. 3.5L		Lower; Smooth	Idler	5918
	6 Cyl. 3.5L		Upper; Smooth	Idler	5979
	6 Cyl. 3.6L			Idler	5083

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
SATURN				
VUE				
08	4 Cyl. 2.4L	Electric/Gas; Exc.Spring Dampener	Tensioner	5008
07-04	6 Cyl. 3.5L		Tensioner	5979
07-02	4 Cyl. 2.2L		Tensioner	5008
03-02	6 Cyl. 3.0L		Tensioner	5971
SUBARU				
BRZ				
16-13	All Eng.		Idler	5936
FORESTER				
16-11	All Eng.		Idler	5936
IMPREZA				
16-12	4 Cyl. 2.0L		Idler	5936
LEGACY				
14-10	6 Cyl. 3.6L		Idler	5926
09-08	6 Cyl. 3.0L		Idler	5926
OUTBACK				
14-10	6 Cyl. 3.6L		Idler	5926
09-01	6 Cyl. 3.0L		Idler	5926
TRIBECA				
14-08	6 Cyl. 3.6L		Idler	5926
07-06	6 Cyl. 3.0L		Idler	5926
WRX				
17-15	All Eng.		Idler	5936
XV / XV Crosstrek				
16-13	All Eng.		Idler	5936
SUZUKI				
AERIO				
07-04	4 Cyl. 2.3L		Idler	5075
	4 Cyl. 2.3L		Tensioner	5073
03	4 Cyl. 2.0L		Idler	5075
03-02	4 Cyl. 2.0L		Tensioner	5073
EQUATOR				
12-09	6 Cyl. 4.0L		Idler	5922
ESTEEM				
02-99	All Eng.		Idler	5075
	All Eng.		Tensioner	5073
GRAND VITARA				
10-09	6 Cyl. 3.2L		Idler	5936
SIDEKICK				
98	4 Cyl. 1.8L		Idler	5075
98-96	4 Cyl. 1.8L		Tensioner	5073
SX4				
09-07	4 Cyl. 2.0L		Idler	5073
	4 Cyl. 2.0L		Tensioner	5073
VITARA				
03-99	4 Cyl. 2.0L		Idler	5075
	4 Cyl. 2.0L		Tensioner	5073

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
SUZUKI				
XL-7				
09-07	6 Cyl. 3.6L		Idler	5083
TOYOTA				
4RUNNER				
15-03	6 Cyl. 4.0L	Lower	Idler	5905
13-05	6 Cyl. 4.0L	Upper	Idler	5070
09-03	8 Cyl. 4.7L		Idler	5021
	8 Cyl. 4.7L		Tensioner	5064
02-96	All Eng.		Pulley Bracket	5784
	All Eng.	AC Belt Drive	Tensioner	5003
00-96	4 Cyl. 2.7L	Pwr Str Belt Drive	Idler	5003
95-88	6 Cyl. 3.0L	AC Belt Drive	Tensioner	5000
95-85	4 Cyl. 2.4L	AC Belt Drive	Tensioner	5000
92-88	6 Cyl. 3.0L		Pulley Bracket	5783
AVALON				
13-05	6 Cyl. 3.5L		Idler	5070
CAMRY				
13-07	6 Cyl. 3.5L		Idler	5070
11-07	4 Cyl. 2.4L	HYBRID	Tensioner	5941
CELICA				
97-94	4 Cyl. 1.8L	AC Belt Drive	Idler	5003
93-90	4 Cyl. 1.6L	AC Belt Drive	Idler	5003
85	All Eng.	AC Belt Drive	Idler	5000
COROLLA				
97-88	All Eng.	AC Belt Drive	Idler	5003
87-85	All Eng.	AC Belt Drive	Tensioner	5900
FJ CRUISER				
14-07	6 Cyl. 4.0L	Lower	Idler	5905
13	6 Cyl. 4.0L	Upper	Idler	5070
11-07	6 Cyl. 4.0L	Upper	Idler	5070
HIGHLANDER				
13-08	6 Cyl. 3.5L		Idler	5070
LAND CRUISER				
16-13	All Eng.		Idler	5933
11-08	All Eng.		Idler	5933
07-98	All Eng.		Idler	5021
	All Eng.		Tensioner	5064
MR2				
95	4 Cyl. 2.2L	AC Belt Drive	Idler	5003
94-91	All Eng.	AC Belt Drive	Idler	5003
89-85	All Eng.	AC Belt Drive	Idler	5003
PICKUP - STANDARD				
95-88	6 Cyl. 3.0L	AC Belt Drive	Idler	5000
95-85	4 Cyl. 2.4L	AC Belt Drive	Idler	5000
92-88	6 Cyl. 3.0L		Pulley Bracket	5783
PREVIA				
97-94	4 Cyl. 2.4L		Tensioner	5003

Application Guide

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
TOYOTA				
PRIUS				
09-01	All Eng.		Idler	5931
RAV4				
12-06	6 Cyl. 3.5L		Idler	5070
SEQUOIA				
16-10	All Eng.		Idler	5933
09-08	8 Cyl. 4.7L		Idler	5021
	8 Cyl. 4.7L		Tensioner	5064
	8 Cyl. 5.7L		Idler	5933
07-01	All Eng.		Tensioner	5064
	All Eng.	Grooved	Idler	5021
	All Eng.	Smooth	Idler	5975
SIENNA				
13-07	6 Cyl. 3.5L		Idler	5070
SUPRA				
98-93	6 Cyl. 3.0L		Tensioner	5064
92-87	6 Cyl. 3.0L	AC Belt Drive	Idler	5003
86	All Eng.	AC Belt Drive	Idler	5003
T100				
98-95	6 Cyl. 3.4L		Tensioner	5003
98-94	4 Cyl. 2.7L		Tensioner	5003
	4 Cyl. 2.7L	Pwr Str Belt Drive	Idler	5003
94-93	6 Cyl. 3.0L		Pulley Bracket	5782
	6 Cyl. 3.0L	AC Belt Drive	Idler	5000
TACOMA				
15-06	6 Cyl. 4.0L	Lower	Idler	5905
13-09	6 Cyl. 4.0L	Upper	Idler	5070
04-98	4 Cyl. 2.4L	Pwr Str Belt Drive	Idler	5003
	4 Cyl. 2.7L	Pwr Str Belt Drive	Idler	5003
04-95	All Eng.	AC Belt Drive	Tensioner	5003
00-95	All Eng.		Pulley Bracket	5784
97-96	All Eng.	Pwr Str Belt Drive	Idler	5003
95	4 Cyl. 2.4L	Pwr Str Belt Drive	Idler	5003
	4 Cyl. 2.7L	Pwr Str Belt Drive	Idler	5003
TERCEL				
98-90	All Eng.	w/o Pwr Str; AC Belt Drive	Idler	5003
TUNDRA				
16-15	All Eng.		Idler	5933
14-07	6 Cyl. 4.0L	Lower	Idler	5905
	8 Cyl. 5.7L		Idler	5933
13-05	6 Cyl. 4.0L	Upper	Idler	5070
09-00	8 Cyl. 4.7L		Idler	5021
	8 Cyl. 4.7L		Tensioner	5064
04-00	6 Cyl. 3.4L		Pulley Bracket	5784
	6 Cyl. 3.4L	AC Belt Drive	Tensioner	5003
VAN / VAN WAGON				
88-86	4 Cyl. 2.2L	AC Belt Drive	Idler	5000

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
TOYOTA				
VENZA				
13-09	6 Cyl. 3.5L		Idler	5070
VOLKSWAGEN				
BEETLE				
12	5 Cyl. 2.5L	Base Model	Idler	5972
10-09	5 Cyl. 2.5L	Base	Idler	5972
08	5 Cyl. 2.5L	S	Idler	5972
	5 Cyl. 2.5L	SE	Idler	5972
07-06	5 Cyl. 2.5L		Idler	5972
05-04	All Eng.		Tensioner	5013
03-98	All Eng.	Gas	Tensioner	5013
CABRIO				
02-95	All Eng.		Idler	5029
CORRADO				
92-90	4 Cyl. 1.8L		Idler	5061
EUROVAN				
96-95	All Eng.	w/ 3" Dia. Smooth Pulley	Idler	5029
95	All Eng.	w/ 3-1/2" Dia. Smooth Pulley	Idler	5061
95-94	All Eng.	w/ 3-1/4" Dia. Smooth Pulley	Idler	5031
	All Eng.	w/ 6 Groove Pulley	Idler	5030
93	All Eng.	Alt Belt	Tensioner	5030
GOLF / GTI				
12-11	5 Cyl. 2.5L	GOLF	Idler	5972
10	5 Cyl. 2.5L	1 Mounting Bolt	Idler	5972
06	4 Cyl. 1.9L		Tensioner	5013
06-01	4 Cyl. 2.0L		Tensioner	5013
06-00	4 Cyl. 1.8L		Tensioner	5013
02-95	6 Cyl. 2.8L		Tensioner	5032
00-99	4 Cyl. 2.0L	w/ Dual Sided V-Ribbed Belt	Tensioner	5013
	4 Cyl. 2.0L	w/o Dual Sided V-Ribbed Belt	Tensioner	5029
99-93	4 Cyl. 2.0L		Idler	5029
92-85	4 Cyl. 1.6L	Diesel	Idler	5060
JETTA				
13-09	5 Cyl. 2.5L		Idler	5972
08	5 Cyl. 2.5L	Alternator and Water Pump Drive; Lower	Idler	5972
07-05	5 Cyl. 2.5L		Idler	5972
05-00	4 Cyl. 1.8L		Tensioner	5013
	4 Cyl. 2.0L		Tensioner	5013
02-94	6 Cyl. 2.8L		Tensioner	5032
00	4 Cyl. 2.0L		Idler	5029
99	4 Cyl. 2.0L	w/ Dual Sided V-Ribbed Belt	Tensioner	5013
	4 Cyl. 2.0L	w/o Dual Sided V-Ribbed Belt	Tensioner	5029
98-96	4 Cyl. 1.9L		Tensioner	5029
98-93	4 Cyl. 2.0L		Tensioner	5029
95-93	4 Cyl. 1.9L	Canada	Tensioner	5029
92-85	4 Cyl. 1.6L	Turbocharged; Diesel	Idler	5060

AC.....AIR CONDITIONING
ALT.....ALTERNATOR
DOHC.....DUAL OVERHEAD CAM
LEFT.....DRIVER SIDE

PULLEYS

PWR STR.....POWER STEERING
RIGHT.....PASSENGER SIDE
SOHC.....SINGLE OVERHEAD CAM

PULLEYS

YEAR	ENGINE	DESCRIPTION	TYPE	PART NO.
VOLKSWAGEN				
PASSAT / CC				
12	5 Cyl. 2.5L		Idler	5972
05-98	4 Cyl. 1.8L	Turbocharged	Idler Assy	5059
97-96	4 Cyl. 1.9L		Idler	5029
97-93	6 Cyl. 2.8L		Tensioner	5032
96	4 Cyl. 2.0L		Idler	5029
95	4 Cyl. 2.0L		Tensioner	5029
94	4 Cyl. 2.0L	AC Belt Drive	Idler	5060
93-92	4 Cyl. 2.0L		Idler	5060
93-91	4 Cyl. 1.8L		Idler	5061
RABBIT				
09-06	5 Cyl. 2.5L		Idler	5972
ROUTAN				
11	6 Cyl. 3.6L	S	Idler	5038
TRANSPORTER				
93-92	5 Cyl. 2.5L		Idler	5061
VOLVO				
850 SERIES				
97-95	All Eng.		Idler	5033
94	All Eng.	From 7/94	Idler	5033
	All Eng.	To 7/94	Idler	5034
93	All Eng.		Idler	5034
C70				
98	All Eng.		Idler	5033
S70				
98	All Eng.		Idler	5033
S90				
98	6 Cyl. 2.9L		Idler	5035
97	All Eng.		Idler	5033
V70				
98	All Eng.		Idler	5033
V90				
98	All Eng.		Idler	5033

YEAR ENGINE DESCRIPTION TYPE PART NO.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
ACURA																
CAR																
15-86	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15-96	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
AMERICAN MOTORS																
CAR																
88-80	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
79-77	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
76-58	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
BUICK																
CAR																
15-12	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
11	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
09-06	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
05-04	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	
03-97	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
96-93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
92	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
91-90	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
89	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
BUICK																
CAR																
89	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
88	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
87-86	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
84-83	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
BUICK																
CAR																
80	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.9L		402	404	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
79-78	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	404	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
77	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
76	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
75	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
74-73	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
72	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
71-68	6 Cyl.		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
66-62	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
61-60	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
15-08	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	
07	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
06	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
05-04	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
03-02	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
BUICK																
LIGHT DUTY VAN																
07-05	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	
CADILLAC																
CAR																
15	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
14	4 Cyl.		401	402	403	512	514	516	676	677	679	696	697	699		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
13	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	679	696	697	699		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
12	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
11	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
10	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
09	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
08	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
07	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
06	8 Cyl. 4.4L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	
05-04	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
03-02	All Eng.		402	404	404	512	514	516	676	677	678	696	697	698	397	
01-97	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl.		402	404	404	512	514	516	676	677	678	696	697	698	397	(4)
96	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
95-93	8 Cyl. 4.6L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
92	8 Cyl. 4.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CADILLAC																
CAR																
92	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
91	8 Cyl. 4.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
90	8 Cyl. 4.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
89	8 Cyl. 4.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
88	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.1L		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		402	404	404	512	514	516	676	677	678	696	697	698	397	(4)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
87	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
86	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
84-82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699		
81	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
80	6 Cyl.		402	404	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
79-60	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
15-13	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	
12	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
11	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CADILLAC																
LIGHT DUTY TRUCK																
11	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
10	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
09	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
08-07	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
06	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	
05-04	8 Cyl. 4.6L		402	404	404	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
03-02	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
00	8 Cyl. 5.7L	Escalade; 2WD	403	404	405	512	514	516	677	678	679	697	698	699	397	(4)
	8 Cyl. 5.7L	Escalade; 4WD	403	404	405	512	514	516	677	678	679	697	698	699	397	
99	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	397	
CHEVROLET																
CAR																
15-10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
09-05	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	
04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
02-01	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
00	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET																
CAR																
00	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
99-98	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
97	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
96	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
95-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	(5)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
92	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L		402	404	404	512	514	516	677	678	679	697	698	699	390	(5)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
91	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
90	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET																
CAR																
90	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.0L	305 CID	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	307 CID	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
89-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.0L	305 CID	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	307 CID	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
87	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.0L	305 CID	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	307 CID	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
86	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.0L	305 CID	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	307 CID	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	260 CID	402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L	262 CID	402	403	404	512	514	516	677	678	679	697	698	699	390	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
83-82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	404	404	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
81-80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET																
CAR																
81-80	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
79-78	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
77-73	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
72-71	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
70	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
69	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
68	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.1L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.1L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
66-65	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.1L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
64	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
63	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET																
CAR																
63	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
62	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
61	6 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
CHEVROLET HD																
MEDIUM/HEAVY TRUCK																
15-09	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.6L								776	777	778					
08-04	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
03	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
02-01	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 8.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
00	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
99-96	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
95-92	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
91	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
15-14	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
15-14	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
13	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
12	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
11	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L	Colorado	401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
10	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
10	8 Cyl. 6.6L								776	777	778					
09	4 Cyl. 1.8L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
08	4 Cyl. 1.8L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.4L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
07	4 Cyl. 1.8L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		403	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
06	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
05	4 Cyl. 1.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.2L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		403	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L	Blazer	401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L	Exc. Blazer	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	776	777	778	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
04	4 Cyl. 1.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.2L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	4 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	5 Cyl.		403	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L	Blazer	401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L	Exc. Blazer	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	776	777	778	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
03	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	776	777	778	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
02	4 Cyl. 1.6L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.6L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
02	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	776	777	778	696	697	698	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
01	4 Cyl. 1.6L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.6L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	776	777	778	696	697	698	390	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		403	404	405	512	514	516	776	777	778	697	698	699	390	
00	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
98	4 Cyl. 1.6L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.6L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
98	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
97-96	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
95	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
93-92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
91-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
87	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
87	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
86-83	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
80-79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
78-77	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
76	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
76	8 Cyl. 6.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
75	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
74	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; RWD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s) Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	El Camino; Exc. Diesel	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s) Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
73	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; RWD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s) Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	El Camino; Exc. Diesel	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s) Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	Blazer; Exc. Diesel; RWD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s) Exc. Diesel; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	El Camino; Exc. Diesel	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s) Exc. Diesel; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		403	404	405	512	514	516	677	678	679	697	698	699		
71	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
71	8 Cyl. 5.7L	Blazer; RWD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	El Camino	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		403	404	405	512	514	516	677	678	679	697	698	699		
70	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; RWD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	El Camino	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		403	404	405	512	514	516	677	678	679	697	698	699		
69	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Blazer; RWD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	El Camino	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
68	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
67	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
66	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY TRUCK																
66	6 Cyl. 3.2L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
65	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.7L		401	402	403	512	514	516	676	677	678	696	697	698		
64	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 2.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.7L		401	402	403	512	514	516	676	677	678	696	697	698		
63	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 2.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.7L		401	402	403	512	514	516	676	677	678	696	697	698		
62-61	6 Cyl. 2.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.8L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY VAN																
15	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L								776	777	778					
14-09	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY VAN																
14-09	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L								776	777	778					
08	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L								776	777	778					
07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L								776	777	778					
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L								776	777	778					
05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
04-03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.0L		401	402	403	512	514	516	676	677	678	696	697	698		
02	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 8.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
01	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY VAN																
01	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 8.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
00-97	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
96	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
95	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P30	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P30	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY VAN																
93	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P30	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
91-90	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P30	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
89-85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	Astro	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.3L	G10, G20, G30	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
84-82	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		401	402	403	512	514	516	676	677	678	696	697	698		
81-72	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
71	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
70	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHEVROLET LIGHT TRUCK																
LIGHT DUTY VAN																
69-68	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
67	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
66-64	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
CHRYSLER																
CAR																
15	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	w/o Severe Duty Transmission Oil Cooler													397	
14-11	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L	w/o Severe Duty Transmission Oil Cooler													397	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	w/o Severe Duty Transmission Oil Cooler													397	
10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
09-08	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.1L		401	402	403	512	514	516	676	677	678	696	697	698		
07-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
89-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
87-84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
83-82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
81	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
80-79	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
78	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
77-75	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
CHRYSLER																
CAR																
77-75	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
74-42	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
09-04	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
15	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
14-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
DODGE																
CAR																
15	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
14-05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
04-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
89-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
87-84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
83-81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
80-79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
78-74	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
73-72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE																
CAR																
71	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
70	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
69-68	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
67	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
66	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		403	404	405	512	514	516	677	678	679	697	698	699		
65	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
64	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE																
CAR																
63	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
62-61	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.8L		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
59	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
58	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
57	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
56-53	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
52-42	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
DODGE LIGHT TRUCK																
LIGHT DUTY TRUCK																
14-11	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
10-09	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.9L								776	777	778					
	6 Cyl. 6.7L								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
08-07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE LIGHT TRUCK																
LIGHT DUTY TRUCK																
08-07	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.9L								776	777	778					
	6 Cyl. 6.7L								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
06-04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.9L								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 4.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699	398	(8)
02	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 4.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699	398	(8)
01-00	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 4.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	398	(8)
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699	398	(8)
99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 5.9L								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	398	
98-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	392	(7)
	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	(7)
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
93-92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
91-90	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE LIGHT TRUCK																
LIGHT DUTY TRUCK																
91-90	6 Cyl. 5.9L								776	777	778					
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
89-79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
78-72	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
71	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
70	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
69-68	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
67	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
66-64	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
63-62	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	392	
61	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	392	
60	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.1L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
59-57	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		

(4) Use kit #397 on vehicles with snap-in trans-line type fittings. Use kit #390 on vehicles with 5/8"-18 thread inverted flare.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE LIGHT TRUCK																
LIGHT DUTY TRUCK																
59-57	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
56	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
55-54	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
53	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
52-48	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
47-42	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
14-05	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 3.3L	Mini-Vans	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 3.8L	Mini-Vans	401	402	403	512	514	516	676	677	678	696	697	698		
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	396	(9)
02-01	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)

(9) Use kit #396 for 9/16"-18 thread fittings. Use kit #398 for 9/16"-24 thread fittings

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE LIGHT TRUCK																
LIGHT DUTY VAN																
02-01	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	396	(9)
00-99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	396	(9)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	396	(9)
98-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	392	(7)
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	(7)
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
93-84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
83-81	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
80	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	392	
79-77	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
76	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699	392	
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
75	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
74	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
73-70	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
69	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
68	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
66-64	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
61-60	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		

(7) 1994 and later vehicles with rubber trans lines require splicer kit #392.
(9) Use kit #396 for 9/16"-18 thread fittings. Use kit #398 for 9/16"-24 thread fittings

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
DODGE LIGHT TRUCK																
LIGHT DUTY VAN																
59-58	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
57-48	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
DODGE MEDIUM DUTY TRUCK																
MEDIUM/HEAVY TRUCK																
10	All Eng.								776	777	778					
09-08	6 Cyl.								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
07	All Eng.								776	777	778					
06-05	6 Cyl.								776	777	778					
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
02	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
01-00	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	398	(8)
99	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	398	
98-79	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
78	All Eng.		404	405	405	512	514	516	677	678	679	697	698	699		
EAGLE																
CAR																
98-88	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
FORD																
CAR																
15	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
14	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
13	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
12	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
11	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		

(6) Use on vehicles w/ snap-in trans-line type fittings.
(8) Use kit #398 for 9/16"-24 thread fittings. Use kit #391 for 5/8"-18 S.A.E 45 degree fittings

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
11	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	8 Cyl. 5.0L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	5 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	404	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
09-08	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		403	404	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 4.0L		403	404	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
05	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 4.0L		403	404	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
04	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
03	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
03	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
02-01	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
00	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.4L		402	403	404	512	514	516	677	678	679	697	698	699		
99-97	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
96	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
95	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L					512	514	516								
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
94	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
94	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L					512	514	516								
93	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
92	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
91	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
90-89	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
90-89	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
88	4 Cyl. 1.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
87-86	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
85	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
84	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
83	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
81-80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
81-80	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
78-74	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
73-72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
70	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
69	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
68	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
68	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
67-66	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
65	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
64	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
63	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
62	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.8L		402	403	404	512	514	516	676	678	679	696	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD																
CAR																
62	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
61	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.8L		402	403	404	512	514	516	676	678	679	696	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
60	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.8L		402	403	404	512	514	516	676	678	679	696	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
FORD HD																
MEDIUM/HEAVY TRUCK																
15	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.								776	777	778					
14	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	8 Cyl. 5.4L														252	(10)
	8 Cyl. 6.7L								776	777	778					
13	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L														252	(10)
	8 Cyl. 6.7L								776	777	778					
12	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
	8 Cyl. 6.7L								776	777	778					
11	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		404	405	405				677	678	679	697	698	699	394	(10)
	8 Cyl. 6.7L								776	777	778					
10-05	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.								776	777	778					
04	All Eng.								776	777	778					
03	10 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.0L								776	777	778					
	8 Cyl. 7.3L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
02	10 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
01-00	10 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
99	10 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
98	10 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
97	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD HD																
MEDIUM/HEAVY TRUCK																
97	8 Cyl. 5.4L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
96	6 Cyl.								776	777	778					
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
95-94	6 Cyl.								776	777	778					
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	
93-88	All Eng.		404	405	1015	512	514	516	677	678	679	697	698	699	252	
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
16	All Eng.								776	777	778					
15	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L								776	777	778					
14	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L	Police Interceptor Utility	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L	Police Interceptor Utility	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L								776	777	778					
13	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L	Police Interceptor Utility	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L								776	777	778					
12	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L								776	777	778					
11	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
11	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L								776	777	778					
10	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 6.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L								776	777	778					
09	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.								776	777	778					
08	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl.								776	777	778					
07	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 6.0L								776	777	778					
06-05	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 6.0L								776	777	778					
04	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
04	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 6.0L								776	777	778					
03	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 6.0L								776	777	778					
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	395	
02	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	395	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	395	
01	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	395	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	395	
00-99	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	395	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	395	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	395	

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
98	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	395	
97	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	(11)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	395	
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
96	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(14)
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
95	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(14)
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.
(14) Use kit #252 for 1/4", 3/8" NPT fittings. Use kit #390 for 5/8"-18 thread inverted flare fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
93	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
92-91	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		402	403	404	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
90	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
89	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
88	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
87-86	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 2.9L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
85	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
84	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
83	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.8L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 4.2L		403	404	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 4.2L		403	404	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
79-78	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
79-78	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
77-75	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
74	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		403	404	405	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
73	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		403	404	405	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
71-69	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY TRUCK																
71-69	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
68	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.9L		403	404	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67-65	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
64	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
63	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
62	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
61	6 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
15	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
14-13	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
12	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	394	
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
11	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY VAN																
11	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
10	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	4 Cyl. 2.0L		404	405	1015	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
	8 Cyl. 6.0L								776	777	778					
09-08	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
	8 Cyl. 6.0L								776	777	778					
07-05	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	6 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 4.6L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405				677	678	679	697	698	699	252	(10)
	8 Cyl. 6.0L								776	777	778					
04	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.0L								776	777	778					
03	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
02-98	10 Cyl.		403	404	402	512	514	516	677	678	679	697	698	699	394	
	6 Cyl.		403	404	402	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 4.6L		403	404	402	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.4L		403	404	402	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
97	10 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	394	
	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 4.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(14)
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 4.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699	252	
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
96-90	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 4.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(14)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(12) Use kit #252 if radiator fitting has 7/8" hex. Use kit #395 if radiator fitting has 1-1/16" hex 5/8"-18 threads.
(14) Use kit #252 for 1/4", 3/8" NPT fittings. Use kit #390 for 5/8"-18 thread inverted flare fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY VAN																
96-90	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
89-88	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.3L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
87	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
86	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 2.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699	252	(12)
	6 Cyl. 4.9L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
85-83	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 6.9L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699	252	(10)
82	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
81-80	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699	252	(10)
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
79-78	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
77-76	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		

(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.
(12) Use kit #252 if radiator fitting has 7/8" hex. Use kit #395 if radiator fitting has 1-1/16" hex 5/8"-18 threads.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
FORD LIGHT TRUCK																
LIGHT DUTY VAN																
77-76	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
75	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
74-60	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
GEO																
LIGHT DUTY TRUCK																
97-96	4 Cyl. 1.6L	Tracker; 2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	4 Cyl. 1.6L	Tracker; 4WD	401	402	403	512	514	516	676	677	678	696	697	698		
95	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
94-93	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	390	
92-89	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
GMC HD																
MEDIUM/HEAVY TRUCK																
15	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
14	All Eng.								776	777	778					
13	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
12-09	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.6L								776	777	778					
08-03	All Eng.								776	777	778					
02-01	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
00-96	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
95-92	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
91	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
15	4 Cyl. 2.4L		403	402	404	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.5L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.6L		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		402	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		402	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		402	404	405	512	514	516	677	678	679	697	698	699	397	

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
15	8 Cyl. 6.2L		402	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
14	4 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		402	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
13	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		402	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
12-10	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.9L		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 3.0L		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
09	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 3.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
08	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
08	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
07	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 3.6L		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
06	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		403	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
05-04	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		403	402	403	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	776	777	778	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	776	777	778	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
02	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	776	777	778	697	698	699	397	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
02	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
01	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	2WD	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	4WD	401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
	8 Cyl. 6.6L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	776	777	778	697	698	699	390	
00	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
98-96	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
95-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	4WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
93-92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	4WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
93-92	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
91-89	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	2WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	4WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	2WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L	4WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
87-85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
84-83	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
82	8 Cyl. 5.7L	2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
81	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		403	402	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Diesel	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Gas; 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
	8 Cyl. 5.7L	Gas; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
80	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		403	402	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Diesel	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Gas; 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
	8 Cyl. 5.7L	Gas; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
79	6 Cyl. 3.3L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		403	402	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Diesel	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Gas; 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
	8 Cyl. 5.7L	Gas; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
78	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Diesel	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Gas; 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
	8 Cyl. 5.7L	Gas; 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
77-76	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	4WD	403	404	405	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
77-76	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
75	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
74	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	Jimmy	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Sprint	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
73	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	Jimmy	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Sprint	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
72-71	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	Jimmy	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	Sprint	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
70	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	Jimmy	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
69	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
69	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.0L		403	402	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
68	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.0L		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		404	405	1015	512	514	516	677	678	679	697	698	699		
67	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.0L		403	402	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.7L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699		
66	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699		
65	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
64	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		404	405	1015	512	514	516	677	678	679	697	698	699		
	6 Cyl. 5.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY TRUCK																
63	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 5.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
62-60	All Eng.		404	405	1015	512	514	516	677	678	679	697	698	699		
LIGHT DUTY VAN																
15	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
14-13	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		401	402	403	512	514	516	676	677	678	696	697	698	397	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.0L		404	405	1015	512	514	516	677	678	679	697	698	699	397	
	8 Cyl. 6.6L								776	777	778					
12-08	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.6L								776	777	778					
07	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L								776	777	778					
06	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.6L								776	777	778					
05	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699		
04	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	
03	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.0L		403	404	405	512	514	516	677	678	679	697	698	699		
02-01	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY VAN																
02-01	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 8.1L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
00-96	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699	390	
95-94	6 Cyl. 4.3L	G1500, G2500, G3500	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P35/P3500 Van	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Safari & Astro vans	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L								776	777	778					
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
93-92	6 Cyl. 4.3L	G1500, G2500, G3500	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P35/P3500 Van	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Safari & Astro vans	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
91-90	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	G1500, G2500, G3500	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	P35/P3500 Van	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Safari & Astro vans	401	402	403	512	514	516	676	677	678	696	697	698	393	
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
89-85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	G1500, G2500, G3500	401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 4.3L	Safari & Astro vans	401	402	403	512	514	516	676	677	678	696	697	698	393	
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
84-82	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
81	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY VAN																
81	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
80-77	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
76-75	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
74	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
73	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
72	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
71	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		404	405	1015	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
70	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		404	405	1015	512	514	516	677	678	679	697	698	699		
69-68	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	3 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
GMC LIGHT TRUCK																
LIGHT DUTY VAN																
67	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
66	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699		
HONDA																
CAR																
15-69	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15-94	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
15-95	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
HYUNDAI																
CAR																
14	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
13-09	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
08-06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
05-89	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
14-13	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
12-10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
09-07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
06-01	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
09-07	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
INTERNATIONAL																
LIGHT DUTY TRUCK																
80-75	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
74-72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
INTERNATIONAL																
LIGHT DUTY TRUCK																
74-72	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
70-68	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
66	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
65	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		403	402	404	512	514	516	676	677	678	696	697	698		
64	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 2.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
63	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
62-61	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
59-50	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY VAN																
72	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
INTERNATIONAL																
LIGHT DUTY VAN																
71	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
70-69	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
68-67	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	4 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
66	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
65	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
64	4 Cyl.		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
63	4 Cyl. 1.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.9L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
62-61	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl. 3.6L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
59-50	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
INTERNATIONAL HD / NAVISTAR																
MEDIUM/HEAVY TRUCK																
85-69	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
68	6 Cyl. 3.6L		403	402	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
INTERNATIONAL HD / NAVISTAR																
MEDIUM/HEAVY TRUCK																
68	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67-66	6 Cyl.		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	402	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 9.0L		403	404	405	512	514	516	677	678	679	697	698	699		
65-57	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
ISUZU																
CAR																
93-61	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
08-07	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
06	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	397	(6)
	5 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
05	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
04	6 Cyl. 3.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
03	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.2L		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
02-01	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
00-99	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
98	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699	390	
97	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
96	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.6L		403	404	405	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
ISUZU																
LIGHT DUTY TRUCK																
96	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
95-88	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
87-81	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
99-98	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
97	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
96	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
ISUZU HD																
MEDIUM/HEAVY TRUCK																
13	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699		
12-09	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	397	(6)
08-07	All Eng.		404	405	1015	512	514	516	677	678	679	697	698	699	397	(6)
06-05	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	397	(6)
04	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		404	405	1015	512	514	516	677	678	679	697	698	699	397	(6)
03	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	397	(6)
02-98	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
97-88	All Eng.		404	405	1015	512	514	516	677	678	679	697	698	699		
JEEP																
LIGHT DUTY TRUCK																
15-10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
09-07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
06-05	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
04-03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
02	4 Cyl. 2.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(13) Use kit #391 for 5/8-18 S.A.E 45 degree fittings. Use kit #392 for 3/8" x 3/8" Hose splicers.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
JEEP																
LIGHT DUTY TRUCK																
02	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
01-99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
98	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699	392	(7)
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
97-93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	392	(7)
92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
91	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	392	(7)
90-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
87	4 Cyl. 2.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698	391	(13)
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698	391	(13)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
86-84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
83-80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
79-74	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
73-72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		403	404	405	512	514	516	677	678	679	697	698	699	390	(6)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
70-65	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.
(7) 1994 and later vehicles with rubber trans lines require splicer kit #392.
(13) Use kit #391 for 5/8-18 S.A.E 45 degree fittings. Use kit #392 for 3/8" x 3/8" Hose splicers.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
JEEP																
LIGHT DUTY TRUCK																
64-43	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
KIA																
CAR																
14-94	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
14-95	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
14-02	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LINCOLN																
CAR																
15-13	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
12	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
11	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
10	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
09	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
08-07	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
06-00	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 3.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
99-88	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
87-81	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
80	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
79	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
78	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
77	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(6)
	8 Cyl. 5.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
76-49	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
LINCOLN																
LIGHT DUTY TRUCK																
15	4 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	6 Cyl. 3.5L		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
14-02	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
MAZDA																
CAR																
15-12	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
11-10	2 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
09-06	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
05-04	2 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
02-96	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.5L		401	402	403	512	514	516	677	678	679	697	698	699		
95	2 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.5L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
94-93	2 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 2.5L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
92	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
91-88	2 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
87-67	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	395	
14	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
13	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.





TRANS-COOLER®

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MAZDA																
LIGHT DUTY TRUCK																
13	6 Cyl. 3.7L	CX-9	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
12	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.3L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.5L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L	CX-9	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
11	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.3L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.5L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L	CX-9	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
10	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.5L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L	CX-9	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
09-08	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
07	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.3L	CX-7	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L	B3000	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L	Tribute	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
04	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L	B3000	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L	Tribute	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
03	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MAZDA																
LIGHT DUTY TRUCK																
03	6 Cyl. 3.0L	B3000	401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 3.0L	Tribute	401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
02	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
01	4 Cyl. 2.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699	395	
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
00-98	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	395	
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699	395	
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
97-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699	395	
	6 Cyl. 4.0L		403	402	404	512	514	516	677	678	679	697	698	699	395	
93-91	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	402	404	512	514	516	677	678	679	697	698	699	395	
90	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.6L		401	402	403	512	514	516	676	677	678	696	697	698		
89	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
88	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.6L		401	402	403	512	514	516	676	677	678	696	697	698		
87	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.6L		401	402	403	512	514	516	676	677	678	696	697	698		
86	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	252	
84-82	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698		
81-79	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	252	
78-72	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
15-10	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
09-08	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	395	
07-06	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	395	(11)
	4 Cyl. 2.3L	5	401	402	403	512	514	516	676	677	678	696	697	698		
05-00	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
98-95	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699	395	
94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699	395	
93-89	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MERCURY																
CAR																
11-03	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
02-98	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
97	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
96-95	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
94-91	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
90	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
89-88	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
87	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	(10)
86	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MERCURY																
CAR																
86	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	(10)
85	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.9L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	(10)
84	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698	252	(10)
83	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	676	677	678	696	697	698	252	(10)
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
81-80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.2L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
78-75	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
74	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
73	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)

(6) Use on vehicles w/ snap-in trans-line type fittings.
(10) Use kit #252 with snap-in (duckbill) type trans line fittings; Use kit #394 with 1/2"-20 partial thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MERCURY																
CAR																
73	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
72	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
71	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
70	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
69	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.8L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
68	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
67-66	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
65-64	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MERCURY																
CAR																
65-64	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	676	677	678	696	697	698		
63	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 3.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	676	677	678	696	697	698		
62-61	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
60	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	676	677	678	696	697	698		
59-58	8 Cyl. 5.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	676	677	678	696	697	698		
	8 Cyl. 7.0L		403	404	405	512	514	516	676	677	678	696	697	698		
57	8 Cyl. 5.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.0L		403	404	405	512	514	516	676	677	678	696	697	698		
56-42	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
11	All Eng.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
10-08	4 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	6 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
07-05	4 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	6 Cyl. 3.0L		402	403	404	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.0L		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
04-02	6 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
01-98	6 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	395	(11)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
97	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699	395	(11)
LIGHT DUTY VAN																
07-04	All Eng.		402	403	404	512	514	516	677	678	679	697	698	699		
02-93	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699		
MITSUBISHI																
CAR																
15-83	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		

(11) Use kit #395 on vehicles with 5/8-18 thread on trans line fitting. Use kit #394 on vehicles with 1/2"-20 thread fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
MITSUBISHI																
LIGHT DUTY TRUCK																
15-83	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
09-87	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
NISSAN																
CAR																
15-58	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
14	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	676	677	678	696	697	698		
13-05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	676	677	678	696	697	698		
04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	676	677	678	696	697	698		
03-61	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
15	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
14-12	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	676	677	678	696	697	698		
11-87	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
OLDSMOBILE																
CAR																
04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	397	(6)
02	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	397	(6)
01	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699	397	(6)

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
OLDSMOBILE																
CAR																
00	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
99	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
98-97	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
96-95	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		402	403	404	512	514	516	677	678	679	697	698	699		
94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
92-91	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
90	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
89	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
88-86	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
OLDSMOBILE																
CAR																
88-86	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
85	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
84-82	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.1L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
80	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
78	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
77-76	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	
	6 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
75-64	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
63-61	8 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
60-42	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
04-02	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
01-96	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
94-91	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	393	(6)

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
OLDSMOBILE																
LIGHT DUTY VAN																
04-00	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	397	
99-96	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
95	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
94-92	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		403	404	405	512	514	516	677	678	679	697	698	699		
91-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
PLYMOUTH																
CAR																
01-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
89	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
88-84	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
83-79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
78-76	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
75-74	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
73-72	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
71	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
70	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide





TRANS-COOLER®

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PLYMOUTH																
CAR																
70	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
69-68	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
67	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
66	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
65-55	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
54-42	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
82	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
81	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
80-79	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
78-77	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
76-74	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			TRANS-COOLER® HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PLYMOUTH																
LIGHT DUTY VAN																
00-96	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
95-94	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		401	402	403	512	514	516	677	678	679	697	698	699		
93-84	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
83-79	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
78-76	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
75	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
74	6 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.2L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.2L		404	405	1015	512	514	516	677	678	679	697	698	699		
PONTIAC																
CAR																
10	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
09	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.6L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.9L		403	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
08-07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.6L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.9L		403	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.9L		403	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		

(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

ULTRA-COOL® **HIGH PERFORMANCE** **RAPID-COOL®** **BYPASS**

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
04	4 Cyl. 1.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.2L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
02-01	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L	Bonneville	402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.8L	Firebird	402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L	Gran Prix	402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
00	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L	FWD	402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.8L	RWD	402	403	404	512	514	516	676	677	678	696	697	698	390	(6)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
99	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
98-97	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
96	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
95-94	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.4L	Firebird	402	403	404	512	514	516	676	677	678	696	697	698		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
95-94	6 Cyl. 3.4L	Grand Prix	402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
93	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.3L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L	Firebird	402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L	Grand Prix	402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
92	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.3L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
91	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.4L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
90	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
89	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
88	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





TRANS-COOLER®

YEAR	ENGINE	NOTE	ULTRA-COOL® LIGHT DUTY	ULTRA-COOL® MEDIUM DUTY	ULTRA-COOL® HEAVY DUTY	HIGH PERFORMANCE LIGHT DUTY	HIGH PERFORMANCE MEDIUM DUTY	HIGH PERFORMANCE HEAVY DUTY	RAPID-COOL® LIGHT DUTY	RAPID-COOL® MEDIUM DUTY	RAPID-COOL® HEAVY DUTY	BYPASS LIGHT DUTY	BYPASS MEDIUM DUTY	BYPASS HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
88	4 Cyl. 1.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
87	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699	390	(5)
86	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
85	3 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L	260 CID	403	404	405	512	514	516	677	678	679	697	698	699		
	6 Cyl. 4.3L	262 CID	402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.

Application Guide





TRANS-COOLER®

			ULTRA-COOL®			HIGH PERFORMANCE			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
84-83	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.0L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
82	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.3L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.4L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
81	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L	305 CID	402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.0L	307 CID	402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
80	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 2.8L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
79	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.3L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.4L		402	403	404	512	514	516	676	677	678	696	697	698		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
79	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
78	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl. 3.3L		401	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.1L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
77	4 Cyl. 1.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 1.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	4 Cyl. 2.5L		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.9L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
76	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
75	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
74	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
73-72	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
71	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.0L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
CAR																
71	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.5L		403	404	405	512	514	516	677	678	679	697	698	699		
70-68	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
67	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.6L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
66	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.9L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 7.0L		403	404	405	512	514	516	677	678	679	697	698	699		
65	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.5L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.9L		403	404	405	512	514	516	677	678	679	697	698	699		
64-63	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 4.6L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.3L		402	403	404	512	514	516	676	677	678	696	697	698		
	8 Cyl. 6.4L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 6.9L		403	404	405	512	514	516	677	678	679	697	698	699		
62-60	All Eng.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY TRUCK																
09-01	All Eng.		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
97-94	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	390	(5)
LIGHT DUTY VAN																
09-07	All Eng.		403	402	404	512	514	516	676	677	678	696	697	698	397	(6)

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE			TRANS-COOLER® RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
PONTIAC																
LIGHT DUTY VAN																
06	6 Cyl. 3.5L		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
	6 Cyl. 3.9L		403	402	404	512	514	516	676	677	678	696	697	698	397	(6)
05-00	All Eng.		402	403	404	512	514	516	676	677	678	696	697	698	397	(6)
99-96	All Eng.		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
95-92	6 Cyl. 3.1L		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
	6 Cyl. 3.8L		402	403	404	512	514	516	676	677	678	696	697	698	390	(5)
91-90	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698	390	(6)
RAM																
LIGHT DUTY TRUCK																
15	All Eng.								777	778						
14	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 6.7L								777	778						
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
13	6 Cyl. 3.6L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 6.7L								777	778						
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
12	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 6.7L								777	778						
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
11	6 Cyl. 3.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 6.7L								777	778						
	8 Cyl. 4.7L		403	404	405	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		401	402	403	512	514	516	676	677	678	696	697	698		
10	6 Cyl.								777	778						
	8 Cyl.		403	404	405	512	514	516	677	678	679	697	698	699		
LIGHT DUTY VAN																
14-12	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
SATURN																
CAR																
10-91	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
10-02	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY VAN																
07-05	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
SCION																
CAR																
14-04	All Eng.	Gas	401	402	403	512	514	516	676	677	678	696	697	698		

(5) 1991 and later vehicles with 5/8" hex on trans line fittings requires kit #390.
(6) Use on vehicles w/ snap-in trans-line type fittings.

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
SCION																
LIGHT DUTY VAN																
14-04	All Eng.	Gas	401	402	403	512	514	516	676	677	678	696	697	698		
SUBARU																
CAR																
15-68	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
14-78	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
TOYOTA																
CAR																
15-58	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699		
14	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	402	404	512	514	516	677	678	679	697	698	699		
13-11	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	402	404	512	514	516	677	678	679	697	698	699		
10	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.6L		402	403	404	512	514	516	677	678	679	697	698	699		
	8 Cyl. 5.7L		403	402	404	512	514	516	677	678	679	697	698	699		
09-08	4 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	402	404	512	514	516	677	678	679	697	698	699		
07	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl. 4.7L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl. 5.7L		403	402	404	512	514	516	677	678	679	697	698	699		
06	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.5L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		

Application Guide





			ULTRA-COOL®			HIGH PERFORMANCE TRANS-COOLER®			RAPID-COOL®			BYPASS				
YEAR	ENGINE	NOTE	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	LIGHT DUTY	MEDIUM DUTY	HEAVY DUTY	REQUIRED FITTING KIT	TRANS COOLER NOTE
TOYOTA																
LIGHT DUTY TRUCK																
06	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
05	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
04	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.3L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
03	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
02-01	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	677	678	679	697	698	699		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	8 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
00-98	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
97-96	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.5L		401	402	403	512	514	516	677	678	679	697	698	699		
95	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.4L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.5L		401	402	403	512	514	516	677	678	679	697	698	699		
94-93	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.5L		401	402	403	512	514	516	677	678	679	697	698	699		
92-88	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 3.0L		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl. 4.0L		401	402	403	512	514	516	677	678	679	697	698	699		
87-70	4 Cyl.		401	402	403	512	514	516	676	677	678	696	697	698		
	6 Cyl.		401	402	403	512	514	516	677	678	679	697	698	699		
69-60	All Eng.		401	402	403	512	514	516	677	678	679	697	698	699		
LIGHT DUTY VAN																
15-84	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
VOLVO																
CAR																
15-46	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		
LIGHT DUTY TRUCK																
15-03	All Eng.		401	402	403	512	514	516	676	677	678	696	697	698		

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
ACURA							
CAR							
15	6 Cyl.		459	457	1040	1009	291
15-13	4 Cyl. 1.5L					1009	
	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.4L		459	457	1040	1009	291
14	6 Cyl. 3.5L	Excl. Hybrid	459	457	1040	1009	291
	6 Cyl. 3.5L	HYBRID				1009	
14-09	6 Cyl. 3.7L		459	457	1040	1010	291
13-09	6 Cyl. 3.5L		459	457	1040	1009	291
12-09	4 Cyl.		459	457	1040	1009	291
08-06	All Eng.		459	457	1040	1009	291
05-00	6 Cyl. 3.0L		459	457	1040	1009	
	6 Cyl. 3.2L		459	457	1040	1009	291
05-96	6 Cyl. 3.5L		459	457	1040	1009	291
05-88	4 Cyl.		459	457	1040	1009	291
99-97	6 Cyl. 3.0L		459	457	1040	1009	291
99-96	6 Cyl. 3.2L		459	457	1040	1009	
98-92	5 Cyl.		459	457	1040	1009	291
96	6 Cyl. 3.0L		459	457	1040	1009	
95-88	6 Cyl.		459	457	1040	1009	
87	6 Cyl. 2.5L						291
	6 Cyl. 2.7L					1009	291
87-86	4 Cyl.		459	457	1040	1009	
86	6 Cyl.					1009	291
LIGHT DUTY TRUCK							
15-14	All Eng.		459	457	1040	1009	291
13	6 Cyl. 3.5L		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457	1040	1010	291
12-07	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
06-01	All Eng.		459	457	1040	1009	291
99-96	All Eng.		459	457	1040	1009	291
AMERICAN MOTORS							
CAR							
88-77	All Eng.		459	457	1040	1009	291
76-75	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
76-71	8 Cyl. 6.6L		459	457	1040	1011	291
76-70	8 Cyl. 5.0L		459	457	1040	1009	291
74-71	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.2L		459	457	1040	1010	291
74-70	8 Cyl. 5.9L		459	457	1040	1011	291
70-68	8 Cyl. 6.4L		459	457	1040	1011	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
AMERICAN MOTORS							
CAR							
70-66	6 Cyl.		459	457	1040	1009	291
69	8 Cyl. 5.1L		459	457	1040	1011	291
69-68	8 Cyl. 4.8L		459	457	1040	1010	291
69-67	8 Cyl. 5.6L		459	457	1040	1011	291
69-65	8 Cyl. 4.7L		459	457	1040	1010	291
66	8 Cyl. 5.4L		459	457	1040	1011	291
66-65	8 Cyl. 5.3L		459	457	1040	1011	291
65	6 Cyl. 3.2L		459	457	1040	1010	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
64-60	All Eng.		459	457	1040	1010	291
59-58	6 Cyl.					1010	
	8 Cyl.		459	457	1040	1010	291
BUICK							
CAR							
15-12	All Eng.		459	457	1040	1009	291
11	6 Cyl.		459	457	1040	1009	291
11-10	4 Cyl.		459	457	1040	1009	291
	8 Cyl.		462	461	1046	1009	291
10	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 3.6L		459	457	1040	1009	
	6 Cyl. 3.9L		459	457	1040	1009	291
09	6 Cyl.		459	457	1040	1009	291
09-08	8 Cyl. 4.6L		462	461	1046	1009	291
	8 Cyl. 5.3L		459	457	1040	1011	
08	6 Cyl. 3.6L		459	457	1040	1009	
	6 Cyl. 3.8L		459	457	1040	1009	291
07-06	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		462	461	1046	1009	291
05-94	All Eng.		459	457	1040	1009	291
93	4 Cyl.		459	457	1040	1009	291
93-91	8 Cyl.		462	461	1046	1009	214
93-86	6 Cyl.		459	457	1040	1009	291
92-89	4 Cyl. 2.3L		459	457	1040	1009	291
	4 Cyl. 2.5L					1009	
90-88	8 Cyl.		459	457	1040	1011	291
89	4 Cyl. 2.0L		459	457	1040	1009	291
88	4 Cyl.		459	457	1040	1009	291
87-86	8 Cyl.	305 CID; VIN:H	462	461	1046	1009	214
	8 Cyl.	307 CID; VIN:Y	459	457	1040	1009	291
87-83	4 Cyl. 2.0L		459	457	1040	1009	291
87-82	4 Cyl. 2.5L					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
BUICK							
CAR							
86-82	4 Cyl. 1.8L		459	457	1040	1009	291
85-82	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	
	8 Cyl. 5.7L		462	461	1046	1009	
85-80	8 Cyl. 5.0L	305 CID; VIN:H	462	461	1046	1009	214
	8 Cyl. 5.0L	307 CID; VIN:Y	459	457	1040	1009	291
84-82	6 Cyl. 4.1L		459	457	1040	1009	291
82-81	8 Cyl. 4.4L		462	461	1046	1009	214
81	8 Cyl. 5.7L	VIN:B	459	457	1040	1009	291
81-80	4 Cyl.					1009	
	8 Cyl. 4.3L		462	461	1046	1011	291
	8 Cyl. 5.7L	VIN:N	462	461	1046	1009	
81-73	6 Cyl.		459	457	1040	1009	291
80-78	8 Cyl. 5.7L	VIN:X	459	457	1040	1009	291
80-77	8 Cyl. 4.9L		459	457	1040	1009	291
	8 Cyl. 5.7L	VIN:R	459	457	1040	1009	291
79-77	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 5.7L	VIN:L	462	461	1046	1009	214
	8 Cyl. 6.6L		459	457	1040	1009	291
79-76	4 Cyl.		459	457	1040	1009	291
77	8 Cyl. 5.7L	VIN:H	459	457	1040	1009	291
	8 Cyl. 5.7L	VIN:J	459	457	1040	1009	291
76	8 Cyl. 5.7L		459	457	1040	1011	291
76-75	8 Cyl. 4.3L		459	457	1040	1011	291
	8 Cyl. 7.5L		459	457	1040	1009	291
75	8 Cyl. 6.6L		459	457	1040	1009	291
75-73	8 Cyl. 5.7L		459	457	1040	1009	291
74-72	8 Cyl. 7.5L		459	457	1040	1011	291
72	8 Cyl. 5.7L		459	457	1040		291
	8 Cyl. 5.7L	VIN:H				1009	
	8 Cyl. 5.7L	VIN:J				1009	
	8 Cyl. 5.7L	VIN:K				1009	
71-70	8 Cyl.		459	457	1040	1011	291
71-68	6 Cyl.		459	457	1040	1009	291
69	8 Cyl. 6.6L		459	457	1040	1009	291
69-68	8 Cyl. 5.7L		459	457	1040	1011	291
69-66	8 Cyl. 7.0L		459	457	1040	1009	291
68	8 Cyl. 6.6L		459	457	1040	1011	291
67-66	8 Cyl. 4.9L		459	457	1040	1009	291
	8 Cyl. 5.6L		459	457	1040	1011	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
BUICK							
CAR							
67-66	8 Cyl. 6.6L		459	457	1040	1009	291
67-62	6 Cyl.		459	457	1040	1011	291
65-64	8 Cyl.		459	457	1040	1009	291
63	8 Cyl. 7.0L		459	457	1040	1009	291
63-61	8 Cyl. 3.5L		459	457	1040	1011	291
63-60	8 Cyl. 6.6L		459	457	1040	1009	291
61-60	8 Cyl. 6.0L		459	457	1040	1011	291
59	All Eng.		462	461	1046	1011	291
58-53	All Eng.		462	461	1046	1011	
52	8 Cyl. 4.3L		462	461	1046	1011	
	8 Cyl. 5.2L					1011	
51	All Eng.		462	461	1046	1011	
50	8 Cyl. 4.3L		462	461	1046	1011	
50-46	8 Cyl. 4.1L		459	457	1040	1011	
	8 Cyl. 5.2L		462	461	1046	1011	
42	8 Cyl. 4.1L		459	457	1040	1011	
	8 Cyl. 5.2L		462	461	1046	1011	
LIGHT DUTY TRUCK							
15-13	4 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
12-11	All Eng.		459	457	1040	1009	291
10-08	All Eng.		459	457	1040	1009	
07	8 Cyl.		459	457	1040	1011	
07-04	6 Cyl.		459	457	1040	1009	291
06-04	8 Cyl.		462	461	1046	1011	291
03-02	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
07-05	All Eng.		459	457	1040	1009	291
CADILLAC							
CAR							
15-13	4 Cyl.		459	457	1040	1009	
15-12	8 Cyl.		459	457	1040	1009	
15-03	6 Cyl.					1009	
11-09	8 Cyl. 4.6L		459	457	1040	1010	
	8 Cyl. 6.2L		459	457	1040	1009	
09	8 Cyl. 4.4L		459	457	1040	1010	
08-07	4 Cyl.					1009	291
	8 Cyl.		459	457	1040	1010	
06	8 Cyl. 4.4L		459	457	1040	1010	
	8 Cyl. 6.0L		459	457	1040	1010	291
06-04	8 Cyl. 4.6L		459	457	1040	1010	
05-04	8 Cyl. 5.7L		459	457	1040	1011	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CADILLAC							
CAR							
03	8 Cyl.		459	457	1040	1010	
02	All Eng.		459	457	1040	1010	
01-97	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	
96-94	8 Cyl. 5.7L		459	457	1040	1009	291
96-93	8 Cyl. 4.6L		459	457	1040	1009	
95-91	8 Cyl. 4.9L		459	457	1040	1009	
93-90	8 Cyl. 5.7L		462	461	1046	1009	214
92-91	8 Cyl. 5.0L		462	461	1046	1009	214
92-88	8 Cyl. 4.5L		459	457	1040	1010	
90-88	8 Cyl. 5.0L		459	457	1040	1009	291
88	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.1L		459	457	1040	1009	291
87-86	All Eng.		459	457	1040	1009	291
85	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 4.3L					1009	
85-82	4 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.1L		459	457	1040	1009	291
85-81	8 Cyl. 5.7L					1009	
84-83	8 Cyl. 6.0L		459	457	1040	1009	
82-80	6 Cyl.		459	457	1040	1010	
	8 Cyl. 6.0L	VIN:6	459	457	1040	1009	291
	8 Cyl. 6.0L	VIN:9	459	457	1040	1009	
80	8 Cyl. 5.7L	VIN:8	459	457	1040	1009	291
80-79	8 Cyl. 5.7L	VIN:N				1009	
79	8 Cyl. 5.7L	VIN:B	459	457	1040	1009	291
79-78	8 Cyl. 7.0L		459	457	1040	1009	291
78	8 Cyl. 5.7L	Diesel				1011	
	8 Cyl. 5.7L	Exc. Diesel	459	457	1040	1011	291
77-64	All Eng.		459	457	1040	1009	291
63-60	All Eng.		462	461	1046	1011	291
59	All Eng.		462	461	1046	1011	
58-49	All Eng.					1011	
48-46	All Eng.		462	461	1046	1011	
42	8 Cyl. 5.3L					1011	
	8 Cyl. 5.7L		462	461	1046	1011	
LIGHT DUTY TRUCK							
15-14	8 Cyl.		459	457	1040	1010	
15-12	6 Cyl.		459	457	1040	1009	
13-09	8 Cyl. 6.0L					1012	
	8 Cyl. 6.2L		459	457	1040	1012	
11-10	6 Cyl. 2.8L		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CADILLAC							
LIGHT DUTY TRUCK							
11-10	6 Cyl. 3.0L		459	457	1040	1009	
09	8 Cyl. 4.6L		459	457	1040	1010	
09-04	6 Cyl.					1009	
08-07	8 Cyl.		459	457	1040	1010	
06-04	8 Cyl. 4.6L		459	457	1040	1010	
	8 Cyl. 6.0L		459	457	1040	1010	291
05-04	8 Cyl. 5.3L		459	457	1040	1010	291
03-02	All Eng.		459	457	1040	1010	291
00	8 Cyl. 5.7L	Escalade; VIN:R; 2WD	462	461	1046	1010	214
	8 Cyl. 5.7L	Escalade; VIN:R; 4WD	459	457	1040	1010	291
99	All Eng.		459	457	1040	1010	291
CHEVROLET							
CAR							
15-13	4 Cyl. 1.2L		459	457	1040	1009	214
	4 Cyl. 2.0L		459	457	1040	1009	
	4 Cyl. 2.5L		459	457	1040		
15-11	4 Cyl. 1.4L					1009	
	4 Cyl. 1.8L					1009	
15-10	6 Cyl. 3.6L	Camaro, Caprice				1010	
	6 Cyl. 3.6L	Impala, Impala Limited, Malibu	459	457	1040		
15-08	8 Cyl.		459	457	1040	1010	
14	4 Cyl. 1.0L						214
	4 Cyl. 2.4L					1009	
14-11	4 Cyl. 1.6L					1009	
13-12	4 Cyl. 2.4L		459	457	1040	1009	
13-11	4 Cyl. 1.0L					1009	214
12	4 Cyl. 1.2L					1009	214
11	4 Cyl. 2.2L					1009	
	4 Cyl. 2.4L					1009	
11-10	6 Cyl. 3.5L		459	457	1040	1010	291
	6 Cyl. 3.9L		459	457	1040	1010	291
10-09	4 Cyl.					1009	
09	6 Cyl.		459	457	1040	1010	291
08	6 Cyl. 3.6L		459	457	1040	1010	291
08-06	4 Cyl. 2.4L					1009	
	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.5L		459	457	1040	1010	291
	6 Cyl. 3.9L		459	457	1040	1010	291
08-05	4 Cyl. 2.0L					1009	
08-04	4 Cyl. 1.6L		459	457	1040	1009	291
08-03	4 Cyl. 1.8L					1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET							
CAR							
08-03	4 Cyl. 2.2L					1009	
07	8 Cyl. 6.0L		459	457	1040	1010	
07-06	8 Cyl. 5.3L		459	457	1040	1010	291
	8 Cyl. 7.0L		459	457	1040	1010	
06	6 Cyl. 2.5L		459	457	1040	1009	291
	8 Cyl. 6.0L		459	457	1040	1010	291
05	8 Cyl.		459	457	1040	1010	291
05-03	6 Cyl.		459	457	1040	1009	291
04	4 Cyl. 2.0L		459	457	1040	1009	214
04-98	8 Cyl.					1009	
03-96	4 Cyl. 1.6L					1009	291
02	4 Cyl. 1.4L					1009	
02-01	4 Cyl. 1.6L	2WD				1009	
02-00	4 Cyl. 1.8L		459	457	1040	1009	
	6 Cyl. 3.4L		459	457	1040	1009	291
02-99	6 Cyl. 3.8L		459	457	1040	1010	291
02-96	4 Cyl. 2.4L		459	457	1040	1009	291
02-95	6 Cyl. 3.1L		459	457	1040	1009	291
02-90	4 Cyl. 2.2L		459	457	1040	1009	214
01	4 Cyl. 1.4L					1009	214
01-98	4 Cyl. 1.3L		459	457	1040	1009	214
00-98	3 Cyl.		459	457	1040	1009	214
99	4 Cyl. 1.4L					1009	
99-98	4 Cyl. 1.8L		459	457	1040	1009	291
98	4 Cyl. 1.6L	2WD				1009	
98-95	4 Cyl. 1.4L					1009	214
	6 Cyl. 3.8L		459	457	1040	1010	214
97	8 Cyl. 5.7L	Camaro				1011	
	8 Cyl. 5.7L	Corvette				1009	
97-95	6 Cyl. 3.4L		459	457	1040	1009	291
96	8 Cyl. 5.7L	Camaro, Caprice	462	461	1046	1011	291
	8 Cyl. 5.7L	Corvette				1011	291
	8 Cyl. 5.7L	Impala	459	457	1040	1009	291
96-94	8 Cyl. 4.3L		459	457	1040	1009	291
95	4 Cyl. 2.3L		459	457	1040	1009	214
	4 Cyl. 2.4L		462	461	1046	1009	214
	8 Cyl. 5.7L	Corvette				1011	
95-94	8 Cyl. 5.7L	Impala	459	457	1040	1011	291
	8 Cyl. 5.7L	Camaro, Caprice	459	457	1040	1011	291
94	8 Cyl. 5.7L	Commercial Chassis				1011	
94-93	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.7L	Corvette				1011	291

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET							
CAR							
94-90	4 Cyl. 2.3L		459	457	1040	1009	291
93	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 5.7L	Camaro, Caprice	459	457	1040	1011	214
	8 Cyl. 5.7L	Commercial Chassis	459	457	1040	1011	214
92	4 Cyl. 1.3L		459	457	1040	1009	214
	6 Cyl. 3.1L		459	457	1040	1009	291
	6 Cyl. 3.4L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 5.7L	VIN: J, P				1011	
92-91	8 Cyl. 5.0L		462	461	1046	1011	214
	8 Cyl. 5.7L	VIN: 7, 8	462	461	1046	1011	214
92-87	4 Cyl. 2.5L					1009	
92-85	3 Cyl.		459	457	1040	1009	214
91	8 Cyl. 5.7L	VIN: J				1011	
91-86	6 Cyl.		459	457	1040	1009	291
90	8 Cyl. 5.7L	VIN:7	462	461	1046	1009	214
	8 Cyl. 5.7L	VIN:8	462	461	1046	1009	214
	8 Cyl. 5.7L	VIN:J				1009	
90-89	8 Cyl. 5.0L	305 CID; VIN: E	462	461	1046	1009	214
	8 Cyl. 5.0L	305 CID; VIN: F	462	461	1046	1009	214
	8 Cyl. 5.0L	307 CID; VIN:Y	459	457	1040	1009	291
89-88	8 Cyl. 5.7L		462	461	1046	1009	214
89-83	4 Cyl. 2.0L		459	457	1040	1009	291
88	8 Cyl. 5.0L	305 CID; VIN: E				1009	
	8 Cyl. 5.0L	305 CID; VIN: F				1009	
	8 Cyl. 5.0L	305 CID; VIN: G				1009	
	8 Cyl. 5.0L	305 CID; VIN: H				1009	
	8 Cyl. 5.0L	307 CID; VIN:Y				1009	
	8 Cyl. 5.0L	VIN: E, F, G, H	462	461	1046		214
	8 Cyl. 5.0L	VIN:Y	459	457	1040		291
88-85	4 Cyl. 1.5L		459	457	1040	1009	291
88-78	4 Cyl. 1.6L		459	457	1040	1009	291
87	8 Cyl. 5.7L		462	461	1046		214
	8 Cyl. 5.7L	VIN:6				1009	
	8 Cyl. 5.7L	VIN:8				1009	
87-86	8 Cyl. 5.0L	305 CID; VIN: F	462	461	1046	1009	214
	8 Cyl. 5.0L	305 CID; VIN: G	462	461	1046	1009	214
	8 Cyl. 5.0L	305 CID; VIN: H	462	461	1046	1009	214
	8 Cyl. 5.0L	307 CID; VIN:Y	459	457	1040	1009	291
86	8 Cyl. 5.7L		462	461	1046	1009	214
86-83	4 Cyl. 1.8L					1009	
86-82	4 Cyl. 2.5L	VIN:2	459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET							
CAR							
86-82	4 Cyl. 2.5L	VIN:R				1009	
85	6 Cyl. 4.3L	260 CID; VIN:T				1009	
	6 Cyl. 4.3L	262 CID; VIN:Z				1009	
	6 Cyl. 4.3L	Exc. Diesel	459	457	1040		291
	8 Cyl. 5.7L	Exc. Diesel	462	461	1046		214
	8 Cyl. 5.7L	VIN:6				1009	
	8 Cyl. 5.7L	VIN:8				1009	
	8 Cyl. 5.7L	VIN:N				1009	
85-82	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
85-76	8 Cyl. 5.0L		462	461	1046	1009	214
84	6 Cyl. 4.3L					1009	
84-83	8 Cyl. 5.7L	Gas	462	461	1046	1009	214
84-82	8 Cyl. 5.7L	Diesel				1009	
83-82	4 Cyl. 2.5L	VIN:5	459	457	1040	1009	291
	6 Cyl. 4.3L					1010	
82	4 Cyl. 1.8L		459	457	1040	1009	291
82-80	8 Cyl. 5.7L	Gas	462	461	1046	1011	214
82-79	8 Cyl. 4.4L		462	461	1046	1009	214
81	4 Cyl. 1.8L					1009	
	4 Cyl. 2.5L		459	457	1040	1009	291
81-80	8 Cyl. 5.7L	Diesel				1011	
81-73	6 Cyl.		459	457	1040	1009	291
80	4 Cyl. 2.5L	VIN:5	459	457	1040	1009	291
80-79	4 Cyl. 2.5L	VIN:V	462	461	1046	1009	214
79	4 Cyl. 2.5L	VIN:1	462	461	1046	1009	214
	4 Cyl. 2.5L	VIN:9	459	457	1040	1009	291
79-72	8 Cyl. 5.7L		462	461	1046	1011	214
78	4 Cyl. 2.5L		462	461	1046	1009	214
77	4 Cyl. 1.6L		459	457	1040	1009	
77-76	4 Cyl. 1.4L		459	457	1040	1009	214
77-75	4 Cyl. 2.3L		462	461	1046	1009	214
76	4 Cyl. 1.6L		459	457	1040	1009	291
76-75	4 Cyl. 2.0L		459	457	1040	1009	214
	8 Cyl. 4.3L		462	461	1046	1011	214
76-73	8 Cyl. 6.6L		462	461	1046	1009	214
76-70	8 Cyl. 7.4L		462	461	1046	1009	214
74-69	4 Cyl.		462	461	1046	1009	214
73-69	8 Cyl. 5.0L		462	461	1046	1009	214
72-71	6 Cyl.		459	457	1040	1010	291
72-70	8 Cyl. 6.6L		462	461	1046		214
	8 Cyl. 6.6L	400 CID				1009	



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET							
CAR							
72-70	8 Cyl. 6.6L	402 CID				1009	
71-67	8 Cyl. 5.7L		462	461	1046	1009	214
70-69	6 Cyl. 4.1L		459	457	1040	1010	291
70-68	8 Cyl. 6.5L		459	457	1040	1009	291
70-63	6 Cyl. 3.8L		459	457	1040	1009	291
69	8 Cyl. 4.9L		462	461	1046	1009	214
	8 Cyl. 5.3L					1009	
69-66	8 Cyl. 7.0L		459	457	1040	1009	291
69-65	6 Cyl. 2.7L					1009	
69-64	8 Cyl. 5.4L					1009	
68	4 Cyl.		459	457	1040	1009	214
	8 Cyl. 4.9L		462	461	1046	1011	214
	8 Cyl. 5.0L		462	461	1046		214
	8 Cyl. 5.0L	302 CID				1009	
	8 Cyl. 5.0L	307 CID				1009	
68-67	8 Cyl. 5.3L					1011	
68-65	6 Cyl. 4.1L		459	457	1040	1009	291
67	6 Cyl. 3.2L		459	457	1040	1010	291
	8 Cyl. 4.9L		462	461	1046	1009	214
67-65	8 Cyl. 6.5L		459	457	1040	1011	291
67-63	8 Cyl. 4.6L		459	457	1040	1009	291
67-62	4 Cyl.		462	461	1046	1009	214
66	8 Cyl. 5.3L					1009	
66-62	6 Cyl. 3.2L		462	461	1046	1009	214
65-62	8 Cyl. 5.3L					1011	
65-61	8 Cyl. 6.7L		459	457	1040	1009	291
64	6 Cyl. 2.7L		459	457	1040	1009	291
63	6 Cyl. 2.4L		459	457	1040	1009	291
	8 Cyl. 7.0L					1011	
62	6 Cyl. 2.4L					1009	
	6 Cyl. 3.8L					1009	
62-59	8 Cyl. 4.6L		459	457	1040	1011	291
61	6 Cyl.					1009	
61-60	8 Cyl. 5.7L		459	457	1040	1009	291
60	6 Cyl. 2.3L					1009	
	6 Cyl. 3.8L					1010	
	6 Cyl. 3.9L					1010	
	6 Cyl. 4.3L					1010	
59	8 Cyl. 5.3L					1011	
	8 Cyl. 5.7L		459	457	1040	1011	291
59-55	6 Cyl.					1010	
58	8 Cyl.		459	457	1040	1011	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET							
CAR							
57	8 Cyl. 4.3L		462	461	1046	1011	
	8 Cyl. 4.6L		459	457	1040	1011	291
56-55	8 Cyl.		462	461	1046	1011	
54-46	All Eng.					1010	
42	All Eng.					1010	
CHEVROLET HD							
MEDIUM/HEAVY TRUCK							
15-13	All Eng.					1011	
12	8 Cyl. 6.0L					1010	
	8 Cyl. 6.6L					1011	
11-09	All Eng.					1010	
08-04	All Eng.					1009	
03	8 Cyl. 5.7L					1011	
	8 Cyl. 8.1L		462	461	1046	1010	214
02-01	8 Cyl. 6.5L					1010	
	8 Cyl. 8.1L					1010	
02-00	8 Cyl. 5.7L		462	461	1046	1009	214
00-92	8 Cyl. 6.5L					1011	
	8 Cyl. 7.4L		462	461	1046	1009	214
95-92	8 Cyl. 5.7L		462	461	1046	1009	214
91	All Eng.		462	461	1046	1009	214
CHEVROLET LIGHT TRUCK							
LIGHT DUTY TRUCK							
15	6 Cyl. 3.6L	Colorado				1010	
	6 Cyl. 3.6L	Equinox	459	457	1040	1010	
	6 Cyl. 3.6L	Traverse	459	457	1040	1010	
	8 Cyl. 5.3L					1011	
	8 Cyl. 6.0L					1011	
	8 Cyl. 6.2L		459	457	1040	1009	
	8 Cyl. 6.6L					1010	
15-14	6 Cyl. 4.3L		459	457	1040	1010	291
15-13	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.0L					1010	
14-08	6 Cyl. 3.6L		459	457	1040	1010	
	8 Cyl. 6.2L		459	457	1040	1012	
14-07	8 Cyl. 5.3L					1012	
	8 Cyl. 6.0L					1012	
	8 Cyl. 6.6L					1012	
13-07	6 Cyl. 4.3L					1009	
	6 Cyl. 4.3L	Exc. S10, T10, Sonora and Tornado	459	457	1040		291
	8 Cyl. 4.8L					1012	
12-10	4 Cyl. 2.4L		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET LIGHT TRUCK							
LIGHT DUTY TRUCK							
12-10	6 Cyl. 3.0L		459	457	1040	1010	
12-08	4 Cyl. 1.8L					1009	291
12-07	4 Cyl. 2.9L		459	457	1040	1009	291
12-04	5 Cyl.		459	457	1040	1009	291
09-07	6 Cyl. 3.4L		459	457	1040	1009	291
	6 Cyl. 4.2L		459	457	1040	1009	291
08	4 Cyl. 2.4L					1009	291
08-04	4 Cyl. 2.0L					1009	291
07	8 Cyl. 8.1L		462	461	1046	1012	214
07-06	4 Cyl. 1.8L		459	457	1040	1009	291
06-04	4 Cyl. 2.8L		459	457	1040	1009	291
06-03	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 8.1L		462	461	1046	1010	214
06-01	8 Cyl. 6.6L					1010	
06-99	8 Cyl. 4.8L					1009	
	8 Cyl. 5.3L					1009	
	8 Cyl. 6.0L					1009	
05-04	4 Cyl. 1.8L					1009	291
	4 Cyl. 2.2L					1009	291
04	8 Cyl. 5.7L		462	461	1046	1011	214
03	4 Cyl. 1.6L					1009	291
	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.2L		459	457	1040	1009	291
	8 Cyl. 5.7L					1011	214
02	6 Cyl. 4.2L		459	457	1040	1009	291
02-01	6 Cyl. 2.5L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl. 8.1L		462	461	1046	1011	214
02-98	4 Cyl.		459	457	1040	1009	291
00-96	6 Cyl.		459	457	1040	1010	291
00-92	8 Cyl. 6.5L					1011	
00-90	8 Cyl. 5.7L	2WD	462	461	1046	1009	214
00-82	8 Cyl. 5.7L	4WD	459	457	1040	1010	291
00-70	8 Cyl. 7.4L		462	461	1046	1009	214
99-88	8 Cyl. 5.0L	2WD	462	461	1046	1009	214
	8 Cyl. 5.0L	4WD	459	457	1040	1010	291
97	4 Cyl. 2.2L		459	457	1040	1009	291
	4 Cyl. 2.3L		459	457		1009	291
96-86	4 Cyl.		459	457	1040	1009	291
95	6 Cyl. 4.1L		459	457	1040	1010	291
	6 Cyl. 4.3L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET LIGHT TRUCK							
LIGHT DUTY TRUCK							
94-89	6 Cyl.		459	457	1040	1009	291
93-82	8 Cyl. 6.2L					1009	
89	8 Cyl. 5.7L	2WD	459	457	1040	1011	291
88	8 Cyl. 5.7L	2WD	459	457	1040	1009	291
88-85	6 Cyl. 4.3L		459	457	1040	1009	291
88-82	6 Cyl. 2.8L		459	457	1040	1009	291
88-78	6 Cyl. 4.8L		462	461	1046	1009	214
87-82	8 Cyl. 5.7L	2WD	462	461	1046	1009	214
87-76	8 Cyl. 5.0L		462	461	1046	1009	214
85	4 Cyl. 2.5L		459	457	1040	1009	291
85-82	4 Cyl. 1.9L		459	457	1040	1009	291
	4 Cyl. 2.2L					1009	
84-83	4 Cyl. 2.0L		459	457	1040	1009	291
	8 Cyl. 5.7L	El Camino; Diesel				1009	
84-78	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.1L		462	461	1046	1009	214
82	4 Cyl. 1.8L		459	457	1040	1009	291
82-79	8 Cyl. 4.4L		462	461	1046	1009	214
81-78	8 Cyl. 5.7L	Diesel				1009	
	8 Cyl. 5.7L	Gas; 2WD	459	457	1040	1011	291
	8 Cyl. 5.7L	Gas; 4WD	462	461	1046	1009	214
81-72	4 Cyl.		459	457	1040	1009	291
80-75	8 Cyl. 6.6L		462	461	1046	1010	214
79-78	6 Cyl. 3.3L		459	457	1040	1009	291
77-75	8 Cyl. 5.7L	2WD	462	461	1046	1011	214
	8 Cyl. 5.7L	4WD	459	457	1040	1009	291
77-70	6 Cyl.		462	461	1046	1009	214
74-73	8 Cyl. 6.6L		462	461	1046	1009	214
74-70	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	459	457	1040	1009	291
	8 Cyl. 5.7L	Blazer; 4WD	459	457	1040	1009	291
	8 Cyl. 5.7L	Blazer; RWD	459	457	1040	1009	291
74-69	8 Cyl. 5.7L	C Pickup(s) and C Suburban (s); 2WD	462	461	1046	1011	214
	8 Cyl. 5.7L	El Camino	462	461	1046	1011	214
73-68	8 Cyl. 5.0L		462	461	1046	1009	214
72-70	8 Cyl. 6.6L		462	461	1046	1010	214
70-66	8 Cyl. 6.5L		462	461	1046	1011	291
69	8 Cyl. 5.3L					1011	
	8 Cyl. 5.7L	Blazer; 4WD	462	461	1046	1009	214
	8 Cyl. 5.7L	Blazer; RWD	462	461	1046	1009	214
	8 Cyl. 5.7L	K Pickup(s) and K Suburban (s); 4WD	462	461	1046	1009	214

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET LIGHT TRUCK							
LIGHT DUTY TRUCK							
69-66	6 Cyl. 4.1L		462	461	1046	1009	214
	6 Cyl. 4.8L		462	461	1046	1009	214
69-63	6 Cyl. 3.8L		459	457	1040	1009	291
68	8 Cyl. 5.7L		462	461	1046	1009	214
68-67	8 Cyl. 5.4L		462	461	1046	1011	214
68-64	8 Cyl. 5.3L		462	461	1046	1011	214
67-66	3 Cyl.					1009	
	8 Cyl. 4.6L					1011	
66	6 Cyl. 3.2L		462	461	1046	1009	291
65	3 Cyl.		459	457	1040	1011	291
65-64	6 Cyl. 3.2L		462	461	1046	1009	214
65-63	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 4.8L		459	457	1040	1011	291
	8 Cyl. 4.6L		459	457	1040	1011	291
	8 Cyl. 5.7L		459	457	1040	1011	291
	8 Cyl. 6.7L		459	457	1040	1010	291
64	6 Cyl. 2.7L		459	457	1040	1011	291
63	6 Cyl. 2.4L		459	457	1040	1011	291
62	6 Cyl.					1011	
	8 Cyl. 4.6L					1011	
	8 Cyl. 5.7L					1011	
	8 Cyl. 6.7L					1010	
61-60	All Eng.					1011	
59	6 Cyl.		459	457	1040	1011	
59-58	8 Cyl.					1011	
58-54	6 Cyl. 3.8L		459	457	1040	1011	
	6 Cyl. 4.3L					1011	
57	8 Cyl. 4.6L					1011	
57-55	8 Cyl. 4.3L		462	461	1046	1011	
	8 Cyl. 5.3L					1011	
53-50	All Eng.		459	457	1040	1011	
49-44	6 Cyl. 3.5L		459	457	1040	1011	
	6 Cyl. 3.8L					1011	
43	All Eng.					1011	
42	6 Cyl. 3.5L		459	457	1040	1011	
	6 Cyl. 3.8L					1011	
LIGHT DUTY VAN							
15	All Eng.					1011	
14-13	6 Cyl.		459	457	1040	1010	291
	8 Cyl.					1011	
12-10	6 Cyl.		459	457	1040	1009	291
12-07	8 Cyl. 4.8L					1010	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHEVROLET LIGHT TRUCK							
LIGHT DUTY VAN							
12-06	8 Cyl. 5.3L					1010	
	8 Cyl. 6.0L					1010	
	8 Cyl. 6.6L					1011	
09-08	6 Cyl. 3.9L		459	457	1040	1010	291
	6 Cyl. 4.3L		459	457	1040	1009	291
08-05	4 Cyl.		459	457	1040	1009	291
07-03	6 Cyl.		459	457	1040	1009	291
06	8 Cyl. 4.8L					1009	
05-03	8 Cyl.					1009	
04	4 Cyl. 1.8L					1009	291
	4 Cyl. 2.2L		462	461	1046	1009	214
03-02	4 Cyl.					1009	
02-01	6 Cyl. 3.4L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 8.1L		462	461	1046	1011	214
02-94	8 Cyl. 6.5L					1011	
02-90	8 Cyl. 5.7L		462	461	1046	1009	214
02-82	8 Cyl. 5.0L		462	461	1046	1009	214
00-99	6 Cyl.		459	457	1040	1009	291
00-82	8 Cyl. 7.4L		462	461	1046	1009	214
98-97	6 Cyl. 3.4L		459	457	1040	1009	291
98-90	6 Cyl. 4.3L		459	457	1040	1010	291
96	6 Cyl. 3.4L		459	457	1040	1009	
96-92	6 Cyl. 3.8L		459	457	1040	1010	291
95	4 Cyl.		462	461	1046	1009	214
95-90	6 Cyl. 3.1L		459	457	1040	1009	291
94-91	4 Cyl.					1009	
93-82	8 Cyl. 6.2L					1009	
90-85	4 Cyl.		459	457	1040	1009	291
89	8 Cyl. 5.7L		459	457	1040	1011	291
89-85	6 Cyl. 4.3L		459	457	1040	1009	291
	6 Cyl. 4.8L		462	461	1046	1009	214
88	8 Cyl. 5.7L		459	457	1040	1009	291
87-82	8 Cyl. 5.7L		462	461	1046	1009	214
84-82	6 Cyl.		462	461	1046	1009	214
81	All Eng.		462	461	1046	1009	214
80-77	8 Cyl. 5.0L		462	461	1046	1009	214
80-75	6 Cyl.		462	461	1046	1009	214
	8 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl. 6.6L		462	461	1046	1011	214
	8 Cyl. 7.4L		462	461	1046	1009	214
74-73	All Eng.		462	461	1046	1009	214
72	6 Cyl.		462	461	1046	1009	214
	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl. 6.6L		462	461	1046	1011	214
71	All Eng.		462	461	1046	1009	214
70	6 Cyl.		462	461	1046	1009	214
70-68	3 Cyl.					1009	
	8 Cyl.		462	461	1046	1009	214
69-68	6 Cyl. 4.8L		462	461	1046	1009	214
69-67	6 Cyl. 4.1L		462	461	1046	1009	214
69-66	6 Cyl. 3.8L		459	457	1040	1009	291
67	8 Cyl.					1011	
66	6 Cyl. 3.2L		459	457	1040	1010	291
65-64	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
CHRYSLER							
CAR							
15	8 Cyl.		459	457	1040	1011	291
15-11	6 Cyl.					1009	
15-08	4 Cyl.		459	457	1040	1009	
14-13	8 Cyl.		459	457	1040	1011	
12-10	8 Cyl.		459	457	1040	1010	
10-09	6 Cyl.		459	457	1040	1009	291
09	8 Cyl.		459	457	1040	1011	
08	8 Cyl.		459	457	1040	1011	291
08-07	6 Cyl. 3.2L	Crossfire	459	457	1040		291
	6 Cyl. 3.5L		459	457	1040	1009	291
08-04	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.2L					1009	
07	8 Cyl.		459	457	1040	1011	291
07-04	4 Cyl.		459	457	1040	1009	291
06-05	8 Cyl.		459	457	1040	1011	291
06-04	6 Cyl. 3.2L	Crossfire	459	457	1040		291
	6 Cyl. 3.5L		459	457	1040	1009	291
05-04	6 Cyl. 3.0L		459	457	1040	1009	291
03-95	All Eng.		459	457	1040	1009	291
94	4 Cyl.		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
93-66	All Eng.		459	457	1040	1009	291
65	8 Cyl. 6.8L		459	457	1040	1011	291
65-61	8 Cyl. 6.3L		459	457	1040	1009	291
	8 Cyl. 6.7L		459	457	1040	1011	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
CHRYSLER							
CAR							
64	8 Cyl. 6.8L		459	457	1040	1009	291
64-61	8 Cyl. 5.9L		459	457	1040	1009	291
63	8 Cyl. 7.0L		459	457	1040	1009	291
63-61	8 Cyl. 6.8L		459	457	1040	1011	291
60	All Eng.		459	457	1040	1009	291
59-46	All Eng.		459	457	1040	1011	291
42	All Eng.		459	457	1040	1011	291
LIGHT DUTY TRUCK							
09	All Eng.		459	457	1040	1011	
08-07	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1011	291
06-04	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
15-11	All Eng.					1009	
10-90	All Eng.		459	457	1040	1009	291
DODGE							
CAR							
15-14	8 Cyl.		459	457	1040	1011	291
15-11	6 Cyl.					1009	
14-12	4 Cyl. 1.1L					1009	291
	4 Cyl. 1.4L					1009	
	4 Cyl. 1.6L					1009	291
	4 Cyl. 2.0L		459	457	1040	1009	
	4 Cyl. 2.4L		459	457	1040	1009	
13	8 Cyl.		459	457	1040	1011	
12-10	8 Cyl.		459	457	1040	1010	
11	4 Cyl.		459	457	1040	1009	
10-08	10 Cyl.		459	457	1040		
	4 Cyl. 2.0L		459	457	1040	1009	
	4 Cyl. 2.4L		459	457	1040	1009	
10-07	6 Cyl.		459	457	1040	1009	291
10-06	4 Cyl. 1.4L						291
10-05	4 Cyl. 1.1L					1009	291
10-04	4 Cyl. 1.6L					1009	291
09	8 Cyl.		459	457	1040	1011	
09-08	4 Cyl. 1.8L		459	457	1040	1009	
08	8 Cyl.		459	457	1040	1011	291
07	4 Cyl. 1.8L		459	457	1040	1009	291
	4 Cyl. 2.0L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1011	291
07-01	4 Cyl. 2.4L		459	457	1040	1009	291
06-05	8 Cyl.		459	457	1040	1011	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
DODGE							
CAR							
06-04	4 Cyl. 1.5L		459	457	1040		291
06-92	10 Cyl.		459	457	1040		
	6 Cyl.		459	457	1040	1009	291
05-01	4 Cyl. 2.0L		459	457	1040	1009	291
04-01	4 Cyl. 1.0L					1009	291
00-92	4 Cyl.		459	457	1040	1009	291
91-67	All Eng.		459	457	1040	1009	291
66	8 Cyl. 7.2L		459	457	1040	1009	291
66-65	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.5L		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1011	291
	8 Cyl. 6.3L		459	457	1040	1009	291
	8 Cyl. 7.0L		459	457	1040	1009	291
65	8 Cyl. 6.7L		459	457	1040	1011	291
64	All Eng.		459	457	1040	1009	291
63	8 Cyl. 7.0L		459	457	1040	1009	291
63-61	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.7L		459	457	1040	1011	291
	8 Cyl. 6.8L		459	457	1040	1011	291
63-60	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 6.3L		459	457	1040	1009	291
63-59	6 Cyl.		459	457	1040	1009	291
60	8 Cyl. 5.9L		459	457	1040	1011	291
59	8 Cyl. 5.3L		459	457	1040	1010	291
	8 Cyl. 6.3L					1011	
59-58	8 Cyl. 5.9L					1011	
58	6 Cyl.					1009	
	8 Cyl. 5.7L					1011	
58-57	8 Cyl. 5.3L					1010	
57	6 Cyl.					1009	291
	8 Cyl. 5.8L					1011	
56-53	6 Cyl.					1009	
	8 Cyl.					1010	
52-46	All Eng.					1009	
42	All Eng.					1009	
DODGE LIGHT TRUCK							
LIGHT DUTY TRUCK							
14	All Eng.		459	457	1040	1009	291
13	6 Cyl.		459	457	1040	1012	291
13-07	8 Cyl.		459	457	1040	1012	291
13-89	4 Cyl.		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
DODGE LIGHT TRUCK							
LIGHT DUTY TRUCK							
12-11	6 Cyl. 3.6L		459	457	1040	1009	291
12-07	6 Cyl. 3.7L		459	457	1040	1012	291
11-10	6 Cyl. 4.0L		459	457	1040	1010	291
10	6 Cyl. 6.7L					1012	
10-09	6 Cyl. 3.5L		459	457	1040	1009	291
10-89	6 Cyl. 5.9L					1011	
09-08	6 Cyl. 6.7L					1011	
09-07	6 Cyl. 4.0L		459	457	1040	1009	291
07	6 Cyl. 6.7L					1009	
06-04	8 Cyl.		459	457	1040	1009	291
06-02	6 Cyl. 3.7L		459	457	1040	1009	291
06-94	10 Cyl.		459	457	1040	1011	
03	8 Cyl. 5.7L		459	457	1040	1009	291
03-00	8 Cyl. 4.7L		459	457	1040	1009	291
03-99	8 Cyl. 5.9L		459	457	1040	1011	291
03-89	6 Cyl. 3.9L		459	457	1040	1009	291
01-99	8 Cyl. 5.2L		459	457	1040	1009	291
98-89	8 Cyl.		459	457	1040	1009	291
91-89	6 Cyl. 3.0L		459	457	1040	1009	291
88-86	All Eng.		459	457	1040	1009	291
85-83	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.3L					1009	
	4 Cyl. 2.6L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
84-83	4 Cyl. 2.2L		459	457	1040	1009	291
82-81	All Eng.		459	457	1040	1009	291
80	6 Cyl. 3.7L		459	457	1040	1009	291
	6 Cyl. 4.0L		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1009	291
80-79	4 Cyl.		459	457	1040	1009	291
79-76	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1011	291
75-74	All Eng.		459	457	1040	1009	291
73	6 Cyl. 3.2L		459	457	1040	1010	291
	6 Cyl. 3.7L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
72	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.6L		459	457	1040	1009	291
	8 Cyl. 7.2L		459	457	1040	1011	291

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
DODGE LIGHT TRUCK							
LIGHT DUTY TRUCK							
71-70	6 Cyl. 3.2L		459	457	1040	1010	291
71-68	8 Cyl.		459	457	1040	1009	291
71-63	6 Cyl. 3.7L		459	457	1040	1009	291
69-67	6 Cyl. 2.8L		459	457	1040	1010	291
68-63	6 Cyl. 4.1L		459	457	1040	1010	291
67	8 Cyl. 6.3L		459	457	1040	1009	291
67-64	8 Cyl. 4.5L		459	457	1040	1011	291
	8 Cyl. 5.2L		459	457	1040	1009	291
66-65	6 Cyl. 2.8L		459	457	1040	1009	291
64-63	6 Cyl. 2.8L		459	457	1040	1010	291
63	8 Cyl.		459	457	1040	1009	291
62	All Eng.		459	457	1040	1009	291
61	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
61-58	6 Cyl. 4.1L		459	457	1040	1010	291
60	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 5.1L		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1011	291
	8 Cyl. 6.7L		459	457	1040	1011	291
60-57	6 Cyl. 3.8L		459	457	1040	1009	291
59	8 Cyl. 5.1L					1011	
	8 Cyl. 5.2L		459	457	1040	1011	
59-55	8 Cyl. 5.8L					1011	
59-54	6 Cyl. 4.3L					1010	
58-57	8 Cyl. 5.1L		462	461	1046	1011	
57	8 Cyl. 5.0L					1011	
57-48	6 Cyl. 4.1L					1010	
56-55	8 Cyl. 4.3L		459	457	1040	1011	
	8 Cyl. 4.4L					1011	
56-48	6 Cyl. 3.7L					1009	
56-46	6 Cyl. 3.8L		459	457	1040	1009	
55	6 Cyl. 3.6L					1009	
	8 Cyl. 4.0L					1011	
54	8 Cyl.		462	461	1046	1011	
54-45	6 Cyl. 3.6L		459	457	1040	1009	
53	6 Cyl. 3.9L					1009	
	8 Cyl.					1011	
52-50	6 Cyl. 3.9L		459	457	1040	1009	
49-45	6 Cyl. 3.9L					1009	
44	All Eng.					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
DODGE LIGHT TRUCK							
LIGHT DUTY TRUCK							
43	6 Cyl. 3.6L		459	457	1040	1009	
43-42	6 Cyl. 3.9L					1009	
42	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
LIGHT DUTY VAN							
14	All Eng.					1009	
13-11	4 Cyl.		459	457	1040	1009	291
	6 Cyl.					1009	
10	All Eng.		459	457	1040	1009	291
09	6 Cyl. 3.3L					1009	
09-08	6 Cyl. 4.0L		459	457	1040	1009	291
09-07	6 Cyl. 3.0L					1009	
	6 Cyl. 3.8L		459	457	1040	1009	291
09-05	4 Cyl.		459	457	1040	1009	291
08-07	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.5L					1009	
06-05	5 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
04-69	All Eng.		459	457	1040	1009	291
68	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1011	291
67-64	All Eng.		459	457	1040	1009	291
61-60	All Eng.					1009	
59-58	6 Cyl.					1009	
	8 Cyl.		462	461	1046	1011	
57	All Eng.		459	457	1040	1009	291
55-51	All Eng.		459	457	1040	1009	
50	6 Cyl. 3.8L		459	457	1040	1009	
	6 Cyl. 3.9L					1009	
49-48	All Eng.		459	457	1040	1009	
DODGE MEDIUM DUTY TRUCK							
MEDIUM/HEAVY TRUCK							
10	All Eng.					1009	
09-08	6 Cyl.					1011	
	8 Cyl.					1009	
07	All Eng.					1011	
06	6 Cyl.					1011	
	8 Cyl.					1009	
05	6 Cyl.					1009	
	8 Cyl.					1009	291
02	All Eng.					1011	291
01-99	All Eng.		459	457	1040	1011	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
DODGE MEDIUM DUTY TRUCK							
MEDIUM/HEAVY TRUCK							
98-95	All Eng.		459	457	1040	1009	291
81-80	All Eng.		459	457	1040	1009	291
79-78	All Eng.		459	457	1040	1011	291
EAGLE							
CAR							
98-88	All Eng.		459	457	1040	1009	291
FORD							
CAR							
15	8 Cyl.		459	457	1040	1010	291
15-14	3 Cyl.		459	457	1040	1009	291
15-13	6 Cyl.		459	457	1040	1010	291
15-11	4 Cyl.		459	457	1040	1009	291
14-13	8 Cyl. 5.8L		459	457	1040	1011	
14-12	8 Cyl. 5.0L		459	457	1040	1010	
12	8 Cyl. 5.4L		462	461	1046	1010	
12-08	6 Cyl.		459	457	1040	1009	291
11	5 Cyl.		459	457		1009	291
11-08	8 Cyl.		459	457	1040	1010	
10	4 Cyl. 2.3L		459	457		1009	
	4 Cyl. 2.5L		459	457	1040	1009	291
	5 Cyl.		459	457		1009	
10-08	4 Cyl. 1.6L		459	457		1009	291
10-98	4 Cyl. 2.0L		459	457	1040	1009	291
09-07	4 Cyl. 2.3L					1009	
07	4 Cyl. 2.3L	Focus	459	457	1040		291
	6 Cyl. 3.0L		459	457	1040	1009	291
	8 Cyl. 5.4L		459	457		1010	
07-06	4 Cyl. 1.6L					1009	291
07-05	6 Cyl. 4.0L		459	457	1040	1009	291
07-02	8 Cyl. 4.6L		459	457	1040	1009	
07-01	6 Cyl. 2.5L					1009	
06	4 Cyl. 2.3L	Focus	459	457	1040	1009	291
	4 Cyl. 2.3L	Fusion				1009	
06-05	6 Cyl. 3.0L		459	457	1040	1011	291
	8 Cyl. 5.4L		459	457	1040	1010	
05-03	4 Cyl. 1.6L		459	457		1009	291
	4 Cyl. 2.3L		459	457	1040	1009	291
05-02	8 Cyl. 3.9L					1010	
04	6 Cyl. 3.9L		459	457	1040	1009	291
04-98	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
02-01	4 Cyl. 1.6L					1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD							
CAR							
01	8 Cyl.		459	457	1040	1009	
00	8 Cyl. 5.4L		459	457	1040	1010	
00-98	4 Cyl. 1.3L					1009	291
	6 Cyl. 2.5L		459	457	1040	1009	
00-96	8 Cyl. 4.6L		459	457	1040	1009	
99-96	8 Cyl. 3.4L		459	457	1040	1010	291
97-92	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
95	8 Cyl. 5.8L		459	457	1040	1011	
95-94	8 Cyl. 5.0L		459	457	1040	1010	291
95-92	8 Cyl. 4.6L		462	461	1046	1009	
93-92	8 Cyl. 5.0L		459	457	1040	1009	291
91-86	All Eng.		459	457	1040	1009	291
85	4 Cyl. 1.9L		459	457	1040	1009	291
85-84	4 Cyl. 2.0L		459	457	1040	1009	291
85-78	4 Cyl. 1.6L		459	457	1040	1009	
	4 Cyl. 2.3L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
77-74	All Eng.		459	457	1040	1009	291
73-71	4 Cyl. 1.6L		459	457	1040	1009	
	4 Cyl. 2.0L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
70	All Eng.		459	457	1040	1009	291
69	4 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.7L		459	457	1040	1010	291
	8 Cyl. 5.0L		459	457	1040	1009	291
	8 Cyl. 5.8L		459	457	1040	1009	291
69-68	6 Cyl.		459	457	1040	1009	291
69-66	8 Cyl. 7.0L		459	457	1040	1011	291
69-65	8 Cyl. 6.4L		459	457	1040	1009	291
68	8 Cyl. 3.9L		459	457	1040	1010	291
	8 Cyl. 5.0L		459	457	1040	1011	291
68-67	4 Cyl. 1.0L					1009	
	4 Cyl. 1.6L		459	457	1040	1009	291
68-66	8 Cyl. 4.7L		459	457	1040	1009	291
67	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.5L		459	457	1040	1009	291
67-65	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.9L		459	457	1040	1010	291
67-60	8 Cyl. 5.8L		459	457	1040	1011	291
66	4 Cyl.		459	457	1040	1009	291
65	4 Cyl. 1.0L					1009	
	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.6L					1009	
	8 Cyl. 7.0L		459	457	1040	1009	291
65-64	8 Cyl. 4.7L		459	457	1040	1010	291
65-62	8 Cyl. 4.3L		459	457	1040	1010	291
64	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1011	291
64-63	8 Cyl. 7.0L		459	457	1040	1011	291
63	4 Cyl. 1.5L		459	457	1040	1009	291
	6 Cyl. 2.4L		459	457	1040	1009	291
	6 Cyl. 2.6L		459	457	1040	1009	291
	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457		1009	291
	8 Cyl. 4.7L		459	457		1010	291
	8 Cyl. 6.4L		459	457		1011	291
63-62	4 Cyl. 1.2L		459	457	1040	1009	
	4 Cyl. 1.3L		459	457	1040	1009	291
	8 Cyl. 3.6L		459	457	1040	1010	291
	8 Cyl. 6.6L		459	457	1040	1011	291
	8 Cyl. 6.7L		459	457	1040	1011	291
63-61	4 Cyl. 1.0L		459	457	1040	1009	291
62	4 Cyl. 1.7L					1009	
	6 Cyl.		459	457	1040	1009	291
62-61	4 Cyl. 1.5L		459	457	1040	1009	
	8 Cyl. 6.4L		459	457	1040	1011	291
62-60	8 Cyl. 4.8L		459	457	1040	1010	291
61	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.7L		459	457	1040	1009	291
	6 Cyl. 2.8L		459	457	1040	1009	291
61-60	6 Cyl. 2.4L		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457	1040	1009	291
61-57	6 Cyl. 3.6L		459	457	1040	1010	291
61-56	6 Cyl. 2.6L		459	457	1040	1009	291
60	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 2.8L		459	457		1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD							
CAR							
60	8 Cyl. 7.0L		459	457	1040	1011	291
59	4 Cyl. 1.0L					1009	
	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.7L		459	457	1040	1009	291
	8 Cyl. 7.0L		462	461	1046	1011	291
59-58	8 Cyl. 5.4L		462	461	1046	1011	291
	8 Cyl. 5.8L		462	461	1046	1011	291
	8 Cyl. 5.9L					1011	
59-57	6 Cyl. 3.7L					1009	
	8 Cyl. 4.8L		462	461	1046	1010	291
58-50	4 Cyl.		459	457	1040	1009	291
57	8 Cyl. 4.4L		462	461	1046	1010	291
	8 Cyl. 4.5L		462	461	1046	1010	291
	8 Cyl. 5.1L		462	461	1046	1011	291
56	8 Cyl. 4.8L		462	461	1046	1010	
	8 Cyl. 5.1L		462	461	1046	1011	
56-55	8 Cyl. 4.4L		462	461	1046	1010	
56-54	6 Cyl. 3.6L		459	457	1040	1010	
56-52	6 Cyl. 2.3L		459	457	1040	1009	291
55	8 Cyl. 4.8L					1010	
54-53	8 Cyl. 3.9L		462	461	1046	1010	
	8 Cyl. 4.2L					1010	
53	8 Cyl. 3.7L					1010	
53-52	6 Cyl. 3.5L		459	457	1040	1010	
52-46	8 Cyl.		462	461	1046	1010	
51-46	6 Cyl.		459	457	1040	1009	
49-46	4 Cyl.					1009	
42	6 Cyl.		459	457	1040	1009	
	8 Cyl.		462	461	1046	1010	
FORD HD							
MEDIUM/HEAVY TRUCK							
15	All Eng.		459	457	1040	1010	291
14	8 Cyl.		459	457	1040	1010	
14-97	10 Cyl.		459	457	1040	1010	291
13	8 Cyl. 5.4L		459	457	1040	1010	
13-11	8 Cyl. 6.7L					1011	
12-06	8 Cyl. 5.4L		459	457	1040	1010	291
10-06	8 Cyl. 6.0L					1010	
09-08	8 Cyl. 6.4L					1011	
05	8 Cyl.					1010	
04	8 Cyl. 6.0L					1010	
04-99	8 Cyl. 5.4L		459	457	1040	1010	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD HD							
MEDIUM/HEAVY TRUCK							
03	8 Cyl. 6.0L					1011	
03-99	8 Cyl. 7.3L					1011	
98	8 Cyl. 5.4L		459	457	1040	1009	291
98-96	8 Cyl. 7.3L					1009	
97	8 Cyl. 5.4L		459	457	1040	1009	291
97-88	8 Cyl. 7.5L		459	457	1040	1009	291
96	8 Cyl. 5.8L		459	457	1040	1009	291
95-88	8 Cyl. 7.3L					1011	
FORD LIGHT TRUCK							
LIGHT DUTY TRUCK							
15	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.5L		459	457	1040	1010	291
	6 Cyl. 3.7L		459	457	1040		291
	6 Cyl. 3.7L	Police Interceptor Utility				1010	
	8 Cyl. 5.0L		459	457	1040	1010	291
	8 Cyl. 6.2L		459	457	1040	1011	291
15-13	4 Cyl.		459	457	1040	1009	291
15-11	8 Cyl. 6.7L					1011	
14-13	6 Cyl.		459	457	1040	1009	
14-11	8 Cyl. 5.0L		459	457	1040	1010	
14-10	8 Cyl. 6.2L		459	457	1040	1011	
14-06	8 Cyl. 5.4L		459	457	1040	1011	
12	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.3L					1011	291
12-11	6 Cyl. 3.7L		459	457	1040	1009	
12-10	6 Cyl. 3.0L		459	457	1040	1011	291
12-09	4 Cyl. 2.5L		459	457	1040	1011	291
12-08	6 Cyl. 3.5L		459	457	1040	1009	
12-04	4 Cyl. 1.6L					1011	291
11-10	4 Cyl. 2.0L		459	457	1040	1011	291
	6 Cyl. 4.0L		459	457	1040	1011	291
11-09	4 Cyl. 2.3L		459	457	1040	1011	291
10	6 Cyl. 4.2L					1011	
10-08	8 Cyl. 4.6L		459	457	1040	1011	
	8 Cyl. 6.4L					1011	
10-99	10 Cyl.		459	457	1040	1010	
09	6 Cyl. 4.2L					1011	291
09-07	6 Cyl. 3.0L		459	457	1040	1011	291
	6 Cyl. 4.0L		459	457	1040	1011	291
08-07	6 Cyl. 4.2L		459	457	1040	1011	291
08-05	4 Cyl. 2.0L		459	457	1040	1011	291
	4 Cyl. 2.3L	Escape				1011	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD LIGHT TRUCK							
LIGHT DUTY TRUCK							
08-05	4 Cyl. 2.3L	Ranger	459	457	1040	1011	291
07	6 Cyl. 3.5L		459	457	1040	1009	291
07-06	8 Cyl. 4.6L		459	457	1040	1011	291
07-03	8 Cyl. 6.0L					1011	
06-04	6 Cyl.		459	457	1040	1011	291
05	8 Cyl. 4.6L		459	457	1040	1012	291
	8 Cyl. 5.4L		459	457	1040	1012	
04	4 Cyl. 2.3L		459	457	1040	1011	291
	8 Cyl. 5.4L		459	457	1040	1011	
04-01	4 Cyl. 2.0L		459	457	1040	1009	291
04-98	8 Cyl. 4.6L	Excl. Expedition	459	457	1040	1011	291
	8 Cyl. 4.6L	Expedition	459	457	1040	1011	
03	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 4.0L		459	457	1040	1009	291
	6 Cyl. 4.2L		459	457	1040	1010	291
03-01	4 Cyl. 1.6L					1009	291
	4 Cyl. 2.3L		459	457	1040	1009	291
03-99	8 Cyl. 7.3L					1011	
03-97	8 Cyl. 5.4L		459	457	1040	1009	
02-98	6 Cyl.		459	457	1040	1009	291
01	4 Cyl. 2.5L		459	457	1040	1009	291
01-99	8 Cyl. 5.0L		459	457	1040	1009	
00-88	4 Cyl.		459	457	1040	1009	291
98-83	8 Cyl. 5.0L		459	457	1040	1009	291
97	6 Cyl. 4.2L		459	457	1040	1009	291
	6 Cyl. 4.9L		459	457	1040	1011	291
	8 Cyl. 4.6L		459	457	1040	1009	
	8 Cyl. 5.8L		459	457	1040	1011	
97-91	6 Cyl. 3.0L		459	457	1040	1009	291
97-90	6 Cyl. 4.0L		459	457	1040	1010	291
97-88	8 Cyl. 7.3L					1011	
97-83	8 Cyl. 7.5L		459	457	1040	1009	291
96-95	8 Cyl. 5.8L		459	457	1040	1009	
96-90	6 Cyl. 4.9L		459	457	1040	1009	291
94-83	8 Cyl. 5.8L		459	457	1040	1009	291
92-90	6 Cyl. 2.9L		459	457	1040	1009	291
89-83	6 Cyl.		459	457	1040	1009	291
87-85	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.3L	Diesel				1009	
	4 Cyl. 2.3L	Gas	459	457	1040	1009	291
87-83	8 Cyl. 6.9L					1010	
84-83	4 Cyl.		459	457	1040	1009	291

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD LIGHT TRUCK							
LIGHT DUTY TRUCK							
82-81	All Eng.		459	457	1040	1009	291
80-78	8 Cyl.		459	457	1040	1009	291
80-75	6 Cyl.		459	457	1040	1010	291
80-72	4 Cyl.		459	457	1040	1009	291
77	8 Cyl. 5.8L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1011	291
	8 Cyl. 6.6L		459	457	1040	1009	291
77-75	8 Cyl. 5.4L		459	457	1040	1011	291
77-73	8 Cyl. 7.5L		459	457	1040	1009	291
77-69	8 Cyl. 5.0L		459	457	1040	1009	291
77-68	8 Cyl. 5.9L		459	457	1040	1009	291
76-72	8 Cyl. 6.6L		459	457	1040	1011	291
76-69	8 Cyl. 5.8L		459	457	1040	1011	291
76-68	8 Cyl. 6.4L		459	457	1040	1009	291
74	6 Cyl. 4.1L		459	457	1040	1011	291
74-73	6 Cyl. 3.3L		459	457	1040	1010	291
74-68	6 Cyl. 3.9L		459	457	1040	1009	291
	6 Cyl. 4.9L		459	457	1040	1010	291
73-69	6 Cyl. 4.1L		459	457	1040	1010	291
73-68	8 Cyl. 7.0L		459	457	1040	1011	291
72-68	6 Cyl. 2.8L		459	457	1040	1009	291
68	6 Cyl. 3.3L		459	457	1040	1010	291
	8 Cyl. 5.0L		459	457	1040	1011	291
68-67	8 Cyl. 4.7L		459	457	1040	1009	291
67	8 Cyl. 5.8L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1011	291
67-66	6 Cyl.		459	457	1040	1010	291
66	8 Cyl.		459	457	1040	1009	291
65	6 Cyl. 2.8L		459	457	1040	1010	291
	6 Cyl. 3.3L		459	457	1040	1010	291
	6 Cyl. 3.9L		459	457	1040	1009	291
	6 Cyl. 4.9L		459	457	1040	1010	291
	8 Cyl. 4.7L		459	457	1040	1011	291
	8 Cyl. 4.8L		459	457	1040	1011	291
	8 Cyl. 5.8L		459	457	1040	1009	291
65-64	8 Cyl. 5.9L		459	457	1040	1009	291
64	6 Cyl.		459	457	1040	1010	291
	8 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 4.7L		459	457	1040	1010	291
	8 Cyl. 4.8L		459	457	1040	1010	291
63	6 Cyl. 2.4L					1010	
	6 Cyl. 3.6L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD LIGHT TRUCK							
LIGHT DUTY TRUCK							
63	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 4.3L		459	457	1040	1011	291
	8 Cyl. 4.8L	F-250	459	457	1040	1011	291
63-61	6 Cyl. 2.8L		459	457	1040	1010	
63-60	8 Cyl. 4.8L	Exc. F-250	462	461	1046	1009	291
	8 Cyl. 5.4L					1011	
62	8 Cyl. 4.3L					1011	
	8 Cyl. 4.3L	Falcon Sedan Delivery	459	457	1040		291
62-61	6 Cyl. 4.3L					1010	
62-60	6 Cyl. 2.4L		459	457	1040	1010	291
	6 Cyl. 3.6L	Exc. F-250	459	457	1040	1009	291
	6 Cyl. 3.6L	F-250				1010	291
	8 Cyl. 4.8L	F-250				1011	291
60	8 Cyl. 5.8L		459	457	1040	1009	291
59	6 Cyl.		459	457	1040	1009	291
59-57	8 Cyl.		462	461	1046	1011	291
58-57	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 3.7L					1010	
56	8 Cyl.		462	461	1046	1011	
56-55	6 Cyl.		459	457	1040	1009	291
55	8 Cyl. 4.4L		462	461	1046	1011	
55-48	8 Cyl. 4.2L					1011	
55-45	8 Cyl. 3.9L		462	461	1046	1011	
54-53	6 Cyl.		459	457	1040	1010	
52	6 Cyl. 3.5L		459	457	1040	1010	
	6 Cyl. 3.7L					1010	
51	6 Cyl.					1010	
50-46	6 Cyl.		459	457	1040	1010	
47-45	8 Cyl. 3.6L					1011	
44-43	All Eng.					1011	
42	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	
	8 Cyl.		462	461	1046	1011	
LIGHT DUTY VAN							
15	4 Cyl.		459	457	1040	1009	291
	6 Cyl.					1009	
14	4 Cyl. 1.6L		459	457	1040	1009	291
	4 Cyl. 2.5L		459	457	1040	1009	291
14-13	8 Cyl. 5.4L		459	457	1040	1010	
14-11	4 Cyl. 2.2L					1009	
14-97	10 Cyl.		459	457	1040	1009	
	8 Cyl. 4.6L		459	457	1040	1009	



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD LIGHT TRUCK							
LIGHT DUTY VAN							
13-10	4 Cyl. 2.0L		459	457	1040	1010	291
12-98	8 Cyl. 5.4L		459	457	1040	1010	291
10	4 Cyl. 2.2L					1010	
10-04	8 Cyl. 6.0L					1010	
09-08	4 Cyl.					1010	
07-04	6 Cyl.		459	457	1040	1010	291
03-01	6 Cyl.		459	457	1040	1009	291
03-95	8 Cyl. 7.3L					1009	
00-98	6 Cyl. 3.8L		459	457	1040	1009	291
00-97	6 Cyl. 4.2L		459	457	1040	1009	291
00-96	6 Cyl. 3.0L		459	457	1040	1011	291
97	8 Cyl. 5.4L		459	457	1040	1010	291
	8 Cyl. 5.8L		459	457	1040	1011	291
97-96	6 Cyl. 3.8L		459	457	1040	1010	291
	6 Cyl. 4.0L		459	457	1040	1009	291
96	6 Cyl. 4.9L		459	457	1040	1009	291
	8 Cyl. 5.0L		459	457	1040	1009	291
96-95	8 Cyl. 7.5L		459	457	1040	1009	291
96-94	8 Cyl. 5.8L	E250 & E350; w/ OE Oil Cooler	459	457	1040	1011	
	8 Cyl. 5.8L	E250 & E350; w/o OE Oil Cooler	459	457	1040	1011	291
	8 Cyl. 5.8L	Excl. E250 & E350	459	457	1040	1011	291
95-83	6 Cyl.		459	457	1040	1011	291
	8 Cyl. 5.0L		459	457	1040	1011	291
94-88	8 Cyl. 7.3L					1011	
94-83	8 Cyl. 7.5L		459	457	1040	1011	291
93-83	8 Cyl. 5.8L		459	457	1040	1011	291
87-86	4 Cyl.		459	457	1040	1011	291
87-83	8 Cyl. 6.9L					1011	
82-79	All Eng.		459	457	1040	1011	291
78	8 Cyl. 5.0L		459	457	1040	1009	291
78-77	6 Cyl.		459	457	1040	1011	291
	8 Cyl. 5.8L		459	457	1040	1011	291
	8 Cyl. 7.5L		459	457	1040	1011	291
77	8 Cyl. 5.0L		459	457	1040	1011	291
	8 Cyl. 6.6L					1011	
76	All Eng.		459	457	1040	1011	291
75	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.8L		459	457	1040	1011	291
	8 Cyl. 7.5L		459	457	1040	1011	291
75-69	8 Cyl. 5.0L		459	457	1040	1009	291
74-71	6 Cyl. 4.9L		459	457	1040	1010	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
FORD LIGHT TRUCK							
LIGHT DUTY VAN							
74-69	6 Cyl. 3.9L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1011	291
	8 Cyl. 6.4L		459	457	1040	1011	291
71	6 Cyl. 2.8L		459	457	1040	1010	291
70-69	6 Cyl. 2.8L		459	457	1040	1011	291
	6 Cyl. 4.9L		459	457	1040	1011	291
68	All Eng.		459	457	1040	1011	291
67-66	6 Cyl.		459	457	1040	1011	291
67-64	8 Cyl.		459	457		1011	291
65	6 Cyl. 2.4L		459	457		1011	291
	6 Cyl. 3.9L		459	457	1040	1011	291
	6 Cyl. 4.9L		459	457	1040	1011	291
65-61	6 Cyl. 2.8L		459	457	1040	1011	291
64-63	4 Cyl.		459	457	1040	1011	291
64-61	6 Cyl. 2.4L		459	457	1040	1011	291
	6 Cyl. 3.6L		459	457	1040	1011	
63-61	8 Cyl.					1011	
60	6 Cyl. 2.4L					1010	
	6 Cyl. 3.6L		459	457	1040	1011	291
60-57	8 Cyl.		462	461	1046	1011	291
59-57	6 Cyl.		459	457	1040	1011	
56-52	All Eng.		459	457	1040	1011	
GEO							
LIGHT DUTY TRUCK							
97-89	All Eng.		459	457	1040	1009	291
GMC HD							
MEDIUM/HEAVY TRUCK							
15-13	All Eng.					1011	
12-09	All Eng.					1010	
02-01	All Eng.					1010	
00-92	8 Cyl. 6.5L					1011	
	8 Cyl. 7.4L		462	461	1046	1009	214
95-92	8 Cyl. 5.7L		462	461	1046	1009	214
91	All Eng.		462	461	1046	1009	214
GMC LIGHT TRUCK							
LIGHT DUTY TRUCK							
15	6 Cyl. 3.6L	Canyon				1010	
	6 Cyl. 3.6L	Exc. Canyon	459	457	1040	1009	291
	8 Cyl. 5.3L					1011	
	8 Cyl. 6.0L					1011	
	8 Cyl. 6.2L		459	457	1040	1010	
	8 Cyl. 6.6L					1010	



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
GMC LIGHT TRUCK							
LIGHT DUTY TRUCK							
15-14	6 Cyl. 4.3L		459	457	1040	1010	291
15-92	4 Cyl.		459	457	1040	1009	291
14	6 Cyl. 3.6L		459	457	1040	1009	291
14-07	8 Cyl. 5.3L					1012	
	8 Cyl. 6.0L					1012	
	8 Cyl. 6.2L		459	457	1040	1012	
	8 Cyl. 6.6L					1012	
13	6 Cyl.		459	457	1040	1009	291
13-07	8 Cyl. 4.8L					1012	
12-11	6 Cyl. 4.3L		459	457	1040	1009	291
12-10	6 Cyl. 3.0L		459	457	1040	1010	
12-07	6 Cyl. 3.6L		459	457	1040	1009	291
12-04	5 Cyl.		459	457	1040	1009	291
10-07	6 Cyl. 4.3L					1009	
	6 Cyl. 4.3L	Exc. S15, T15, Syclone, Sonoma and Typhoon	459	457	1040		291
09-07	6 Cyl. 4.2L		459	457	1040	1009	291
07	8 Cyl. 8.1L		462	461	1046	1012	214
06	8 Cyl. 5.3L	Envoy (All Models)				1009	
	8 Cyl. 5.3L	Except Trailblazer & Envoy				1010	
06-03	8 Cyl. 8.1L		462	461	1046	1010	214
06-02	6 Cyl.		459	457	1040	1009	291
06-01	8 Cyl. 6.6L					1010	
06-99	8 Cyl. 4.8L					1009	
	8 Cyl. 6.0L					1009	
05-99	8 Cyl. 5.3L					1009	
02-01	8 Cyl. 8.1L		462	461	1046	1011	214
01-96	6 Cyl.		459	457	1040	1010	291
00	8 Cyl. 5.7L		462	461	1046	1009	214
00-92	8 Cyl. 6.5L					1011	
00-73	8 Cyl. 7.4L		462	461	1046	1009	214
99-90	8 Cyl. 5.7L	2WD	462	461	1046	1009	214
	8 Cyl. 5.7L	4WD	459	457	1040	1010	291
99-88	8 Cyl. 5.0L	2WD	462	461	1046	1009	214
	8 Cyl. 5.0L	4WD	459	457	1040	1010	291
95-89	6 Cyl.		459	457	1040	1009	291
93-82	8 Cyl. 6.2L					1009	
91	4 Cyl. 1.6L		459	457	1040	1009	291
	4 Cyl. 1.6L	Tracker	459	457			291
	4 Cyl. 2.5L		459	457	1040	1009	291
90-82	4 Cyl.		459	457	1040	1009	291
89-88	8 Cyl. 5.7L	C and R Series	462	461	1046	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
GMC LIGHT TRUCK							
LIGHT DUTY TRUCK							
89-88	8 Cyl. 5.7L	K and V Series	459	457	1040	1009	291
88-85	6 Cyl. 4.3L		459	457	1040	1009	291
88-82	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 4.8L		462	461	1046	1009	214
87-82	8 Cyl. 5.7L		462	461	1046	1009	214
87-80	8 Cyl. 5.0L		462	461	1046	1009	214
84-82	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.1L		462	461	1046	1009	214
82	8 Cyl. 4.4L		462	461	1046	1010	214
81-79	8 Cyl. 4.4L		462	461	1046	1009	214
	8 Cyl. 5.7L	Exc. Diesel	462	461	1046	1009	214
81-78	8 Cyl. 5.7L	Diesel				1009	
81-72	6 Cyl.		462	461	1046	1009	214
80	8 Cyl. 6.6L		462	461	1046	1010	214
79	8 Cyl. 5.0L		462	461	1046	1011	214
	8 Cyl. 6.6L		462	461	1046	1011	214
78	8 Cyl. 5.7L	Exc. Diesel	462	461	1046	1011	214
78-76	8 Cyl. 5.0L		462	461	1046	1009	214
78-75	8 Cyl. 6.6L		462	461	1046	1010	214
77-72	8 Cyl. 5.7L		462	461	1046	1011	214
74	8 Cyl. 6.6L		462	461	1046	1009	214
74-73	8 Cyl. 7.5L					1009	
73-72	8 Cyl. 5.0L		462	461	1046	1009	214
72	8 Cyl. 6.6L		462	461	1046	1010	214
	8 Cyl. 7.4L		462	461	1046	1010	214
71-70	All Eng.		462	461	1046	1009	214
69	6 Cyl. 5.0L		462	461	1046	1011	291
	8 Cyl. 5.7L		462	461	1046	1009	214
69-68	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 6.5L					1010	
69-66	6 Cyl. 4.1L		462	461	1046	1009	214
	6 Cyl. 4.8L		462	461	1046	1009	214
69-63	6 Cyl. 3.8L		459	457	1040	1009	291
68	6 Cyl. 5.0L		462	461	1046	1011	214
	6 Cyl. 5.7L					1011	
	8 Cyl. 5.3L					1011	
	8 Cyl. 5.4L					1011	
67	6 Cyl. 5.0L		462	461	1046	1009	214
67-66	6 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl.					1011	
66	4 Cyl.					1009	
	6 Cyl. 3.2L		459	457	1040	1010	



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
GMC LIGHT TRUCK							
LIGHT DUTY TRUCK							
66	6 Cyl. 5.0L		462	461	1046	1011	214
65	6 Cyl. 5.7L		459	457	1040	1011	291
65-63	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.2L		459	457	1040	1010	291
	6 Cyl. 4.8L		459	457	1040	1009	291
	6 Cyl. 5.0L		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1011	291
62-61	6 Cyl. 4.3L					1011	
62-60	6 Cyl. 3.8L					1011	
	6 Cyl. 4.4L					1011	
	6 Cyl. 5.0L		462	461	1046	1011	214
	8 Cyl.					1011	
59-58	All Eng.					1011	
57	6 Cyl.					1011	
	8 Cyl. 5.3L					1011	
	8 Cyl. 5.7L		462	461	1046	1011	
	8 Cyl. 6.1L					1011	
56	All Eng.					1011	
55	6 Cyl.		459	457	1040	1011	
	8 Cyl.					1011	
54	All Eng.		459	457	1040	1011	
53	6 Cyl. 3.7L		459	457	1040	1011	
	6 Cyl. 4.1L					1011	
52-45	All Eng.		459	457	1040	1011	
44-43	All Eng.					1011	
42	All Eng.		459	457	1040	1011	
LIGHT DUTY VAN							
15	All Eng.					1011	
14-13	6 Cyl.		459	457	1040	1010	291
	8 Cyl.					1011	
12-07	8 Cyl. 4.8L					1010	
12-06	8 Cyl. 5.3L					1010	
	8 Cyl. 6.0L					1010	
	8 Cyl. 6.6L					1011	
12-03	6 Cyl.		459	457	1040	1009	291
06	8 Cyl. 4.8L					1009	
05-03	8 Cyl.					1009	
02-01	6 Cyl.		459	457	1040	1010	291
	8 Cyl. 8.1L					1011	
02-94	8 Cyl. 6.5L					1011	
02-82	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 5.7L		462	461	1046	1009	214

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
GMC LIGHT TRUCK							
LIGHT DUTY VAN							
00-99	6 Cyl.		459	457	1040	1009	291
00-82	8 Cyl. 7.4L		462	461	1046	1009	214
98-96	6 Cyl.		459	457	1040	1010	291
95-90	6 Cyl.		459	457	1040	1009	291
93-82	8 Cyl. 6.2L					1009	
91	4 Cyl.					1009	
90-85	4 Cyl.		459	457	1040	1009	291
89-85	6 Cyl. 4.3L		459	457	1040	1009	291
	6 Cyl. 4.8L		462	461	1046	1009	214
84-82	6 Cyl.		462	461	1046	1009	214
81	All Eng.		462	461	1046	1009	214
80	8 Cyl. 5.0L		462	461	1046	1009	214
80-75	6 Cyl.		462	461	1046	1009	214
	8 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl. 6.6L		462	461	1046	1011	214
	8 Cyl. 7.4L		462	461	1046	1009	214
79	8 Cyl. 5.0L		462	461	1046	1011	214
78-77	8 Cyl. 5.0L		462	461	1046	1009	214
74-73	All Eng.		462	461	1046	1009	214
72	6 Cyl.		462	461	1046	1009	214
	8 Cyl. 5.0L		462	461	1046	1009	214
	8 Cyl. 5.7L		462	461	1046	1009	214
	8 Cyl. 6.6L		462	461	1046	1011	214
71-70	All Eng.		462	461	1046	1009	214
69-68	8 Cyl.		462	461	1046	1009	214
69-67	3 Cyl.					1009	
	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.1L		462	461	1046	1009	214
	6 Cyl. 4.8L		462	461	1046	1009	214
67	8 Cyl. 4.6L					1011	
	8 Cyl. 5.4L		462	461	1046	1011	214
66	All Eng.		462	461	1046	1009	214
HONDA							
CAR							
15-11	4 Cyl. 1.5L	Gas	459	457	1040	1009	291
	4 Cyl. 1.5L	HYBRID				1009	
14	4 Cyl. 2.0L		459	457	1040	1009	
14-06	4 Cyl. 1.8L		459	457	1040	1009	291
14-03	4 Cyl. 1.3L					1009	
	4 Cyl. 2.4L		459	457	1040	1009	291
14-00	6 Cyl.		459	457	1040	1009	291
11-03	4 Cyl. 2.0L		459	457	1040	1009	291

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
HONDA							
CAR							
10-07	4 Cyl. 1.5L		459	457	1040	1009	291
09-04	4 Cyl. 2.2L		459	457	1040	1009	291
06-01	3 Cyl.		459	457	1040	1009	
05-03	4 Cyl. 1.7L		459	457	1040	1009	291
02-00	4 Cyl.		459	457	1040	1009	291
00	3 Cyl.					1009	
99-88	All Eng.		459	457	1040	1009	291
87-85	4 Cyl. 2.0L		459	457	1040	1009	291
87-83	4 Cyl. 1.3L		459	457	1040	1009	
	4 Cyl. 1.5L		459	457	1040	1009	
	4 Cyl. 1.8L		459	457	1040	1009	291
85	4 Cyl. 1.6L		459	457	1040	1009	291
82-80	All Eng.		459	457	1040	1009	
79	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.8L		459	457	1040	1009	
78-69	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
15-94	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
15-09	All Eng.		459	457	1040	1009	291
07-95	All Eng.		459	457	1040	1009	291
HYUNDAI							
CAR							
14-09	6 Cyl.					1009	
14-06	4 Cyl.		459	457	1040	1009	291
08-06	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.3L					1009	
	6 Cyl. 3.8L					1009	
05-89	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
14-10	6 Cyl.					1009	
14-07	4 Cyl.		459	457	1040	1009	291
09-07	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.3L					1009	
	6 Cyl. 3.8L					1009	
06-01	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
10-07	All Eng.					1009	
INTERNATIONAL							
LIGHT DUTY TRUCK							
80-76	6 Cyl.					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
INTERNATIONAL							
LIGHT DUTY TRUCK							
80-76	8 Cyl.		459	457	1040	1010	291
80-61	4 Cyl.		459	457	1040	1009	291
75-74	8 Cyl. 6.4L		459	457	1040	1009	291
75-73	8 Cyl. 5.0L		459	457	1040	1010	291
	8 Cyl. 5.6L		459	457	1040	1010	291
74	8 Cyl. 6.6L		459	457	1040	1011	291
74-73	6 Cyl.		459	457	1040	1010	291
	8 Cyl. 5.7L		459	457	1040	1010	291
73-69	8 Cyl. 6.4L		459	457	1040	1011	291
72	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl. 4.2L		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1010	291
71	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.3L		459	457	1040	1011	291
	8 Cyl. 5.6L		459	457	1040	1010	291
	8 Cyl. 5.7L		459	457	1040	1010	291
71-69	8 Cyl. 5.0L		459	457	1040	1010	291
70	8 Cyl. 5.6L		459	457	1040	1011	291
70-69	6 Cyl. 3.8L		459	457	1040	1009	291
70-68	6 Cyl. 3.9L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 4.4L		459	457	1040	1010	291
68	6 Cyl. 4.0L		459	457	1040	1009	291
	8 Cyl. 5.0L		459	457	1040	1011	291
	8 Cyl. 5.6L		459	457	1040	1011	291
67-63	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1010	291
62	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 3.9L		459	457	1040	1010	291
62-60	8 Cyl.		459	457	1040	1011	291
61	6 Cyl.		459	457	1040	1010	291
60	6 Cyl. 3.6L					1010	
	6 Cyl. 3.9L					1010	
	6 Cyl. 4.3L		459	457	1040	1010	
59	6 Cyl.		459	457	1040	1010	
	8 Cyl.		459	457	1040	1011	
58-50	All Eng.		459	457	1040	1010	
LIGHT DUTY VAN							
72	All Eng.		459	457	1040	1010	291
71	6 Cyl.		459	457	1040	1009	291
71-69	8 Cyl.		459	457	1040	1010	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
INTERNATIONAL							
LIGHT DUTY VAN							
71-64	4 Cyl.		459	457	1040	1009	291
70-69	6 Cyl. 3.8L		459	457	1040	1009	291
70-68	6 Cyl. 3.9L		459	457	1040	1009	291
	6 Cyl. 4.3L		459	457	1040	1010	291
68	6 Cyl. 3.6L		459	457	1040	1009	291
	8 Cyl. 4.3L		459	457	1040	1010	291
	8 Cyl. 4.4L		459	457	1040	1010	291
	8 Cyl. 5.0L		459	457	1040	1011	291
67-65	8 Cyl.		459	457	1040	1010	291
67-63	6 Cyl.		459	457	1040	1010	291
63	4 Cyl. 1.5L		459	457	1040	1010	291
	4 Cyl. 2.5L		459	457	1040	1009	291
62	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 3.9L		459	457	1040	1010	291
	6 Cyl. 4.3L		459	457	1040	1010	291
62-61	4 Cyl.		459	457	1040	1009	291
61	6 Cyl.		459	457	1040	1010	291
60	6 Cyl. 3.6L		459	457	1040	1010	291
	6 Cyl. 3.9L					1010	
	6 Cyl. 4.3L					1010	
59	All Eng.		459	457	1040	1010	
58-57	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	
56-50	All Eng.		459	457	1040	1010	
INTERNATIONAL HD / NAVISTAR							
MEDIUM/HEAVY TRUCK							
13-79	All Eng.					1009	
71	8 Cyl. 4.4L					1009	
	8 Cyl. 5.0L					1011	
71-70	6 Cyl.					1009	
70	8 Cyl.					1010	
69	All Eng.					1010	
68	6 Cyl. 3.9L					1009	
	6 Cyl. 4.3L					1010	
	8 Cyl.					1009	
67	8 Cyl. 5.0L					1010	
	8 Cyl. 6.6L					1009	
	8 Cyl. 7.8L					1009	
	8 Cyl. 9.0L					1009	
67-66	6 Cyl.					1010	
66	8 Cyl.					1009	
65	All Eng.					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
INTERNATIONAL HD / NAVISTAR							
MEDIUM/HEAVY TRUCK							
57-56	All Eng.					1009	
ISUZU							
CAR							
93-85	All Eng.		459	457	1040	1009	291
84-83	4 Cyl. 1.9L		459	457	1040	1009	291
84-81	4 Cyl. 1.8L	Diesel				1009	
	4 Cyl. 1.8L	Exc. Diesel	459	457	1040	1009	291
66-61	All Eng.					1009	
LIGHT DUTY TRUCK							
08-07	5 Cyl.		459	457	1040	1010	291
08-06	4 Cyl.					1009	
	6 Cyl.					1009	
06	5 Cyl.					1010	
	8 Cyl.					1009	
05	All Eng.					1009	
04-03	6 Cyl. 3.2L		459	457	1040	1009	291
	6 Cyl. 3.5L		459	457	1040	1009	291
	6 Cyl. 4.2L					1009	
	8 Cyl.					1009	
03	4 Cyl.		459	457	1040	1009	291
02-88	All Eng.		459	457	1040	1009	291
87-86	4 Cyl. 2.3L		459	457	1040	1009	291
87-83	4 Cyl. 1.9L		459	457	1040	1009	291
87-81	4 Cyl. 2.2L					1009	
82-81	4 Cyl. 1.8L		459	457	1040	1009	291
LIGHT DUTY VAN							
99-96	All Eng.		459	457	1040	1009	291
ISUZU HD							
MEDIUM/HEAVY TRUCK							
13-05	All Eng.					1011	
04-99	4 Cyl.					1010	
04-96	8 Cyl.					1011	
98	4 Cyl. 3.9L					1011	
	4 Cyl. 4.8L					1010	
97-96	4 Cyl.					1009	
95-87	All Eng.					1011	
86	All Eng.					1009	
JEEP							
LIGHT DUTY TRUCK							
15	8 Cyl. 5.7L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1010	291
15-14	4 Cyl.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
JEEP							
LIGHT DUTY TRUCK							
15-13	6 Cyl.					1009	
14-12	8 Cyl.		459	457	1040	1010	291
13	4 Cyl.		459	457	1040	1012	291
	6 Cyl.		459	457	1040	1009	291
12	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.6L					1009	
12-11	6 Cyl. 3.7L		459	457	1040	1009	291
11	4 Cyl.		459	457	1040	1012	291
	6 Cyl. 3.6L					1012	
	6 Cyl. 3.8L		459	457	1040	1012	291
	8 Cyl.		459	457	1040	1009	291
10	6 Cyl. 3.7L		459	457	1040	1012	291
	8 Cyl. 5.7L		459	457	1040	1012	291
10-09	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.7L		459	457	1040	1009	291
	8 Cyl. 6.1L					1010	
10-06	4 Cyl.		459	457	1040	1009	291
09	8 Cyl. 5.7L		459	457	1040	1010	291
08	6 Cyl. 3.0L		459	457	1040	1012	291
	6 Cyl. 3.7L		459	457	1040	1012	291
	6 Cyl. 3.8L		459	457	1040	1009	291
	8 Cyl. 4.7L		459	457	1040	1012	291
	8 Cyl. 5.7L		459	457	1040	1012	291
	8 Cyl. 6.1L					1012	
07-06	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 4.7L		459	457	1040	1009	291
	8 Cyl. 5.7L		459	457	1040	1010	291
	8 Cyl. 6.1L					1010	
05-02	All Eng.		459	457	1040	1009	291
01	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1009	291
00-92	All Eng.		459	457	1040	1009	291
91	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1011	291
90-74	All Eng.		459	457	1040	1009	291
73-72	4 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
71	6 Cyl. 3.7L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
JEEP							
LIGHT DUTY TRUCK							
71	6 Cyl. 4.2L		459	457	1040	1010	291
	8 Cyl. 5.0L		459	457	1040	1011	291
71-70	8 Cyl. 5.9L		459	457	1040	1011	291
71-69	8 Cyl. 5.7L		459	457	1040	1009	291
71-68	4 Cyl.		459	457	1040	1009	291
70-69	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.3L		459	457	1040	1011	291
68	4 Cyl. 3.1L		459	457		1009	291
	6 Cyl. 3.7L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1010	291
	8 Cyl. 5.4L		459	457	1040	1010	291
	8 Cyl.					1010	
67-65	8 Cyl.					1011	
67-63	4 Cyl. 2.2L		459	457	1040	1009	291
	4 Cyl. 3.2L		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
62	All Eng.		459	457	1040	1009	291
61-60	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	
59-47	4 Cyl.					1009	
	6 Cyl.					1010	
46-43	All Eng.					1009	
KIA							
CAR							
14	4 Cyl.		459	457	1040	1009	291
	6 Cyl.					1009	
13-10	All Eng.		459	457	1040	1009	291
09-07	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.8L					1009	
06-94	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
14-11	6 Cyl.					1009	
14-07	4 Cyl.		459	457	1040	1009	291
10-07	6 Cyl. 2.7L		459	457	1040	1009	291
	6 Cyl. 3.8L					1009	
09-08	6 Cyl. 3.3L					1009	
06-95	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
14	All Eng.					1009	
12-06	All Eng.					1009	
05-02	All Eng.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
LINCOLN							
CAR							
15	6 Cyl.		459	457	1040	1010	291
15-13	4 Cyl. 2.0L	Excl. Hybrid	459	457	1040	1009	291
	4 Cyl. 2.0L	HYBRID				1009	
14-13	6 Cyl. 3.5L		459	457	1040	1010	
	6 Cyl. 3.7L		459	457	1040	1010	291
12-11	4 Cyl.					1009	
12-10	6 Cyl.		459	457	1040	1010	
11-07	8 Cyl.		459	457	1040	1009	
09-07	6 Cyl.		459	457	1040	1010	291
06	6 Cyl.		459	457	1040	1009	
06-00	8 Cyl. 3.9L					1009	
	8 Cyl. 4.6L		459	457	1040	1009	
05-00	6 Cyl.		459	457	1040	1009	291
99-95	All Eng.		459	457	1040	1009	
94-93	8 Cyl.		459	457	1040	1009	
94-91	6 Cyl.		459	457	1040	1009	291
92-91	8 Cyl. 4.6L		459	457	1040	1009	
	8 Cyl. 5.0L		459	457	1040	1009	291
90-86	All Eng.		459	457	1040	1009	291
85-84	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1009	291
83	All Eng.		459	457	1040	1009	291
82	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1009	291
81-78	All Eng.		459	457	1040	1009	291
77	8 Cyl. 5.0L		459	457	1040	1009	291
	8 Cyl. 5.8L		459	457	1040	1009	291
	8 Cyl. 6.6L		459	457	1040	1011	291
	8 Cyl. 7.5L		459	457	1040	1009	291
76-69	All Eng.		459	457	1040	1009	291
68	8 Cyl. 7.0L		459	457	1040	1011	291
	8 Cyl. 7.5L		459	457	1040	1009	291
	8 Cyl. 7.6L		459	457	1040	1011	291
67-60	All Eng.		459	457	1040	1011	291
59-56	All Eng.		462	461	1046	1011	291
55-49	All Eng.		462	461	1046	1011	
LIGHT DUTY TRUCK							
15-13	4 Cyl.		459	457	1040	1009	291
15-11	6 Cyl.		459	457	1040	1010	
14-11	8 Cyl. 5.0L					1011	
	8 Cyl. 5.4L		459	457	1040	1010	
10	All Eng.		459	457	1040	1010	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
LINCOLN							
LIGHT DUTY TRUCK							
09-07	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1010	
06	All Eng.		459	457	1040	1010	
05	All Eng.		459	457	1040	1012	
04-03	8 Cyl. 4.6L		459	457	1040	1009	
	8 Cyl. 5.4L		459	457	1040	1010	
02-98	All Eng.		459	457	1040	1010	
MAZDA							
CAR							
15-13	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.5L		459	457	1040	1009	
14-13	4 Cyl. 1.5L		459	457	1040	1009	291
13	4 Cyl. 2.3L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
12-10	All Eng.		459	457	1040	1009	291
09	4 Cyl. 2.5L		459	457	1040	1009	291
09-04	2 Cyl.		459	457	1040	1009	291
09-03	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.3L					1009	
	6 Cyl.		459	457	1040	1009	291
05-03	4 Cyl. 1.8L		459	457	1040	1009	291
03	4 Cyl. 1.6L		459	457	1040	1009	291
02-96	All Eng.		459	457	1040	1009	291
95	2 Cyl.		459	457	1040	1009	291
	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 1.8L		459	457		1009	291
	6 Cyl. 2.3L		459	457	1040	1009	291
	6 Cyl. 2.5L		459	457	1040	1009	291
	6 Cyl. 3.0L		459	457	1040	1009	291
94-74	All Eng.		459	457	1040	1009	291
73	4 Cyl. 1.8L		459	457		1009	291
73-72	2 Cyl.		459	457	1040	1009	291
	4 Cyl. 1.6L		459	457	1040	1009	291
72	4 Cyl. 1.2L		459	457		1009	291
	4 Cyl. 1.8L		459	457	1040	1009	291
71	All Eng.		459	457	1040	1009	291
70-67	All Eng.		459	457		1009	291
LIGHT DUTY TRUCK							
15-86	All Eng.		459	457	1040	1009	291
84-72	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
15-13	All Eng.		459	457	1040	1009	
MAZDA							
LIGHT DUTY VAN							
12	All Eng.		459	457	1040	1009	291
10	All Eng.		459	457	1040	1009	291
09-07	All Eng.					1009	
06	4 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
05-02	All Eng.		459	457	1040	1009	291
01-00	All Eng.		459	457	1040	1009	
98-89	All Eng.		459	457	1040	1009	291
MERCURY							
CAR							
11-10	4 Cyl.		459	457	1040	1009	291
11-94	8 Cyl.		462	461	1046	1009	
11-92	6 Cyl.		459	457	1040	1009	291
09-06	4 Cyl.					1009	
02-92	4 Cyl.		459	457	1040	1009	291
93	8 Cyl. 5.0L		459	457		1009	291
93-92	8 Cyl. 4.6L		462	461	1046	1009	
92	8 Cyl. 5.0L		459	457	1040	1009	291
91-74	All Eng.		459	457	1040	1009	291
73-72	6 Cyl. 2.6L		459	457	1040	1010	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 4.1L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
73-71	4 Cyl.		459	457	1040	1009	291
72	6 Cyl. 2.8L		459	457	1040	1009	291
71	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.0L		459	457	1040	1009	291
	8 Cyl. 5.8L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1011	291
	8 Cyl. 6.6L		459	457	1040	1009	291
	8 Cyl. 7.0L		459	457	1040	1009	291
70	4 Cyl.		459	457		1009	291
	8 Cyl.		459	457	1040	1009	291
70-69	6 Cyl. 4.1L		459	457	1040	1009	291
70-65	6 Cyl. 2.8L		459	457		1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
69	8 Cyl. 5.0L		459	457	1040	1009	291
	8 Cyl. 5.8L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1009	291
	8 Cyl. 7.0L		459	457	1040	1011	291
68	8 Cyl.		459	457	1040	1009	291
67-66	8 Cyl. 6.7L		459	457	1040	1011	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
MERCURY							
CAR							
67-65	8 Cyl. 7.0L		459	457	1040	1009	291
67-64	8 Cyl. 4.7L		459	457	1040	1009	291
67-61	8 Cyl. 6.4L		459	457	1040	1009	291
65-62	8 Cyl. 4.3L		459	457	1040	1011	291
64	6 Cyl.		459	457	1040	1009	291
64-63	8 Cyl. 7.0L		459	457	1040	1011	291
63	6 Cyl. 3.3L		459	457	1040	1009	291
	8 Cyl. 4.7L		459	457	1040	1011	291
63-62	8 Cyl. 3.6L		459	457	1040	1011	291
	8 Cyl. 6.6L		459	457	1040	1011	291
63-61	6 Cyl. 2.4L		459	457	1040	1010	291
	6 Cyl. 2.8L		459	457	1040	1009	291
62-61	6 Cyl. 3.6L		459	457	1040	1010	291
	8 Cyl. 4.8L		459	457	1040	1011	291
	8 Cyl. 5.8L		459	457	1040	1011	291
61	6 Cyl. 3.7L		459	457	1040	1010	291
60	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1011	291
59-57	All Eng.		462	461	1046	1011	291
56	All Eng.		462	461	1046	1011	
55	All Eng.					1011	
54-50	All Eng.		462	461	1046	1011	
49	8 Cyl. 3.7L					1011	
	8 Cyl. 4.2L		462	461	1046	1011	
48-46	All Eng.		462	461	1046	1011	
42	All Eng.		462	461	1046	1011	
LIGHT DUTY TRUCK							
11	All Eng.		459	457	1040	1009	291
10-05	4 Cyl.		459	457	1040	1009	291
10-98	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	
97	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
07-04	All Eng.		459	457	1040	1009	291
02-93	All Eng.		459	457	1040	1009	291
MITSUBISHI							
CAR							
15	All Eng.		459	457		1009	291
14-05	All Eng.		459	457	1040	1009	291
04-03	4 Cyl. 1.8L		459	457		1009	291
	4 Cyl. 2.0L		459	457	1040	1009	291
	4 Cyl. 2.4L		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
MITSUBISHI							
CAR							
04-03	6 Cyl.		459	457	1040	1009	291
02-83	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
15-10	4 Cyl. 2.4L		459	457	1040	1009	291
	4 Cyl. 2.5L		459	457		1009	291
14-12	6 Cyl. 3.8L		459	457		1010	291
14-11	4 Cyl. 2.0L		459	457	1040	1009	291
14-07	6 Cyl. 3.0L		459	457	1040	1009	291
11-10	6 Cyl. 3.5L		459	457		1010	291
11-03	6 Cyl. 3.8L		459	457	1040	1010	291
09-08	4 Cyl.		459	457	1040	1009	291
09-06	6 Cyl. 3.7L		459	457	1040	1010	291
08-05	6 Cyl. 3.5L		459	457		1010	291
07-06	8 Cyl.		459	457		1009	291
06-03	4 Cyl.		459	457	1040	1009	291
04-03	6 Cyl. 3.5L		459	457	1040	1009	291
03	6 Cyl. 3.0L		459	457	1040	1009	291
02-83	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
09-07	All Eng.		459	457		1009	291
90-87	All Eng.		459	457	1040	1009	291
NISSAN							
CAR							
15	All Eng.		459	457	1040	1009	291
14	6 Cyl. 3.5L		459	457	1040	1010	291
14-09	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457	1040	1010	291
	6 Cyl. 3.8L		459	457	1040	1009	291
13-09	6 Cyl. 3.5L		459	457	1040	1009	291
08-71	All Eng.		459	457	1040	1009	291
70	4 Cyl. 1.0L		459	457	1040	1009	291
	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.6L	1600	459	457			291
	6 Cyl.		459	457	1040	1009	291
70-68	4 Cyl. 2.0L		459	457	1040	1009	291
70-66	4 Cyl. 1.6L		459	457	1040	1009	291
69-65	4 Cyl. 1.0L					1009	
67	4 Cyl. 2.0L					1009	
67-66	4 Cyl. 1.3L		459	457	1040	1009	291
65-63	4 Cyl. 1.2L		459	457	1040	1009	291
	4 Cyl. 1.3L					1009	
	4 Cyl. 1.5L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
NISSAN							
CAR							
62-60	All Eng.		459	457	1040	1009	291
59-58	All Eng.					1009	
LIGHT DUTY TRUCK							
15	All Eng.		459	457	1040	1009	291
14-11	4 Cyl. 1.6L		459	457	1040	1009	291
14-06	4 Cyl. 2.4L					1009	291
14-05	4 Cyl. 2.5L		459	457	1040	1009	291
14-04	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
05	4 Cyl. 2.4L		459	457		1009	291
04	4 Cyl. 2.4L		459	457	1040	1009	291
	4 Cyl. 2.5L					1009	291
03-86	All Eng.		459	457	1040	1009	291
85-84	4 Cyl. 2.4L		459	457	1040	1009	291
	4 Cyl. 2.5L		459	457	1040	1009	291
85-83	4 Cyl. 2.0L		459	457		1009	291
	4 Cyl. 2.0L	720	459	457	1040		291
83	4 Cyl. 2.4L		459	457		1009	291
	4 Cyl. 2.4L	720	459	457	1040		291
	4 Cyl. 2.5L		459	457		1009	291
	4 Cyl. 2.5L	720	459	457	1040		291
83-82	4 Cyl. 2.2L		459	457		1009	291
	4 Cyl. 2.2L	720	459	457	1040		291
81	All Eng.		459	457	1040	1009	291
80	4 Cyl. 2.0L	720	459	457	1040		291
80-75	4 Cyl. 2.0L		459	457		1009	291
79-75	4 Cyl. 2.0L	620	459	457	1040		291
74-70	All Eng.		459	457	1040	1009	291
69	4 Cyl. 1.3L		459	457	1040	1009	291
	4 Cyl. 1.6L		459	457		1009	291
69-65	6 Cyl.		459	457		1010	291
68-65	4 Cyl.		459	457	1040	1009	291
64-61	All Eng.		459	457		1010	291
LIGHT DUTY VAN							
15	6 Cyl.		459	457	1040	1009	291
15-13	4 Cyl. 2.0L		459	457	1040	1009	291
15-10	4 Cyl. 2.5L					1009	291
14-12	6 Cyl. 3.5L		459	457	1040	1009	291
	6 Cyl. 4.0L		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1010	291
13-10	4 Cyl. 3.0L					1009	
11	6 Cyl.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
NISSAN							
LIGHT DUTY VAN							
09	4 Cyl.					1009	291
09-04	6 Cyl.		459	457	1040	1009	291
08	4 Cyl. 2.4L					1009	
	4 Cyl. 2.5L						291
07-06	4 Cyl.					1009	291
05-04	4 Cyl.		459	457		1009	291
03	All Eng.		459	457		1009	291
02-00	4 Cyl.		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
99-91	All Eng.		459	457	1040	1009	291
88-87	All Eng.		459	457	1040	1009	291
OLDSMOBILE							
CAR							
04-02	4 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
03-02	8 Cyl.		459	457	1040	1009	291
01-00	All Eng.		459	457	1040	1009	291
99	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.1L		459	457	1040	1009	291
	6 Cyl. 3.4L		459	457	1040	1009	291
	6 Cyl. 3.5L					1009	
	6 Cyl. 3.8L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
98-93	All Eng.		459	457	1040	1009	291
92-86	6 Cyl.		459	457	1040	1009	291
	8 Cyl.		462	461	1046	1009	291
92-77	4 Cyl.		459	457	1040	1009	291
85	6 Cyl. 4.3L					1009	
85-82	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1009	291
85-81	8 Cyl. 5.7L					1009	
85-77	8 Cyl. 5.0L		462	461	1046	1009	291
84	6 Cyl. 4.3L					1010	
84-82	6 Cyl. 4.1L		459	457	1040	1009	291
83	6 Cyl. 4.3L		459	457	1040	1010	291
82	6 Cyl. 4.3L					1010	
82-81	8 Cyl. 4.4L		462	461	1046	1009	291
82-80	8 Cyl. 4.3L		459	457	1040	1009	291
81-77	6 Cyl.		459	457	1040	1009	291
80-78	8 Cyl. 5.7L	Diesel				1009	
	8 Cyl. 5.7L	Gas	459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
OLDSMOBILE							
CAR							
79	8 Cyl. 4.3L	Diesel				1009	
	8 Cyl. 4.3L	Gas	459	457	1040	1009	291
	8 Cyl. 4.9L		459	457	1040	1009	291
79-77	8 Cyl. 6.6L		459	457	1040	1009	291
78-77	8 Cyl. 4.3L		459	457	1040	1009	291
77	8 Cyl. 5.7L		459	457	1040	1009	291
76-68	All Eng.		459	457	1040	1009	291
67-65	8 Cyl. 5.4L		459	457	1040	1011	291
	8 Cyl. 6.6L		459	457	1040	1009	291
	8 Cyl. 7.0L		459	457	1040	1009	291
67-64	6 Cyl.		459	457	1040	1009	291
64	8 Cyl.		459	457	1040	1011	291
63-61	8 Cyl. 3.5L		462	461	1046	1009	291
	8 Cyl. 6.5L		459	457	1040	1011	291
60	All Eng.		459	457	1040	1011	291
59	8 Cyl. 6.1L		459	457	1040	1011	291
	8 Cyl. 6.5L					1011	
58-57	All Eng.		459	457	1040	1011	291
56-46	All Eng.					1011	
42	All Eng.					1011	
LIGHT DUTY TRUCK							
04-96	All Eng.		459	457	1040	1009	291
94-91	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
04-90	All Eng.		459	457	1040	1009	291
PLYMOUTH							
CAR							
01-99	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
98	All Eng.		459	457	1040	1009	291
97	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
96-79	All Eng.		459	457	1040	1009	291
78-76	4 Cyl.		459	457	1040	1009	291
78-72	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.6L		459	457	1040	1009	291
	8 Cyl. 7.2L		459	457	1040	1009	291
73-72	8 Cyl. 5.6L		459	457	1040	1009	291
73-71	4 Cyl.		459	457	1040	1009	291
71	8 Cyl. 5.9L		459	457	1040	1011	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
PLYMOUTH							
CAR							
71-70	6 Cyl. 2.8L		459	457	1040	1010	291
	6 Cyl. 3.2L		459	457	1040	1009	291
71-68	6 Cyl. 3.7L		459	457	1040	1010	291
	8 Cyl. 5.2L		459	457	1040	1011	291
	8 Cyl. 5.6L		459	457	1040	1011	291
	8 Cyl. 7.0L		459	457	1040	1011	291
	8 Cyl. 7.2L		459	457	1040	1011	291
71-66	8 Cyl. 6.3L		459	457	1040	1011	291
69	8 Cyl. 4.5L		459	457	1040	1009	291
69-68	6 Cyl. 2.8L		459	457	1040	1009	291
68	8 Cyl. 4.5L		459	457	1040	1011	291
67-66	8 Cyl. 7.2L		459	457	1040	1009	291
67-64	8 Cyl. 4.5L		459	457	1040	1009	291
67-63	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 7.0L		459	457	1040	1009	291
66	8 Cyl. 5.9L		459	457	1040	1011	291
65	8 Cyl. 5.9L		459	457	1040	1011	291
	8 Cyl. 6.3L		459	457	1040	1011	291
64	8 Cyl. 6.3L		459	457	1040	1009	291
64-63	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.7L		459	457	1040	1011	291
63	8 Cyl. 6.3L		459	457	1040	1011	291
62	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.7L		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1010	291
61	8 Cyl. 6.7L		459	457	1040	1011	291
	8 Cyl. 6.8L		459	457	1040	1011	291
61-60	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.3L		459	457	1040	1011	291
59	8 Cyl.		462	461	1046	1011	291
59-55	6 Cyl.		459	457	1040	1010	
58	8 Cyl. 5.2L		462	461	1046	1011	291
	8 Cyl. 5.7L		462	461	1046	1011	291
	8 Cyl. 5.9L					1011	
58-57	8 Cyl. 5.1L					1011	
57	8 Cyl. 4.5L		462	461	1046	1011	
	8 Cyl. 4.9L		462	461	1046	1011	
	8 Cyl. 5.2L		462	461	1046	1011	
56	8 Cyl.		462	461	1046	1011	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
PLYMOUTH							
CAR							
55	8 Cyl. 3.9L		462	461	1046	1011	
	8 Cyl. 4.0L		462	461	1046	1011	
	8 Cyl. 4.2L					1011	
	8 Cyl. 4.3L		462	461	1046	1011	
54	6 Cyl. 3.8L		459	457	1040	1010	
54-50	6 Cyl. 3.6L		459	457	1040	1010	291
53-49	6 Cyl. 3.8L					1010	
49	6 Cyl. 3.6L		459	457	1040	1010	
48-46	All Eng.		459	457	1040	1010	
42	All Eng.		459	457	1040	1010	
LIGHT DUTY TRUCK							
82-79	All Eng.		459	457	1040	1009	291
78-77	8 Cyl. 6.6L		459	457	1040	1009	291
78-74	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 7.2L		459	457	1040	1009	291
LIGHT DUTY VAN							
00-98	All Eng.		459	457	1040	1009	291
97-96	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1010	291
95-79	All Eng.		459	457	1040	1009	291
78-76	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 6.6L		459	457	1040	1009	291
	8 Cyl. 7.2L		459	457	1040	1009	291
75	All Eng.		459	457	1040	1009	291
74	6 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.2L		459	457	1040	1009	291
	8 Cyl. 5.9L		459	457	1040	1009	291
	8 Cyl. 7.2L		459	457	1040	1009	291
PONTIAC							
CAR							
10	4 Cyl.					1009	
10-08	4 Cyl. 1.0L					1009	291
10-05	4 Cyl. 1.8L		459	457	1040	1009	291
10-04	6 Cyl.		459	457	1040	1009	291
09	4 Cyl. 1.6L					1009	
	4 Cyl. 2.0L					1009	



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
PONTIAC							
CAR							
09	4 Cyl. 2.2L					1009	
	4 Cyl. 2.4L					1009	
09-07	8 Cyl.		459	457	1040	1010	
08-07	4 Cyl.					1009	
06	4 Cyl. 1.6L					1009	
	4 Cyl. 2.2L					1009	
	4 Cyl. 2.4L					1009	
	8 Cyl.		459	457	1040	1010	291
06-04	4 Cyl. 1.0L					1009	291
05	4 Cyl.					1009	
	8 Cyl. 5.3L		459	457	1040	1010	291
	8 Cyl. 6.0L		459	457	1040	1010	291
05-04	8 Cyl. 4.6L		459	457	1040	1011	291
04	4 Cyl.		459	457	1040	1009	291
	8 Cyl. 5.7L					1010	
03	All Eng.		459	457	1040	1009	291
02-01	6 Cyl.		459	457	1040	1009	291
02-97	4 Cyl.		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1010	291
00	6 Cyl. 3.4L		459	457	1040	1009	291
	6 Cyl. 3.8L		459	457	1040	1010	291
00-99	6 Cyl. 3.1L		459	457	1040	1009	291
00-97	3 Cyl.		459	457	1040	1009	291
99	6 Cyl. 3.4L		459	457	1040	1010	291
	6 Cyl. 3.8L		459	457	1040	1009	291
98-97	6 Cyl.		459	457	1040	1009	291
96-93	All Eng.		459	457	1040	1009	291
92-89	6 Cyl.		459	457	1040	1009	291
92-87	8 Cyl. 5.0L		462	461	1046	1009	291
	8 Cyl. 5.7L		459	457	1040	1009	291
92-75	4 Cyl.		459	457	1040	1009	291
91-85	3 Cyl.		459	457	1040	1009	291
88	6 Cyl. 2.8L		459	457	1040	1009	291
	6 Cyl. 3.1L		459	457	1040	1010	291
	6 Cyl. 3.8L		459	457	1040	1009	291
87-86	6 Cyl.		459	457	1040	1009	291
86	8 Cyl.		462	461	1046	1009	291
85	6 Cyl. 3.0L		459	457	1040	1009	291
	6 Cyl. 4.3L	260 CID				1009	
	6 Cyl. 4.3L	262 CID	459	457	1040	1009	291
85-83	8 Cyl. 5.0L		462	461	1046	1009	291
85-82	6 Cyl. 2.8L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
PONTIAC							
CAR							
85-82	6 Cyl. 3.8L		459	457	1040	1009	291
85-71	8 Cyl. 5.7L					1009	
84-82	6 Cyl. 4.3L					1009	
82	6 Cyl. 4.1L		459	457	1040	1009	291
	8 Cyl.		462	461	1046	1009	291
81-80	8 Cyl. 4.3L		459	457	1040	1009	291
81-79	8 Cyl. 4.4L		462	461	1046	1009	291
81-77	8 Cyl. 4.9L		459	457	1040	1009	291
81-76	8 Cyl. 5.0L		462	461	1046	1009	291
81-74	6 Cyl.		459	457	1040	1009	291
79-71	8 Cyl. 6.6L		459	457	1040	1009	291
76-75	8 Cyl. 4.3L		459	457	1040	1009	291
76-71	8 Cyl. 7.5L		459	457	1040	1009	291
73	8 Cyl. 5.0L		459	457	1040	1009	291
73-68	6 Cyl.		459	457	1040	1010	291
72-71	8 Cyl. 5.0L		462	461	1046	1009	291
71	8 Cyl. 7.4L		459	457	1040	1009	291
70	8 Cyl. 5.0L		459	457	1040	1011	291
	8 Cyl. 5.7L		459	457	1040	1011	291
70-69	8 Cyl.		459	457	1040	1009	291
70-66	6 Cyl.		459	457	1040	1009	291
70-63	4 Cyl.		459	457		1009	291
69	8 Cyl.		459	457	1040	1011	291
68	8 Cyl. 5.0L		459	457	1040	1011	291
	8 Cyl. 5.3L		459	457	1040	1011	291
	8 Cyl. 5.7L		459	457	1040	1011	291
	8 Cyl. 6.5L		459	457	1040	1011	291
68-67	8 Cyl. 6.6L		459	457	1040	1009	291
68-66	8 Cyl. 7.0L		459	457	1040	1009	291
67-66	6 Cyl. 3.2L		459	457	1040	1010	291
	6 Cyl. 4.1L		459	457	1040	1010	291
	8 Cyl. 4.6L		459	457	1040	1011	291
67-65	8 Cyl. 5.3L		459	457	1040	1009	291
	8 Cyl. 6.5L		459	457	1040	1009	291
66-65	8 Cyl. 6.4L		459	457	1040	1009	291
	8 Cyl. 6.9L		459	457	1040	1009	291
65	6 Cyl. 3.8L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
	8 Cyl.		459	457	1040	1011	291
64	6 Cyl. 3.2L		459	457	1040	1010	291
	6 Cyl. 3.5L		459	457	1040	1010	291
	6 Cyl.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
PONTIAC							
CAR							
64-63	8 Cyl.		459	457	1040	1009	291
64-61	8 Cyl. 6.7L		459	457	1040	1011	291
64-60	8 Cyl. 4.6L		459	457	1040	1011	291
63	4 Cyl.		459	457	1040	1009	291
63-60	6 Cyl.		459	457	1040	1010	291
62	8 Cyl. 5.3L		459	457	1040	1011	291
62-61	4 Cyl.		459	457	1040	1010	291
	8 Cyl. 3.5L		459	457	1040	1011	291
	8 Cyl. 6.4L		459	457	1040	1009	291
	8 Cyl. 6.9L		459	457	1040	1011	291
62-60	8 Cyl. 5.7L		459	457	1040	1011	291
60	8 Cyl.		459	457	1040	1009	291
59-46	6 Cyl.					1010	
	8 Cyl.					1011	
42	6 Cyl.					1010	
	8 Cyl.					1011	
LIGHT DUTY TRUCK							
09-01	All Eng.		459	457	1040	1009	291
97-94	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
09-00	All Eng.		459	457	1040	1009	291
99	All Eng.		459	457	1040	1010	291
98-90	All Eng.		459	457	1040	1009	291
RAM							
LIGHT DUTY TRUCK							
14	6 Cyl. 3.0L		459	457	1040	1009	291
	8 Cyl. 5.7L		459	457	1040	1009	291
	8 Cyl. 6.4L		459	457	1040	1010	291
14-13	6 Cyl. 3.6L		459	457	1040	1009	291
	6 Cyl. 6.7L					1010	
13	6 Cyl. 3.7L		459	457	1040	1009	291
	8 Cyl.		459	457	1040	1009	291
12-10	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
14	4 Cyl. 2.4L		459	457	1040	1009	291
	4 Cyl. 2.5L		459	457	1040	1009	291
	4 Cyl. 3.0L					1009	
	6 Cyl.					1009	
13-12	All Eng.					1009	
SATURN							
CAR							
10	All Eng.		459	457		1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
SATURN							
CAR							
09	6 Cyl.		459	457	1040	1009	
09-07	4 Cyl.		459	457	1040	1009	291
08-07	6 Cyl. 3.5L		459	457	1040	1009	291
	6 Cyl. 3.6L		459	457	1040	1009	
06-05	All Eng.		459	457	1040	1009	291
04-00	4 Cyl.		459	457	1040	1009	291
	6 Cyl.					1009	
99-91	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
10	6 Cyl.		459	457	1040	1009	
10-07	4 Cyl.		459	457	1040	1009	291
09-07	6 Cyl. 3.5L		459	457	1040	1009	291
	6 Cyl. 3.6L		459	457	1040	1009	
06-04	All Eng.		459	457	1040	1009	291
03-02	4 Cyl.		459	457	1040	1009	291
	6 Cyl.					1009	
LIGHT DUTY VAN							
07-05	All Eng.		459	457	1040	1009	291
SCION							
CAR							
14	4 Cyl. 2.0L		459	457	1040	1009	
14-13	4 Cyl. 2.5L					1009	
13	4 Cyl. 1.3L					1009	
	4 Cyl. 1.8L					1009	
	4 Cyl. 2.0L		459	457	1040	1009	291
12-11	All Eng.					1009	
10-08	4 Cyl. 1.8L					1009	
	4 Cyl. 2.4L		459	457	1040	1009	291
07-04	All Eng.		459	457	1040	1009	291
LIGHT DUTY VAN							
14	All Eng.		459	457	1040	1009	
13-08	All Eng.		459	457	1040	1009	291
06-04	All Eng.		459	457	1040	1009	291
SUBARU							
CAR							
15-10	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
11-10	4 Cyl.		459	457		1009	291
09	All Eng.		459	457	1040	1009	291
08	4 Cyl.		459	457			291
	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
SUBARU							
CAR							
07-72	All Eng.		459	457	1040	1009	291
71	4 Cyl. 1.1L		459	457	1040	1009	291
	4 Cyl. 1.3L					1009	
70	2 Cyl.		459	457	1040	1009	291
	4 Cyl.					1009	
69-68	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
14-08	All Eng.		459	457	1040	1010	291
07-03	All Eng.		459	457	1040	1009	291
87-78	All Eng.		459	457	1040	1009	291
SUZUKI							
LIGHT DUTY TRUCK							
09-07	All Eng.					1009	
TOYOTA							
CAR							
15	4 Cyl.					1009	
15-09	6 Cyl.					1010	
14-10	4 Cyl. 2.5L					1009	
14-09	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.8L					1009	
13-09	4 Cyl. 2.4L		459	457	1040	1009	291
08-05	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
	6 Cyl. 3.5L		459	457	1040	1010	291
06-04	6 Cyl. 3.0L		459	457	1040	1009	291
04	4 Cyl. 1.3L		459	457		1009	291
	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.8L		459	457	1040	1009	291
	4 Cyl. 2.4L		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1010	291
03-87	All Eng.		459	457	1040	1009	291
86-84	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.6L		459	457	1040	1009	291
	4 Cyl. 1.8L					1009	
	4 Cyl. 2.0L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
85-84	4 Cyl. 2.4L		459	457	1040	1009	291
84	4 Cyl. 1.3L		459	457	1040	1009	291
83-81	All Eng.		459	457	1040	1009	291
80-78	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
77	All Eng.		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
TOYOTA							
CAR							
76-73	6 Cyl.		459	457	1040	1010	291
76-70	4 Cyl.		459	457	1040	1009	291
72-71	6 Cyl. 2.3L		459	457	1040	1010	
	6 Cyl. 2.6L		459	457		1010	291
70-69	6 Cyl.		459	457	1040	1010	
69	4 Cyl. 1.1L		459	457	1040	1009	291
	4 Cyl. 1.2L		459	457		1009	291
69-68	4 Cyl. 1.9L		459	457	1040	1009	291
68	4 Cyl. 1.1L					1009	
68-67	6 Cyl.		459	457	1040	1010	291
67	4 Cyl.		459	457	1040	1009	291
66-58	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
15	4 Cyl. 2.5L					1009	
	4 Cyl. 2.7L		459	457	1040	1010	291
	6 Cyl.					1009	
14	6 Cyl. 3.5L					1009	
14-12	8 Cyl. 4.6L					1011	
	8 Cyl. 5.7L					1009	
14-10	6 Cyl. 4.0L	4Runner				1009	
	6 Cyl. 4.0L	FJ Cruiser				1009	
	6 Cyl. 4.0L	Tacoma	459	457	1040	1009	291
	6 Cyl. 4.0L	Tundra	459	457	1040	1009	291
14-09	4 Cyl. 2.5L					1010	
	4 Cyl. 2.7L	Highlander	459	457	1040	1010	291
	4 Cyl. 2.7L	Hilux	459	457	1040	1010	291
	4 Cyl. 2.7L	Tacoma	459	457	1040	1010	291
	4 Cyl. 2.7L	Venza	459	457	1040	1010	
13	6 Cyl. 3.5L					1010	
13-12	All Eng.	HYBRID				1009	
12-06	6 Cyl. 3.5L					1009	
11-10	8 Cyl.					1011	
10	4 Cyl. 2.7L	4Runner	459	457	1040	1010	291
10-08	6 Cyl. 3.3L		459	457	1040	1009	
09-07	8 Cyl. 4.7L		459	457	1040	1009	291
	8 Cyl. 5.7L					1011	
09-06	6 Cyl. 4.0L		459	457	1040	1009	291
08	4 Cyl. 2.4L		459	457	1040	1009	291
	4 Cyl. 2.7L		459	457	1040	1010	291
07-06	4 Cyl.		459	457	1040	1009	291
	6 Cyl. 3.3L		459	457	1040	1009	291
06	8 Cyl.		459	457	1040	1009	291



YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
TOYOTA							
LIGHT DUTY TRUCK							
05-88	All Eng.		459	457	1040	1009	291
87-86	4 Cyl. 3.4L		459	457		1009	291
87-81	4 Cyl. 2.4L		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
85-81	4 Cyl. 3.4L					1009	
83-81	4 Cyl. 2.2L		459	457	1040	1009	291
80-70	All Eng.		459	457	1040	1009	291
69	4 Cyl.		459	457	1040	1010	291
	6 Cyl.		459	457	1040	1009	291
68-65	4 Cyl.					1010	
	6 Cyl.		459	457	1040	1010	291
64-60	All Eng.					1010	
LIGHT DUTY VAN							
15	All Eng.					1010	
14-10	4 Cyl. 1.5L					1009	
	4 Cyl. 2.7L					1009	291
	6 Cyl.					1010	
09-08	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1010	291
07-91	All Eng.		459	457	1040	1009	291
89-84	All Eng.		459	457	1040	1009	291
VOLKSWAGEN							
CAR							
15-14	4 Cyl. 1.8L		459	457	1040	1009	291
15-13	4 Cyl. 1.4L	Excl. Hybrid	459	457	1040	1009	291
	4 Cyl. 1.4L	HYBRID				1009	
	4 Cyl. 2.0L		459	457	1040	1009	291
14	4 Cyl. 1.2L		459	457		1009	291
	4 Cyl. 1.6L		459	457		1009	291
14-05	5 Cyl.		459	457	1040	1009	291
14-95	6 Cyl.		459	457	1040	1009	291
13-11	4 Cyl.		459	457		1009	291
12-08	4 Cyl.		459	457	1040	1009	291
10-07	4 Cyl. 1.8L		459	457		1009	291
	4 Cyl. 1.9L		459	457		1009	291
10-96	4 Cyl. 1.6L		459	457		1009	291
07	4 Cyl. 2.0L		459	457	1040	1009	291
06-04	12 Cyl.		459	457		1009	291
06-02	8 Cyl.		459	457		1009	291
06-98	4 Cyl.		459	457	1040	1009	291
03	6 Cyl.		459	457		1009	291
97-95	4 Cyl. 1.8L		459	457	1040	1009	291

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
VOLKSWAGEN							
CAR							
97-95	4 Cyl. 1.9L		459	457	1040	1009	291
	4 Cyl. 2.0L		459	457	1040	1009	291
95	4 Cyl.		459	457		1009	291
94-93	All Eng.		459	457	1040	1009	291
92	6 Cyl.		459	457	1040	1009	291
92-90	4 Cyl. 2.0L		459	457	1040	1009	291
92-83	4 Cyl. 1.8L		459	457	1040	1009	291
92-77	4 Cyl. 1.6L		459	457	1040	1009	
88-83	5 Cyl.		459	457	1040	1009	291
84-81	4 Cyl. 1.7L		459	457	1040	1009	291
80-77	4 Cyl. 1.5L		459	457	1040	1009	291
76	All Eng.		459	457	1040	1009	
75-74	4 Cyl. 1.5L		459	457	1040	1009	291
	4 Cyl. 1.6L		459	457	1040	1009	
74	4 Cyl. 1.7L		459	457	1040	1009	
	4 Cyl. 1.8L		459	457	1040	1009	291
73-67	All Eng.		459	457	1040	1009	291
66	4 Cyl. 1.2L					1009	
	4 Cyl. 1.3L		459	457	1040	1009	291
	4 Cyl. 1.6L		459	457	1040	1009	291
65-55	All Eng.		459	457	1040	1009	291
54	4 Cyl. 1.1L					1009	
	4 Cyl. 1.2L		459	457	1040	1009	291
53-50	All Eng.		459	457	1040	1009	291
49-46	All Eng.					1009	
LIGHT DUTY TRUCK							
15-14	4 Cyl. 1.4L		459	457		1009	291
15-13	4 Cyl. 2.0L		459	457	1040	1009	291
14	4 Cyl. 1.6L		459	457		1009	291
14-11	8 Cyl.		459	457		1009	291
14-08	6 Cyl.		459	457	1040	1009	291
13-11	4 Cyl.		459	457		1009	291
12-09	4 Cyl.		459	457	1040	1009	291
10-09	4 Cyl. 1.6L		459	457		1009	291
	4 Cyl. 1.8L		459	457		1009	291
09-04	8 Cyl.		459	457		1009	291
08-04	10 Cyl.		459	457		1009	291
	4 Cyl.		459	457		1009	291
07	6 Cyl. 3.2L		459	457		1009	291
	6 Cyl. 3.6L		459	457	1040	1009	291
06-04	6 Cyl.		459	457	1040	1009	291
03-99	All Eng.		459	457		1009	291

YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
VOLKSWAGEN							
LIGHT DUTY TRUCK							
83-81	All Eng.		459	457	1040	1009	291
80	4 Cyl. 1.5L		459	457		1009	291
	4 Cyl. 1.6L		459	457	1040	1009	291
78-77	All Eng.		459	457		1009	291
LIGHT DUTY VAN							
15	All Eng.		459	457		1009	291
14-09	4 Cyl.		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
12-09	5 Cyl.		459	457		1009	291
08-04	All Eng.		459	457		1009	291
03-01	5 Cyl.		459	457		1009	291
03-99	4 Cyl.		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
98	All Eng.		459	457		1009	291
97	5 Cyl.		459	457		1009	291
	6 Cyl.		459	457	1040	1009	291
97-92	4 Cyl.		459	457		1009	291
96-92	5 Cyl.		459	457	1040	1009	291
91-89	4 Cyl. 1.8L		459	457		1009	291
91-86	4 Cyl. 2.1L		459	457	1040	1009	291
88-84	4 Cyl. 1.6L		459	457		1009	291
85-84	4 Cyl. 1.9L		459	457	1040	1009	291
83-82	All Eng.		459	457	1040	1009	291
81-76	4 Cyl. 2.0L		459	457	1040	1009	291
81-74	4 Cyl. 1.6L		459	457		1009	291
75-74	4 Cyl. 1.8L		459	457	1040	1009	291
73-66	All Eng.		459	457	1040	1009	291
65	4 Cyl. 1.2L					1009	
	4 Cyl. 1.5L		459	457	1040	1009	291
64-55	All Eng.		459	457	1040	1009	291
54	4 Cyl. 1.1L					1009	
	4 Cyl. 1.2L		459	457	1040	1009	291
53-50	All Eng.		459	457	1040	1009	291
49	All Eng.					1009	
VOLVO							
CAR							
15	All Eng.					1009	
14-11	4 Cyl. 1.6L					1009	291
	4 Cyl. 2.0L					1009	
	5 Cyl.					1009	
	6 Cyl.					1009	
10-08	All Eng.					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Application Guide





YEAR	ENGINE	NOTE	ENGINE LIGHT DUTY	ENGINE MEDIUM DUTY	ENGINE HEAVY DUTY	POWER STEERING PART NO	POWER STEERING REMOTE FILTER KIT(1)
VOLVO							
CAR							
07	8 Cyl.					1009	
07-98	5 Cyl.					1009	
	6 Cyl.		459	457	1040	1009	291
04-00	4 Cyl.		459	457	1040	1009	291
97-83	All Eng.		459	457	1040	1009	291
82-81	4 Cyl.		459	457		1009	291
	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457	1040	1009	291
80-70	All Eng.		459	457	1040	1009	291
69	4 Cyl.		459	457	1040	1009	291
	6 Cyl.		459	457		1009	291
68-62	All Eng.		459	457	1040	1009	291
61	4 Cyl. 1.8L		459	457	1040	1009	291
61-60	4 Cyl. 1.6L		459	457	1040	1009	291
61-59	4 Cyl. 1.4L					1009	
59-57	4 Cyl. 1.6L		459	457	1040	1009	
58-57	4 Cyl. 1.4L		459	457	1040	1009	291
56-46	All Eng.		459	457	1040	1009	291
LIGHT DUTY TRUCK							
15-08	All Eng.					1009	
07-05	8 Cyl.					1009	
07-03	6 Cyl.		459	457	1040	1009	291
06-03	5 Cyl.					1009	

(1) Remote filter kit is only for use with spin-on style filters. Some OE filters will not seal on the oil filter adapter; use Fram filter number PH8A or equivalent. For filters with 22mm thread, additional part #271 is required.

Continuing the Legacy of Blue Streak® with Quality Performance Parts by Hayden®

Blue Streak® has been the flagship brand for Standard® performance products for over 80 years. The Blue Streak® name became synonymous with premium quality in the automotive aftermarket with a product that was actually superior to the O.E. part. Eighty years later, nothing has changed. Hayden® continues this great legacy with performance products utilizing the highest quality components available. These products are much higher quality than O.E. for maximum performance and are offered for only extremely popular applications.

Blue Streak Performance™ radiator fan motors by Hayden® offer you the latest technology in performance engine cooling. These drop-in O.E. replacements utilize the O.E. blade, shroud, and O.E. style connectors without the investment of expensive radiators or modifications. Plug and play installation typically takes less than 30 minutes. The Blue Streak Performance™ radiator fan motors are engineered to improve the O.E. design for increased performance.

P/N 3850 - Chevrolet Camaro Applications**

FEATURES*

- 20% INCREASE IN AIRFLOW
- 25% INCREASE IN FAN MOTOR TORQUE
- 14% INCREASE IN FAN SPEED
- 41% INCREASE IN FAN MOTOR HP
- HEAVY DUTY BRUSHES
- INCREASED WINDINGS
- HEAVY DUTY BALL BEARINGS

YEAR	CYLINDER	LITER	REQUIRED
2015	8	6.2	2
2015	8	7.0	2
2014	6	3.6	2
2014	8	6.2	2
2014	8	7.0	2
2013	6	3.6	2
2013	8	6.2	2
2012	6	3.6	2

P/N 3855 - Chevrolet, GM and Cadillac Truck Applications**

FEATURES*

- 25% INCREASE IN AIRFLOW
- 150 RPM INCREASE IN FAN SPEED
- 15% INCREASE FAN MOTOR HP
- HEAVY DUTY BALL BEARINGS
- HEAVY DUTY BRUSHES
- INCREASED WINDINGS

YEAR	MAKE	MODEL	REQUIRED
2008-2005	Cadillac	Escalade	2
2013-2005	Chevrolet	Avalanche	2
2005	Chevrolet	Blazer	2
2013-2005	Chevrolet	Silverado	2
2014-2005	Chevrolet	Suburban	2
2014-2005	Chevrolet	Tahoe	2
2005	GMC	Jimmy	2
2013-2005	GMC	Sierra	2
2014-2005	GMC	Yukon	2

*Specifications based on dual fan motor replacement. **Visit the application guide or ecatalog for full application listing.

Specifications

8” Electric Fan P/N 3660

Late model cars and trucks have less and less room for the components required to properly meet the cooling demand of today’s transmissions. Small radiators do an inefficient job, and some O.E. coolers just don’t get the job done.

FEATURES*

8’ DIAMETER ALLOWS FOR MANY DIFFERENT APPLICATIONS
- TRANSMISSION COOLING
- ENGINE OIL COOLING
- CUSTOM RADIATOR DESIGNS

HEAVY DUTY, HIGH PERFORMANCE FOUR POLE MOTOR

LONGER LIFE AND MORE TORQUE THAN STANDARD TWO POLE MOTORS

STAGGERED ANGLE, HIGH VELOCITY BLADES MAXIMIZE AIRFLOW

MOLDED STABILIZER RING REDUCES AIRFLOW BY-PASS

COMPATIBLE WITH ALL HAYDEN FAN CONTROLLERS

Electric Fan Installation Guide



TO USE AS A PRIMARY COOLING FAN

1 Refer to application section to determine the recommended fan(s) for your specific engine.

2 Using the specification chart, verify that the recommended fan(s) will fit in the available space on your radiator/ AC condenser core, allow 1” clearance between the nearest engine/vehicle component.

3 Use either an adjustable or preset fan controller to operate up to two fans. A toggle switch, (not supplied) can also be used.

CAUTION: Do not use fans smaller than those recommended, cooling problems may occur.

TO USE AS AN ADD-ON COOLING FAN

1 Measure the available space on the radiator/condenser where the fan is to be mounted. Allow at least 1” of clearance between the nearest engine/ vehicle component.

2 Refer to the specification chart and determine the largest fan that will fit in the available space.

3 Use either an adjustable or preset fan controller to operate up to two fans. A toggle switch (not supplied) may also be used.

Heavy Duty Cooler Combo Assembly P/N 527

The Hayden 8" high performance electric fan (P/N 3660) with a unique, low profile, four pole motor, combined with our 37mm heavy duty cooler (P/N 778) creates a self-contained, compact cooling machine. Our distinctive staggered angle, high velocity blade, increases airflow while the patented baffle design optimizes cooler performance.

FEATURES

P/N 3660

- HEAVY DUTY, HIGH PERFORMANCE FOUR POLE MOTOR FOR INCREASED OUTPUT & ENDURANCE
- STAGGERED ANGLE, HIGH VELOCITY BLADES MAXIMIZE AIRFLOW
- MOLDED STABILIZER RING REDUCE AIRFLOW BY-PASS

P/N 778

- PATENTED BAFFLE TURBULATION DESIGN CROSS DIRECTS FLUID FOR OPTIMAL PERFORMANCE AND PEAK COOLING
- HIGH FLOW COMPACT DESIGN ALLOWS INCREASED HEAT TRANSFER OVER 20,000 BTU/HR WITH MINIMAL SPACE REQUIRED FOR INSTALLATION
- PRE-DRILLED BRACKETS ALLOW FOR EASY INSTALLATION
- INCLUDES JIC MALE FLARE FITTING (-12 AN) FOR MAXIMUM FLOW 1-5 GPM

Each unit comes completely pre-assembled with powder coated brackets for increased durability.

Fitting Kit
- P/N 387 - 3/8" Hose Barb x 7/8" - 14 Thread
- P/N 388 - 1/2" Hose Barb x 7/8" - 14 Thread
- P/N 389 - 5/8" Hose Barb x 7/8" - 14 Thread
- P/N 3802 - Pre-drilled, Powder Coated Brackets and Hardware Kit

Each item also available separately



389, 388, 387, 778, 3802, 3660



527

Specifications

High Performance Cooling Electric Fans

FEATURES

IP68 WATERPROOF AND DUST PROOF RATING
STRAIGHT BLADE DESIGN FOR MAXIMUM AIRFLOW PERFORMANCE
INCLUDES MOUNTING HARDWARE FOR EASE OF INSTALLATION
AVAILABLE IN BOTH PUSHER OR PULLER DESIGNS
AVAILABLE IN 14" AND 16" DIAMETERS
COMPATIBLE WITH ALL HAYDEN® FAN CONTROLLERS

Blue Streak Performance™ by Hayden® is proud to introduce a new line of high performance cooling fans. The high-quality, IP68 waterproof fans have advanced airflow and superior cooling, ideal for the most extreme driving conditions. Available in pusher or puller designs, there's a Blue Streak Performance™ electric fan to meet your most extreme cooling requirements.

High Performance Cooling Fans

PART #	DIAMETER	PUSHER/PULLER	CFM1*	CFM2**	AMP DRAW
4020	14"	Puller	1761	1540	19A
4021	14"	Pusher	1718	1515	21A
4030	16"	Puller	2068	1800	20.1A
4031	16"	Pusher	2077	1850	18.1A

*CFM1 cubic feet per minute free airflow
**CFM2 cubic feet per minute free airflow across a typical radiator

Waterproof and Dust Proof

4031 4021 4020 4030

Electric Fans Are Ideal For Supplemental Or Add-On Cooling Needs

Rapid-Cool® / Thin-Line Electric Fans

Available in 4 sizes, Rapid-Cool® / Thin-Line Electric Fans can be used for either primary or add-on cooling. Each fan comes complete with mounting hardware for simple installation and offers the following features:



FEATURES

- QUIET, HIGH FLOW "S" BLADE DESIGN
- HIGH QUALITY, LONG LIFE MOTORS
- FULL FINGER GUARD SHROUD
- THIN, AERODYNAMIC PROFILE FOR APPLICATIONS WITH LIMITED SPACE
- COMPATIBLE WITH ALL HAYDEN FAN CONTROLLERS

Electric Fan Specification Chart

PART #	DIAMETER	MOUNT AREA	B (IN.)	C (IN.)	CFM[1]	CFM[2]	AMP DRAW
3670	10	10-7/8 X 11-3/8	1-5/8	2-5/8	650	500	5.4
3680	12	11-7/8 X 12-1/2	1-5/8	2-3/4	800	675	8.8
3690	14	13-7/8 X 14-3/4	1-3/4	3-5/8	1250	1050	11.5
3700	16	15-3/4 X 16-3/4	2	4-1/4	1400	1150	16.5
3710	16	15-3/4 X 16-3/4	2	4-1/4	1500	1300	20.4

[1] Cubic feet per minute free airflow. [2] Cubic feet per minute airflow across a typical radiator.



Super Duty Electric Fans

Available in 4 sizes in pusher or puller design, Super Duty Electric Fans are perfect for enthusiasts and off-roaders looking for upgraded cooling performance. Each fan comes complete with mounting hardware for simple installation and offers the following features:

FEATURES

- IP68 WATERPROOF AND DUST PROOF RATING
- STRAIGHT BLADE DESIGN FOR MAXIMUM AIRFLOW PERFORMANCE
- COMPATIBLE WITH ALL HAYDEN FAN CONTROLLERS

Electric Fan Specification Chart

PART #	DIAMETER	PUSHER/PULLER	A (IN.)	B (IN.)	C (IN.)	CFM[1]	CFM[2]	AMP DRAW
3900	9"	Puller	9.6	1	2	590	500	7.2A
3901	9"	Pusher	9.6	1	2	560	500	7.2A
3910	12"	Puller	13.07	1	2.5	1325	1130	12.1A
3911	12"	Pusher	13.07	1	2.5	1275	1125	12.8A
3920	14"	Puller	14.86	1	2.5	1570	1300	14A
3921	14"	Pusher	14.86	1	2.5	1500	1260	13.5A
3930	16"	Puller	16.11	1	2.5	1740	1400	12.4A
3931	16"	Pusher	16.11	1	2.5	1750	1470	12.3A

[1] Cubic feet per minute free airflow. [2] Cubic feet per minute airflow across a typical radiator.



Specifications

Dual Electric Fan Assembly

12V Dual Electric Fan Kit contains two twelve inch Rapid-Cool® / Thin-Line fans on an adjustable bracket. Ideal for supplemental cooling applications on larger vehicles including G.M. and Ford powered class "A" motorhomes.

FEATURES

REVERSIBLE PUSH/PULL OPERATION

QUIET, HIGH FLOW "S" BLADE DESIGN

HIGH QUALITY, LONG LIFE MOTORS

FULL FINGER GUARD SHROUD

THIN, AERODYNAMIC PROFILE FOR APPLICATIONS WITH LIMITED SPACE

COMPATIBLE WITH ALL HAYDEN® FAN CONTROLLERS (FAN OPERATION CAN BE STAGGERED USING 3654 CONTROLLER)

3800

Dual Electric Fan Specification Chart

PART #	A	B	C	FREE AIRFLOW	RPM	AMP DRAW
3800	25-1/4–28-3/8*	13-3/16	2-5/8	1600	2350	16.6

* Adjustable Mounting Bracket





3801 – Powder Coated Brackets will mount two 10", 12", 14" or one 16" fan

3802 – Pre-drilled Powder Coated Brackets

Combine with p/n 3660, 8" HD Electric Fan and p/n 778, Rapid Cool® Heavy Duty Cooler for a maximum cooling package!

Electric Fan Installation Guide



TO USE AS A PRIMARY COOLING FAN

1. Refer to application section to determine the recommended fan(s) for your specific engine.
2. Using the specification chart, verify that the recommended fan(s) will fit in the available space on your radiator/AC condenser core, allow 1" clearance between the nearest engine/vehicle component.
3. Use either an adjustable or preset fan controller to operate up to two fans. A toggle switch, (not supplied) can also be used. CAUTION: Do not use fans smaller than those recommended, cooling problems may occur.

TO USE AS AN ADD-ON COOLING FAN

1. Measure the available space on the radiator/condenser where the fan is to be mounted. Allow at least 1" of clearance between the nearest engine/vehicle component.
2. Refer to the specification chart and determine the largest fan that will fit in the available space.
3. Use either an adjustable or preset fan controller to operate up to two fans. A toggle switch (not supplied) may also be used.

Electric Fan Controllers

Hayden fan controllers are compatible with aftermarket fans and original equipment fans. Available in both adjustable and fixed temperature ranges. See table for complete operation specifications on each fan controller kit.

Electric Fan Controllers Chart

PART #	TYPE	ADJUSTMENT RANGE °F	TEMPERATURE SETTING	PROBE TYPE	PROBE SIZE	A/C OVERRIDE	HYSTERESIS	LOAD CAPACITY	WIRE CONFIGURATION FOR:
3647	ADJUSTABLE	160–210°F	160°F	PUSH-IN	3/16" X 2"	YES	10°F	30 AMPS	TWO SINGLE SPEED FANS
3651	ADJUSTABLE	160–210°F	160°F	THREAD-IN	3/8" MPT	YES	10°F	30 AMPS	TWO SINGLE SPEED FANS
3652	PRE-SET	N/A	185°F	PUSH-IN	3/16" X 3"	YES	15°F	30 AMPS	TWO SINGLE SPEED FANS
3653	ADJUSTABLE	132–248°F	160°F	PUSH-IN	1/4" X 3"	NO	15°F	16 AMPS	ONE SINGLE SPEED FAN
3654	ADJUSTABLE	160-210°F	160°F	PUSH-IN	3/16" X 2"	YES	10°F	50 AMPS	FOUR SINGLE OR TWO DUAL SPEED FANS (1)
3655	ADJUSTABLE	120–210°F	180°F	PUSH-IN	3/16" X 2"	YES	10°F	25 AMPS	ONE SINGLE SPEED FAN

(1) Fan Controller 3654 allows setting of the low speed temperature between 160–210°F. The high speed is preset 10°F above the low speed activation temperature.

3647

3651

3652

Kit 3653


Kit 3654

3634 - Replacement Relay for P/N 3647, 3651, 3652 & 3654

Digital Fan Controller P/N 3655

- Mounts to Firewall or Directly Onto Fan Shroud
- Create Your Own Custom Temperature Profile
- Adjustable Set Points Between 120˚F - 210˚F
- Acquires Full Speed at 10˚ Above Set Point
- 90˚F to 210˚F Operating Range

Optional 3/8" MPT brass sending unit also available. Hayden part #355

Scan here to see instruction sheet for the PWM

HAYDEN® Fan Clutch Operation & Trouble Shooting

The Fan Clutch is a component of the cooling system that varies the fan speed to meet the cooling needs of the engine. Rear wheel drive vehicles use Fan Clutches to control fan speed because of their ability to provide high volumes of air and reliability. Despite their popularity, they are one of the least understood cooling components. There are three types of Fan Clutches; the Non-Thermal (also called centrifugal), Thermal and Electronic.

Non-Thermal Fan Clutch



- Low cost alternative for some standard thermal clutches
- Always engaged, less fuel savings than a thermal clutch
- Spins at about 30-60% of the water pump speed
- Shorter life expectancy
- Cannot replace a heavy-duty clutch
- Identified by the smooth, steel faceplate (without a thermal spring assembly) on the front

---

Thermal Fan Clutch

- Varies the fan speed with temperature of the air behind the radiator
- Engaged (high speed) operation provides maximum cooling
- Disengaged (low speed) operation provides fuel savings and noise reduction
- Greater life expectancy than a non-thermal clutch
- Briefly engaged at cold start-up
- Engages at approximately 170° radiator air temperature (about 30° lower than coolant temperature)

The air temperature passing through the radiator is sensed by the bi-metal thermal spring on the front of the thermal fan clutch. It expands and contracts with the change in air temperature operating a valve inside of the clutch. This valve works as a gate to a reservoir containing silicone drive fluid inside the clutch. When cold, the silicone drive fluid is pumped from the working area to the reservoir. When hot, the valve opens, allowing fluid from the reservoir to be transferred to the working area, increasing fan speed. The clutch disengages as air temperature decreases, closing the valve and allowing the silicone fluid to be pumped back into the reservoir.

A thermal fan clutch is engaged on a cold startup because the fluid drains into the working area when the engine is shut off. The fan clutch will slow down shortly after startup as result of a pumping action produced by a difference in speed between the shaft and the body of a clutch.

Most models are designed to duplicate original equipment performance. Some Chevrolet / GMC truck models are specifically designed to engaged at lower temperatures than the original equipment parts that they replace.

Thermal Fan Clutch Design Types

We manufacture four different types of thermal fan clutches; Standard, Heavy Duty, Severe Duty and Truck Fan Drives. Each type is engineered to simulate the performance, fit and appearance of the original equipment clutch that it replaces. All fan clutches are for specific applications and should only be applied for which they are cataloged. Use of the wrong fan clutch may result in poor cooling, excessive noise, reduced fuel economy or fan clutch failure.

Standard Duty Thermal



- Turns fan 60-70% of shaft speed when engaged
- Disengage to 20-30% of the shaft speed
- Used with lighter pitch fans (1-1/2" of pitch)
- Flat plate impeller design with up to 11.4 Sq. In. of working surface
- Identified by a smooth steel faceplate & thermal spring assembly on the front side

Heavy-Duty Thermal



- Turns the fan 70-90% of the shaft speed when engaged for increased cooling
- Turns the fan 25-35% of the shaft speed when disengaged
- Used with deeper pitch fans (2-1/2" of pitch)
- Land and groove design with up to 27 Sq. In. of working surface
- Identified by finned aluminum faceplate and thermal spring on the front

Severe Duty Thermal



- Turns the fan 80-90% of the shaft speed when engaged
- Turns the fan 20-30% of the shaft speed when disengaged
- Used with deeper pitch fans (2-1/2" of pitch)
- Land and groove design with up to 72 Sq. In. of working area
- Larger working surface provides cooler running and longer life expectancy
- Thicker body and deep finned faceplate dissipate more heat
- Can be used in place of many heavy-duty clutches

Truck Fan Drive



- Turns the fan 80-90% of the shaft speed when engaged
- Turns the fan 20-30% of the shaft speed when disengaged
- Used with larger fans found on medium-duty truck applications
- Land and groove design with up to 150 Sq. In. of working area
- Larger working surface provides cooler running and longer life expectancy

Electronic - Viscous EV Fan Clutch Operation

The ECM/PCM signal controls the level of engagement of the EV clutch. An internal solenoid opens a spring loaded valve which allows silicone drive fluid to flow from the storage reservoir to the working area of the unit engaging the clutch. This engagement process is ultimately controlled through the ECM/PCM by the following input variables: coolant temperature, intake manifold temperature, transmission oil temperature, A/C pressure and engine oil temperature. These variables are manufacture specific and fan speed is dictated based on the level of cooling required. Please consult the original equipment specifications to determine which set of variables apply to your vehicle.

Electronic-Viscous Fan Clutch Troubleshooting

- During engine start up, the EV fan clutch will engage and match engine speed for up to 3 minutes. This is considered normal and may last more than 3 minutes in cooler climates or at lower driving speeds resulting in fan roar. This condition will cease shortly upon disengagement. Additionally, you may hear an audible "clicking" sound when the vehicle is stationary. These conditions are normal and should cease once the fan clutch disengages.

IMPORTANT:

- Do NOT replace EV fan clutch unless a specific issue is identified by proper SI (Service Indicator / Check Engine) diagnosis.
- Do NOT replace an EV fan clutch for fan noise.
- Do NOT replace an EV fan clutch unless a specific condition related to the EV fan clutch is identified using SI diagnostics. If the EV fan clutch has a condition that warrants replacement, a DTC (Diagnostic Trouble Code) should set and/or SI diagnostics should lead to the replacement of the fan clutch.
- Do not attempt to replace EV fan clutch without proper tools. Please refer to manufacturer requirements for proper tools and replacement.
- Always check motor and transmission mounts to prevent fan blade contact with wire harness. Subsequent damage is not covered via warranty.

Fan Clutch Trouble Shooting

Faulty fan clutches can be detected by checking for obvious indications of failure such as:

- Leaking Fluid - oily build up around the bearing or thermal spring
- Bad Bearing - seized, turns rough or has excessive play (more than 1/4" at fan tip)
- Worn Thermal Spring - spring is loose

Some fan clutches will show no visible indication of a problem yet may still be faulty.
The following may also indicate a faulty fan clutch

- Fan Spins Excessively - three or more times when hot engine is shut off
- Poor Air Conditioning - at low speed due to excessive high side refrigerant pressures
- Doesn't engage or "lockup" - fan speed does not increase when engine is hot
- Does not disengage - fan speed does not decrease when engine is cold

Other Cooling System Problems Affecting Fan Clutch Operation

- Plugged radiator (inside or outside) can delay or eliminate fan clutch engagement
- Partially opened thermostat does not allow full coolant flow to the radiator
- Too much antifreeze concentration does not transfer heat as well as 50/50% mixture

Symptoms of Fan Clutch Problems

- Poor cooling at low speed but good cooling at high speeds
- Poor air conditioning at low speeds
- No increase in fan noise when engine is hot

Symptoms of Radiator Problems

- Poor cooling at high speeds
- Good cooling at low speeds

Specification Chart

5" & 6" Import — **A**



Non-Thermal & Std — **B**



Thermal — **C**



Heavy Duty — **D**



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
1705	B	STD & REV	7.2	0.63	1.03	2.6	1.53	3.25	2.62	3.09	5/16 in - 18 (4)
1706	B	STD & REV	7.2	0.63	1.03	2.59	1.75	3.25	2.62	3.33	5/16 in - 18 (4)
1707	B	STD & REV	7.2	0.63	1.03	2.6	2.03	3.25	2.62	3.59	5/16 in - 18 (4)
1710	B	STD & REV	7.2	.63 to .75	0.75	2.33	1.75	3	2.37	3.31	5/16 in - 18 (4)
2550	A	STD	5.85	.55 to .98	0.29	2.6	2.21	5.27	4.72	2.73	M6 x 1.0 Hole (4)
2551	A	STD	5.48	0.63	0.63	2.56	1.89	4.88	4.36	2.42	M6 x 1.0 Hole (4)
2554	A	STD	5.85	0.63	0.75	3.07	1.96	4.8	4.09	2.48	M6 x 1.0 Hole (4)
2555	A	STD	5.85	.71 to 1.36	0.16	2.75	2.46	4.8	4.09	2.98	M6 x 1.0 Hole (4)
2556	A	STD	5.85	0.63	0.59	3	1.76	5.03	3.54	2.3	M6 x 1.0 Hole (4)
2557	A	STD	5.85	0.63	0.75	2.56	2.4	4.88	4.36	2.92	M6 x 1.0 Hole (4)
2558	A	STD	5.85	.59 to .75	0.5	2.56	1.79	4.8	4.09	2.31	M6 x 1.0 Hole (4)
2559	A	STD	5.85	0.63	0.88	2.28	2.16	4.8	4.09	2.69	M6 x 1.0 Hole (4)
2560	A	STD	5.85	.63 to 1.25	0.5	3	1.94	5.27	4.72	2.47	M6 x 1.0 Hole (4)
2561	A	STD	5.85	.63 to 1.26	0.59	3	2.09	4.8	4.09	2.63	M6 x 1.0 Hole (4)
2562	A	STD	5.59	.63 to .95	0.55	2.68	1.59	5.11	4.395	2.73	M6 x 1.0 Hole (4)
2565	A	STD	5.85	0.63	0.5	2.28	1.81	4.8	4.09	2.33	M6 x 1.0 Hole (4)
2567	A	STD	5.85	0.63	0.7	2.7	2.16	4.8	4.09	2.69	M6 x 1.0 Hole (4)
2570	A	STD	5.85	.63 to 1.25	0.46	3	1.83	5.27	4.72	2.34	M6 x 1.0 Hole (4)
2580	A	REV	5.66	0.63	0.7	2.7	2.16	5.03	4.36	2.69	M6 x 1.0 Hole (4)
2581	A	STD	5.85	M30 x 1.500	0.7	1.44 (36mm) HEX	0.84	3.94	3.37	2.56	M8 x 1.25 Hole (4)
2582	A	STD	4.45	0.94	0.24	2.06	2.02	3.86	3.23	2.88	M6 x 1.0 Hole (4)
2583	A	STD	4.45	0.94	0.24	2.06	1.86	3.86	3.23	2.7	M6 x 1.0 Hole (4)
2585	A	STD	6.838	0.67	0.46	2.84	1.84	4.18	3.625	3.58	M6 x 1.0 Hole (4)
2587	A	STD	6.46	0.76	0.46	2.84	2.38	5.47	4.838	4.495	M6 x 1.0 Hole (4)
2590	A	STD	18.875		–	–	3.84	2.520	2.520	4.98	M6 x 1.0 Hole (4)
2591	A	STD	5.43	M24x1.500	0.57	1.25 HEX	1.37	4.88	4.37	2.02	M6 x 1.0 Hole (4)
2592	A	STD	6.34	0.63	0.26	2.31	2.07	5.98	5.2	2.796875	M6 x 1.0 Hole (4)
2593	A	STD	6.3	M24x1.500	0.51	1.25 HEX	1.455	5.79	5.31	2.08	M6 x 1.0 Hole (3)
2594	A	STD	6.3	M24x1.500	0.58	1.26 HEX	1.455	5.79	5.31	2.156	M6 x 1.0 Hole (3)
2595	A	STD	6.318	M24x1.500	0.59	1.26 HEX	1.03	3.83	3.25	2.78	M6 x 1.0 Hole (4)
2596	A	STD	5.5	0.71	0.33	1.95	1.55	4.88	4.38	2.25	M6 x 1.0 Hole (4)
2597	A	STD	5.49	M24x1.500	0.51	1.26 HEX	1.28	4.88	4.38	1.95	M6 x 1.0 Hole (3)
2598	A	REV	6.3	0.41	–	0.59	0.95	5.79	5.31	1.5	M6 x 1.0 Hole (3)
2610	B	STD	5.99	0.63	1.03	2.43	1.75	3.25	2.62	3.31	M6 x 1.0 Hole (4)
2614	B	STD	5.99	M30 x 1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.62	3.34	M6 x 1.0 Hole (4)
2615	B	STD	5.99	0.63	1.03	2.6	1.528	3.25	2.62	3.11	5/16 in - 18 (4)
2616	B	STD	5.99	0.63	1.03	2.43	2.32	3.25	2.62	3.88	M6 x 1.0 Hole (4)
2617	B	STD	5.99	M30 x 1.500	0.7	1.44 (36mm) HEX	2.32	3.25	2.62	3.91	M6 x 1.0 Hole (4)
2618	B	STD	5.99	M30 x 1.500	0.7	1.44 (36mm) HEX	2.76	3.25	2.62	4.34	M6 x 1.0 Hole (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Specification Chart

5" & 6" Import — **A**



Non-Thermal & Std — **B**



Thermal — **C**



Heavy Duty — **D**



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
2619	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	2.42	3.25	2.62	3.95	M8 x 1.25 Hole (4)
2620	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.62	2.78	5/16 in - 18 (4)
2621	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	2	3.25	2.62	3.7	5/16 in - 18 (4)
2622	B	REV	5.99	0.63	1.03	2.6	1.53	3.25	2.62	3.09	5/16 in - 18 (4)
2623	B	STD	5.99	0.63	1.03	2.59	1.75	3.25	2.62	3.08	M8 x 1.25 Hole (4)
2624	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.62	3.31	5/16 in - 18 (4)
2625	B	REV	5.99	0.63	1.03	2.6	1.528	3.25	2.62	3.11	5/16 in - 18 (4)
2626	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.516	3.31	M10 x 1.5 Hole (4)
2631	B	REV	5.99	0.63	1.03	2.43	1.75	3.25	2.516	3.47	M10 x 1.5 Hole (4)
2632	B	REV	5.99	M30x1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.516	3.47	M10 x 1.5 Hole (4)
2634	B	REV	6		0.56	1.44 HEX	1.117	3.25	2.62	2.84	M8 x 1.25 Hole (4)
2635	B	REV	6	M30x1.500	0.7	1.44 (36mm) HEX	1.52	3.25	2.62	3.23	5/16 in - 18 (4)
2636	C	REV	5.99	M30x1.500	0.7	1.44	1.75	3.25	2.62	3.47	5/16 in - 18 (4)
2650	A	STD	6.2	.63 to 1.25	0.5	3	2.357	5.66	5.07	2.927	M6 x 1.0 Hole (4)
2651	A	STD	6.65	0.67	0.45	3	1.935	6.03	5.39	2.5	M6 x 1.0 Hole (4)
2652	A	STD	6.65	0.69	0.55	3	2.137	6.03	5.39	2.7	M6 x 1.0 Hole (4)
2653	A	STD	6.65	.63 to 1.81	0.91	3.07	2.44	5.35	4.09	3.02	M6 x 1.0 Hole (4)
2654	A	STD	6.65	.63 to .95	0.55	2.68	2.34	6.03	5.39	2.91	M6 x 1.0 Hole (4)
2655	A	STD	6.65	.63 to 2.28	0.95	4.18	2.34	5.35	4.09	2.91	M6 x 1.0 Hole (4)
2656	A	REV	6.65	.63 to 2.32	0.91	3.7	2.545	5.35	4.09	3.115	M6 x 1.0 Hole (4)
2657	A	STD	6.65	.63 to 1.81	0.91	3.07	2.44	5.35	4.09	3.02	M6 x 1.0 Hole (4)
2658	A	REV	6.65	0.63	0.7	2.7	2.29	6.03	5.39	2.859	M6 x 1.0 Hole (4)
2659	A	STD	6.65	.59 to .63	0.2	2.73	2.289	5.35	4.09	2.859	M6 x 1.0 Hole (4)
2661	A	STD	6.65	.87 to 1.81	0.83	3.07	2.86	5.35	4.09	3.42	M6 x 1.0 Hole (4)
2662	A	STD	6.65	0.63	0.75	2.56	2.53	6.03	5.39	3.09	M6 x 1.0 Hole (4)
2663	A	REV	6.65	.63 to 1.81	0.81	3.07	2.7	5.35	4.09	3.39	M6 x 1.0 Hole (4)
2664	A	STD	6.2	.63 to 1.26	0.5	3	2.357	5.66	5.07	2.927	M6 x 1.0 Hole (4)
2665	B	STD	5.91	0.75	0.56	2.32	1.088	3.25	2.62	2.92	5/16 in - 18 (4)
2666	A	STD	6.2	.63 to 1.25	0.44	3	3.147	5.66	5.07	3.717	M6 x 1.0 Hole (4)
2667	A	STD	6.2	1.25	0.5	3	2.17	5.66	5.07	2.73	M6 x 1.0 Hole (4)
2668	A	STD	6.65	0.71	0.55	2.44	2.09	6.03	5.39	2.67	M6 x 1.0 Hole (4)
2669	A	STD	6.2	.63 to 1.25	0.5	3	2.17	5.66	5.07	2.73	M6 x 1.0 Hole (4)
2670	A	STD	6.65	.63 to 1.81	0.81	3.07	2.7	5.35	4.09	3.39	M6 x 1.0 Hole (4)
2671	A	STD	6.65	.63 to 1.81	0.81	3.07	2.7	5.35	4.09	3.39	M6 x 1.0 Hole (4)
2672	A	REV	6.65	.63 to 1.81	0.81	3.07	2.7	5.35	4.09	3.39	M6 x 1.0 Hole (4)
2673	A	STD	6.65	.88 to .94	0.23	2.75	2.28	5.27	5.39	2.95	M6 x 1.0 Hole (4)
2674	A	STD	6.65	.63 to 1.81	0.81	3.07	2.7	5.35	4.09	3.39	M6 x 1.0 Hole (4)
2675	A	REV	6.65	M30x1.500	0.7	1.44 (36mm) HEX	2.19	6.03	5.39	2.88	M6 x 1.0 Hole (4)
2676	A	STD	6.65	.82 to 1.26	0.5	3	2.35	5.98	5.35	3.03	M6 x 1.0 Hole (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Specification Chart

5" & 6" Import — A



Non-Thermal & Std — B



Thermal — C



Heavy Duty — D



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
2677	A	REV	6.65	.63 to 2.33	0.88	3.63	2.59	5.35	4.09	3.28	M6 x 1.0 Hole (4)
2678	A	REV	6.65	.63 to 2.33	0.88	3.63	2.59	5.35	4.09	3.28	M6 x 1.0 Hole (4)
2679	A	REV	6.65	.63 to 2.33	0.88	3.63	2.59	5.35	4.09	3.28	M6 x 1.0 Hole (4)
2680	A	STD	6.65	0.63	0.88	2.6	2.25	6.025	5.39	2.94	M6 x 1.0 Hole (4)
2681	A	REV	6.65	M30x1.500	0.7	1.44 (36mm) HEX	2.19	6.03	5.39	2.762	M6 x 1.0 Hole (4)
2682	A	STD	6.65	.63 to 2.32	0.95	3.63	2.86	5.83	5.11	3.53	M6 x 1.0 Hole (4)
2683	A	STD	6.65	.63 to 1.81	0.91	3.07	2.98	5.35	4.09	3.66	M6 x 1.0 Hole (4)
2684	A	REV	6.61	.63 to 2.32	0.92	3.62	3.09	5.35	4.09	3.77	M6 x 1.0 STUD (4)
2685	A	REV	6.3	M30x1.500	0.52	1.44 (36mm) HEX	1.41	5.79	5.31	2.06	M6 x 1.0 Hole (3)
2691	A	STD	6.3	M24x1.500	0.52	1.25 HEX	1.44	5.79	5.31	1.9375	M6 x 1.0 Hole (3)
2692	A	REV	6.3	0.42	–	0.59	0.95	5.79	5.31	1.485	M6 x 1.0 Hole (3)
2693	A	REV	6.3	0.42	–	0.59	0.95	5.79	5.31	1.63	M6 x 1.0 Hole (4)
2694	A	STD	6.3	M30 x 1.500	0.52	1.44 (36mm) HEX	1.41	5.79	5.31	2.03	M6 x 1.0 Hole (3)
2695	A	STD	6.51	0.41	0.52	0.59	1.259	5.98	5.198	2.76 to 2.05	M6 x 1.0 Hole (3)
2696	A	REV	6.3	M30x1.500	0.52	1.44 (36mm) HEX	1.41	5.79	5.31	2.045	M6 x 1.0 Hole (3)
2697	A	REV	6.3	M30x1.500	0.52	1.44 (36mm) HEX	1.41	5.79	5.31	2.06	M6 x 1.0 Hole (3)
2699	A	REV	6.3	0.4	–	0.59	0.91	5.79	5.31	1.45	M6 x 1.0 Hole (3)
2705	B	STD	7.2	0.63	1.03	2.6	1.528	3.25	2.62	3.11	5/16 in - 18 (4)
2706	B	STD	7.2	0.63	1.03	2.59	1.75	3.25	2.62	3.3	5/16 in - 18 (4)
2707	B	STD	7.2	0.63	1.03	2.6	2.03	3.25	2.62	3.59	5/16 in - 18 (4)
2708	B	STD	7.2	0.63	1.03	2.43	2.32	3.25	2.62	3.86	5/16 in - 18 (4)
2710	B	STD	7.2	.63 to .75	0.75	2.33	1.75	3	2.37	3.3	5/16 in - 18 (4)
2711	B	STD	7.2	.63 to .75	0.75	2.33	1.4	3	2.37	2.98	5/16 in - 18 (4)
2713	B	STD	7.2	0.75	0.63	2.59	1.63	3.25	2.62	3.19	5/16 in - 18 (4)
2714	B	STD	7.2	0.75	0.63	2.56	1.8	3.25	2.62	3.31	5/16 in - 18 (4)
2715	B	STD	7.2	M30 x 1.500	0.7	1.44 (36mm) HEX	1.25	3	2.37	2.83	5/16 in - 18 (4)
2716	B	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3	2.37	2.83	5/16 in - 18 (4)
2717	B	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.516	2.83	M6 x 1.0 Hole (4)
2722	B	REV	7.2	0.63	1.03	2.43	2.25	3.25	2.516	3.8	M10 x 1.5 Hole (4)
2723	B	REV	7.2	0.63	1.03	2.59	1.75	3.25	2.62	3.33	5/16 in - 18 (4)
2724	B	REV	7.2	0.63	1.03	2.43	1.63	3.25	2.516	3.2	M10 x 1.5 Hole (4)
2726	B	REV	7.2	M33x1.500	0.63	1.63 (40mm) HEX	1.25	3	2.37	2.83	5/16 in - 18 (4)
2727	B	REV	7.2	0.63	1.03	2.47	2	3.25	2.516	3.58	M10 x 1.5 Hole (4)
2731	C	STD	7.2	0.63	1.03	2.43	2.25	3.25	2.62	3.95	5/16 in - 18 (4)
2733	C	REV	7.2	0.63	1.03	2.59	1.75	3.25	2.62	3.46875	5/16 in - 18 (4)
2734	C	REV	7.2	0.63	1.03	2.43	1.625	3.25	2.516	3.34	M10 x 1.5 Hole (4)
2736	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.62	2.95	5/16 in - 18 (4)
2737	C	REV	7.2	0.63	1.03	2.6	1.528	3.25	2.62	3.23	5/16 in - 18 (4)
2738	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.5	3.25	2.62	3.2	M8 x 1.25 Hole (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.

* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Specification Chart

5" & 6" Import — **A**



Non-Thermal & Std — **B**



Thermal — **C**



Heavy Duty — **D**



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
2739	B	REV	7.2	0.63	1.03	2.43	1.75	3.25	2.516	3.33	M10 x 1.5 Hole (4)
2740	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	2.7	3.25	2.62	4.415	5/16 in - 18 (4)
2741	C	STD	7.2	0.75	0.63	2.56	1.8	3.25	2.62	3.52	5/16 in - 18 (4)
2742	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	2.7	3.25	2.62	4.415	5/16 in - 18 (4)
2743	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	2	3.25	2.62	3.72	5/16 in - 18 (4)
2744	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.516	3.46875	M10 x 1.5 Hole (4)
2747	C	STD	7.2	0.63 to 0.75	0.63	2.59	1.63	3.25	2.62	3.335	5/16 in - 18 (4)
2748	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	2.7	3.25	2.62	4.42	5/16 in - 18 (4)
2765	B	STD	7.2	0.75	0.56	2.32	1.09	3.25	2.62	2.67	5/16 in - 18 (4)
2770	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.62	2.95	5/16 in - 18 (4)
2771	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.75	3.25	2.62	3.46875	5/16 in - 18 (4)
2772	C	STD	7.2	M24x1.500	0.58	1.25 HEX	1.018	3.25	2.62	2.73	5/16 in - 18 (4)
2774	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.62	2.95	5/16 in - 18 (4)
2775	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.5	3.25	2.62	3.52	5/16 in - 18 (4)
2776	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.43	3.265	M6 x 1.0 Hole (4)
2778	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.59	3.25	2.516	4.63	M10 x 1.5 Hole (4)
2779	D	STD	6.45	M30 x 1.500	0.7	1.44 (36mm) HEX	2.755	3.25	2.62	4.775	M6 x 1.0 Hole (4)
2780	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.745	3.25	2.516	3.765	M10 x 1.5 Hole (4)
2781	C	REV	7.2	M30x1.500	0.7	1.44 (36mm) HEX	1.25	3.25	2.62	2.95	5/16 in - 18 (4)
2782	D	STD	6.45	0.63	0.63	2.58	1.625	3.25	2.62	3.645	5/16 in - 18 (4)
2783	D	REV	6.45	0.63	0.63	2.58	1.8	3.25	2.62	3.83	5/16 in - 18 (4)
2784	D	REV	6.45	0.63	0.63	2.46	1.625	3.25	2.516	3.645	M10 x 1.5 Hole (4)
2785	D	REV	6.45	0.75	0.63	2.46	1.625	3.25	2.516	3.645	M10 x 1.5 Hole (4)
2786	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.745	3.25	2.516	3.77	M10 x 1.5 Hole (4)
2787	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.516	3.265	M10 x 1.5 Hole (4)
2788	D	STD	6.45	M30 x 1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.62	3.625	5/16 in - 18 (4)
2789	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.415	3.25	2.62	4.4375	5/16 in - 18 (4)
2790	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.62	3.265	5/16 in - 18 (4)
2791	D	REV	6.45	M30 X 1.5 Right	0.7	1.44 (36mm) HEX	1.745	2.620	2.62	3.77	5/16 in - 18 (4)
2793	D	REV	6.45	M30 X 1.5 Right	0.7	1.44 (36mm) HEX	1.234375	2.520	2.516	3.27	M6 x 1.0 Hole (4)
2794	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.516	3.265	M6 x 1.0 Hole (4)
2795	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.415	2.620	2.62	4.44	M6 x 1.0 Hole (4)
2796	D	REV	6.45	0.63	0.63	2.46	1.625	2.620	2.62	3.645	5/16 in - 18 (4)
2797	D	STD	6.45	0.63	0.63	2.58	1.625	3.25	2.62	3.645	5/16 in - 18 (4)
2798	D	STD	6.45	M30 x 1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.62	3.265	5/16 in - 18 (4)
2799	D	STD	6.45	0.75	0.63	2.58	1.625	3.25	2.62	3.645	5/16 in - 18 (4)
2801	D	STD	6.45	0.75	0.66	3.22	1.5	3.81	3.246	3.95	3/8 in - 16 (4)
2802	D	STD	6.45	0.75	0.66	3.22	2.13	3.81	3.246	4.58	3/8 in - 16 (4)
2803	D	STD	6.45		0.78	1.48 HEX	1.83	3.81	3.246	3.88	3/8 in - 16 (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.

* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Specification Chart

5" & 6" Import



Non-Thermal & Std



Thermal



Heavy Duty



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
2804	D	STD	6.45	0.75	0.52	2.37	1.36	3.81	3.246	2.48	3/8 in - 16 (4)
2805	D	STD	6.45	0.75	0.52	3.22	2.38	3.81	3.246	4.5	3/8 in - 16 (4)
2806	D	STD	6.45	M30x2.000	0.5	1.88 (48mm) Hex	1.099	3.81	3.246	3.2	3/8 in - 16 (4)
2808	D	STD	6.45	0.75	0.52	2.85 SQ.	2	3.81	3.246	4.11	3/8 in - 16 (4)
2811	D	STD	6.45	M30x2.000	0.67	1.88 (48mm) Hex	1.2	3.81	3.246	3.66	3/8 in - 16 (4)
2821	D	REV	7.4	M30x1.500	0.83	1.44 (36mm) HEX	1.685	3.25	2.62	4.197	5/16 in - 18 (4)
2822	D	REV	7.4	M30x1.500	0.7	1.44 (36mm) HEX	1.2	3.25	2.62	3.72	5/16 in - 18 (4)
2823	D	REV	7.4	M30x1.500	0.7	1.44 (36mm) HEX	1.2	3.25	2.62	3.72	5/16 in - 18 (4)
2828	D	STD	7.4	0.75	0.66	3.18	1.5	6	4.996	3.823	5/16 in - 18 (6)
2830	D	STD	7.4	1 1/4-16	0.66	1.88 (48mm) Hex	1.2	6	4.996	3.52	5/16 in - 18 (6)
2831	D	REV	7.4	0.75	0.66	3.22	1.76	6	4.996	4.08	M8 x 1.25 Hole (4)
2832	D	REV	7.4	0.75	0.66	3.22	1.76	6	4.996	4.08	M8 x 1.25 Hole (4)
2834	D	STD	7.4	M30x2.000	0.67	1.88 (48mm) Hex	1.2	6	4.996	3.53	5/16 in - 18 (6)
2835	D	REV	7.4	1 1/4-18	0.67	1.88 (48mm) Hex	1.22	6	4.996	3.543	5/16 in - 18 (6)
2836	D	REV	7.4	M36x2.000	0.78	1.86 HEX	2.42	3.25	2.62	4.932	5/16 in - 18 (4)
2837	D	REV	7.4	1 1/4-18	0.78	1.86 HEX	2.42	3.25	2.62	4.932	5/16 in - 18 (4)
2838	D	REV	7.4	1 1/4-18	0.64	1.86 HEX	1.2	3.25	2.62	3.7	5/16 in - 18 (4)
2839	D	REV	7.4	0.75	0.66	2.82	1.75	3.81	3.25	4.262	M8 x 1.25 Hole (4)
2840	D	REV	7.4	M36x2.000	0.78	1.86 HEX	1.75	3.81	3.25	4.262	M8 x 1.25 Hole (4)
2841	C	REV	7.23	M30 x 1.500	0.61	1.44 (36mm) HEX	0.59	3.81	3.25	2.69	M8 x 1.25 Hole (4)
2842	D	STD	7.4	M30 x 1.500	0.7	1.44 (36mm) HEX	1.2	3.25	2.62	3.72	5/16 in - 18 (4)
2843	D	REV	7.4	M36x2.000	0.78	1.86 HEX	1.75	3.81	3.25	4.262	M8 x 1.25 Hole (4)
2844	D	STD	7.4	M30x2.000	0.58	1.88 (48mm) Hex	2.07	6	4.996	4.39	5/16 in - 18 (6)
2846	D	STD	7.4	M30x2.000	0.58	1.88 (48mm) Hex	1.7	6	4.996	4.02	5/16 in - 18 (6)
2847	D	STD	7.4	M30x2.000	0.67	1.88 (48mm) Hex	2.07	6	4.996	4.39	5/16 in - 18 (6)
2850	D	REV	7.4	M36x2.000	0.77	1.86 HEX	1.32	3.81	3.246	3.83	M8 x 1.25 Hole (4)
2851	D	REV	7.4	M30x1.500	0.77	1.44 (36mm) HEX	1.54	3.81	3.246	4.262	M8 x 1.25 Hole (4)
2852	D	STD	7.34	2.5	0.17	4.18	1.4	6	4.996	3.59	5/16 in - 18 (6)
2853	D	STD	7.35		0.5	1.88 (48mm) Hex	1.21	6	5	3.45	
2867	D	REV	7.4	M36x2.000	0.78	1.86 (47mm) HEX	2.42	3.25	2.62	4.94	M6 x 1.0 Hole (4)
2871	D	STD	7.4	M30x2.000	0.67	1.88 (48mm) Hex	1.2	6	4.996	3.53	5/16 in - 18 (6)
2872	D	STD	7.4	0.75	0.66	3.22	1.5	6	4.996	3.823	5/16 in - 18 (6)
2881	D	STD	7.4	M30x2.000	0.58	1.88 (48mm) Hex	1.7	6	4.996	4.02	5/16 in - 18 (6)
2886	D	REV	7.4	M36x2.000	0.88	1.86 HEX	2.08	3.81	3.246	4.59	M8 x 1.25 Hole (4)
2887	D	REV	7.4	M30x1.500	0.78	1.86 (47mm) HEX	1.2	3.81	3.25	3.72	M8 x 1.25 Hole (4)
2889	D	REV	7.21875	1.5	0.72	1.53 (39mm) HEX	0.59	3.8	3.24	7.22	M8x1.250 (4)
2900	C	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.2	3.25	2.62	4.22	5/16 in - 18 (4)
2901	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.2	3.25	2.62	4.22	5/16 in - 18 (4)
2902	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.59	3.25	2.62	4.63	5/16 in - 18 (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.

* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Specification Chart

5" & 6" Import



Non-Thermal & Std



Thermal



Heavy Duty



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
2904	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.516	3.265	M6 x 1.0 Hole (4)
2905	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.5	3.25	2.62	3.25	5/16 in - 18 (4)
2906	D	STD	7.4		0.7	1.44 (36mm) HEX	1.75	3.25	2.62	3.77	5/16 in - 18 (4)
2916	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.415	3.25	2.62	4.4375	5/16 in - 18 (4)
2917	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.415	3.25	2.62	4.4375	5/16 in - 18 (4)
2918	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.415	3.25	2.62	4.4375	M6 x 1.0 Hole (4)
2923	A	REV	6.65	1.25	0.875	2.88	2.66	6.02	5.39	3.18	
2931	C	REV	7.2		0.7	1.44 (36mm) HEX	1.755	3.25	2.62	3.46875	5/16 in - 18 (4)
2947	C	STD	7.2	0.75	0.56	2.59	1.09	3.25	2.62	2.71	
2961	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	1.234375	3.25	2.62	3.265	5/16 in - 18 (4)
2962	C	STD	6.45	M30x1.500	0.75	1.44 (36mm) HEX	2.42	3.25	2.62	4.46	
2980	D	REV	6.45	M30x1.500	0.7	1.44 (36mm) HEX	2.42	3.25	2.52	4.44	M10x1.500 (4)
2981	D	STD	6.45	M30x2.000	0.91	1.44 (36mm) HEX	2.07	3.25	2.516	4.09	M10 x 1.5 Hole (4)
2991	D	REV	6.45	M30x1.500	0.56	1.44 (36mm) HEX	1.09	3.25	2.62	3.13	M8 x 1.25 Hole (4)
3200	D	REV	7.48	M30x1.500	–	1.44 (36mm) HEX	1.54	3.81	3.25	5.52	M8 x 1.25 Hole (4)
3201	D	REV	7.48		0.77	1.44 (36mm) HEX	1.54	3.81	3.25	5.52	M8 x 1.25 Hole (4)
3202	D	REV	9.39	M36x2.000	0.80	1.88 (48mm) Hex	3.8	8.68	7.88	5.33	
3203	D	REV	9.39		1.83	2.09 (53mm) HEX	3.8	8.66	7.87	5.33	
3210	D	REV	7.73		0.82	1.53 (39mm) HEX	3.16	7.01	6.45	4.11	
3221	D	REV	7.4	M36x2.000	0.72	1.86 (47mm) HEX	1.51	5.75	5	4.83	
3222	D	REV	7.35	0.71	0.75	1.86 (47mm) HEX	1.79	6	5	5.13	
3261	D	REV	7.35	M40x2.000	0.78	1.86 (47mm) HEX	1.88	6	5	5.36	5/16 in - 18 (6)
3262	D	REV	7.35		0.78	1.86 (47mm) HEX	1.88	6	5	5.36	5/16 in - 18 (6)
3263	D	REV	7.73	M30x1.500	0.7	1.44 (36mm) HEX	2.62	7.008	6.45	3.58	M6 x 1.0 Hole (4)
3264	D	REV	7.73	M36x2.000	0.81	1.86 (47mm) HEX	2.84	7.01	6.45	3.78	M6 x 1.0 Hole (4)
3265	D	STD	7.73	M40x2.000	0.7	1.86 (47mm) HEX	1.22	6	5	4.81	M6 x 1.0 Hole (6)
3266	D	REV	7.73	M30x1.500	0.7	1.44 (36mm) HEX	2.62	7.01	6.45	3.56	M6 x 1.0 Hole (4)
3267	D	REV	9.39		0.9	1.86 (47mm) HEX	2.9	8.9	7.87	4.43	
3268	D	REV	7.47		0.88	1.86 (47mm) HEX	2.37	3.84	3.25	5.81	
3281	D	REV	7.35	M30x1.500	0.55	1.44 (36mm) HEX	1.02	6	5	4.34	5/16 in - 18 (6)
3282	D	REV	7.35	1 1/4-16	0.55	1.44 (36mm) HEX	1.02	6	5	4.34	5/16 in - 18 (6)
3291	D	REV	7.48	M30x1.500	0.54	1.44 (36mm) HEX	1.07	3.81	3.25	4.39	
3292	D	REV	9.39	M40x2.000	0.77	1.86 (47mm) HEX	2.78	8.66	7.88	4.29	
3300	D	REV	7.25		0.6	1.57 (40mm) HEX	1.21	3.81	3.25	4.29	
3301	D	STD			0.6		1.22	3.81	3.25		
3302	D	REV	7.73			1.57 (40mm) HEX	1.5	4.8	4.09	4	
3303	D	STD	7.73			1.57 (40mm) HEX	1.5	4.8	4.09	4	
3330	D	REV	8.38	1.5	0.59	3.31	3.12	7.72	7.09	4.34	
6200	A	STD	6.65	0.94	0.22	2.68	2	6.03	5.39	2.56	M6 x 1.0 Hole (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

5" & 6" Import — **A**



Non-Thermal & Std — **B**



Thermal — **C**



Heavy Duty — **D**



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
6201	A	STD	6.65	0.94	0.22	2.68	2	6.03	5.39	2.56	M6 x 1.0 Hole (4)
6203	A	STD	6.2	1.25	0.43	3	1.96	5.65	5.07	2.56	
6204	A	STD	6.65	0.95	0.43	2.68	2.55	6.03	5.39	3.13	
6205	A	STD	6.2		0.5	3	2.36	5.65	5.07	2.93	
6231	A	STD	7.6	0.95	0.67	2.77	2.89	6.99	6.29	3.72	M6 x 1.0 Hole (4)
6232	B	REV	7.03	0.63	0.83	3.07	2.47	6.46	5.71	3.37	
6250	A	REV	6.3		0.58	1.25 HEX	1.45	5.79	5.31	2.17	M6 x 1.0 Hole (3)
6251	A	STD	6.3	M24x1.500	0.58	1.25 HEX	1.45	5.79	5.31	2.29	
6351											
6352											
6600	A	STD	7.08	1.25	0.44	3.19	2.23	6.58	6.02	3.53	M6 x 1.0 Hole (4)
6601	A	REV	7.01	1.25	0.45	3.07	2.66	6.48	5.705	3.56	M6 x 1.0 Hole (4)
6630	D	REV	7.42	1.5	0.64	3.3	0.54	6.84	6.05	3.78	M6x1.000 (4)
6631	C	STD	6.65	0.63	0.88	3.07	3.48	5.35	4.09	4.17	
8300	C	REV	17.13	0.41	–	Center Bolt hole	N/R	Fan Molded to Clutch	Fan Molded to Clutch	2.16	
8301											
8302	C	STD	20	M30x1.500	0.57	1.44 (36mm) HEX	2.89	7.01	–	4	
8303	C	STD	16.93		0.7	1.41 (30mm) HEX	1.06	3.25	2.61	2.76	

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
* Includes 5/8" – 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm – 19mm reducer bushing.

Idler & Belt Tensioner Pulleys

Most of today's vehicles use Idler Pulleys to assist in belt routing and tensioning within the accessory drive system. Air conditioning compressors, alternators, power steering pumps, and water pumps are aided by the function of Idler Pulleys. All Idler Pulleys are of the highest quality and meet or exceed OE specifications.

Vehicle manufacturers often use several sources for Idler Pulleys on a particular model. For that reason, the replacement pulley supplied may not always look like the pulley being replaced. In these instances, the supplied part will fit and function to O.E. specifications.

Idler & Belt Tensioner Pulley Specification Chart

PART #	O.D. In.	I.D. In.	Belt In.	Pulley Type	Grovves	Material
5000	3.19	0.47	0.50	0.50	1	Steel
5001	2.75	0.69	0.75	0.75	5	Steel
5002	3.13	0.47	0.75	0.75	5	Steel
5003	2.75	0.47	0.63	0.63	4	Steel
5004	3.25	0.47	1.00	1.00	Smooth	Steel
5005	3.38	0.69	1.38	1.38	Smooth	Steel
5006	3.15	0.75	0.63	0.63	4	Steel
5007	4.00	0.81	0.50	0.50	1	Steel
5008	3.25	0.69	0.88	0.88	Smooth	Steel
5010	4.31	0.69	0.88	0.88	6	Plastic
5011	3.00	0.69	1.25	1.25	Smooth	Steel
5012	3.25	1.06	1.06	1.06	Smooth	Steel
5013	2.75	0.69	1.00	1.00	Smooth	Plastic
5014	3.56	0.69	1.44	1.44	Smooth	Steel
5015	2.75	0.69	0.63	0.63	4	Steel
5016	3.56	0.69	1.25	1.25	Smooth	Steel
5017	4.94	0.47	0.38	0.38	1	Steel
5018	3.50	0.38	1.00	1.00	Smooth	Steel
5019	3.00	0.38	1.00	1.00	Smooth	Steel
5020	3.00	0.69	0.88	0.88	Smooth	Plastic
5021	2.76	1.18	0.88	0.88	6	Steel
5022	3.07	0.79	0.75	0.75	Smooth	Steel
5024	2.88	0.69	0.75	0.75	4	Steel
5025	2.75	0.69	1.00	1.00	Smooth	Steel
5026	3.00	0.69	1.13	1.13	Smooth	Steel
5027	2.50	1.06	0.88	0.88	6	Plastic
5028	3.75	0.63	0.50	0.50	1	Steel
5029	3.06	0.38	1.00	1.00	Smooth	Plastic
5030	2.94	1.06	0.88	0.88	6	Plastic
5031	3.50	1.06	1.00	1.00	Smooth	Plastic
5032	2.44	0.69	1.00	1.00	7	Plastic
5033	3.50	1.06	1.00	1.00	Smooth	Plastic
5034	3.50	1.06	1.00	1.00	Smooth	Plastic
5035	3.50	1.06	1.00	1.00	Smooth	Plastic
5036	3.50	0.69	1.38	1.38	8	Steel
5037	5.24	1.38	1.38	1.38	8	Plastic
5038	2.48	1.02	1.00	1.00	6	Plastic
5039	3.50	1.00	1.00	1.00	Smooth	Plastic
5040	3.13	0.47	1.00	1.00	Smooth	Steel
5041	3.13	1.00	1.00	1.00	Smooth	Steel
5042	2.50	0.90	0.88	0.88	6	Plastic
5043	3.13	0.69	1.00	1.00	Smooth	Plastic
5044	3.13	0.38	1.00	1.00	Smooth	Plastic
5045	3.00	0.69	1.13	1.13	8	Steel
5046	2.75	N/A	1.13	1.13	Smooth	Plastic
5047	2.75	0.69	1.13	1.13	Smooth	Steel
5048	2.75	N/A	1.13	1.13	Smooth	Plastic
5049	2.75	N/A	1.06	1.06	Smooth	Plastic

Specification Chart

PART #	O.D. In.	I.D. In.	Belt In.	Pulley Type	Grovves	Material
5050	3.13	1.25	1.25	1.25	Smooth	Plastic
5051	2.50	1.40	1.13	1.13	8	Steel
5052	2.75	0.88	1.00	1.00	6	Plastic
5053	3.13	0.88	0.88	0.88	Smooth	Plastic
5054	2.75	N/A	1.13	1.13	Smooth	Plastic
5055	3.38	0.69	0.88	0.88	Smooth	Steel
5056	3.00	0.69	0.88	0.88	6	Steel
5057	3.25	0.69	1.00	1.00	Smooth	Steel
5058	3.50	0.69	0.88	0.88	7	Plastic
5059	2.38	N/A	0.69	0.69	4	Plastic
5060	2.75	0.63	0.38	0.38	1	Steel
5061	3.50	1.00	1.00	1.00	Smooth	Plastic
5062	3.25	0.56	0.88	0.88	Smooth	Steel
5064	3.94	0.69	1.00	1.00	Smooth	Steel
5065	3.81	0.69	0.50	0.50	1	Steel
5066	3.50	0.69	0.75	0.75	6	Plastic
5069	3.75	0.69	1.25	1.25	6	Steel
5070	2.76	1.26	1.00	1.00	Smooth	Steel
5071	3.00	0.38	1.00	1.00	Smooth	Steel
5072	3.00	0.69	1.31	1.31	Smooth	Steel
5073	3.50	0.69	1.13	1.13	Smooth	Steel
5075	3.31	0.39	0.94	0.94	Smooth	Steel
5076	2.56	0.67	0.94	0.94	Smooth	Plastic
5077	3.00	1.40	1.38	1.38	Smooth	Steel
5078	2.75	0.47	1.00	1.00	6	Steel
5079	3.54	1.48	1.00	1.00	8	Steel
5080	2.90	0.67	0.75	0.75	5	Steel
5081	3.54	1.40	1.31	1.31	Smooth	Steel
5082	2.75	1.40	1.31	1.31	Smooth	Steel
5083	2.75	1.00	1.00	1.00	Smooth	Steel
5084	2.48	0.71	0.50	0.50	Smooth	Steel
5085	2.75	0.39	1.25	1.25	Smooth	Steel
5086	3.14	0.39	1.00	1.00	Smooth	Plastic
5087	3.15	0.67	0.63	0.63	Smooth	Steel
5100	2.94	0.69	1.56	1.56	Smooth	Steel
5102	2.94	0.69	1.81	1.81	Smooth	Steel
5103	2.88	0.69	1.25	1.25	8	Steel
5105	2.94	0.69	1.31	1.31	Smooth	Steel
5106	3.44	0.69	1.56	1.56	Smooth	Steel
5108	2.94	0.69	1.56	1.56	10	Steel
5109	2.94	0.69	1.69	1.69	Smooth	Steel
5110	2.94	0.69	2.25	2.25	Smooth	Steel
5900	3.50	0.69	0.50	0.50	1	Steel
5901	3.63	0.69	0.69	0.69	1	Steel
5902	3.13	0.69	0.50	0.50	1	Steel
5904	3.56	0.41	0.94	0.94	Smooth	Metal
5905	2.75	0.41	1.25	1.25	Smooth	Steel
5906	3.56	0.41	1.19	1.19	Smooth	Steel
5909	2.75	1.18	1.19	1.19	6	Plastic
5916	3.31	0.47	0.94	0.94	Smooth	Steel
5917	3.94	0.67	1.19	1.19	8	Steel
5918	3.00	0.69	1.38	1.38	Smooth	Steel
5919	2.75	0.69	1.13	1.13	Smooth	Steel
5922	2.75	0.47	1.13	1.13	7	Steel
5923	2.75	0.40	1.06	1.06	Smooth	Steel
5926	3.15	0.67	1.13	1.13	Smooth	Steel
5931	2.65	0.63	0.50	0.50	3	Steel
5932	3.00	0.39	1.06	1.06	Smooth	Steel
5933	2.17	1.40	1.42	1.42	8	Steel
5934	3.38	0.67	1.06	1.06	Smooth	Steel

Specification Chart

PART #	O.D. In.	I.D. In.	Belt In.	Pulley Type	Grovves	Material
5935	3.50	1.18	1.00	1.00	6	Steel
5936	3.25	0.69	1.13	1.13	Smooth	Steel
5937	3.00	0.47	1.31	1.31	Smooth	Steel
5938	2.20	0.47	1.19	1.19	Smooth	Steel
5939	2.94	0.39	0.87	0.87	Smooth	Steel
5940	3.13	0.69	0.69	0.69	4	Steel
5941	2.88	0.69	0.63	0.63	4	Steel
5942	3.31	N/A	1.00	1.00	Smooth	Steel
5950	3.88	N/A	0.50	0.50	1	Steel
5951	3.75	N/A	0.50	0.50	1	Steel
5954	3.75	0.47	0.38	0.38	1	Steel
5957	3.13	0.69	0.50	0.50	1	Steel
5959	3.25	0.69	1.00	1.00	1	Steel
5960	4.50	N/A	0.44	0.44	1	Steel
5963	3.25	N/A	1.00	1.00	1	Steel
5964	3.31	N/A	1.00	1.00	Smooth	Steel
5965	3.25	N/A	1.00	1.00	Smooth	Steel
5968	4.00	0.69	1.00	1.00	Smooth	Steel
5969	3.25	0.69	1.00	1.00	Smooth	Plastic
5970	3.75	0.69	1.00	1.00	Smooth	Plastic
5971	2.99	1.13	0.88	0.88	6	Plastic
5972	3.00	0.69	1.00	1.00	Smooth	Plastic
5973	3.50	0.69	1.00	1.00	Smooth	Plastic
5974	2.99	1.02	1.00	1.00	Smooth	Plastic
5975	3.50	0.69	1.00	1.00	Smooth	Steel
5976	3.75	0.69	1.13	1.13	6	Plastic
5978	5.19	1.00	0.31	0.31	6	Plastic
5979	3.00	0.69	1.00	1.00	Smooth	Steel
5980	2.99	1.18	1.00	1.00	7	Plastic
5981	3.00	0.69	1.25	1.25	Smooth	Plastic
5982	3.75	0.69	0.63	0.63	4	Plastic
5983	2.75	0.38	1.00	1.00	Smooth	Plastic
5984	2.75	0.38	1.13	1.13	Smooth	Plastic
5985	3.19	0.38	1.13	1.13	Smooth	Plastic
5986	2.94	N/A	1.00	1.00	Smooth	Plastic
5987	2.75	0.38	1.00	1.00	Smooth	Plastic
5989	3.19	0.38	1.00	1.00	Smooth	Plastic
5990	3.50	0.47	1.00	1.00	Smooth	Steel
5991	5.19	0.47	1.00	1.00	6	Plastic
5992	3.50	0.69	1.50	1.50	Smooth	Steel
5996	2.75	0.69	0.88	0.88	6	Plastic

5000
TOYOTA
3.2 IN. DIA. PULLEY

5001
HONDA
2.8 IN. DIA. PULLEY

5002
NISSAN
3.1 IN. DIA. PULLEY

5003
TOYOTA
2.8 IN. DIA. PULLEY

5004
NISSAN
3.3 IN. DIA. PULLEY

5005
NISSAN
3.4 IN. DIA. PULLEY

5006
NISSAN
3.3 IN. DIA. PULLEY

5007
NISSAN
4.0 IN. DIA. PULLEY

5008
CHEVROLET LIGHT TRUCK
3.3 IN. DIA. PULLEY

5010
CHEVROLET LIGHT TRUCK
4.3 IN. DIA. PULLEY

5011
HONDA
3.0 IN. DIA. PULLEY

5012
NISSAN
3.3 IN. DIA. PULLEY

5013
FORD LIGHT TRUCK
2.8 IN. DIA. PULLEY

5014
FORD LIGHT TRUCK
3.6 IN. DIA. PULLEY

5015
MAZDA
2.8 IN. DIA. PULLEY

5016
DODGE LIGHT TRUCK
3.6 IN. DIA. PULLEY

Illustrated Guide

5017
CHRYSLER
4.9 IN. DIA. PULLEY

5018
DODGE LIGHT TRUCK
3.5 IN. DIA. PULLEY

5019
JEEP
3.0 IN. DIA. PULLEY

5020
PONTIAC
3.0 IN. DIA. PULLEY

5021
TOYOTA
2.8 IN. DIA. PULLEY

5022
HYUNDAI
3.0 IN. DIA. PULLEY

5024
MAZDA
2.9 IN. DIA. PULLEY

5025
CHEVROLET LIGHT TRUCK
2.8 IN. DIA. PULLEY

5026
CHEVROLET LIGHT TRUCK
3.0 IN. DIA. PULLEY

5027
MERCEDES-BENZ
2.5 IN. DIA. PULLEY

5028
MERCEDES-BENZ
3.8 IN. DIA. PULLEY

5029
VOLKSWAGEN
3.1 IN. DIA. PULLEY

5030
VOLKSWAGEN
2.9 IN. DIA. PULLEY

5031
VOLKSWAGEN
3.5 IN. DIA. PULLEY

5032
VOLKSWAGEN
2.4 IN. DIA. PULLEY

5033
VOLVO
3.5 IN. DIA. PULLEY

5034
VOLVO
3.5 IN. DIA. PULLEY

5035
VOLVO
3.5 IN. DIA. PULLEY

5036
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5037
FORD LIGHT TRUCK
5.0 IN. DIA. PULLEY

5038
DODGE LIGHT TRUCK
2.5 IN. DIA. PULLEY

5039
AUDI
3.5 IN. DIA. PULLEY

5040
SAAB
3.1 IN. DIA. PULLEY

5041
SAAB
3.1 IN. DIA. PULLEY

5042
SAAB
2.5 IN. DIA. PULLEY

5043
SAAB
3.1 IN. DIA. PULLEY

5044
BMW
3.1 IN. DIA. PULLEY

5045
FORD LIGHT TRUCK
3.0 IN. DIA. PULLEY

5047
CHEVROLET LIGHT TRUCK
2.8 IN. DIA. PULLEY

5050
MERCEDES-BENZ
3.1 IN. DIA. PULLEY

5051
MERCEDES-BENZ
2.5 IN. DIA. PULLEY

5052
MERCEDES-BENZ
2.8 IN. DIA. PULLEY

Illustrated Guide

5053
BMW
3.1 IN. DIA. PULLEY

5055
MERCURY
3.4 IN. DIA. PULLEY

5056
PONTIAC
3.0 IN. DIA. PULLEY

5057

3.3 IN. DIA. PULLEY

5058
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5060
VOLKSWAGEN
2.8 IN. DIA. PULLEY

5061
VOLKSWAGEN
3.5 IN. DIA. PULLEY

5062
NISSAN
3.3 IN. DIA. PULLEY

5064
TOYOTA
3.9 IN. DIA. PULLEY

5065
NISSAN
3.8 IN. DIA. PULLEY

5066
JEEP
3.5 IN. DIA. PULLEY

5069
FORD LIGHT TRUCK
3.8 IN. DIA. PULLEY

5070
TOYOTA
2.8 IN. DIA. PULLEY

5071
CHEVROLET LIGHT TRUCK
3.0 IN. DIA. PULLEY

5072
CADILLAC
3.0 IN. DIA. PULLEY

5073
SATURN
3.5 IN. DIA. PULLEY

5075
SUZUKI
3.3 IN. DIA. PULLEY

5076
DODGE
2.6 IN. DIA. PULLEY

5077
NISSAN
3.0 IN. DIA. PULLEY

5078
NISSAN
2.8 IN. DIA. PULLEY

5079
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5080
KIA
2.9 IN. DIA. PULLEY

5083
CHEVROLET
2.8 IN. DIA. PULLEY

5100

2.9 IN. DIA. PULLEY

5102

2.9 IN. DIA. PULLEY

5103

2.9 IN. DIA. PULLEY

5105

2.9 IN. DIA. PULLEY

5106

3.4 IN. DIA. PULLEY

5108

2.9 IN. DIA. PULLEY

5109

2.9 IN. DIA. PULLEY

5110

2.9 IN. DIA. PULLEY

5900
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5901
AMERICAN MOTORS
3.6 IN. DIA. PULLEY

5902
NISSAN
3.1 IN. DIA. PULLEY

5909
CHEVROLET
2.8 IN. DIA. PULLEY

5918
CHEVROLET
3.0 IN. DIA. PULLEY

5919
CADILLAC
2.8 IN. DIA. PULLEY

5922
NISSAN
2.8 IN. DIA. PULLEY



5923
HYUNDAI
2.8 IN. DIA. PULLEY

5926
MITSUBISHI
3.1 IN. DIA. PULLEY

5932
CHEVROLET
3.0 IN. DIA. PULLEY

5933
TOYOTA
2.2 IN. DIA. PULLEY

5934
MAZDA
3.4 IN. DIA. PULLEY

5935
CHEVROLET LIGHT TRUCK
3.5 IN. DIA. PULLEY

5936
SUBARU
3.3 IN. DIA. PULLEY

5937
NISSAN
3.0 IN. DIA. PULLEY

5938
LEXUS
2.2 IN. DIA. PULLEY

5939
MITSUBISHI
2.9 IN. DIA. PULLEY

5940
NISSAN
3.1 IN. DIA. PULLEY

5941
HONDA
2.9 IN. DIA. PULLEY

5954
DODGE LIGHT TRUCK
3.8 IN. DIA. PULLEY

5957
NISSAN
3.1 IN. DIA. PULLEY

5959
PONTIAC
3.3 IN. DIA. PULLEY

5968
SATURN
4.0 IN. DIA. PULLEY

5969
NISSAN
3.3 IN. DIA. PULLEY

5970
FORD LIGHT TRUCK
3.8 IN. DIA. PULLEY

5971
CHEVROLET LIGHT TRUCK
3.3 IN. DIA. PULLEY

5972
JEEP
3.0 IN. DIA. PULLEY

5973
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5974
CHEVROLET
3.0 IN. DIA. PULLEY

5975
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5976
JEEP
3.8 IN. DIA. PULLEY

5978
FORD
5.2 IN. DIA. PULLEY

5979
FORD LIGHT TRUCK
3.0 IN. DIA. PULLEY

5980
DODGE LIGHT TRUCK
3.0 IN. DIA. PULLEY

5981
FORD LIGHT TRUCK
3.0 IN. DIA. PULLEY

5982
CHEVROLET LIGHT TRUCK
3.8 IN. DIA. PULLEY

5983
BMW
2.8 IN. DIA. PULLEY

5984
BMW
2.8 IN. DIA. PULLEY

5985
BMW
3.2 IN. DIA. PULLEY

5987
MERCEDES-BENZ
2.8 IN. DIA. PULLEY

5989
MERCEDES-BENZ
3.2 IN. DIA. PULLEY

5990
CADILLAC
3.5 IN. DIA. PULLEY

5991
CHEVROLET LIGHT TRUCK
5.2 IN. DIA. PULLEY

5992
FORD LIGHT TRUCK
3.5 IN. DIA. PULLEY

5996
FORD LIGHT TRUCK
2.8 IN. DIA. PULLEY

5046
BMW
2.8 IN. DIA. PULLEY

5048
BMW
2.8 IN. DIA. PULLEY

5049
BMW
2.8 IN. DIA. PULLEY

5054
BMW
2.8 IN. DIA. PULLEY

5059
VOLKSWAGEN
2.4 IN. DIA. PULLEY

5942
FORD
3.3 IN. DIA. PULLEY

5950
FORD LIGHT TRUCK
3.9 IN. DIA. PULLEY

5951
FORD
3.8 IN. DIA. PULLEY

5960
CHEVROLET LIGHT TRUCK
4.5 IN. DIA. PULLEY

5963
FORD LIGHT TRUCK
3.3 IN. DIA. PULLEY

5964
FORD
3.3 IN. DIA. PULLEY

5965
FORD
3.3 IN. DIA. PULLEY

5986
BMW
2.9 IN. DIA. PULLEY

5081
CHEVROLET
3.5 IN. DIA. PULLEY

5082
CHEVROLET
2.8 IN. DIA. PULLEY

5084
FORD
2.5 IN. DIA. PULLEY

5085
NISSAN
2.8 IN. DIA. PULLEY

5086
BMW
3.1 IN. DIA. PULLEY

5087
MAZDA
3.1 IN. DIA. PULLEY

5904
MITSUBISHI
3.6 IN. DIA. PULLEY

Illustrated Guide

5905
TOYOTA
2.8 IN. DIA. PULLEY

5906
MITSUBISHI
3.6 IN. DIA. PULLEY

5916
INFINITI
3.3 IN. DIA. PULLEY

5917
DODGE LIGHT TRUCK
3.9 IN. DIA. PULLEY

5931
TOYOTA
2.6 IN. DIA. PULLEY

5910

1.6 IN. DIA. PULLEY

5920
DODGE LIGHT TRUCK



5782
TOYOTA

5907
DODGE LIGHT TRUCK



5783
TOYOTA



5785
LEXUS

5786
CHEVROLET LIGHT TRUCK



5784
TOYOTA

5908

Transmission Oil Coolers

Over 14 million transmissions fail every year, 9 out of 10 from overheating.

Every 20°F drop in operating temperature can double oil and equipment life.

Use a transcooler if you:

- **Tow boats, trailers or fifth wheels**
- **Climb steep grades**
- **Drive in stop-and-go traffic**
- **Drive in hot weather**



Engine Oil Coolers

Protect your investment with our Engine Oil Cooler.

- **Extends oil and engine life**
- **Complete kits with cooler, adapter, hose and mounting hardware**
- **Reduces wear on all lubricated engine parts**
- **Thermostatic control prevents over cooling of oil**



Specifications

Ultra-Cool®
Transmission Oil Coolers

The industry's first transmission cooler, the Ultra-Cool® transmission oil cooler is available in six sizes to fit a wide range of applications from sub-compacts to motorhomes.



FEATURES

- ULTRASONICALLY SOLDERED FOR RELIABILITY
- 100% PRESSURE TESTED AT 150 PSI FOR QUALITY ASSURANCE
- HIGH EFFICIENCY TURBULATORS
- 3/8" PUSH-ON FITTINGS FOR QUICK AND EASY INSTALLATION

Ultra-Cool® Transmission Oil Coolers

PART #	THICKNESS	HEIGHT	LENGTH	CORE	FITTING SIZE	APPLICATION
401	3/4"	5"	12-1/2"	8-3/4"	3/8" PUSH-ON	SUB-COMPACT TO COMPACT CARS
402	3/4"	5"	15-7/8"	12-1/8"	3/8" PUSH-ON	UP TO FULL SIZE VEHICLES, TOWING UP TO 2,500 LBS.
403	3/4"	7-1/2"	12-1/2"	8-3/4"	3/8" PUSH-ON	UP TO FULL-SIZE VEHICLES, TOWING UP TO 2,500 LBS.
404	3/4"	7-1/2"	15-7/8"	12-1/8"	3/8" PUSH-ON	UP TO CLASS "C" MOTORHOMES, TOWING UP TO 5,000 LBS.
405	3/4"	10"	15-7/8"	12-1/8"	3/8" PUSH-ON	UP TO CLASS "A" MOTORHOMES, TOWING UP TO 10,000 LBS.
1015	1-1/2"	12"	15-1/8"	11-1/8"	3/8" PUSH-ON	TOWING WITH CLASS "A" MOTORHOME OR TOWING MORE THAN 10,000 LBS.

Rapid-Cool®
Transmission Oil Coolers

Rapid-Cool®'s unique plate and fin design offers excellent cooling efficiency in a compact, space-efficient design.

FEATURES

- 33% MORE EFFICIENT THAN A COMPARABLE TUBE AND FIN DESIGN
- PRE-DRILLED MOUNTING BRACKETS FOR EASY INSTALLATION
- FOUR SIZES AVAILABLE TO FIT A WIDER RANGE OF APPLICATIONS
- PATENTED INTERNAL TURBULATION FOR INCREASED HEAT TRANSFER & MINIMAL PRESSURE DROP (Patent No. 6,478,080)
- AVAILABLE WITH EITHER 3/8" PUSH-ON OR -6 THREAD-ON FITTINGS TO FIT A WIDE RANGE OF APPLICATIONS

Rapid-Cool® Transmission Oil Coolers

PART #	THICKNESS	HEIGHT	LENGTH	CORE	FITTING TYPE	APPLICATION	GVW
676	3/4"	6"	11"	3-15/16"	3/8" PUSH-ON	COMPACT AND SUB-COMPACT CARS	10,000
677	3/4"	7-1/2"	11"	5-1/2"	3/8" PUSH-ON	UP TO FULL SIZE VEHICLES, TOWING UP TO 2,500 LBS.	14,000
678	3/4"	9-1/2"	11"	7-3/8"	3/8" PUSH-ON	UP TO CLASS "C" MOTORHOMES, TOWING UP TO 5,000 LBS.	18,000
679	3/4"	11-5/8"	11"	9-1/2"	3/8" PUSH-ON	UP TO CLASS "A" MOTORHOMES, TOWING UP TO 10,000 LBS.	22,000
687	3/4"	7-1/2"	11"	5-1/2"	9/16"-18, 37° JIC MALE FLARE (-6)	UP TO FULL SIZE VEHICLES, TOWING UP TO 2,500 LBS.	14,000
689	3/4"	11-5/8"	11"	9-1/2"	9/16"-18, 37° JIC MALE FLARE (-6)	UP TO CLASS "A" MOTORHOMES, TOWING UP TO 10,000 LBS.	22,000

IMPORTANT NOTES

1 DO NOT use transmission oil coolers for engine oil applications. Engine damage may result due to flow restrictions.

2 For extreme cold weather conditions (20°–30° below 0), see bypass section or install a #163 thermostatic bypass kit.

Patented By-Pass Transmission Oil Coolers

Hayden's new patented internal pressure by-pass coolers allow the vehicle's transmission to reach optimum operating temperature quickly by routing the fluid through the by-pass channel of the cooler until fluid temperature increases. This new design allows vehicles in colder climates to reach proper operating temps faster which improves fuel economy and helps reduce friction of internal components. Hayden's internal pressure by-pass design incorporates an integrated valve that eliminates the need for external valves and additional plumbing at installation.

699 698 697 696

FEATURES

Bi-directional Flow

33% more efficient than traditional coolers

High efficiency louvered fins and special oil turbulators

100% pressure tested

100% brazed aluminum construction offers superior strength and reliability

All cooler brackets come pre-drilled for easy mounting

Necessary installation hardware included





PART #	THICKNESS	HEIGHT	LENGTH	CORE	FITTING TYPE	APPLICATION	GVRW
696	3/4"	6"	11"	3-15/16"	3/8" PUSH-ON	**NORMAL DUTY DRIVING** COMPACT AND MID-SIZE CARS	10,000 LBS
697	3/4"	7-1/2"	11"	5-1/2"	3/8" PUSH-ON	**MEDIUM DUTY DRIVING** MID-SIZE AND FULL SIZE CARS, PICK-UPS; TOWING UP TO 2,500 LBS	14,000 LBS
698	3/4"	9-1/2"	11"	7-3/8"	3/8" PUSH-ON	**HEAVY DUTY DRIVING** PICK-UPS AND VANS, CLASS "C" MOTORHOMES; TOWING UP TO 5,000 LBS	18,000 LBS
699	3/4"	11-5/8"	11"	9-1/2"	3/8" PUSH-ON	**EXTRA HEAVY DUTY DRIVING** CLASS "A" MOTORHOMES, LARGE TRAVEL TRAILERS; TOWING UP TO 10,000 LBS	22,000 LBS

IMPORTANT NOTES

1 DO NOT use transmission oil coolers for engine oil applications. Engine damage may result due to flow restrictions.

2 For extreme cold weather conditions (20°–30° below 0), see bypass section or install a #163 thermostatic bypass kit.

Specifications



High Performance Transmission Oil Coolers

Available in three sizes for medium to heavy duty applications, our high performance cooler is designed to provide outstanding cooling, as well as to complement other high performance accessories.

FEATURES

SAE 45° FITTINGS FOR MAXIMUM RELIABILITY

ALL ALUMINUM LIGHTWEIGHT CONSTRUCTION

ELECTROSTATICALLY POWDER COATED TO PREVENT CORROSION

High Performance Transmission Oil Coolers

PART #	THICKNESS	HEIGHT	LENGTH	CORE	FITTING SIZE	APPLICATION
512	3/4"	7-1/2"	12-1/2"	8-3/4"	9/16"–18 S.A.E. FLARE	UP TO FULL SIZE VEHICLES, TOWING UP TO 2,500 LBS.
514	3/4"	7-1/2"	15-7/8"	12-1/8"	9/16"–18 S.A.E. FLARE	UP TO CLASS "C" MOTORHOMES, TOWING UP TO 5,000 LBS.
516	3/4"	10"	15-7/8"	12-1/8"	9/16"–18 S.A.E. FLARE	UP TO CLASS "A" MOTORHOMES, TOWING UP TO 10,000 LBS.



525 — High Performance

Remote Transmission Oil Cooling Systems

Our remote mount cooling systems use advanced stator fan technology to evenly distribute airflow over the cooler surface for maximized cooling. Both units can be remotely mounted away from the radiator. Compatible with 3651 adjustable fan controller, or can be operated with a manual switch (not included).

FEATURES

- Powder-coated aluminum brackets
- Remote mounting
- Fan and cooler preassembled

For proper installation, use Part Number 105 (11/32" x 4-1/2") or 106 (3/8" x 4-1/2") Transmission Hose.



526 — Rapid-Cool®

Remote Transmission Oil Cooling Systems

PART #	THICKNESS	HEIGHT	LENGTH	FITTING SIZE	APPLICATION
525	3.5"	11"	18.5"	9/16"–18 S.A.E. FLARE	THREADED COOLER FITTINGS FOR MAXIMUM DEPENDABILITY.
526	3.5"	11"	13.8"	3/8" PUSH-ON	ULTRA COMPACT DESIGN PROVIDES SAME COOLING AS THE HIGH PERFORMANCE MODEL.

IMPORTANT NOTES

1 DO NOT use transmission oil coolers for engine oil applications. Engine damage may result due to flow restrictions.

2 For extreme cold weather conditions (20°–30° below 0), see bypass section or install a #163 thermostatic bypass kit.

Power Steering Oil Cooler

Our power steering oil coolers remove destructive heat generated within a power steering system, especially in vehicles with large tires such as motorhomes and off-road vehicles. Installation of a power steering oil cooler will prolong the life of the system's pump, hoses, fluid and seals.



PART #	THICK	HEIGHT	LENGTH	CORE	FITTING TYPE	APPLICATION
1009	3/4"	2-1/2"	9"	5-3/4"	3/8" PUSH-ON	LIGHT-DUTY
1010	3/4"	2-1/2"	12"	8-3/4"	3/8" PUSH-ON	MEDIUM-DUTY
1011	3/4"	5"	9-1/4"	5-3/4"	3/8" PUSH-ON	HEAVY-DUTY
1012	3/4"	2-1/2"	16-1/4"	12-1/2"	3/8" PUSH-ON	TRUCK-SUV

Ultra-Cool® Engine Oil Coolers – Light Duty

LIGHTWEIGHT ALL ALUMINUM CONSTRUCTION

ULTRASONICALLY SOLDERED FOR MAXIMUM RELIABILITY

HIGH-EFFICIENCY TURBULATORS

PART #462 SPECIALLY DESIGNED FOR CHEVROLET V8 ENGINES



PART #	THICK	HEIGHT	LENGTH	CORE	FITTING SIZE	APPLICATION
459	3/4"	7-1/2"	12-1/2"	8-3/4"	1/2" PUSH-ON	ALL EXCEPT CHEVY V8
462	3/4"	7-1/2"	12-1/2"	8-3/4"	1/2" PUSH-ON	CHEVY V8 ONLY
1230	3/4"	7-1/2"	12-1/2"	8-3/4"	1/2" PUSH-ON	COOLER ONLY

Ultra-Cool® Engine Oil Coolers – Medium Duty

TWO-PASS THIN-LINE HEADERED DESIGN FOR INCREASED COOLING

100% HAND-BRAZED CONSTRUCTION

TURBULATORS IN EVERY TUBE FOR EFFICIENT COOLING

PART #461 SPECIALLY DESIGNED FOR CHEVROLET V8 ENGINES



PART #	THICK	HEIGHT	LENGTH	CORE	FITTING SIZE	APPLICATION
457	3/4"	10-1/2"	12-1/4"	8-5/8"	3/8" FPT	ALL EXCEPT CHEVY V8
461	3/4"	10-1/2"	12-1/4"	8-5/8"	3/8" FPT	CHEVY V8 ONLY

Swirl Cool® – Heavy Duty

COPPER HEADER AND TUBE CONSTRUCTION

TURBULATORS IN EVERY TUBE FOR MAXIMUM COOLING AND EFFICIENCY

VIBRATION ABSORBING RUBBER BLOCK MOUNTING

1-1/2" THICK HEADERED DESIGN FOR INCREASED COOLING AND EFFICIENCY

MINIMAL PRESSURE LOSS DUE TO HEADERED DESIGN

PART #1046 DESIGNED FOR CHEVROLET V8 ENGINES

PART #	THICK	HEIGHT	LENGTH	CORE	FITTING SIZE	APPLICATION
1040	1-1/2"	6-1/2"	18"	14-1/4"	1/2" FPT	ALL EXCEPT CHEVY V8
1046	1-1/2"	6-1/2"	18"	14-1/4"	1/2" FPT	CHEVY V8 ONLY

Chevrolet specific kits come with metal line kit to route oil lines past exhaust manifold. Refer to oil cooler application pages for specific year and model recommendations.

Specifications

Designed for rugged heavy duty use, our coolers can be used for many different cooling applications, including transmission, engine, gear box, hydraulic oils and diesel fuel.

Our heavy duty coolers feature brazed copper tubes with aluminum fin construction. Turbulators in every tube provide 3 1/2 times more cooling surface than bare tubing.



1240 1299 2305

Heavy Duty Oil Cooler Specifications

PART #	MOUNTING KITS QTY.	MOUNTING KITS P/N	OVERALL SIZE HEIGHT, LENGTH, THICKNESS	NUMBER OF ROWS	NUMBER OF PASSES	FITTING SIZE FPT	GPM FLOW RANGE	COOLING BTU / HR. @2500 AIRFLOW @ 100°F ITD OIL TO AIR	PACKED WEIGHT IN POUNDS
TWO-PASS COOLERS									
1233	1	210	10 x 12-1/4 x 3/4	1	2	3/8	2 – 10	7,300 – 12,000	4
1299	3	238	22-1/8 x 24 x 1-1/2	1	2	3/4	2.5 – 20	36,500 – 61,000	17
1271	2	238	26-3/4 x 30 x 1-1/2	1	2	1	3 – 12	49,300 – 89,600	26
ONE-PASS COOLERS									
1215	1	238	4-1/2 x 15 x 1-1/2	1	1	1/2	1 – 8	6,000 – 8,500	3
1234	2	238	6-1/2 x 15 x 1-1/2	1	1	1/2	1.5 – 12	9,000 – 12,800	4
1240	2	238	6-1/2 x 18 x 1-1/2	1	1	1/2	1.5 – 12	10,900 – 16,200	4
1236	2	238	8-1/2 x 18 x 1-1/2	1	1	1/2	2 – 16	14,500 – 21,500	6
1241	2	238	8-1/2 x 21 x 1-1/2	1	1	1/2	2 – 16	16,900 – 25,900	7
1268	2	238	12-3/4 x 18 x 1-1/2	1	1	3/4	3 – 24	21,200 – 31,200	8
1260	2	238	12-3/4 x 24 x 1-1/2	1	1	3/4	3 – 24	28,100 – 44,300	11
1284	3	238	16-3/4 x 24 x 1-1/2	1	1	3/4	4 – 32	37,500 – 59,000	14
1290	3	238	18-3/4 x 24 x 1-1/2	1	1	3/4	4.5 – 36	42,200 – 66,400	15
1292	3	238	25 x 24x 1-1/2	1	1	1	6 – 48	55,200 – 86,400	20
2305	4	238	31 x 24 x 1-1/2	1	1	1	7.5 – 60	70,000 – 108,000	26
2306	4	238	31 x 30 x 1-1/2	1	1	1	7.5 – 60	83,600 – 139,800	32
1297	4	238	37-1/4 x 30 x 1-1/2	1	1	1-1/4	9 – 72	99,000 – 164,600	38
1298	4	238	37-1/4 x 40 x 1-1/2	1	1	1-1/4	9 – 72	122,600 – 226,100	51
2312	4	238	41-3/4 x 43 x 1-1/2	1	1	2	10-80	149,600-264,500	94
TWO-ROW COOLERS									
2271	4	238	20-1/4 x 24 x 3	2	1	1	9 – 36	89,900 – 114,300	38
2292	1	107	26-7/8 x 24 x 3	2	1	1	12 – 96	83,500 – 152,400	51
2297	1	183	45 x 42 x 3	2	1	2-1/2	18 – 144	235,900 – 415,700	134

Allison Transmission Application Guide

Cont.

TRANSMISSION MODEL	GPM FLOW	HORSEPOWER	HIGHWAY (1)		OFF-HIGHWAY	
			ADD-ON COOLER PART #	REPLACEMENT COOLER PART #	ADD-ON COOLER PART #	REPLACEMENT COOLER PART #
AT 540, 542, 545	4.5	125	1268	1299	1299	1271
		150	1260	1299	1299	1271
		175–235	1299	1299	1299	1271
MT 40, 41, 42 SERIES	8.0	150	1260	1290	1290	1292
		200	1290	1290	1292	2305
		250	1290	1292	2305	2306
MT 643, 645, 653	8.0	175–200	1299	1299	1299	1271
		250	1299	1271	1271	2306
MT 644, 646, 647, 648, 654	12.0	200	1290	1290	1290	2305
MT 645CR, 655, 656CR		250	1292	1292	1292	2305
		300	1290	2305	2305	1297
HT 740, 747, 748, 750	15.0	250	1290	1292	1292	2306
HT 7500DR, 754, 755CR		300	1290	2305	2305	1297
HT 755DR, CBLT 754		350	1292	2306	2306	1298
		400	1292	1297	1297	1298
		425	2305	1298	1298	–
V 730, 731	20.0	200	1290	1292	–	–

(1) Highway vehicles refers to vehicles usually operated above 30mph. Use off-highway applications for refuse trucks.

HD-COOL™ Heavy-Duty

Hayden® 37mm heavy duty plate & fin coolers are ideal for Transmission and Engine oil cooling applications requiring higher flow range and increased heat transfer capacity in a compact space.

FEATURES

- PRE-DRILLED MOUNTING BRACKETS FOR EASY INSTALLATION
- 4 SIZES AVAILABLE TO HANDLE A WIDE RANGE OF APPLICATIONS
- PATENTED INTERNAL TURBULATION FOR INCREASED HEAT TRANSFER & MINIMAL PRESSURE DROP (Patent No. 6,478,080)
- 37° JIC MALE FLARE (-12) FITTINGS FOR MAXIMUM FLOW CAPACITY



Rapid-Cool®

Rapid-Cool® Heavy-Duty Specification Chart

PART #	THICKNESS	HEIGHT	LENGTH	CORE	FITTING TYPE	RECOMMENDED FLOW RANGE	COOLING BTU / HR (1)	GVW
776	1.7″	4.3″	12.9″	11.2″	FEMALE 7/8-14 O-RING X 37° JIC MALE FLARE (-12 AN)	1-5 GPM	5,200 – 10,400	14,000
777	1.7″	6.6″	12.9″	11.2″	FEMALE 7/8-14 O-RING X 37° JIC MALE FLARE (-12 AN)	1-5 GPM	7,900 – 18,500	18,000
778	1.7″	9″	12.9″	11.2″	FEMALE 7/8-14 O-RING X 37° JIC MALE FLARE (-12 AN)	1-5 GPM	9,600 – 20,800	24,000
779	1.7″	11.2″	12.9″	11.2″	FEMALE 7/8-14 O-RING X 37° JIC MALE FLARE (-12 AN)	1-5 GPM	9,600 – 24,000	29,000

(1) @ 100° F oil to air differential temperature.

Specifications

Typical in series transmission oil cooler installation



Full flow engine oil cooler system with sandwich adapter



Mounting Location

For maximum efficiency, the cooler should be mounted where it will receive the coolest air and maximum air flow. This is usually directly in front of the radiator or the air conditioning condenser. Use alternative positions 2 or 3 if sufficient room up front is unavailable. Be sure to compensate for the loss of cooling efficiency by using a cooler one or two sizes larger.

SHOWN ARE THE THREE SUGGESTED LOCATIONS FOR THE COOLER IN RELATION TO THE AIR CONDITIONER CONDENSER



Cooler Accessories

270 OIL TEMPERATURE GAUGE SENDER FITTING

Bulkhead type fitting that installs in the transmission pan. Can be used to install a 1/8" MPT temperature sender, or used as a drain plug.



270

275 OIL TEMPERATURE GAUGE

Monitors transmission or engine oil temperature. Features 160°F – 320°F range. Complete with mounting bezel, sender, sender fitting and wiring.



275

Specifications

Hose And Line Kits

105 TRANSMISSION OIL COOLER HOSE
11/32" x 4-1/2'

106 TRANSMISSION OIL COOLER HOSE
3/8" x 4-1/2'

112 ENGINE OIL COOLER HOSE
1/2" x 12'

125 TRANSMISSION OIL COOLER HOSE
11/32" x 25'

126 TRANSMISSION OIL COOLER HOSE
3/8" x 25'

127 OIL COOLER HOSE
1/2" x 25'

251 TRANSMISSION OIL COOLER REINSTALLATION KIT
Contains PART #'s 105, 210, 250 and four hose clamps.

293 METAL LINE KIT
For engine oil coolers. Routes oil lines past exhaust manifolds.

Cooler Mounting Kits

153 METAL MOUNTING BRACKET KIT
For 1-1/2" thick coolers.
PART #'s 1015, 1040, 1046, 1240

253 METAL MOUNTING BRACKET KIT
For 3/4" thick coolers.
PART #'s 401-405, 457-462, 676-679

210 MOUNTING KIT, FOR TRANS-COOLERS AND ELECTRIC FANS
Contains nylon rods, foam pads,and removable locking buttons.

238 Rubber block mounting kit for 1-1/2" thick coolers.

Cooler Installation Fittings

250 QUICK-CONNECT® COUPLER
Fits most 5/16" trans-lines with 1/2"-20 thread

252 FORD, 1/4", 3/8" NPT FITTINGS

271 22mm thread for use with 291 kit (next page)

380 5/8", O.E. Snap In

386 9/16"-18, ADAPTER with 1/8" NPT Port

387 3/8" HOSE BARB x 7/8" - 14 Thread

388 1/2" HOSE BARB x 7/8" - 14 Thread

389 5/8" HOSE BARB

390 GM–FORD–JEEP, 5/8"-18 INVERTED FLARE

391 JEEP, 5/8"-18 S.A.E. 45° FITTINGS

392 DODGE–JEEP, 3/8" X 3/8" HOSE SPLICERS

393 GM, 1/2"-20 INVERTED FLARE, FULL THREAD

394 FORD, 1/2"-20 INVERTED FLARE, PARTIAL THREAD

395 FORD, 5/8"-18 INVERTED FLARE, PARTIAL THREAD

396 DODGE, JEEP, 9/16"-18 37° JIC FLARE

397 GM, FITS SNAP-IN TRANS-LINE TYPE FITTINGS

398 DODGE, JEEP, 9/16"-24 45° JIC FLARE

105, 106

251

125, 126, 127



293



153, 253



210



250

252



386



387, 388, 389

390, 393, 394, 395

391, 396, 398

392

397

Specifications



205



211

214

291



2106

Thermostatic Sandwich Adapters

Designed to fit between the filter and the block, these thermostatic adapters begin directing oil to the cooler when the oil temperature reaches 160°F and direct all oil to the cooler when the temperature reaches 180°F.

205 – Fits Ford, Chrysler and imports. 3/8" FPT ports with 3/4"-16 thread mounting nut.

211 – Fits Chevrolet and GM with large (3-1/2") O-ring diameter. 1/2" FPT ports with 13/16"-16 thread mounting nut.

225 – Fits AMC, Jeep, some GM with small (2-3/4") O-ring. 3/8" FPT ports with 13/16"-16 thread mounting nut.

242 – Fits 1976 and later GM. 3/8" FPT ports with 18mm x 1.5 thread mounting nut.

243 – Fits AMC and imports 3/8" FPT ports with 20mm x 1.5 thread mounting nut. Some O.E. filters may not seal, use FRAM #PH3950 or equivalent.

The out port is on the left with O-ring side up, facing ports. CAUTION: To avoid oil pressure loss and possible engine damage, do not use sandwich adapters to install transmission coolers as engine oil coolers.

Remote Filter Mount Kits (Non-Thermostatic)

For use when relocation of the oil filter is necessary, these mounting kits include all hardware necessary except hoses.

214 – Fits Chevrolet and GM with large (3-1/2") O.D. O-ring.

291 – Universal remote filter mount, fits small (2-3/4") O.D. O-ring only. Includes 3/4"-16", 13/16"-16, 18mm x 1.5, 20mm x 1.5 adapters. P/N 271 allows 22mm thread with this kit.

2106 – Compatible with engine oil or transmission fluid. 3/8" FPT ports facing forward. Block adapter not included.

1 REMOTE FILTER MOUNTS HAVE 3/8" FPT PORTS.

2 BLOCK OFF ADAPTERS HAVE 1/2" FPT PORTS.

3 ALL FILTER MOUNTS USE FORD TYPE FILTERS, SUCH AS FRAM # PH8A OR EQUIVALENT.

4 USE #112 HOSE FOR ENGINE APPLICATIONS, #105 FOR TRANSMISSION APPLICATIONS.

Oil Thermostat

163 – Oil thermostat for use with engine oil or transmission fluid begins closing at 160°F, fully closed at 180°F, 3/8" FPT fittings.

163

Competitive Interchange

AC Delco

MFG. NO.	OUR NO.
10055890	5979
12555244	5975
12564510	5975
12570827	5057
12580772	5996
12580773	5975
12580774	5996
12581701	5971
12597468	5909
12610680	5083
12618111	5979
14103118	5976
1520665	5900
1520666	5902
1520667	5940
1520668	5941
1520669	5959
1520670	5965
1520671	5968
1520672	5970
1520673	5971
1520674	5973
1520675	5974
1520676	5975
1520677	5976
1520678	5978
1520679	5979
152117	5950
152118	5951
152207	5901
152353	5900
152574	5902
152834	5960
1532779	3670
1533701	5920
1534151	392
1534152	252
1534153	105
1534154	394
1534155	395
1534156	251
1534157	1009
1534158	250
1534159	402
1534161	397
1534163	1240
1534164	1299
1534165	1260
1534166	1290
1534167	2305
1540002	2680
1540003	2846
1540004	2846
1540011	2831
1540012	2846
1540018	2846
1540019	2871
1540021	2847
1540022	2844
1540027	2811
1540031	2844
1540032	2871
1540034	2582
1540035	2834
1540036	2784
1540052	2580
1540065	2794
1540066	2582
1540067	2656
1540068	2592
1540069	2583
1540070	2585
1540071	2671
1540072	2837
1540073	2664
1540074	2736
1540075	2841
1540076	2836
1540077	2663
1540078	2666
1540079	2669
1540080	2673
1540081	2676
1540082	2681
1540083	2776
1540084	2692
1540085	2668
1540086	2672
1540087	2677
1540088	2677
1540089	2679
1540090	5000
1540091	5002
1540092	5003
1540093	5004
1540094	5005
1540095	5006
1540096	5008
1540097	5001
1540098	5007
1540107	2744
1540109	2784
1540110	2785
1540111	2786
1540114	3221
1540115	2887
1540121	2581
1540122	2560
1540127	2626
1540128	2722
1540129	2727
1540130	2731
1540131	2734
1540132	2707
1540133	3200
1540134	2734
1540136	2731
1540138	2784
1540142	2889
1540144	2851
1540146	2843
1540294	2774
1540295	2706
1540296	2789
1540297	2830
1540298	2779
1540299	2587
1540300	2834
1540301	2842
1540302	2562
1540303	2664
1540304	2710
1540305	2781
1540306	2798
1540307	2783
1540308	2801
1540309	2802
1540310	2828
1540311	2830
1540312	2614
1540313	2625
1540314	2567
1540315	2717
1540316	2659
1540317	2570
1540318	2593
1540319	2594
1540320	2595
1540321	2596
1540322	2597
1540323	2743
1540324	2624
1540325	2693
1540326	2694
1540327	2695
1540328	2696
1540329	2697
1540330	2740
1540331	2742
1540332	2621
1540333	2748
1540334	2900
1540335	2901
1540336	2902
1540337	2794
1540338	3261
1540339	3261
1540340	5100
1540341	5102
1540342	5103
1540343	5105
1540344	5106
1540345	5108
1540346	5109
1540347	5110
1540372	5013
1540373	5014
1540374	5016
1540375	5017
1540376	5018
1540377	5019
1540378	5020
1540379	5021
1540380	5022
1540381	5024
1540382	5026
1540472	5901
1540473	5907
1540474	5908
1540477	5951
1540478	5957
1540479	5981
1540480	5983
1540481	5984
1540482	5985
1540483	5986
1540484	5987
1540485	5989
1540486	5996
1540487	5783
1540488	5784
1540489	5785
1540491	2598
1540492	2667
1540493	2675
1540494	2821
1540495	2822
1540496	2844
1540497	2846
1540498	2847
1540499	2871
1540500	2872
1540501	2846
1540502	2917
1540503	2772
1540504	2811
1540505	2961
1540507	391
1540508	2787
1540513	3202
1540520	2980
1540526	5071
1540553	3203
1540562	3210
154187	1705
154201	1710
154208	2705
154210	2705
154212	2710
154214	2711
154215	2705
154216	2705
154218	2705
154220	2705
154222	2705
154223	2705
154224	2707
154226	2797
154227	1707
154259	1710
154271	2707
154273	2551
154274	2710
154275	2711
154280	2731
154283	2731
154298	2797
154304	2706
154307	2799
154308	2711
154309	2705
154310	2705
154311	2731
154316	2799
154317	2741
154318	2705
154319	2708
154320	2797
154322	2551
154323	2551
154324	2747
154325	2705
154326	2747
154327	2707
154328	2615
154330	2747
154331	2706
154332	2623
154333	2708
154344	2707
154345	2706
154346	2705
154353	2734
154355	2734
154356	2734
154359	2724
154360	2722
154366	2747
154368	2722
154370	2747
154374	2580
154377	2714
154381	2705
154382	2722
154383	2722
154387	2724
154402	2785
154403	2785
154405	2784
154408	2734
154409	2734
154410	2734
154411	2784
154413	2747
154415	2797
154416	2797
154419	2784
154420	2724
154421	2799
154425	2724
154430	2784
154431	2784
154433	2784
154434	2797
154435	2784
154436	2797
154437	2797
154443	2705
154445	2797
154448	2734
154449	2784
154450	2784
154455	2799
154459	2734
154463	2784
154465	2830
154467	2784
154468	2784
154472	2724
154473	2734
154474	2784
154475	2724
154483	2784

Competitive Interchange

MFG. NO.	OUR NO.
AC Delco	
154487	2797
154488	2734
154489	2784
154490	2724
154491	2724
154492	2785
154493	2785
154494	2784
154495	2784
154498	2784
154501	2784
154507	2831
154509	2784
154510	2734
154511	2734
154512	2734
154533	2739
154535	2734
154536	2734
154539	2626
154540	2626
154542	2744
154543	2707
154544	2747
154545	2797
154546	2797
154548	2747
154549	2797
154551	2784
154552	2734
154553	2724
154554	2784
154555	2626
154556	2626
154558	2744
154559	2744
154560	2744
154561	2626
154564	2744
154565	2744
154585	2784
154586	2631
154589	2784
154590	2785
154591	2784
154592	2785
154593	2797
154594	2797
154595	2739
154596	2734
154598	2727
154599	2799
154603	2724
154604	2580
154606	2797
154622	2831
154630	2784
154632	2786
154636	2784
154637	2786
154640	2786
154641	2784
154642	2786
154644	2797
154645	2784
154646	2797
154648	2786
154649	2787
154650	2784
154652	2831
154653	2784
154670	5975
154671	2786
154672	2786
154673	2784
154674	2839
154675	2632
154680	2839
154683	5979
154684	2786
154687	2632
154691	2840
154693	2843
154694	2786
154697	2850
154712	2780
154713	2786
154848	2744
154849	2780
154869	5954
154870	5963
154871	5942
154872	5964
154873	5950
154874	5910
154911	2799
154912	2710
154913	2616
154914	2710
154915	2653
154916	2559
154917	2550
154918	2555
154919	2561
154920	2565
154924	2795
154925	2662
154926	2781
154927	2661
154928	2558
154930	2786
154931	2786
154935	2744
154940	5900
154941	5980
154942	5969
154946	2713
154947	2705
154948	2782
154949	2797
154950	2799
154951	2801
154952	2834
154954	5991
154956	5971
154957	5972
154959	2787
154960	2778
154964	2843
154968	5979
154974	5971
154977	2580
154986	2850
154994	3200
154998	2872
1551096	3647
1551223	5782
1562758	210
1580241	2615
1580242	2560
1580243	2794
1580244	1705
1580245	2705
1580248	2591
1580249	2691
1580250	2707
1580251	2707
1580252	2747
1580253	2791
1580254	2771
1580255	2798
1580256	2775
1580257	2781
1580258	2557
1580259	2617
1580260	2617
1580261	2618
1580262	2620
1580263	2715
1580264	2716
1580266	2723
1580267	2726
1580268	2733
1580269	2795
1580270	2838
1580271	2835
1580272	2799
1580273	2619
1580274	2710
1580275	2711
1580276	2796
1580277	2710
1580278	2734
1580280	2657
1580281	2561
1580282	2610
1580283	2658
1580284	2610
1580285	2665
1580286	2765
1580287	2737
1580289	2651
1580290	2652
1580291	2565
1580292	2654
1580293	2590
1580295	2554
1580296	2556
1580297	2682
1580298	2655
1580299	2661
1580300	2558
1580563	2981
1580750	3619
1581574	3700
1581575	3680
19144554	2841
20788261	3222
20908447	2786
21015432	5020
343721	2614
36229	5087
36369	5086
38002	5968
38003	5954
38006	5979
88919193	5900
88919200	5970
88919201	5971
88919203	5974
88919206	5978
88919207	5979
89000033	5950
89000034	5954
89000035	5963
89000130	2556
89000134	2560
89000140	2591
89000146	2618
89000158	2682
89000162	2657
89000163	2658
89000165	2665
89000172	2707
89000177	2716
89000189	2737
89000195	2724
89000199	2765
89000206	2794
89000207	2796
89000210	2838
89001907	2795
89040281	380
91174496	5075
94671205	3221
97221943	5996
Beck Arnley	
1300086	2560
1300088	2556
1300090	2554
1300093	2591
1300097	2653
1300104	2561
1300108	2561
1300114	2559
1300115	2565
1300116	2562
1300120	2565
1300122	2558
1300123	2556
1300124	2559
1300125	2560
1300126	2560
1300127	2664
1300129	2550
1300130	2560
1300131	2560
1300132	2664
1300133	2560
1300134	2560
1300138	2582
1300139	2657
1300140	2657
1300141	2661
1300142	2679
1300143	2597
1300144	2596
1300145	2671
1300146	2670
1300147	2559
1300149	2655
1300151	2680
1300152	2585
1300153	2587
1300154	2664
1300155	2666
1300156	2669
1300157	2664
1300158	2560
1300159	2654
1300161	2654
1300162	2654
1300163	2673
1300164	2668
1300165	2567
1300167	2671
1300169	2671
1300170	2567
1300171	2610
1300173	2663
1300174	2651
1300175	2651
1300178	2652
1300179	2652
1300183	2664
1300185	2657
1300187	2684
1300188	6201
1300189	2659
1300190	6200
1300192	2691
1300193	2682
1300194	6600
1300195	2654
1300197	6601
1300198	2667
1300199	2696
1300201	2694
1300202	2695
1300203	2692
1300205	2593
1300206	2693
1300207	2991
1300208	2634
1300213	2692
1300214	2594
1300215	2692
1300216	2697
1300217	2692
1300218	2685
1300219	2685
1300223	6231
1300225	6250

Competitive Interchange

MFG. NO.	OUR NO.
Behr	
376731491	2697
376732001	2692
376732021	2597
376732101	2593
376732111	2691
376732171	2592
376732221	2596
376732231	2591
376732251	2692
376732301	2692
376732321	2591
376732331	2699
376732351	2693
376732521	2696
376732531	2685
376733001	2594
376733011	2694
376733021	2595
376733031	6250
376733041	2695
376734021	3200
376757311	3300
376758301	3302
376758311	3303
LR025955	3301
Dayco	
89001	5970
89002	5982
89003	5974
89004	5066
89005	5981
89006	5975
89007	5979
89008	5980
89009	5971
89010	5969
89011	5968
89012	5066
89013	5978
89014	5010
89015	5996
89016	5011
89017	5972
89018	5973
89020	5900
89025	5950
89026	5968
89027	5990
89028	5991
89029	5941
89031	5964
89032	5965
89033	5013
89034	5017
89035	5954
89036	5902
89037	5020
89038	5003
89039	5000
89040	5951
89042	5984
89043	5987
89044	5989
89045	5985
89046	5983
89047	5963
89048	5014
89049	5940
89050	5024
89051	5056
89052	5025
89053	5045
89054	5058
89055	5064
89057	5036
89058	5047
89059	5026
89070	5038
89071	5029
89072	5059
89073	5060
89074	5061
89076	5039
89077	5048
89078	5049
89079	5050
89080	5051
89081	5040
89082	5041
89083	5042
89085	5052
89086	5027
89087	5043
89088	5053
89089	5044
89090	5030
89091	5054
89092	5986
89093	5046
89096	5037
89097	5018
89098	5019
89099	5073
89101	5100
89102	5102
89103	5103
89105	5105
89106	5106
89108	5108
89109	5109
89110	5110
89130	5069
89131	5083
89132	5919
89134	5062
89135	5084
89138	5904
89141	5022
89144	5013
89148	5926
89149	5006
89151	5922
89152	5931
89154	5021
89155	5007
89156	5916
89158	5070
89159	5072
89160	5918
89161	5076
89162	5033
89163	5086
89164	5923
89165	5071
89166	5087
89168	5917
89169	5905
89170	5935
89172	5008
89174	5069
89177	5906
89179	5075
89502	5933
89504	5939
89505	5936
89506	5077
89507	5932
89510	5934
89515	5080
89516	5909
89519	5079
89525	5937
89537	5938
89540	5078
89553	5081
89554	5082
89558	5085
Dorman	
300800	5783
300801	5782
300802	5784
300804	5785
300806	5786
419597	5076
419598	5013
419602	5975
419603	5971
419604	5996
419605	5900
419606	5969
419607	5974
419608	5980
419609	5973
419610	5019
419611	5064
419612	5981
419613	5970
419614	5000
419615	5025
419616	5957
419617	5012
419618	5990
419619	5900
419620	5087
419621	5934
419623	5071
419624	5062
419625	5004
419626	5940
419627	5003
419645	5058
419663	5979
419668	5918
622001	3200
622002	3261
622003	3281
622102	3261
622103	3281
622104	3282
800726	380
Derale	
13001	210
13002	253
13003	105
13004	250
13005	2106
13006	251
13007	125
13014	252
13018	390
13024	394
13025	395
13028	392
13030	396
13101	401
13102	402
13103	404
13106	403
13501	676
13502	677
13503	678
13504	679
13760	527
15502	459
15700	112
15716	214
15720	211
15799	127
16510	3670
16516	3700
16701	3801
16738	3652
16749	3651
16759	3647
16769	3653
16824	3800
17015	3565
17017	3567
17018	3568
17117	3618
17118	3619
17418	3615
18912	3680
18914	3690
19117	3610
19118	3611
19418	3615
19518	3617
21010	1710
21011	1710
21012	1710
21014	1705
21016	1710
21026	1706
21034	1710
21037	2711
21038	1710
21043	1707
21049	1705
21060	2614
21061	2715
21064	2618
21161	2715
22010	2557
22011	2710
22012	2711
22013	2551
22015	2662
22016	2710
22017	2665
22018	2765
22019	2668
22020	2670
22021	2671
22022	2672
22023	2778
22025	2664
22026	2706
22027	2666
22028	2669
22029	2673
22030	2558
22031	2659
22032	2676
22033	2680
22034	2710
22037	2714
22038	2711
22041	2731
22042	2708
22043	2707
22044	2616
22045	2747
22046	2747
22047	2747
22048	2705
22049	2707
22050	2713
22051	2782
22052	2741
22054	2747
22056	2623
22059	2906
22060	2614
22061	2715
22063	2634
22063EX	2772
22064	2618
22065	2617
22067	2581
22068	2582
22069	2583
22070	2798
22071	2591
22072	2610
22073	2654
22074	2661
22075	2655
22076	2671
22077	2653
22078	2779
22080	2556
22081	2554

Competitive Interchange

MFG. NO.	OUR NO.
Derale	
22082	2570
22085	2653
22086	2559
22087	2567
22088	2550
22089	2590
22090	2652
22091	2664
22092	2565
22093	2555
22094	2561
22096	2562
22097	2565
22098	2651
22099	2691
22126	2723
22135	2681
22136	2632
22139	2776
22140	2734
22142	2724
22143	2727
22145	2734
22146	2733
22147	2722
22148	2622
22149	2737
22150	2624
22151	2736
22152	2905
22153	2739
22154	2785
22155	2726
22156	2631
22157	2744
22158	2780
22159	2743
22160	2771
22161	2716
22162	2626
22163	2620
22164	2621
22165	2619
22166	2793
22167	2717
22168	2740
22169	2795
22170	2770
22171	2781
22172	2905
22173	2787
22174	2796
22175	2658
22176	2663
22177	2677
22178	2656
22179	2580
22181	6600
22182	6601
22183	2677
22184	2679
22301	2692
22302	2596
22303	2597
22306	2692
22307	2696
22308	2694
22309	2591
22310	3200
22313	2695
22316	6250
22318	2697
22320	2693
22321	2685
22322	2692
22324	2696
22325	2697
22328	2598
22330	3200
22331	3281
22332	3261
22334	3266
22396	2585
22401	2554
22402	2682
22404	2554
22407	2683
22496	2587
22601	2830
22602	2828
22603	2801
22604	2802
22605	2831
22606	2831
22607	2830
22608	2834
22609	2835
22610	2836
22611	2837
22612	2838
22613	2839
22614	2840
22615	2841
22616	2842
22617	2843
22620	2901
22624	2780
22625	2850
22626	2738
22627	2851
22709	2618
31522	3975
31540	3983
Draw-Tite	
3132	125
4670	401
4671	403
4672	404
4673	405
4674	676
4675	677
4676	678
4677	679
4678	459
4679	211
4680	210
4681	250
4682	105
4683	252
4891	390
4892	391
4893	392
Flex-A-Lite	
1028	3615
1038	3617
112	3680
113	3680
114	3690
115	3690
116	3700
120	3680
1350	3565
1370	3567
1380	3568
1390	3569
14524	3960
14548	3982
14556	3962
1518	3528
1519	3529
220	3800
240	3800
31147	3647
3801B	401
3812B	402
3816B	403
3818B	404
3820B	405
390	3670
3910	210
392	3680
3930	459
394	3690
396	3700
3961	205
3962	242
3963	211
3965	243
3966	225
398	3710
4110	401
4112	402
4116	403
4118	404
4190	525
5237	1710
5252	1707
5255	1705
5257	1707
5529	2580
5534	2711
5537	2710
5555	2705
5556	2733
5557	2707
5560	2723
5561	2734
5562	2706
5562	2615
5564	2554
5567	2557
5568	2558
5569	2559
5570	2550
5571	2551
5575	2560
5576	2561
5577	2562
5578	2567
5580	2651
5581	2652
5582	2653
5583	2654
5584	2655
5585	2656
5586	2657
5587	2658
5588	2651
5589	2661
5590	2614
5592	2617
5593	2618
5594	2717
5595	2714
5596	2715
5597	2716
5649	2799
5655	2747
5657	2734
5718	3618
5719	3619
Four Seasons	
35879	3647
36105	3610
36115	3611
36123	3612
36155	3615
36175	3617
36345	3634
36346	3651
36347	3652
36348	3653
36349	3654
36700	2791
36702	2795
36703	2796
36704	2797
36705	2788
36706	2691
36708	2692
36709	2592
36710	2591
36711	2831
36713	2706
36714	2682
36715	2781
36719	2789
36720	2794
36724	2775
36725	2739
36726	2727
36729	2626
36730	2779
36731	2662
36732	2610
36733	2665
36734	2671
36740	2582
36741	2583
36743	2585
36746	2587
36747	2741
36748	2668
36749	2834
36750	2835
36751	2836
36752	2837
36753	2838
36754	2839
36755	2840
36756	2581
36757	2672
36758	3528
36759	3529
36760	3620
36761	3717
36762	3718
36765	2623
36766	2631
36767	2632
36768	2663
36769	2664
36770	2666
36771	2669
36772	2673
36773	2676
36774	2677
36776	2679
36777	2680
36778	2681
36780	2713
36781	2736
36782	2776
36783	2782
36784	2841
36785	2842
36786	2843
36787	1706
36814	3969
36815	3962
36817	3965
36837	3960
36838	3975
36839	3984
36841	3618
36843	3619
36844	3989
36847	3982
36848	3983
36873	3565
36875	3567
36877	3568
36879	3569
36894	3660
36895	3670
36896	3680
36897	3690
36898	3700
36899	3800
36900	2580
36901	2615
36902	2617
36903	2652

Competitive Interchange

MFG. NO.	OUR NO.
Four Seasons	
36904	2651
36906	2562
36907	2565
36911	1710
36913	2620
36916	1707
36917	2559
36918	2558
36919	2561
36921	2554
36922	2653
36923	2556
36924	2560
36925	2657
36927	2551
36930	2656
36931	2555
36932	2658
36933	2790
36935	2661
36936	2798
36940	2726
36942	2737
36944	2765
36945	2744
36946	2771
36947	2787
36949	1705
36950	2622
36951	2783
36952	2705
36954	2710
36955	2784
36956	2747
36957	2723
36958	2707
36959	2770
36960	2801
36961	2802
36962	2828
36963	2830
36964	2711
36965	2708
36966	2557
36968	2614
36969	2715
36970	2714
36972	2618
36973	2786
36974	2716
36976	2724
36977	2722
36979	2616
36980	2625
36983	2590
36984	2550
36986	2567
36987	2785
36990	2733
36991	2655
36992	2734
36993	2717
36994	2619
36996	2799
36997	2659
36998	2654
36999	2731
37105	3710
37135	3713
37136	3900
37137	3901
37138	3910
37139	3911
37140	3920
37141	3921
37142	3930
37143	3931
38015	3801
39905	3990
45000	5000
45001	5001
45002	5002
45003	5003
45004	5004
45005	5005
45006	5006
45007	5007
45008	5008
45010	5010
45011	5011
45012	5012
45013	5013
45014	5014
45015	5015
45016	5016
45017	5017
45018	5018
45019	5019
45020	5020
45021	5021
45022	5022
45024	5024
45025	5025
45026	5026
45027	5027
45028	5028
45029	5029
45030	5030
45031	5031
45032	5032
45033	5033
45034	5034
45035	5035
45036	5036
45037	5037
45038	5038
45039	5039
45040	5040
45041	5041
45042	5042
45043	5043
45044	5044
45045	5045
45046	5046
45047	5047
45048	5048
45049	5049
45050	5050
45051	5051
45052	5052
45053	5053
45054	5054
45055	5055
45056	5056
45057	5057
45058	5058
45059	5059
45060	5060
45061	5061
45062	5062
45064	5064
45065	5065
45066	5066
45069	5069
45070	5070
45071	5071
45072	5072
45073	5073
45075	5075
45076	5076
45077	5077
45078	5078
45079	5079
45080	5080
45081	5081
45082	5082
45083	5083
45084	5084
45085	5085
45086	5086
45087	5087
45100	5100
45102	5102
45103	5103
45105	5105
45106	5106
45108	5108
45109	5109
45110	5110
45782	5782
45783	5783
45784	5784
45785	5785
45786	5786
45900	5900
45901	5901
45902	5902
45904	5904
45905	5905
45906	5906
45907	5907
45908	5908
45909	5909
45910	5910
45916	5916
45917	5917
45918	5918
45919	5919
45920	5920
45922	5922
45923	5923
45926	5926
45931	5931
45932	5932
45933	5933
45934	5934
45935	5935
45936	5936
45937	5937
45938	5938
45939	5939
45940	5940
45941	5941
45942	5942
45950	5950
45951	5951
45954	5954
45957	5957
45959	5959
45960	5960
45963	5963
45964	5964
45965	5965
45968	5968
45969	5969
45970	5970
45971	5971
45972	5972
45973	5973
45974	5974
45975	5975
45976	5976
45978	5978
45979	5979
45980	5980
45981	5981
45982	5982
45983	5983
45984	5984
45985	5985
45986	5986
45987	5987
45989	5989
45990	5990
45991	5991
45992	5992
45996	5996
46000	2570
46001	2593
46002	2594
46003	2595
46004	2596
46005	2597
46006	2621
46007	2624
46008	2693
46009	2694
46010	2695
46011	2696
46012	2697
46013	2740
46014	2742
46015	2743
46016	2748
46017	2778
46018	2780
46019	2900
46020	2901
46021	2902
46022	2904
46024	3200
46025	2598
46026	2667
46027	2674
46028	2675
46029	2683
46030	3261
46031	3262
46032	2821
46033	2822
46034	2844
46035	2846
46036	2847
46037	2850
46038	2871
46039	2872
46041	2916
46042	3201
46043	2772
46044	2811
46045	2961
46046	2981
46047	2738
46049	2851
46050	2886
46051	2905
46052	2917
46053	2918
46054	2991
46055	3263
46056	3264
46057	2699
46058	2685
46059	3281
46060	2684
46061	2670
46062	3265
46063	3266
46064	6200
46065	6201
46066	2867
46067	2887
46068	6600
46069	3282
46070	6601
46071	2634
46073	2805
46074	2803
46075	2806
46076	2804
46077	2852
46078	2808
46082	6250
46085	6231
46086	2635
46087	2931
46088	2906
46089	2636
46090	2980
46091	6630
46092	2889
46093	6203
46094	3267

Competitive Interchange

Four Seasons

MFG. NO.	OUR NO.
46095	3268
46096	2853
46101	6251
46103	8300
46104	8302
46105	8301
46106	6631
46110	3202
46111	2962
46112	3292
46113	3221
46114	3291
46115	3222
46117	2923
46118	8303
46119	3302
46120	3303
46121	3330
46123	3210
46124	3203
46133	6232
53000	401
53001	403
53002	404
53003	405
53004	1015
53005	676
53006	677
53007	678
53008	679
53009	390
53010	391
53011	392
53012	393
53013	252
53014	210
53015	105
53016	394
53017	395
53018	251
53019	1009
53020	250
53021	125
53022	402
53024	397
53026	1240
53027	1299
53028	1260
53029	1290
53030	2305
53033	387
53034	388
53100	100
53106	106
53112	112
53126	126
53153	153
53163	163
53205	205
53209	209
53211	211
53214	214
53225	225
53227	512
53228	514
53229	516
53230	525
53231	526
53232	687
53233	689
53234	776
53236	777
53237	778
53238	238
53239	462
53240	1040
53241	461
53242	242
53243	243
53244	459
53245	457
53246	2106
53247	398
53248	396
53249	293
53250	291
53251	275
53252	270
53253	253
53254	1297
53255	1298
53266	2271
53287	2292
53309	2297
53310	2306
53311	2312
53312	1010
53313	1011
53314	1046
53315	2100
53316	2101
53317	1215
53318	1230
53319	1233
53320	1234
53321	1236
53322	1241
53323	1268
53324	1271
53325	1284
53326	1292
53327	1012

Gates

MFG. NO.	OUR NO.
36026	5021
36086	5022
36087	5062
36091	5100
36092	5102
36093	5103
36095	5105
36096	5106
36098	5108
36099	5024
36100	5056
36101	5025
36102	5058
36110	5083
36112	5026
36116	5065
36117	5007
36118	5902
36119	5064
36142	5005
36157	5069
36164	5109
36165	5110
36173	5070
36174	5905
36177	5935
36192	5904
36201	5918
36220	5084
36227	5026
36228	5934
36229	5087
36234	5992
36271	5939
36273	5006
36274	5075
36275	5919
36299	5975
36301	5047
36303	5909
36304	5931
36310	5071
36313	5013
36315	5917
36317	5922
36319	5938
36321	5916
36322	5076
36323	5013
36324	5079
36325	5923
36330	5926
36348	5932
36356	5937
36357	5077
36369	5086
36370	5933
36415	5906
36732	5936
38001	5975
38002	5064
38002	5968
38003	5900
38004	5954
38005	5969
38006	5979
38007	5973
38008	5996
38009	5971
38010	5073
38011	5012
38012	5970
38015	5974
38016	5980
38017	5982
38018	5013
38019	5066
38020	5990
38022	5014
38023	5981
38024	5010
38026	5968
38027	5969
38028	5011
38029	5978
38030	5941
38031	5003
38032	5020
38033	5016
38034	5991
38036	5000
38037	5902
38038	5900
38039	5950
38040	5017
38041	5072
38042	5018
38043	5019
38044	5940
38045	5984
38046	5985
38047	5987
38048	5989
38049	5963
38050	5964
38051	5965
38052	5036
38053	5045
38061	5986
38062	5046
38064	5049
38065	5054
38066	5048
38068	5059
38069	5044
38070	5053
38071	5983
38074	5040
38077	5043
38078	5039
38079	5061
38080	5030
38081	5041
38082	5038
38083	5042
38084	5050
38087	5029
38088	5060
38090	5027
38091	5051
38092	5052

Goodyear

MFG. NO.	OUR NO.
45158	5919
49001	5975
49002	5968
49003	5971
49004	5980
49005	5969
49006	5979
49007	5973
49008	5014
49010	5020
49011	5972
49012	5954
49013	5990
49015	5970
49016	5066
49016	5976
49017	5981
49018	5010
49021	5996
49022	5012
49023	5982
49024	5013
49029	5941
49030	5003
49031	5016
49032	5000
49033	5957
49034	5900
49035	5017
49037	5036
49038	5018
49039	5019
49040	5978
49041	5991
49043	5950
49044	5940
49045	5984
49046	5985
49047	5987
49048	5989
49049	5963
49050	5964
49051	5965
49052	5011
49053	5045
49054	5986
49055	5046
49057	5049
49058	5054
49059	5048
49061	5059
49062	5044
49063	5053
49064	5983
49067	5040
49068	5043
49069	5039
49071	5030
49072	5041
49073	5038
49074	5042
49075	5050
49077	5029
49078	5060
49080	5027
49081	5051
49082	5052
49086	5021
49093	5061
49096	5026
49097	5025
49100	5064
49106	5056
49107	5022
49108	5004
49108	5062
49110	5005
49115	5065

Competitive Interchange

MFG. NO.	OUR NO.
Goodyear	
49124	5024
49130	5058
49133	5904
49139	5992
49141	5008
49159	5084
49165	5935
49166	5972
49167	5006
49173	5076
49180	5047
49181	5909
49191	5922
49195	5075
49457	5918
50007	5923
50024	5926
GMB North America	
9132010	2665
9132020	2765
9152010	2691
9152020	2591
9152030	2593
9152040	2594
9152050	2595
9202010	2791
9202020	2796
9202030	2788
9202040	2770
9202050	1707
9202060	2747
9202070	2707
9202080	2706
9202090	2781
9202100	2842
9202110	1706
9202120	2565
9202130	2790
9202140	2798
9202150	2771
9202160	2770
9202170	2654
9202180	2621
9202190	2624
9202200	2740
9202210	2742
9202220	2743
9202230	2748
9202240	2900
9202250	2901
9202260	2902
9202270	2598
9202280	2821
9202290	2822
9202300	2961
9202310	2822
9202320	3281
9202330	3282
9202340	2736
9202350	2615
9202360	2737
9202370	2622
9202380	2625
9202390	2738
9202400	2905
9202410	2619
9202420	2917
9202430	2635
9202440	2906
9202450	2931
9202500	2962
9202510	3292
9252010	2794
9252020	2795
9252030	2789
9252040	2794
9252050	2830
9252060	2775
9252070	2662
9252080	2835
9252090	2836
9252100	2837
9252110	2838
9252120	2681
9252130	2776
9252140	2841
9252150	2617
9252160	2620
9252170	2726
9252180	2783
9252190	2723
9252200	2802
9252210	2830
9252220	2557
9252230	2614
9252240	2715
9252250	2618
9252260	2716
9252270	2616
9252280	2733
9252290	2717
9252300	2904
9252310	2675
9252320	3261
9252330	3261
9252340	2917
9252350	2918
9252360	3263
9252370	3264
9252380	3265
9252390	3266
9252400	2867
9252410	2779
9252420	2581
9252430	2805
9252500	3268
9252510	3267
9302010	2797
9302020	2839
9302030	3200
9302040	2731
9302050	2786
9302060	2981
9302070	2831
9302080	2831
9302090	2739
9302100	2727
9302110	2626
9302120	2582
9302130	2741
9302140	2834
9302150	2840
9302160	2623
9302170	2631
9302180	2632
9302190	2713
9302200	2782
9302210	2843
9302210	3222
9302220	2580
9302230	1710
9302240	2561
9302250	2551
9302260	2744
9302270	2787
9302280	1705
9302290	2705
9302300	2710
9302300	2708
9302310	2784
9302320	2801
9302330	2828
9302340	2711
9302350	2714
9302360	2786
9302370	2724
9302380	2722
9302390	2785
9302400	2734
9302410	2799
9302420	2778
9302430	2780
9302440	3200
9302450	2844
9302460	2846
9302470	2847
9302480	2850
9302490	2871
9302500	2872
9302510	2846
9302520	2811
9302530	2851
9302540	2886
9302550	2887
9302560	2680
9302570	2980
9302640	3202
9352010	2672
9352020	2671
9352030	2663
9402010	2610
9402020	2555
9402030	2658
9402040	2567
9442010	2772
9442020	2991
9442030	2634
9452030	2585
9452040	2562
9452050	2587
9452060	2652
9452070	2651
9452080	2562
9462010	6200
9462020	6201
9472010	2692
9472020	2592
9472030	2693
9472040	2694
9472050	2695
9472060	2696
9472070	2697
9472080	2699
9472090	2685
9482010	2668
9482020	2673
9482030	6231
9501330	2560
9502010	2664
9502020	2666
9502040	2676
9502050	2667
9502060	2664
9502070	2590
9502080	2550
9502090	2570
9502100	6600
9502110	6601
9652010	2583
9701310	2556
9701320	2554
9701540	2559
9702010	2682
9702020	2677
9702030	2656
9702040	2677
9702050	2679
9702060	2653
9702070	2657
9702080	2661
9702090	2655
9702100	2674
9702110	2683
9702120	2684
9702130	2670
9702140	6630
9702160	6631
9802010	2596
9802020	2597
9802030	6250
9902010	2558
9902020	2659
Hella	
376757311	3300
376757521	3301
376906511	2991
4Z7121350	6251
Keep on Green	
KG1705	1705
KG1706	1706
KG1707	1707
KG1710	1710
KG2202	2596
KG2203	2597
KG2207	2683
KG2221	2685
KG2222	2692
KG2225	2886
KG2226	2738
KG2277	2677
KG2278	2778
KG2550	2550
KG2551	2551
KG2554	2554
KG2555	2555
KG2556	2556
KG2557	2557
KG2558	2558
KG2559	2559
KG2560	2560
KG2561	2561
KG2562	2562
KG2565	2565
KG2567	2567
KG2580	2580
KG2581	2581
KG2582	2582
KG2583	2583
KG2590	2590
KG2591	2591
KG2610	2610
KG2614	2614
KG2615	2615
KG2616	2616
KG2617	2617
KG2618	2618
KG2619	2619
KG2620	2620
KG2621	2621
KG2622	2622
KG2624	2624
KG2625	2625
KG2626	2626
KG2632	2632
KG2650	2664
KG2651	2651
KG2652	2652
KG2653	2653
KG2654	2654
KG2655	2655
KG2656	2656
KG2657	2657
KG2658	2658
KG2659	2659
KG2661	2661
KG2662	2662
KG2663	2663
KG2664	2664
KG2665	2665
KG2666	2666
KG2668	2668
KG2670	2670
KG2671	2671
KG2672	2672
KG2673	2673
KG2676	2676
KG2680	2680
KG2681	2681
KG2691	2691
KG2697	2697
KG2705	2705
KG2706	2706
KG2707	2707

Competitive Interchange

MFG. NO.	OUR NO.
Keep on Green	
KG2708	2708
KG2710	2710
KG2711	2711
KG2714	2714
KG2715	2715
KG2716	2716
KG2717	2717
KG2722	2722
KG2723	2723
KG2724	2724
KG2726	2726
KG2727	2727
KG2731	2731
KG2733	2733
KG2734	2734
KG2736	2736
KG2737	2737
KG2739	2739
KG2741	2741
KG2744	2744
KG2747	2747
KG2749	2799
KG2765	2765
KG2770	2770
KG2771	2771
KG2774	2770
KG2775	2775
KG2776	2776
KG2779	2779
KG2781	2781
KG2782	2782
KG2783	2783
KG2784	2784
KG2786	2786
KG2787	2787
KG2789	2917
KG2790	2790
KG2791	2791
KG2793	2794
KG2794	2794
KG2795	2795
KG2796	2796
KG2797	2797
KG2798	2798
KG2799	2799
KG2801	2801
KG2802	2802
KG2828	2828
KG2830	2830
KG2831	2831
KG2832	2831
KG2833	2830
KG2834	2834
KG2835	2835
KG2836	2836
KG2837	2837
KG2838	2838
KG2839	2839
KG2840	2840
KG2841	2841
KG2842	2842
KG2843	2843
KG5810EV	3261
KG5815EV	3200
KG5818	2598
KG5820	6600
KG5821	6205
KG5824	6601
KG5826	2906
KG5861	2900
KG5862	2748
KR113044	5025
KR113045	5056
KR113046	5013
KR113047	5045
KR113048	5036
KR113049	5026
KR113050	5029
KR113051	5003
KR113051A	5003
KR113053	5996
KR113060	5900
KR130002T	5059
KR131074	5950
KR131075	5950
KR131076	5900
KR131080	5970
KR131081	5973
KR131082	5066
KR131083	5982
KR131085	5978
KR131086	5971
KR131087	5066
KR131088	5974
KR131091	5972
KR131092	5900
KR131101	5038
KR131107	5979
KR131108	5980
KR131110	5969
KR131111	5968
KR131113	5957
KR131114	5975
KR131115	5964
KR131117	5010
KR131119	5011
KR131120	5990
KR131121	5991
KR131122	5941
KR131123	5013
KR131124	5017
KR131124	5954
KR131125	5020
KR131127	5000
KR131128	5965
KR131130	5987
KR131131	5989
KR131132	5985
KR131134	5963
KR131135	5014
KR131135	5016
KR131137	5024
KR131142	5968
KR131143	5048
KR131145	5053
KR131146	5044
KR131148	5046
KR138225	5014
KR138227	5012
KR138230	5005
KR138233	5004
KR138236	5022
KR138237	5043
KR139032	5018
Long	
7134541	676
7134542	677
7134543	678
7134544	679
7351201	210
L401	401
L402	402
L403	403
L404	404
L405	405
M460EA	127
Motorcraft	
DS7Z8678A	5084
EC759	5004
YA160	3618
YA166	3618
YA171	3618
YA176	3619
YA180	3618
YB228	2710
YB229	2710
YB239	2723
YB240	2723
YB255	2710
YB267	2723
YB268	2723
YB270	2711
YB271	2711
YB272	2723
YB273	2723
YB295	2723
YB296	2723
YB300	2710
YB3005	2789
YB301	2783
YB3012	2675
YB3013	3261
YB3016	2917
YB3017	2917
YB3019	2836
YB302	2733
YB3023	2789
YB304	2723
YB3041	2789
YB3046	2779
YB3047	2794
YB3048	2675
YB3049	2775
YB3050	2775
YB3053	2917
YB3054	2917
YB3074	3264
YB3076	3263
YB3081	2918
YB3082	2918
YB3083	2918
YB3084	2867
YB3095	2918
YB3096	2918
YB3121	3266
YB3125	3265
YB3148	3268
YB3157	2837
YB3164	2838
YB3167	3267
YB3188	3267
YB326	2723
YB327	2710
YB328	2710
YB331	2581
YB334	2830
YB336	2723
YB337	2723
YB362	2723
YB397	2620
YB398	2619
YB399	2619
YB424	2802
YB427	2707
YB429	2747
YB430	2852
YB431	2808
YB432	2803
YB433	2557
YB434	2557
YB435	2715
YB436	2715
YB439	2557
YB440	2716
YB441	2716
YB442	2710
YB443	2733
YB445	2614
YB447	2804
YB449	2783
YB450	2783
YB451	2799
YB452	2799
YB453	2614
YB454	2783
YB455	2799
YB456	2618
YB458	2805
YB459	2806
YB460	2618
YB461	2618
YB462	2794
YB463	2717
YB464	2619
YB465	2726
YB466	2726
YB467	2830
YB473	2795
YB474	2723
YB478	2795
YB479	2726
YB480	2716
YB486	2795
YB524	2794
YB527	2775
YB528	2775
YB529	2789
YB530	2789
YB531	2789
YB532	2789
YB533	2841
YB536	2795
YB541	2795
YB544	2794
YB545	2789
YB546	2836
YB547	2836
YB552	2904
YB553	2557
YB554	2662
YB555	2779
YB557	2775
YB558	2836
YB559	2837
YB560	2789
YB561	2836
YB562	2838
YB566	2789
YB567	2775
YB568	2775
YB569	2789
YB604	2917
YB621	2853
YB623	2776
YB631	2776
YB632	3261
YB98	2710
YO2	401
YO6	405
YS104	5951
YS109	5900
YS116	5975
YS118	5964
YS130	5965
YS136	5965
YS141	5959
YS150	5978
YS155	5959
YS159	5978
YS165	5972
YS167	5991
YS169	5991
YS173	5942
YS176	5972
YS180	5973
YS181	5970
YS185	5902
YS186	5979
YS189	5942
YS193	5968
YS205	5979
YS210	5975
YS216	5975
YS224	5975
YS229	5975
YS233	5942
YS236	5975
YS240	5975
YS241	5975
YS242	5975
YS243	5972
YS245	5942
YS245	5979

Competitive Interchange

MFG. NO.	OUR NO.
Motorcraft	
YS250	5975
YS253	5975
YS262	5975
YS267	5975
YS270	5975
YS271	5971
YS281	5975
YS287	5975
YS28A	5920
YS301	5942
YS314	5079
YS32	5900
YS323	5978
YS34	5954
Perma-Cool	
1010	401
1011	402
1012	403
1013	404
1022	512
1023	514
1024	516
104	253
105	210
111	214
112	291
130	105
132	112
133	125
181	205
186	243
18905	3647
18907	3651
19001	3652
19120	3670
19122	3680
19124	3690
19126	3700
201	1240
202	1236
212	1009
2791	2106
301	1241
601	1268
Spal Automotive	
30100354	3920
30100381	3901
30100392	3900
30101504	3910
30101505	3911
30101510	3921
30101516	3930
30101517	3931
30102041	4020
30102047	4031
30102055	4021
30102120	4030
VA07AP12C31A	3900
VA07AP12C31S	3901
VA08AP51C23S	3921
VA08AP70LL23MA	4020
VA08AP70LL23MS	4021
VA08BP10C23A	3920
VA10AP50C25A	3910
VA10AP50C25S	3911
VA18AP51C41A	3930
VA18AP51C41S	3931
VA18AP70LL86A	4030
VA18AP70LL86S	4031
US Motorworks	
21011	1710
21016	1710
21043	1707
21049	1705
21061	2715
22010	2557
22011	2710
22012	2711
22013	2551
22015	2662
22016	2710
22017	2665
22018	2765
22019	2668
22020	2674
22020	2670
22021	2671
22022	2672
22025	2664
22026	2706
22026	1706
22026	2708
22027	2666
22028	2667
22029	2673
22030	2558
22031	2659
22032	2676
22033	2680
22035	2962
22037	2741
22037	2714
22038	2711
22041	2731
22042	2731
22043	2707
22044	2616
22045	2747
22050	2713
22051	2782
22054	2747
22056	2623
22059	2906
22060	2614
22061	2715
22064	2618
22065	2617
22067	2581
22068	2582
22068	2583
22070	2798
22071	2591
22072	2610
22073	2654
22074	2661
22075	2655
22076	2657
22077	2653
22078	2779
22080	2556
22081	2554
22082	2570
22083	6203
22085	2653
22086	2559
22087	2567
22088	2550
22089	2590
22090	2652
22091	6205
22092	2565
22093	2555
22094	2561
22096	2562
22098	2651
22099	2593
22099	2594
22123	2778
22123	2980
22126	2723
22135	2681
22135	2675
22136	2632
22138	2923
22139	2776
22140	2734
22142	2724
22143	2727
22146	2733
22147	2722
22148	2622
22149	2737
22150	2624
22150	2931
22151	2736
22151	2634
22152	2635
22153	2739
22153	2631
22154	2785
22155	2726
22157	2744
22158	2744
22158	2780
22159	2821
22160	2791
22160	2771
22161	2716
22162	2626
22163	2620
22164	2621
22164	2743
22165	2619
22167	2717
22168	2740
22168	2748
22168	2917
22169	2795
22169	2918
22170	2770
22170	2961
22170	2991
22171	2781
22172	2905
22173	2787
22174	2796
22175	2658
22176	2663
22176	6232
22177	2677
22178	2656
22179	2580
22181	6600
22182	6601
22183	2677
22184	2679
22185	2684
22300	6352
22301	2692
22302	2596
22303	2597
22306	2692
22308	2694
22310	3200
22316	6250
22321	2685
22322	2693
22323	2695
22324	2696
22325	2697
22328	2598
22328M	8300
22329	3265
22332	3261
22333	8301
22334	3266
22335	2695
22336	2592
22337	3263
22338	3264
22339	3268
22340	3267
22341	3222
22342	3202
22342	3203
22345	3291
22346	8302
22347	3292
22348	3300
22349	3301
22351	3210
22373	6201
22396	2585
22399	2595
22401	2554
22402	2682
22404	2554
22407	2683
22408	6630
22409	6231
22411	6631
22470	8303
22496	2587
22601	2830
22602	2828
22603	2801
22604	2789
22605	2831
22606	2831
22607	2830
22608	2871
22609	2835
22610	2836
22611	2837
22612	2838
22613	2839
22614	2840
22615	2841
22615	2889
22615	2947
22616	2842
22617	2843
22619	2811
22620	2900
22624	2744
22625	2850
22626	2738
22627	2851
22630	2846
Valley	
5458	404
5460	405
5481	401
5483	2106
5488	252
5490	275
5510	210
5513	105
5514	125
5515	112
5519	225
5520	211
5543	459
5544	462
7700	1705
7705	1710
7716	1707
7718	2705
7722	2710
7724	2707
7725	2747
7726	2747
7727	2828
7728	2830
7729	2723
7732	3567
7733	3568
7734	3569
7735	3565
7739	3680
7746	3983
7747	3983
7748	3965
7749	3965
7754	3969
7758	3618
7759	3619
7764	2724
7765	2614
7766	2715
7767	2653
7768	2554
7769	2556

Competitive Interchange

MFG. NO.	OUR NO.	MFG. NO.	OUR NO.	MFG. NO.	OUR NO.	MFG. NO.	OUR NO.	MFG. NO.	OUR NO.	MFG. NO.	OUR NO.
Valley											
7770	2557										
7771	2558										
7772	2559										
7773	2560										
7774	2561										
7779	3528										
7781	2716										
7782	2618										
7783	2723										
7784	2734										
7785	2733										
7786	2734										
7787	2785										
7789	3529										

PART	DESCRIPTION	Buyer's Guide	Page #
BLUE STREAK PERFORMANCE™ COOLING FAN MOTORS			
3850	High Performance Radiator Fan Motor	Chevy Camaro (15-12)	255
3855	High Performance Radiator Fan Motor	Cadillac (08-05) >> Chevy (14-05) >> GMC (14-05)	255
BLUE STREAK PERFORMANCE™ ELECTRIC FAN			
3660	Blue Streak High Performance 8" HD Pusher Fan		256
4020	Blue Streak High Performance 14" HP Puller		258
4021	Blue Streak High Performance 14" HP Pusher		258
4030	Blue Streak High Performance 16" HP Puller		258
4031	Blue Streak High Performance 16" HP Pusher		258
BLUE STREAK PERFORMANCE™ COOLER COMBO ASSEMBLY			
527	Remote Transmission Oil Cooling System		257
ACCESSORIES AND KITS			
105	11/32" x 4-1/2' Transmission Oil Cooler Hose		293
106	3/8" x 4-1/2' Transmission Oil Cooler Hose		293
112	Engine Oil Cooler Replacement Hose		293
125	Cooler Replacement Hose		293
126	Transmission Oil Cooler Replacement Hose		293
127	Engine Oil Cooler Replacement Hose		293
153	Transmission Oil Cooler Mounting Kit		293
163	Oil Thermostat		294
205	Thermostatic Sandwich Adapter Kit		294
210	Nylon Rod Locking Mounting Kit		293
211	Thermostatic Sandwich Adapter Kit		294
214	Engine Oil Filter Remote Mount Kit		294
225	Thermostatic Sandwich Adapter Kit		294
238	Transmission Oil Cooler Mounting Kit		293
242	Thermostatic Sandwich Adapter Kit		294
243	Thermostatic Sandwich Adapter Kit		294
250	Transmission Oil Cooler Coupling		293
251	Transmission Oil Cooler Mounting Kit		293
252	Transmission Oil Cooler Installation Kit		293
253	Transmission Oil Cooler Mounting Kit		293
270	Transmission Oil Temperature Gauge Sender Fitting		292
271	Oil Cooler Accessories		293
275	Oil Temperature Gauge		292
291	Engine Oil Filter Remote Mount Kit		294
293	Engine Oil Cooler Metal Line Kit		293
380	Oil Cooler Accessories		293
381	Oil Cooler Accessories		293
386	Transmission Oil Temperature Gauge Sender Fitting		293
387	Oil Cooler Accessories		293
388	Oil Cooler Accessories		293
389	Oil Cooler Accessories		293
390	Transmission Oil Cooler Installation Kit		293
391	Transmission Oil Cooler Installation Kit		293
392	Transmission Oil Cooler Installation Kit		293
393	Transmission Oil Cooler Installation Kit		293
394	Transmission Oil Cooler Installation Kit		293
395	Transmission Oil Cooler Installation Kit		293
396	Transmission Oil Cooler Installation Kit		293
397	Transmission Oil Cooler Installation Kit		293
398	Transmission Oil Cooler Installation Kit		293
2106	Engine Oil Filter Remote Mount Kit		294

Index

PART	DESCRIPTION	Buyer's Guide	Page #
ULTRA-COOL® TRANSMISSION OIL COOLERS - 3/8" Hose Barb Fittings			
401	Ultra-Cool Transmission Oil Cooler		286
402	Ultra-Cool Transmission Oil Cooler		286
403	Ultra-Cool Transmission Oil Cooler		286
404	Ultra-Cool Transmission Oil Cooler		286
405	Ultra-Cool Transmission Oil Cooler		286
1015	Ultra-Cool Transmission Oil Cooler		286
ULTRA-COOL® ENGINE OIL COOLER KITS			
457	Ultra-Cool Engine Oil Cooler Kit		289
459	Ultra-Cool Engine Oil Cooler Kit		289
461	Ultra-Cool Engine Oil Cooler Kit		289
462	Ultra-Cool Engine Oil Cooler Kit		289
HIGH PERFORMANCE TRANSMISSION OIL COOLERS W/THREADED FITTINGS			
512	High Performance Transmission Oil Cooler		288
514	High Performance Transmission Oil Cooler		288
516	High Performance Transmission Oil Cooler		288
RAPID-COOL® TRANSMISSION OIL COOLERS - 19MM Thick -3/8" Hose Barb Fittings			
676	Rapid-Cool Transmission Oil Cooler		286
677	Rapid-Cool Transmission Oil Cooler		286
678	Rapid-Cool Transmission Oil Cooler		286
679	Rapid-Cool Transmission Oil Cooler		286
RAPID-COOL® TRANSMISSION OIL COOLERS - 19MM Thick -6AN Threaded Fittings			
687	Rapid-Cool Transmission Oil Cooler		286
689	Rapid-Cool Transmission Oil Cooler		286
RAPID-COOL® HEAVY DUTY TRANSMISSION OIL COOLERS - 37MM Thick -Threaded -10AN ORB Fittings			
776	Rapid-Cool Heavy Duty Transmission / Engine Oil Cooler		291
777	Rapid-Cool Heavy Duty Transmission / Engine Oil Cooler		291
778	Rapid-Cool Heavy Duty Transmission / Engine Oil Cooler		291
779	Rapid-Cool Heavy Duty Transmission / Engine Oil Cooler		291
RAPID-COOL® BYPASS TRANSMISSION OIL COOLERS- 19MM Thick - 3/8" Hose Barb Fittings			
696	Rapid-Cool Transmission Oil Cooler with Thermal Bypass		287
697	Rapid-Cool Transmission Oil Cooler with Thermal Bypass		287
698	Rapid-Cool Transmission Oil Cooler with Thermal Bypass		287
699	Rapid-Cool Transmission Oil Cooler with Thermal Bypass		287
SWIRL-COOL® POWER STEERING COOLERS			
1009	Power Steering Oil Cooler		289
1010	Power Steering Oil Cooler		289
1011	Power Steering Oil Cooler		289
1012	Power Steering Oil Cooler		289
SWIRL-COOL® HEAVY DUTY ENGINE OIL COOLER KITS			
1040	Swirl-Cool Engine Oil Cooler Kit		289
1046	Swirl-Cool Engine Oil Cooler Kit		289
2100	Engine Oil Cooler Replacement O-Ring		
2101	Engine Oil Cooler Replacement O-Ring		
HEAVY DUTY OIL COOLERS			
1215	Heavy Duty Universal One-Pass Oil Cooler		290
1230	Ultra-Cool Engine Oil Cooler Kit		289
1233	Heavy Duty Universal Two-Pass Oil Cooler		290
1234	Heavy Duty Universal One-Pass Oil Cooler		290

PART	DESCRIPTION	Buyer's Guide	Page #
HEAVY DUTY OIL COOLERS			
1236	Heavy Duty Universal One-Pass Oil Cooler		290
1240	Heavy Duty Universal One-Pass Oil Cooler		290
1241	Heavy Duty Universal One-Pass Oil Cooler		290
1260	Heavy Duty Universal One-Pass Oil Cooler		290
1268	Heavy Duty Universal One-Pass Oil Cooler		290
1271	Heavy Duty Universal Two-Pass Oil Cooler		290
1284	Heavy Duty Universal One-Pass Oil Cooler		290
1290	Heavy Duty Universal One-Pass Oil Cooler		290
1292	Heavy Duty Universal One-Pass Oil Cooler		290
1297	Heavy Duty Universal One-Pass Oil Cooler		290
1298	Heavy Duty Universal One-Pass Oil Cooler		290
1299	Heavy Duty Universal Two-Pass Oil Cooler		290
2271	Heavy Duty Universal Two-Row Oil Cooler		290
2292	Heavy Duty Universal Two-Row Oil Cooler		290
2297	Heavy Duty Universal Two-Row Oil Cooler		290
2305	Heavy Duty Universal One-Pass Oil Cooler		290
2306	Heavy Duty Universal One-Pass Oil Cooler		290
2312	Heavy Duty Universal One-Pass Oil Cooler		290
REMOTE MOUNTED TRANSMISSION COOLING SYSTEMS			
525	Remote Transmission Oil Cooling System		288
526	Remote Transmission Oil Cooling System		288
FAN CLUTCHES			
1705	Standard or Reverse Rotation Non-Thermal Fan Clutch	AMC (87-65); Buick (90-66); Cadillac (85-68); Checker (82-65); Chevy (90-57); Chrysler (64-61); GMC (88-61); Int'l (80-57); Jeep (91-72); Olds (90-60); Pontiac (89-67)	265
1706	Standard Rotation Non-Thermal Fan Clutch	Cadillac (90-87); Chevy (86-67); Chrysler (89-66); Dodge (92-63); GMC (86-67); Jeep (87-81)	265
1707	Standard or Reverse Rotation Non-Thermal Fan Clutch	Buick (87-64); Cadillac (90-81); Checker (82-80); Chevy (88-68); Chrysler (71-59); Dodge (76-59); GMC (88-66); Jeep (83-81); Olds (87-75); Plymouth (89-58); Pontiac (87-68)	265
1710	Standard or Reverse Rotation Non-Thermal Fan Clutch	Buick (68); Cadillac (64); Checker (69-65); Chevy (70-55); Ford (91-60); Lincoln (90-67); Mercury (91-61)	265
2550	Standard Rotation Thermal Standard Duty Fan Clutch	Nissan 200 Series (88-84); Van (88-87)	265
2551	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Astro (86-85); Chevette (87-76); S10 Blazer (84-83); S10 Pickup (85-82) >> GMC S15 Jimmy (84-83); S15 Pickup (85-83); Safari (86-85) >> Pontiac Acadian (84-76); T1000 (87-81)	265
2554	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota 4Runner (95-84); Celica (85-75); Corona (82-75); Pickup - Standard (95-75)	265
2555	Standard Rotation Thermal Heavy Duty Fan Clutch	Isuzu Impulse (89-85)	265
2556	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota Carina (73-72); Corolla (87-71)	265
2557	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Astro (85) >> Ford Aerostar (87-86); Ranger (01-83); Thunderbird (84-83) >> GMC Safari (85) >> Mazda Pickup (01-94)	265
2558	Standard Rotation Thermal Standard Duty Fan Clutch	Volvo 140 Series (74-69); 160 Series (75-69); 240 Series (93-75); 260 Series (82-76); 740 Series (92-85); 760 Series (90-83); 780 Series (91-89); 940 Series (91)	265
2559	Standard Rotation Thermal Standard Duty Fan Clutch	Dodge Pickup - Mini (93-79) >> Mitsubishi Mighty Max (96-83); Van (90-87) >> Plymouth Arrow Pickup (82-80) >> Toyota Van / Van Wagon (89-84)	265
2560	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti (92-90); Nissan (98-71)	265
2561	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Luv (82-72) >> Isuzu Pickup (87-81); Trooper (87-84)	265
2562	Standard Rotation Thermal Standard Duty Fan Clutch	Mazda Pickup (93-82)	265
2565	Standard Rotation Thermal Standard Duty Fan Clutch	Chrysler (89-87); Dodge (05-78); Mazda (88-87); Mitsubishi (89-83); Plymouth (86-78)	265
2567	Standard Rotation Thermal Standard Duty Fan Clutch	Isuzu Amigo (94-89); Impulse (89-88); Pickup (95-86); Rodeo (93-91); Trooper (91-86)	265
2570	Standard Rotation Thermal Standard Duty Fan Clutch	Nissan 240 Series (70); 260 Series (75); 810 (81); D21 Pickup (94-90); Estacas (08-94); Frontier (04-98); Maxima (83-81); Pickup (14-94); Xterra (04-00)	265
2580	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy Astro (87); S10 Blazer (89-87); S10 Pickup (93-87) >> GMC S15 Jimmy (89-87); S15 Pickup (93-87); Safari (87)	265
2581	Standard Rotation Thermal Standard Duty Fan Clutch	Merkur Scorpio (89-88)	265
2582	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Tracker (02-89) >> Suzuki Sidekick (98-92); X-90 (98-96)	265
2583	Standard Rotation Thermal Standard Duty Fan Clutch	Suzuki Samurai (95-85); Sidekick (91-89); Vitara (02-99)	265

PART	DESCRIPTION	Buyer's Guide	Page #

FAN CLUTCHES

2585	Standard Rotation Thermal Standard Duty Fan Clutch	Mazda 929 (91-88)	265
2587	Standard Rotation Thermal Standard Duty Fan Clutch	Mazda 929 (95-92); MPV (98-96)	265
2590	Standard Rotation Thermal Standard Duty Fan Clutch	Nissan 200 Series (83-77); 510 (81-78); 610 (76-74); 620 Pickup (79-75); 710 (77-75); 720 Pickup (86-80); D21 Pickup (89-86); Pathfinder (88-87)	265
2591	Standard Rotation Thermal Standard Duty Fan Clutch	BMW (02-75)	265
2592	Standard Rotation Thermal Standard Duty Fan Clutch	Mercedes 380 Series (85-81); 420 Series (91-86); 500 Series (85-84); 560 Series (91-86)	265
2593	Standard Rotation Thermal Standard Duty Fan Clutch	BMW 530 Series (95-94); 540 Series (03-94); 740 Series (01-93); 750 Series (01-88); 840 Series (97-94); 850 Series (97-91)	265
2594	Standard Rotation Thermal Standard Duty Fan Clutch	BMW 535 Series (93-89); 735 Series (92-87); M Series (06-91); Z Series (02-01)	265
2595	Standard Rotation Thermal Standard Duty Fan Clutch	BMW 745 Series (05-02); 760 Series (08-03); X Series (03-00) >> Land Rover Range Rover (05-03)	265
2596	Standard Rotation Thermal Standard Duty Fan Clutch	Audi A4 Series (01-97) >> VW Passat/CC (05-98)	265
2597	Standard Rotation Thermal Standard Duty Fan Clutch	Audi A4 Series (01-96); A6 Series (04-98); S Series (02-00) >> VW Passat/CC (05-98)	265
2598	Reverse Rotation Thermal Standard Duty Fan Clutch	Dodge Sprinter (06-03) >> Freightliner Sprinter (06-02)	265
2610	Standard Rotation Thermal Standard Duty Fan Clutch	Honda Passport (96-94) >> Isuzu Pickup (95-93); Rodeo (97-94)	265
2614	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Bronco II (90-84); Ranger (92-83)	265
2615	Standard Rotation Thermal Standard Duty Fan Clutch	AMC (88); Chevy (85-82); GMC (85-82); Jeep (90-80)	265
2616	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Aerostar (87-86)	265
2617	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Aerostar (86); Bronco II (85); LTD (84-83); Ranger (87-85)	265
2618	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Aerostar (97-86); Ranger (97-91) >> Mazda Pickup (08-94)	265
2619	Reverse Rotation Thermal Standard Duty Fan Clutch	Lincoln Town Car (92-91) >> Mercury Grand Marquis (92)	266
2620	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford Thunderbird (93-91) >> Mercury Cougar (93-91)	266
2621	Reverse Rotation Thermal Standard Duty Fan Clutch	Chrysler Aspen (09-07) >> Dodge Durango (08-04)	266
2622	Reverse Rotation Thermal Standard Duty Fan Clutch	AMC Eagle (88-83) >> Jeep Cherokee (93-84); CJ Series (86-81); Comanche (92-86); Wagoneer (87-84); Wrangler (95-87)	266
2623	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy S10 Blazer (85); S10 Pickup (85) >> GMC S15 Jimmy (85); S15 Pickup (85)	266
2624	Reverse Rotation Thermal Standard Duty Fan Clutch	Dodge Dakota (04)	266
2625	Reverse Rotation Thermal Standard Duty Fan Clutch	Jeep Cherokee (01-87); Comanche (92-87); Wagoneer (90-87); Wrangler (06-97)	266
2626	Reverse Rotation Thermal Standard Duty Fan Clutch	Cadillac (00-99); Chevy (03-96); GMC (05-96); Isuzu (00-97); Olds (01-96)	266
2631	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy S10 Pickup (96-94) >> GMC S15 Pickup (96-94) >> Isuzu Hombre (96)	266
2632	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy S10 Pickup (03-97) >> GMC S15 Pickup (03-97) >> Isuzu Hombre (00-97)	266
2634	Reverse Rotation Thermal Standard Duty Fan Clutch	Land Rover Defender Series (97); Discovery (99-94); Range Rover (95)	266
2635	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Nitro (11-09) >> Jeep Commander (10-08); Grand Cherokee (10-08); Liberty (12-09)	266
2636	Reverse Rotation Thermal Heavy Duty Fan Clutch	Jeep Wrangler (11)	266
2650	Standard Rotation Thermal Standard Duty Fan Clutch	Nissan 300 Series (96-90); D21 Pickup (94-90); Pathfinder (95-90); Pickup (96-94)	266
2651	Standard Rotation Thermal Standard Duty Fan Clutch	Mazda MPV (91-89)	266
2652	Standard Rotation Thermal Standard Duty Fan Clutch	Mazda MPV (94-89); Pickup (93-89)	266
2653	Standard Rotation Thermal Standard Duty Fan Clutch	Buick Roadmaster (91) >> Chevy Caprice (90) >> Toyota Celica (86); Cressida (92-78); Supra (92-79)	266
2654	Standard Rotation Thermal Standard Duty Fan Clutch	Dodge Pickup - Mini (91-83); Raider (89) >> Mitsubishi Mighty Max (94-83); Montero (00-89); Montero Sport (02-99)	266
2655	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota Previa (97-91)	266
2656	Reverse Rotation Thermal Standard Duty Fan Clutch	Lexus LS400 (00-90)	266
2657	Standard Rotation Thermal Standard Duty Fan Clutch	Isuzu Rodeo (94-93); Trooper (94-92) >> Toyota 4Runner (95-88); Land Cruiser (92-75); Pickup - Standard (95-88); T100 (94-93)	266
2658	Reverse Rotation Thermal Standard Duty Fan Clutch	Isuzu Pickup (94-91); Rodeo (92-91); Trooper (91-89)	266
2659	Standard Rotation Thermal Standard Duty Fan Clutch	Volvo 760 Series (90-87); 780 Series (90-87)	266
2661	Standard Rotation Thermal Standard Duty Fan Clutch	Lexus LX450 (97-96) >> Toyota Land Cruiser (97-93)	266
2662	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Ranger (01-98) >> Mazda Pickup (01-98)	266
2663	Standard Rotation Thermal Standard Duty Fan Clutch	Honda Passport (02-98) >> Isuzu Amigo (00-98); Axiom (02); Rodeo (02-98); Rodeo Sport (02-01)	266
2664	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti Q45 (96-93); QX4 (00-97) >> Nissan Frontier (04-99); Pathfinder (00-95); Xterra (04-00)	266
2665	Standard Rotation Thermal Standard Duty Fan Clutch	Jaguar Vanden Plas (87-85); XJ6 (87-85); XJS (96-80)	266
2666	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti J30 (97-93)	266
2667	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti G35 (05-03)	266
2668	Standard Rotation Thermal Standard Duty Fan Clutch	Mitsubishi Montero Sport (99-97)	266
2669	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti Q45 (92-90)	266

PART	DESCRIPTION	Buyer's Guide	Page #

FAN CLUTCHES

2670	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota 4Runner (10-96); Hilace (14-06); Hilux (14-04); T100 (98-94); Tacoma (17-95)	266
2671	Standard Rotation Thermal Standard Duty Fan Clutch	Acura SLX (97-96) >> Honda Passport (97-94) >> Isuzu Rodeo (97-95); Trooper (97-94) >> Toyota 4Runner (02-96); T100 (98-95); Tacoma (04-95); Tundra (04-00)	266
2672	Reverse Rotation Thermal Standard Duty Fan Clutch	Acura SLX (99-98) >> Isuzu Trooper (02-98); Vehicross (01-99)	266
2673	Standard Rotation Thermal Standard Duty Fan Clutch	Mitsubishi Montero Sport (04-97)	266
2674	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota Tacoma (05)	266
2675	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford Ranger (11-05)	266
2676	Standard Rotation Thermal Standard Duty Fan Clutch	Infiniti FX45 (08-03); Q45 (01-97); QX4 (03-01) >> Nissan Pathfinder (04-01)	266
2677	Reverse Rotation Thermal Standard Duty Fan Clutch	Lexus LS400 (00-97) >> Toyota Tundra (02-00)	267
2678	Standard Rotation Thermal Standard Duty Fan Clutch	Lexus LX470 (05-98) >> Toyota Land Cruiser (05-98)	267
2679	Reverse Rotation Thermal Standard Duty Fan Clutch	Lexus GX470 (05-03) >> Toyota 4Runner (04-03); Sequoia (05-01); Tundra (05-03)	267
2680	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Tracker (04-99) >> Suzuki Grand Vitara (05-99); Sidekick (98-96); Vitara (04-99); XL-7 (03-01)	267
2681	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford Ranger (04-01) >> Mazda Pickup (10-01)	267
2682	Standard Rotation Thermal Standard Duty Fan Clutch	Lexus GS300 (98-93); SC300 (00-92) >> Toyota Supra (98-93)	267
2683	Standard Rotation Thermal Standard Duty Fan Clutch	Toyota 4Runner (09-03); FJ Cruiser (09-07); Tacoma (15-05); Tundra (11-05)	267
2684	Reverse Rotation Thermal Standard Duty Fan Clutch	Lexus GX470 (09-05); LX470 (07-05) >> Toyota 4Runner (09-04); Land Cruiser (07-05); Sequoia (09-05); Tundra (09-05)	267
2685	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes E Class (02-98); ML Class (03-99); SL Class (02-99)	267
2691	Standard Rotation Thermal Standard Duty Fan Clutch	BMW (06-87)	267
2692	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes 190 Series (89-84); 260 Series (89-87); 300 Series (93-86); 350 Series (93-90); C Class (97-94); S Class (95-94)	267
2693	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes 300 Series (93-54); E Class (97-96); S Class (99-94); SL Class (97-94)	267
2694	Standard Rotation Thermal Standard Duty Fan Clutch	Mercedes C Class (00-94)	267
2695	Standard Rotation Thermal Standard Duty Fan Clutch	Mercedes 380 Series (81); 400 Series (93-92); 500 Series (93-90); CL Class (00-98); S Class (99-94); SL Class (98-94)	267
2696	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes C Class (00-98); CLK Class (03-99); E Class (03-98)	267
2697	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes ML Class (05-98)	267
2699	Reverse Rotation Thermal Standard Duty Fan Clutch	Mercedes 190 Series (93-87)	267
2705	Standard Rotation Thermal Standard Duty Fan Clutch	AMC (87-65); Buick (90-66); Cadillac (85-68); Checker (82-65); Chevy (90-57); Chrysler (64-61); Dodge (79-74); GMC (88-61); Int'l (80-57); Jaguar (73-71); Jeep (91-72); Olds (90-60); Pontiac (89-67)	267
2706	Standard Rotation Thermal Standard Duty Fan Clutch	Cadillac (87-65); Chevy (86-66); Chrysler (89-66); Dodge (92-60); Dodge Medium Duty Truck (81-78); GMC (86-67); Jeep (87-81); Plymouth (84-72)	267
2707	Standard Rotation Thermal Standard Duty Fan Clutch	Buick (87-64); Cadillac (90-81); Checker (82-80); Chevy (88-68); Chrysler (71-59); Dodge (89-59); GMC (88-66); Jeep (83-81); Olds (87-75); Plymouth (89-58); Pontiac (87-68)	267
2708	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy S10 Blazer (86); S10 Pickup (86) >> GMC S15 Jimmy (86); S15 Pickup (86)	267
2710	Standard Rotation Thermal Standard Duty Fan Clutch	Buick (80-68); Cadillac (64); Checker (69-65); Chevy (80-55); Ford (91-60); Lincoln (90-67); Mercury (91-61); Pontiac (80-76)	267
2711	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy (79-55); Ford (83-62); GMC (87-86); Mercury (83-64)	267
2713	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Corvette (74-69)	267
2714	Standard Rotation Thermal Standard Duty Fan Clutch	Chevy Corvette (82-80)	267
2715	Standard Rotation Thermal Standard Duty Fan Clutch	Ford Bronco (86-80); E Series Fullsize Van (86-83); F Series Fullsize Pickup (86-83)	267
2716	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford Bronco (92-87); E Series Fullsize Van (91-87); F Series Fullsize Pickup (96-87)	267
2717	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford Aerostar (97-90); Explorer / Sport / Sport Trac (94-91); Ranger (94-90) >> Mazda Navajo (94-91); Pickup (97-94)	267
2722	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy Astro (90-88); LLV (Postal Vehicle) (93-87); S10 Blazer (88-87); S10 Pickup (93-87) >> GMC S15 Jimmy (88-87); S15 Pickup (93-87); Safari (90-88)	267
2723	Reverse Rotation Thermal Standard Duty Fan Clutch	AMC (87-81); Ford (94-80); Jeep (87-81); Lincoln (92-82); Mercury (94-80)	267
2724	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy (95-87); GMC (95-87)	267
2726	Reverse Rotation Thermal Standard Duty Fan Clutch	Ford E Series Fullsize Van (96-92); F Series Fullsize Pickup (96-93)	267
2727	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy S10 Blazer (93-88); S10 Pickup (93-88) >> GMC S15 Jimmy (93-88); S15 Pickup (93-88) >> Olds Bravada (93-91)	267
2731	Standard Rotation Thermal Heavy Duty Fan Clutch	Cadillac Commercial Chassis (84-77); Deville (82-77); Eldorado (81-80); Fleetwood / Brougham (84-77); Seville (81-80)	267
2733	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (91) >> Ford Bronco (96-87); E Series Fullsize Van (96-87); F Series Fullsize Pickup (97-87); LTD (86-84); Mustang (94-83) >> Mercury Capri (86-82)	267

PART	DESCRIPTION	Buyer's Guide	Page #
FAN CLUTCHES			
2734	Reverse Rotation Thermal Heavy Duty Fan Clutch	Buick (93-92); Cadillac (93-90); Chevy (95-87); GMC (95-87); Hummer (96-95); Olds (94-91)	267
2736	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Durango (03-02); Nitro (07); Pickup - Fullsize / Ramcharger (02-00) >> Jeep Grand Cherokee (04-99); Liberty (08-02)	267
2737	Reverse Rotation Thermal Heavy Duty Fan Clutch	Jeep Cherokee (00-94); Wrangler (99-91)	267
2738	Reverse Rotation Thermal Heavy Duty Fan Clutch	Jeep Wrangler (10-07)	267
2739	Reverse Rotation Thermal Standard Duty Fan Clutch	Chevy Astro (94-88); LLV (Postal Vehicle) (95-94); S10 Blazer (95-94); S10 Pickup (96-94) >> GMC S15 Jimmy (95-94); S15 Pickup (96-94); Safari (94-88) >> Isuzu Hombre (96) >> Olds Bravada (94)	268
2740	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (08-02)	268
2741	Standard Rotation Thermal Heavy Duty Fan Clutch	Chevy Corvette (80-74)	268
2742	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (08-02)	268
2743	Reverse Rotation Thermal Heavy Duty Fan Clutch	Chrysler Aspen (09-07) >> Dodge Durango (09-04)	268
2744	Reverse Rotation Thermal Heavy Duty Fan Clutch	Cadillac (06-04); Chevy (15-96); GMC (15-96); GMC & CHEVY (13-09)	268
2747	Standard Rotation Thermal Heavy Duty Fan Clutch	Buick (96-59); Cadillac (96-65); Chevy (96-64); Chrysler (89-60); Dodge (93-60); Dodge Medium Duty Truck (78); Ford (87-68); GMC (95-67); Jeep (73-72); Olds (90-65); Plymouth (89-60); Pontiac (87-59)	268
2748	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (08-02)	268
2765	Standard Rotation Thermal Standard Duty Fan Clutch	Jaguar Vanden Plas (92-88); XJ6 (92-87)	268
2770	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Dakota (96-92); Pickup - Fullsize / Ramcharger (93-92) >> Jeep Grand Cherokee (93); Grand Wagoneer (93)	268
2771	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (02-94); Van - Fullsize (03-92) >> Jeep Wrangler (06-00)	268
2772	Standard Rotation Thermal Heavy Duty Fan Clutch	Land Rover Range Rover (95-87)	268
2774	Reverse Rotation Thermal Heavy Duty Fan Clutch	Jeep Grand Cherokee (93)	268
2775	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford F Series Fullsize Pickup (08-97)	268
2776	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Explorer / Sport / Sport Trac (05-01) >> Lincoln Aviator (05-03) >> Mercury Mountaineer (05-01)	268
2778	Reverse Rotation Thermal Heavy Duty Fan Clutch	Chevy Colorado (12-04) >> GMC Canyon (12-04) >> Isuzu Pickup (08-06)	268
2779	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Ranger (08-95) >> Mazda Pickup (08-94)	268
2780	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy (07-01); GMC (07-01)	268
2781	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Dakota (04-97); Durango (03-98); Van - Fullsize (03-93)	268
2782	Standard Rotation Severe Duty Thermal Fan Clutch	Chevy P Series Van (95-90) >> GMC P Series Van (95-90)	268
2783	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Dakota (91-90) >> Ford Bronco (96-88); E Series Fullsize Van (96-88); F Series Fullsize Pickup (97-88); LTD (86-84) >> Mercury Grand Marquis (86-84); Marquis (85)	268
2784	Reverse Rotation Severe Duty Thermal Fan Clutch	Buick (93-91); Cadillac (93-90); Chevy (00-87); GMC (00-87); Olds (94-91)	268
2785	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy (98-85); GMC (98-85); Hummer (96-94)	268
2786	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy (17-96); GMC (17-96); GMC & CHEVY (16-96); Hummer (07-03); Isuzu (00-97); Isuzu Medium Duty (96); Olds (01-96)	268
2787	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Colorado (12-04); P Series Van (99-96); GMC Canyon (12-04); P Series Van (99-96); GMC & CHEVY W3500 & W4500 Tiltmaster (08-97); Hummer H3 (10-06); Isuzu Pickup (08-06); Isuzu Medium Duty NPR (15-97)	268
2788	Standard Rotation Severe Duty Thermal Fan Clutch	Chrysler Aspen (09) >> Dodge Durango (09); Pickup - Fullsize / Ramcharger (93-89)	268
2789	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford (05-97); Lincoln (04-98); Mercury (04-03)	268
2790	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Dakota (96-92); Durango (03-00); Pickup - Fullsize / Ramcharger (02-92)	268
2791	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (03-94); Van - Fullsize (03-92) >> Jeep Grand Cherokee (98-94)	268
2793	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (03-98); Explorer / Sport / Sport Trac (97-91); Ranger (97-90) >> Mazda Navajo (94-91); Pickup (97-94)	268
2794	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Explorer / Sport / Sport Trac (01-98); Ranger (11-98) >> Mazda Pickup (10-98) >> Mercury Mountaineer (01-98)	268
2795	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Crown Victoria (06-92) >> Lincoln Town Car (03-93) >> Mercury Grand Marquis (06-92)	268
2796	Reverse Rotation Severe Duty Thermal Fan Clutch	Jeep Grand Cherokee (98-93)	268
2797	Standard Rotation Severe Duty Thermal Fan Clutch	Buick (96-77); Cadillac (96-64); Chevy (96-70); Dodge (93-90); Ford (87-70); GMC (95-70); Olds (87-68); Pontiac (87-64)	268
2798	Standard Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (99-90); Van - Fullsize (99-94)	268
2799	Standard Rotation Severe Duty Thermal Fan Clutch	Chevy (93-70); Ford (97-70); GMC (93-82)	268
2801	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY C6 & C7 Trucks (90-80); School Busses (91-83)	268
2802	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty B600 (87-80); F600 (87-80); F700 (87-80); F800 (87-80); L & LN 600 & 700 Series (78-67)	268

PART	DESCRIPTION	Buyer's Guide	Page #

FAN CLUTCHES

2803	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty B600 (89-80); B700 (89-80); F600 (94-80); F700 (98-80); F800 (99-80); FT800 (90)	268
2804	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty B600 (89-88); B700 (91-88); F600 (89-87); F700 (89-87); F800 (89-88)	269
2805	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty F600 (94-86); F700 (98-86); F800 (99-85); FT800 (90)	269
2806	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty B600 (91-90); B700 (91-90)	269
2808	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty B600 (86-80); B700 (86-80); F600 (86-80); F700 (87-80); F800 (87-80)	269
2811	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY School Busses (98-93); Topkick & Kodiak (00-90)	269
2821	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (03)	269
2822	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Dakota (00-97); Durango (99-98)	269
2823	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Dakota (11-05)	269
2828	Standard Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (82); Suburban / Blazer / Tahoe (82) >> GMC Fullsize Pickup (82); Suburban / Fullsize Jimmy / Yuko (82)	269
2830	Standard Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (92-83); F Series Fullsize Pickup (92-83); F Series Medium Duty Pickup (91-88)	269
2831	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy (98-94); GMC (98-94)	269
2832	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (93-92) >> GMC Fullsize Pickup (93-92)	269
2834	Reverse Rotation Severe Duty Thermal Fan Clutch	GMC P Series Van (96-92) >> GMC & CHEVY School Busses (98-93); Topkick & Kodiak (00-90)	269
2835	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (97-95); F Series Fullsize Pickup (97-94); F Series Medium Duty Pickup (97-93)	269
2836	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (14-97); E Series Medium Duty Van (14-00); Excursion (05-00); F Series Fullsize Pickup (07-99); F Series Medium Duty Pickup (04-99); Ford Medium Duty F450 (07-99); F550 (07-99)	269
2837	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Excursion (03-00); F Series Fullsize Pickup (03-99); F Series Medium Duty Pickup (00-99) >> Ford Medium Duty F450 (03-99); F550 (03-99)	269
2838	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (03-98); E Series Medium Duty Van (03-00)	269
2839	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy (99-97); GMC (99-97); Hummer (98-97)	269
2840	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (02-99); Suburban / Blazer / Tahoe (99) >> GMC Fullsize Pickup (02-99); Suburban / Fullsize Jimmy / Yuko (99)	269
2841	Reverse Rotation Thermal Heavy Duty Fan Clutch	Ford Explorer / Sport / Sport Trac (01-96) >> Mercury Mountaineer (01-97)	269
2842	Standard Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (02-00)	269
2843	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (05-01); G Series Fullsize Van / Express (09-06) >> GMC Fullsize Pickup (05-01); G Series Fullsize Van / Savana (09-06)	269
2844	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY School Busses (00-99)	269
2846	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY Topkick & Kodiak (02-01)	269
2847	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY Topkick & Kodiak (98-97)	269
2850	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (10-06); G Series Fullsize Van / Express (02-99); P Series Van (99) >> GMC Fullsize Pickup (10-06); G Series Fullsize Van / Savana (02-99); P Series Van (99)	269
2851	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Trailblazer (09-06) >> GMC Envoy (09-06) >> Isuzu Ascender (08) >> Saab 9-7 (09-08)	269
2852	Standard Rotation Severe Duty Thermal Fan Clutch	Ford HD F7-Series (87) >> Ford Medium Duty B700 (87-83); F700 (89-83); F800 (84-83)	269
2853	Standard Rotation Severe Duty Thermal Fan Clutch	Ford Medium Duty F600 (94-93); F650 (03-01); F700 (97-93); F750 (03-01)	269
2867	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (16-06); E Series Medium Duty Van (15-05); F Series Fullsize Pickup (17-99); F Series Medium Duty Pickup (16-05) >> Ford Medium Duty F450 (09-05); F550 (09-05)	269
2871	Standard Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY Topkick & Kodiak (02-97)	269
2872	Standard Rotation Severe Duty Thermal Fan Clutch	Chevy P Series Van (89-85) >> GMC P Series Van (90-85) >> GMC & CHEVY School Busses (91-85)	269
2881	Reverse Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY School Busses (02-97)	269
2886	Reverse Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY C4500 & C5500 Trucks (07-03)	269
2887	Reverse Rotation Severe Duty Thermal Fan Clutch	GMC & CHEVY C4500 & C5500 Trucks (09-03)	269
2889	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Colorado (12-09) >> GMC Canyon (12-09) >> Hummer H3 (10-08)	269
2900	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (08-03)	269
2901	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (04-03)	269
2902	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (08-03)	269
2904	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford Ranger (04-03)	270
2905	Reverse Rotation Severe Duty Thermal Fan Clutch	Jeep Commander (08-06); Grand Cherokee (09-05); Liberty (06-05)	270
2906	Standard Rotation Severe Duty Thermal Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (17-09)	270
2916	Reverse Rotation Severe Duty Thermal Fan Clutch		270

PART	DESCRIPTION	Buyer's Guide	Page #

FAN CLUTCHES

2917	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (07-05); E Series Medium Duty Van (06-03); Expedition (06-05); F Series Fullsize Pickup (08-05); Lobo (06-05); Lincoln Blackwood (02); Mark Light Truck (08-06); Navigator (06-04)	270
2918	Reverse Rotation Severe Duty Thermal Fan Clutch	Ford E Series Fullsize Van (16-07); E Series Medium Duty Van (16-07); F Series Fullsize Pickup (10-08)	270
2923	Reverse Rotation Thermal Standard Duty Fan Clutch	Nissan Frontier (17-05)	270
2931	Reverse Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (16-09)	270
2947	Standard Rotation Thermal Heavy Duty Fan Clutch	Buick (96-59); Cadillac (96-65); Chevy (96-64); Chrysler (89-60); Dodge (93-60); Dodge Medium Duty Truck (78); Ford (87-68); GMC (95-67); Jeep (73-72); Olds (90-65); Plymouth (89-60); Pontiac (87-59)	270
2961	Reverse Rotation Severe Duty Thermal Fan Clutch	Dodge Dakota (11-05) >> Mitsubishi Raider (09-06)	270
2962	Standard Rotation Thermal Heavy Duty Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (17-14) >> Dodge Medium Duty Truck Dodge Medium Duty Truck (16-14)	270
2980	Reverse Rotation Severe Duty Thermal Fan Clutch	Chevy Fullsize Pickup (17-11) >> GMC Fullsize Pickup (17-11)	270
2981	Standard Rotation Severe Duty Thermal Fan Clutch	Cadillac SRX (09-04)	270
2991	Reverse Rotation Severe Duty Thermal Fan Clutch	Land Rover Discovery (04-99); Range Rover (02-95)	270
3200	Reverse Rotation Severe Duty Electronic Fan Clutch	Buick Rainier (07-04) >> Chevy SSR (06-03); Trailblazer (09-02) >> GMC Envoy (09-02) >> Isuzu Ascender (07-03) >> Olds Bravada (04-02) >> Saab 9-7 (07-05)	270
3201	Reverse Rotation Severe Duty Electronic Fan Clutch		270
3202	Reverse Rotation Severe Duty Electronic Fan Clutch	Chevy Fullsize Pickup (14-11) >> GMC Fullsize Pickup (14-11)	270
3203	Reverse Rotation Severe Duty Electronic Fan Clutch	Chevy Fullsize Pickup (16-15) >> GMC Fullsize Pickup (16-15)	270
3210	Reverse Rotation Severe Duty Electronic Fan Clutch	Chevy Colorado (17-16); G Series Fullsize Van / Express (17) >> GMC Canyon (17-16); G Series Fullsize Van / Savana (17)	270
3221	Reverse Rotation Severe Duty Electronic Fan Clutch	GMC & CHEVY Topkick & Kodiak (09-07)	270
3222	Reverse Rotation Severe Duty Electronic Fan Clutch	Chevy G Series Fullsize Van / Express (16-10); Medium Duty Van (11) >> GMC G Series Fullsize Van / Savana (16-10) >> GMC & CHEVY G Series Medium Duty Van/Express (16-09)	270
3261	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford E Series Fullsize Van (10-04); E Series Medium Duty Van (10-04); Excursion (05-03); F Series Fullsize Pickup (07-03); F Series Medium Duty Pickup (07-03); Ford Medium Duty F450 (07-03); F550 (07-03)	270
3262	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford F Series Fullsize Pickup (07-03); F Series Medium Duty Pickup (07-03) >> Ford Medium Duty F450 (07-03); F550 (07-03)	270
3263	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford Explorer / Sport / Sport Trac (10-06) >> Mercury Mountaineer (10-06)	270
3264	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford Expedition (08-07); F Series Fullsize Pickup (08-07); Lobo (08-07) >> Lincoln Mark Light Truck (08-07); Navigator (08-07)	270
3265	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford F Series Fullsize Pickup (10-08); F Series Medium Duty Pickup (10-08) >> Ford Medium Duty F450 (09-08); F550 (09-08)	270
3266	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford Expedition (09); F Series Fullsize Pickup (10-09); Lobo (10) >> Lincoln Navigator (09)	270
3267	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford F Series Fullsize Pickup (16-11); F Series Medium Duty Pickup (16-11)	270
3268	Reverse Rotation Severe Duty Electronic Fan Clutch	Ford F Series Fullsize Pickup (16-11)	270
3281	Reverse Rotation Severe Duty Electronic Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (04-03)	270
3282	Reverse Rotation Severe Duty Electronic Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (09-04) >> Dodge Medium Duty Truck Dodge Medium Duty Truck (10-08)	270
3291	Reverse Rotation Severe Duty Electronic Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (13-10) >> Dodge Medium Duty Truck Dodge Medium Duty Truck (13-11)	270
3292	Reverse Rotation Severe Duty Electronic Fan Clutch	Dodge Pickup - Fullsize / Ramcharger (17-13) >> Dodge Medium Duty Truck Dodge Medium Duty Truck (16-13)	270
3300	Standard Rotation Severe Duty Electronic Fan Clutch w/ Fan Blade	Land Rover LR3 (09-05); Range Rover (09-06)	270
3301	Reverse Rotation Severe Duty Electronic Fan Clutch w/ Fan Blade	Land Rover Range Rover (09-06)	270
3302	Standard Rotation Severe Duty Electronic Fan Clutch w/ Fan Blade	Land Rover Discovery (17); LR4 (16-14); Range Rover (17-10)	270
3303	Reverse Rotation Severe Duty Electronic Fan Clutch w/ Fan Blade	Land Rover LR4 (13-10); Range Rover (13-10)	270
3330	Reverse Rotation Severe Duty Electronic Fan Clutch	Infiniti QX56 (13-11); QX80 (17-14) >> Nissan Armada (17); Titan (17-16)	270
6200	Standard Rotation Thermal Standard Duty Fan Clutch	Kia Sportage (01-95)	270
6201	Standard Rotation Thermal Standard Duty Fan Clutch	Kia Sportage (02-01)	271
6203	Standard Rotation Thermal Standard Duty Fan Clutch	Nissan Camiones (08-05); Urvan (13-00)	271
6204	Standard Rotation Thermal Heavy Duty Fan Clutch	Dodge H100 (13-06)	271
6205	Standard Rotation Thermal Heavy Duty Fan Clutch	Nissan NP300 (14-09)	271
6231	Standard Rotation Thermal Heavy Duty Fan Clutch	Mitsubishi Montero (06-01)	271
6232	Reverse Rotation Thermal Standard Duty Fan Clutch	Isuzu Axiom (04-03); Rodeo (04-03); Rodeo Sport (03)	271

PART	DESCRIPTION	Buyer's Guide	Page #
FAN CLUTCHES			
6250	Standard Rotation Thermal Standard Duty Fan Clutch	Audi A6 Series (04-00); A8 Series (03-97); S Series (03-01)	271
6251	Standard Rotation Thermal Standard Duty Fan Clutch	Audi Allroad Quattro (05-01)	271
6351	Reverse Rotation Heavy Duty Thermal Fan Clutch w/ Fan Blade	Land Rover Range Rover (02-96)	271
6352	Reverse Rotation Heavy Duty Thermal Fan Clutch w/ Fan Blade	Land Rover Discovery (04-98)	271
6600	Standard Rotation Thermal Heavy Duty Fan Clutch	Infiniti QX56 (10-04) >> Nissan Armada (15-05); NV Van (17-12); Pathfinder (12-04); Titan (15-04)	271
6601	Standard Rotation Thermal Heavy Duty Fan Clutch	Nissan Frontier (17-05); NV Van (17-12); Pathfinder (12-05); Xterra (15-05) >> Suzuki Equator (12-09)	271
6630	Reverse Rotation Severe Duty Thermal Fan Clutch	Lexus GX460 (17-10); LX570 (17-08) >> Toyota Land Cruiser (17-08); Sequoia (17-08); Tundra (17-07)	271
6631	Standard Rotation Thermal Heavy Duty Fan Clutch	Toyota 4Runner (17-10); FJ Cruiser (14-10); Tacoma (17-16); Tundra (14-12)	271
8300	Standard Rotation Heavy Duty Thermal Fan Clutch w/ Fan Blade	Freightliner Sprinter (17-14) >> Mercedes Sprinter (17-14)	271
8301	Reverse Rotation Heavy Duty Thermal Fan Clutch w/ Fan Blade	Dodge Sprinter (09-07) >> Freightliner Sprinter (09-07)	271
8302	Standard Rotation Severe Duty Electronic Fan Clutch w/ Fan Blade	Freightliner Sprinter (18-10) >> Mercedes Sprinter (17-10)	271
8303	Standard Rotation Heavy Duty Thermal Fan Clutch w/ Fan Blade	Dodge Sprinter (09-07) >> Freightliner Sprinter (08-07)	271
ELECTRIC FAN CONTROLS			
355	1/8" NAPT Sensor		260
3634	Electric Fan Controller		260
3647	Electric Fan Controller		260
3651	Electric Fan Controller		260
3652	Electric Fan Controller		260
3653	Electric Fan Controller		260
3654	Electric Fan Controller		260
3655	Pulse Width Modulated Fan Controller		260
RAPID-COOL® /THIN-LINE ELECTRIC FANS			
3670	10 in. Reversible Fan Kit		258
3680	12 in. Reversible Fan Kit		258
3690	14 in. Reversible Fan Kit		258
3700	16 in. Reversible Fan Kit		258
3710	16 in. Reversible Fan Kit		258
SUPER DUTY ELECTRIC FANS			
3900	Super Duty Electric Fan 9" MP Puller		258
3901	Super Duty Electric Fan 9" MP Pusher		258
3910	Super Duty Electric Fan 12" MP Puller		258
3911	Super Duty Electric Fan 12" MP Pusher		258
3920	Super Duty Electric Fan 14" MP Puller		258
3921	Super Duty Electric Fan 14" MP Pusher		258
3930	Super Duty Electric Fan 16" MP Puller		258
3931	Super Duty Electric Fan 16" MP Pusher		258
DUAL ELECTRIC FAN KITS			
3800	12 in. Dual Fan Kit		259
3801	Fan Mount Bracket		259
3802	Fan Mount Bracket		259
IDLER/TENSIONER PULLEYS			
5000	Idler / Tensioner Pulley	Ford (93-89); Hyundai (98-92); Kia (01-95); Mazda (94-89); Nissan (97-90); Toyota (95-85)	272
5001	Idler / Tensioner Pulley	Honda Accord (97-95)	272
5002	Idler / Tensioner Pulley	Infiniti QX4 (99-97) >> Nissan 240 Series (97-89); Pathfinder (00-96); Pulsar NX / NX (93-91)	272
5003	Idler / Tensioner Pulley	Acura (90-86); Geo (97-89); Mazda (95); Toyota (04-85)	272
5004	Idler / Tensioner Pulley	Infiniti I30 (01-96); I35 (04-02) >> Nissan 200 Series (98-95); Altima (04-02); Murano (04-03)	272
5005	Idler / Tensioner Pulley	Nissan Sentra (06-00)	272
5006	Idler / Tensioner Pulley	Nissan Altima (95-93); Maxima (94-90); Pulsar NX / NX (90-89); Sentra (99-89); Tsuru (99-95)	272
5007	Idler / Tensioner Pulley	Nissan 720 Pickup (86); D21 Pickup (93-90); Pickup (97-94)	272

PART	DESCRIPTION	Buyer's Guide	Page #

IDLER/TENSIONER PULLEYS

5008	Idler / Tensioner Pulley	Chevy (13-02); GMC (13-10); Mercury (02-93); Nissan (02-93); Olds (04-02); Pontiac (10-02); Saab (12-04); Saturn (10-00)	272
5010	Idler / Tensioner Pulley	Chevy (95-87); GMC (95-87); Olds (94-91); Pontiac (08-05)	272
5011	Idler / Tensioner Pulley	Acura (12-02); Ford (10-98); Honda (12-02)	272
5012	Idler / Tensioner Pulley	Buick (11-88); Chevy (06-90); Honda (08-07); Infiniti (10-02); Nissan (12-08); Olds (99-87); Pontiac (02-88)	272
5013	Idler / Tensioner Pulley	Audi; BMW; Chevy; Chrysler; Daewoo; Dodge; Ford; Hyundai; Isuzu; Jeep; Kia; Mazda; Mercury; Mitsubishi; VW	272
5014	Idler / Tensioner Pulley	Chrysler (07-05); Ford (04-87); Lincoln (02-98)	272
5015	Idler / Tensioner Pulley	Isuzu Trooper (93-92) >> Mazda 323 (94); Protege (96-95)	272
5016	Idler / Tensioner Pulley	Dodge Dakota (03-92); Durango (03-98); Pickup - Fullsize / Ramcharger (03-92); Van - Fullsize (03-92); Viper (02-92) >> Jeep Grand Cherokee (98-93); Grand Wagoneer (93)	272
5017	Idler / Tensioner Pulley	Chrysler 300 Series (04-99); Concorde (04-93); Intrepid (01-94); LHS (01-94); New Yorker (96-94); Prowler (02-01) >> Dodge Intrepid (04-93) >> Eagle Vision (97-93) >> Plymouth Prowler (00-97)	272
5018	Idler / Tensioner Pulley	Chrysler (04-88); Dodge (07-87); Eagle (98-88); Jeep (07-86); Plymouth (00-87)	272
5019	Idler / Tensioner Pulley	Chrysler (06-98); Dodge (05-88); Jeep (06-97); Plymouth (89)	272
5020	Idler / Tensioner Pulley	Chevy Cavalier (02-99); Malibu / Malibu Maxx (99) >> Ford Tempo (94-92) >> Mercury Topaz (94-92) >> Olds Alero (01-99) >> Pontiac Grand Am (01-99); Sunfire (02-99)	272
5021	Idler / Tensioner Pulley	Lexus GS400 (00-98); GS430 (07-01); GX470 (09-03); LS400 (00-90); LS430 (06-01); LX470 (07-98); SC400 (00-92); SC430 (10-02); Toyota 4Runner (09-03); Land Cruiser (07-98); Sequoia (09-01); Tundra (09-00)	272
5022	Idler / Tensioner Pulley	Hyundai (12-95); Kia (11-01)	272
5024	Idler / Tensioner Pulley	Acura SLX (97-96) >> Ford Aspire (97-94) >> Honda Passport (97-94) >> Hyundai Sonata (98-92) >> Isuzu Rodeo (97-93); Trooper (97-94) >> Mazda 323 (93-90); Miata (99-91); Protege (94-90)	272
5025	Idler / Tensioner Pulley	Buick Rainier (07-04); Chevy Colorado (12-04); Trailblazer (09-02); GMC Canyon (12-04); Envoy (09-02); Hummer H3 (10-06); Isuzu Ascender (08-03); Pickup (08-06); Olds Bravada (04-02); Saab 9-7 (09-05)	272
5026	Idler / Tensioner Pulley	Acura (08-03); Buick (07-04); Chevy (09-02); GMC (09-02); Honda (07-03); Isuzu (08-03); Olds (04-02); Saab (09-05)	272
5027	Idler / Tensioner Pulley	Mercedes 300 Series (93-88); C Class (97-94); E Class (97-94); S Class (99-94); SL Class (01-98)	272
5028	Idler / Tensioner Pulley	Mercedes 420 Series (91); 560 Series (91); C Class (01)	272
5029	Idler / Tensioner Pulley	VW Cabrio (02-95); Eurovan (96-95); Golf/GTI (00-93); Jetta (00-93); Passat/CC (97-95)	272
5030	Idler / Tensioner Pulley	VW Eurovan (95-93)	272
5031	Idler / Tensioner Pulley	VW Eurovan (95-93)	272
5032	Idler / Tensioner Pulley	VW Golf/GTI (02-95); Jetta (02-94); Passat/CC (97-93)	272
5033	Idler / Tensioner Pulley	Volvo 850 Series (97-94); C70 (98); S70 (98); S90 (97); V70 (98); V90 (98)	272
5034	Idler / Tensioner Pulley	Volvo 850 Series (94-93)	272
5035	Idler / Tensioner Pulley	Volvo S90 (98)	272
5036	Idler / Tensioner Pulley	Ford E Series Fullsize Van (97-95); E Series Medium Duty Van (97-96); F Series Fullsize Pickup (97-95); F Series Medium Duty Pickup (97-95)	272
5037	Idler / Tensioner Pulley	Ford E Series Medium Duty Van (97-96)	272
5038	Idler / Tensioner Pulley	Chevy (07-05); Chrysler (12-04); Dodge (12-03); Mercedes (10-98); Saturn (07-04); VW (11)	272
5039	Idler / Tensioner Pulley	Audi 100 Series (94-92); 90 Series (95-93); Cabriolet (98-94)	272
5040	Idler / Tensioner Pulley	Saab 9000 Series (98-90)	272
5041	Idler / Tensioner Pulley	Saab 900 Series (97-94); 9000 Series (97-95)	272
5042	Idler / Tensioner Pulley	Saab 9-3 (00-99); 9-5 (00-99); 900 Series (98-94)	272
5043	Idler / Tensioner Pulley	Honda Insight (06-01) >> Saab 9-5 (04-99); 9000 Series (97-86)	272
5044	Idler / Tensioner Pulley	BMW 323 Series (00-98); 325 Series (06-92); 328 Series (00-96); 330 Series (05-01); 525 Series (05-90); 528 Series (00-97); 530 Series (05-01); M Series (06-94); X Series (05-01); Z Series (08-98)	272
5045	Idler / Tensioner Pulley	Acura (08-03); Ford (11-97)	272
5046	Idler Assembly	BMW 750 Series (01-94)	272
5047	Idler / Tensioner Pulley	Chevy Colorado (12-04) >> GMC Canyon (12-04) >> Hummer H3 (10-07) >> Isuzu Pickup (08-06)	272
5048	Idler Assembly	BMW 530 Series (95-94); 540 Series (00-94); 740 Series (00-93); 840 Series (97-94)	272
5049	Idler Assembly	BMW 320 Series (93-83)	272
5050	Idler / Tensioner Pulley	Mercedes 400 Series (92); 500 Series (92-90)	273
5051	Idler / Tensioner Pulley	Mercedes 600 Series (93-92); CL Class (99-98); S Class (99-94); SL Class (99-94)	273

PART	DESCRIPTION	Buyer's Guide	Page #

IDLER/TENSIONER PULLEYS

5052	Idler / Tensioner Pulley	Mercedes 190 Series (87); 260 Series (89-87); 300 Series (92-86)	273
5053	Idler / Tensioner Pulley	BMW 318 Series (99-94); M Series (98-95)	273
5054	Idler Assembly	BMW 840 Series (97-94)	273
5055	Idler / Tensioner Pulley	Mercury Villager (02)	273
5056	Idler / Tensioner Pulley	Chevy (06); Chrysler (04-99); Dodge (04-98); Ford (11-00); Honda (07-04); Lincoln (10-00); Mercury (11-00); Olds (02-99); Pontiac (07-06)	273
5057	Idler / Tensioner Pulley		273
5058	Idler / Tensioner Pulley	Ford F Series Fullsize Pickup (94) >> Land Rover Discovery (04-99); Range Rover (02-96)	273
5059	Idler Assembly	Audi A4 Series (01-97) >> VW Passat/CC (05-98)	273
5060	Idler / Tensioner Pulley	VW Golf/GTI (92-85); Jetta (92-85); Passat/CC (94-92)	273
5061	Idler / Tensioner Pulley	VW Corrado (92-90); Eurovan (95); Passat/CC (93-91); Transporter (93-92)	273
5062	Idler / Tensioner Pulley	Infiniti Q45 (96-90); QX4 (00-97) >> Mitsubishi Eclipse (98-95) >> Nissan Altima (06-93); Axxess (90); Maxima (08-95); Murano (07-03); Pathfinder (00-96); Quest (09-04); Sentra (99-95); Tsuru (99-95)	273
5064	Idler / Tensioner Pulley	Ford (95); Lexus (10-90); Toyota (09-93)	273
5065	Idler / Tensioner Pulley	Cadillac Eldorado (85); Fleetwood / Brougham (85); Seville (85) >> Checker Marathon (82-80) >> Dodge Aspen (77-76) >> Ford LTD (85-81) >> Nissan Frontier (03-98); Xterra (04-00)	273
5066	Idler / Tensioner Pulley	Chevy (95-88); Ford (93-87); GMC (95-90); Jeep (01-86); Lincoln (05-00)	273
5069	Idler / Tensioner Pulley	Ford (13-02); Lincoln (08-02); Mercury (10-02)	273
5070	Idler / Tensioner Pulley	Lexus (13-06); Toyota (13-05)	273
5071	Idler / Tensioner Pulley	Chevy Fullsize Pickup (13-01); G Series Fullsize Van / Express (13-06) >> GMC Fullsize Pickup (13-01)	273
5072	Idler / Tensioner Pulley	Buick (11-06); Cadillac (11-98); Chevy (02-01); Olds (03-99); Pontiac (09-01)	273
5073	Idler / Tensioner Pulley	Chevy Tracker (03-99) >> Saturn Sc Series (02-91); SL Series (02-91); SW Series (01-93) >> Suzuki Aerio (07-02); Esteem (02-99); Sidekick (98-96); Sx4 (09-07); Vitara (03-99)	273
5075	Idler / Tensioner Pulley	Chevy Tracker (03-99) >> Suzuki Aerio (07-03); Esteem (02-99); Sidekick (98); Vitara (03-99)	273
5076	Idler / Tensioner Pulley	Chrysler 200 Series (14-11); Sebring (10-07) >> Dodge Avenger (14-08); Caliber (12-07); Journey (14-09) >> Jeep Compass (13-07); Patriot (13-07)	273
5077	Idler / Tensioner Pulley	Nissan Altima (13-07); Maxima (15-09); Murano (14-09); Quest (13-11)	273
5078	Idler / Tensioner Pulley	Nissan Frontier (16-06); Rogue (13-08); Sentra (12-07)	273
5079	Idler / Tensioner Pulley	Ford F Series Fullsize Pickup (16-05); F Series Medium Duty Pickup (16-05)	273
5080	Idler / Tensioner Pulley	Acura Rl (04-96); TL (99-95) >> Honda Insight (06-00) >> Hyundai Santa Fe (06-03); XG300 (01); XG350 (05-02) >> Kia Amanti (06-04); Sedona (05-02)	273
5081	Idler Pulley	Cadillac CTS (15-09) >> Chevy Camaro (15-12)	273
5082	Idler Pulley	Cadillac CTS (15-09) >> Chevy Camaro (15-12)	273
5083	Idler / Tensioner Pulley	Buick (17-04); Cadillac (17-10); Chevy (17-08); GMC (17-07); Pontiac (09-07); Saturn (10-07); Suzuki (09-07)	273
5084	Idler Pulley	Cadillac (07-06); Chevy (13-97); Ford (17-13); GMC (07-01); Lincoln (17-13); Pontiac (09-98); Saturn (10-07)	273
5085	Idler Pulley	Nissan Versa (17-09)	273
5086	Idler Pulley	BMW 128 Series (13-08); 323 Series (11-08); 325 Series (06); 328 Series (13-07); 330 Series (06); 525 Series (07-06); 528 Series (10-08); 530 Series (07-06); X Series (10-07)	273
5087	Idler Pulley	Ford Probe (97-93) >> Mazda 626 (02-93); Millenia (02-95); MX-3 (94-92); MX-6 (97-93)	273
5100	Idler / Tensioner Pulley		273
5102	Idler / Tensioner Pulley		273
5103	Idler / Tensioner Pulley		273
5105	Idler / Tensioner Pulley		273
5106	Idler / Tensioner Pulley		273
5108	Idler / Tensioner Pulley		273
5109	Idler / Tensioner Pulley		273
5110	Idler / Tensioner Pulley		273
5900	Idler / Tensioner Pulley	AMC (88-65); Cadillac (84-78); Chrysler (92-65); Dodge (95-65); Eagle (93); Ford (96-70); Jeep (90-85); Mercury (86-69); Olds (80); Plymouth (95-66); Toyota (87-85)	273
5901	Idler / Tensioner Pulley	AMC Ambassador (74-68); American (68-67); Gremlin (71-70); Hornet (74-70); Matador (74-71); Pacer (75); Rebel (70-68)	273
5902	Idler / Tensioner Pulley	AMC; Buick; Cadillac; Chevy; Dodge; Eagle; Ford; GMC; Honda; Isuzu; Lincoln; Mazda; Mercury; Mitsubishi; Nissan; Olds; Plymouth; Pontiac	273

PART	DESCRIPTION	Buyer's Guide	Page #

IDLER/TENSIONER PULLEYS

5904	Idler Pulley	Chrysler Sebring (05-01) >> Dodge Stratus (05-01) >> Mitsubishi Diamante (04-97); Eclipse (12-00); Endeavor (11-04); Galant (09-99)	273
5905	Idler Pulley	Toyota 4Runner (15-03); FJ Cruiser (14-07); Tacoma (15-06); Tundra (14-07)	273
5906	Idler Pulley	Mitsubishi Eclipse (12-06); Galant (12-04); Lancer (06-02); Montero (06-01); Outlander (06-03)	273
5909	Idler / Tensioner Pulley	Buick Allure (09-08); Lacrosse (09-08) >> Chevy Impala (09-06); Monte Carlo (07-06) >> Pontiac Grand Prix (08-05)	273
5916	Idler Pulley	Infiniti FX35 (08-03); G35 (07-03); M35 (08); M37 (06); QX4 (03-02) >> Nissan 350Z (06-03); Pathfinder (04-01)	273
5917	Idler Pulley	Dodge Pickup - Fullsize / Ramcharger (15-03) >> Dodge Medium Duty Truck Dodge Medium Duty Truck (10-08)	273
5918	Idler / Tensioner Pulley	Buick (11-06); Chevy (11-06); Pontiac (10-06); Saturn (10-06)	273
5919	Idler / Tensioner Pulley	Cadillac CTS (09-04); SRX (09); STS (11-05)	273
5922	Idler / Tensioner Pulley	Nissan Frontier (17-05); NV Van (17-13); Pathfinder (12-05); Xterra (13-05) >> Suzuki Equator (13-09)	273
5923	Idler / Tensioner Pulley	Hyundai Azera (15-06); Entourage (08-07); Genesis (14-09); Santa Fe (14-07); Sonata (10-06); Vera Cruz (12-07) >> Kia Amanti (09-07); Borrego (09); Sedona (12-06); Sorento (15-07)	273
5926	Idler / Tensioner Pulley	Mitsubishi Eclipse (12-06); Galant (12-04); Lancer (06-04); Outlander (06-03) >> Subaru Legacy (14-08); Outback (14-01); Tribeca (14-06)	273
5931	Idler Pulley	Toyota Prius (09-01)	273
5932	Idler / Tensioner Pulley	Buick Allure (09-08); Lacrosse (09-08) >> Cadillac CTS (15-04) >> Chevy Camaro (15-10); Corvette (13-05); Impala (09-06); Monte Carlo (07-06) >> Pontiac Grand Prix (08-05)	273
5933	Idler / Tensioner Pulley	Lexus GX460 (16-10); LX570 (16-08) >> Toyota Land Cruiser (16-08); Sequoia (16-08); Tundra (16-07)	273
5934	Idler / Tensioner Pulley	Ford Probe (97-93) >> GMC Fullsize Pickup (01) >> Mazda 626 (02-93); Millenia (02-95); MX-3 (94-92); MX-6 (97-93)	273
5935	Idler / Tensioner Pulley	Chevy (16-87); GMC (16-96)	274
5936	Idler / Tensioner Pulley	Hyundai Santa Fe (09-07); Kia Magentis (10-07); Optima (10-06); Rondo (10-07); Subaru BRZ (16-13); Forester (16-11); Impreza (16-12); WRX (17-15); XV / XV Crosstrek (16-13); Suzuki Grand Vitara (11-09)	274
5937	Idler / Tensioner Pulley	Nissan Altima (13-07); Maxima (15-09); Murano (14-09); Quest (13-11)	274
5938	Idler / Tensioner Pulley	Lexus GS F (16); GS460 (11-08); IS F (14-08); LS460 (16-07); RCF (16-15)	274
5939	Idler / Tensioner Pulley	Mitsubishi Eclipse (12-06); Endeavor (11-04); Galant (09-04)	274
5940	Idler / Tensioner Pulley	Ford Aspire (97-94) >> Mazda 323 (89-88) >> Mercury Villager (02-93) >> Nissan Altima (01-98); Quest (02-93)	274
5941	Idler / Tensioner Pulley	Acura Integra (99-90) >> Honda Accord (89-86); Civic (00-89); Civic Del Sol (97-93); CR-V (01-97); CRX (91-88) >> Lexus HS250 (11-10) >> Mazda RX-8 (09-04) >> Toyota Camry (11-07)	274
5942	Idler Assembly	Ford Crown Victoria (88-87) >> Lincoln Continental (80); Mark Series (85-80); Town Car (83-82) >> Mercury Colony Park (91-86); Grand Marquis (89-80); Marquis (82-80)	274
5950	Idler Assembly	Ford (86-68); Lincoln (80-70); Mercury (82-68)	274
5951	Idler Assembly	Ford Crown Victoria (88-87); Fairmont (83-78); Mustang (86-79); Mustang II (78-74); Pinto (80-73) >> Mercury Bobcat (80-75); Capri (86-76); Marquis (86-83); Zephyr (83-78)	274
5954	Idler / Tensioner Pulley	Chrysler (97-70); Dodge (97-65); Eagle (97-93); Plymouth (00-73)	274
5957	Idler / Tensioner Pulley	Cadillac (84-83); Chevy (86-85); GMC (86-85); Hyundai (94-86); Mitsubishi (92-90); Nissan (04-86); Plymouth (93-90); Pontiac (86-85)	274
5959	Idler / Tensioner Pulley	Chevy (88-82); Ford (88-78); Lincoln (92-80); Mazda (91-86); Mercury (88-75); Olds (82); Pontiac (03-01)	274
5960	Idler Assembly	Chevy G Series Fullsize Van / Express (83-73) >> GMC G Series Fullsize Van / Savana (83-73) >> Mercury Capri (79)	274
5963	Idler Assembly	Ford Aerostar (94-86); Ranger (92-90)	274
5964	Idler Assembly	Ford LTD (86); Mustang (86-83); Thunderbird (89-83) >> Mercury Capri (86-83); Cougar (88-83); Marquis (86-83)	274
5965	Idler Assembly	Ford Escort (87-84); Exp (87-84); Tempo (93-84) >> Mercury Lynx (87-84); Topaz (93-84)	274
5968	Idler / Tensioner Pulley	Buick (96-87); Cadillac (93); Chevy (97-87); Chrysler (78-74); Dodge (80-74); Ford (01-90); GMC (96-92); Mazda (92-91); Mercury (01-97); Olds (96-87); Plymouth (77-74); Pontiac (97-87); Saturn (02-93)	274
5969	Idler / Tensioner Pulley	Acura (99-98); Buick (95-88); Chevy (97-91); Ford (00-88); Honda (02-98); Hyundai (09-99); Isuzu (04-98); Kia (10-01); Mercury (97-88); Nissan (01-00); Olds (96-88); Pontiac (96-88); Saab (98-86)	274
5970	Idler / Tensioner Pulley	Buick (88-82); Cadillac (85); Chevy (98-82); Ford (96-86); GMC (93-87); Mercury (87-86); Olds (88-82); Pontiac (87-82)	274

PART	DESCRIPTION	Buyer's Guide	Page #

IDLER/TENSIONER PULLEYS

5971	Idler / Tensioner Pulley	Buick; Cadillac; Chevy; Chrysler; Dodge; Ford; GMC; Hummer; Isuzu; Jeep; Lincoln; Mazda; Mercury; Mitsubishi; Olds; Plymouth; Pontiac; Saab; Saturn	274
5972	Idler / Tensioner Pulley	Audi (12-05); Buick (98-91); Chevy (08-88); Dodge (11-07); Ford (97-90); GMC (03-98); Isuzu (00-98); Jeep (12-00); Olds (98-92); Pontiac (02-92); VW (13-05)	274
5973	Idler / Tensioner Pulley	Buick (05-87); Cadillac (93-87); Chevy (98-87); Chrysler (92-91); Dodge (05); Ford (08-89); GMC (91-88); Lincoln (89); Mercury (93-89); Olds (99-87); Pontiac (07-87)	274
5974	Idler / Tensioner Pulley	Audi (07-90); Chevy (90-89); Ford (92-79); Mercury (81-79)	274
5975	Idler / Tensioner Pulley	Acura; Buick; Cadillac; Chevy; Chrysler; Dodge; Ford; GMC; Honda; Hummer; Isuzu; Jaguar; Jeep; Lincoln; Mazda; Mercury; Mitsubishi; Olds; Pontiac; Saab; Toyota	274
5976	Idler / Tensioner Pulley	Chevy (93-88); GMC (96-88); Jeep (94-87); Merkur (89-87); Saturn (91)	274
5978	Idler / Tensioner Pulley	Chevy (92-88); Ford (00-87); Mercury (04); Pontiac (92-89)	274
5979	Idler / Tensioner Pulley	Acura; Buick; Cadillac; Chevy; Chrysler; Dodge; Ford; GMC; Honda; Hummer; Jaguar; Jeep; Land Rover; Lincoln; Mazda; Mercury; Olds; Pontiac; Saturn	274
5980	Idler / Tensioner Pulley	Chrysler Aspen (08-07) >> Dodge Dakota (03-92); Durango (08-98); Pickup - Fullsize / Ramcharger (08-92); Van - Fullsize (03-92) >> Jeep Grand Cherokee (98-93); Grand Wagoneer (93)	274
5981	Idler / Tensioner Pulley	Ford (04-89); Lincoln (01-90); Mercury (95-89)	274
5982	Idler / Tensioner Pulley	Chevy Astro (89-87); Fullsize Pickup (89-88); G Series Fullsize Van / Express (91-87) >> GMC Fullsize Pickup (89-88); G Series Fullsize Van / Savana (91-87); Safari (89-87)	274
5983	Idler / Tensioner Pulley	BMW (06-90)	274
5984	Idler / Tensioner Pulley	BMW 530 Series (95-94); 540 Series (97-94); 740 Series (95-93); 840 Series (97-94)	274
5985	Idler / Tensioner Pulley	BMW 530 Series (95-94); 740 Series (95-93); 840 Series (97-94)	274
5986	Idler Assembly	BMW 750 Series (01-88); 850 Series (97-91)	274
5987	Idler / Tensioner Pulley	Mercedes 190 Series (93-87); 260 Series (89-87); 300 Series (93-86); C Class (97-94); E Class (96-94); S Class (99-94); SL Class (97-94)	274
5989	Idler / Tensioner Pulley	Mercedes 190 Series (89-86); 300 Series (99-95); SL Class (97-94)	274
5990	Idler / Tensioner Pulley	Cadillac (95-86); Chevy (02-86); GMC (02-86); Isuzu (94-89)	274
5991	Idler / Tensioner Pulley	Chevy S10 Blazer (88-87); S10 Pickup (93-87) >> GMC S15 Pickup (93-87)	274
5992	Idler / Tensioner Pulley	Ford E Series Fullsize Van (03-98); Excursion (03-00); F Series Fullsize Pickup (03-99); F Series Medium Duty Pickup (03-99)	274
5996	Idler / Tensioner Pulley	Acura (99-98); Cadillac (07-99); Chevy (12-96); Ford (12-93); GMC (11-96); Honda (02-98); Isuzu (04-97); Mazda (12-93); Mercury (10-97); Olds (01-96); Pontiac (09-98)	274

IDLER PULLEY PARTS

5782	Fan Pulley Bracket	Toyota T100 (94-93)
5783	Fan Pulley Bracket	Toyota 4Runner (92-88); Pickup - Standard (92-88)
5784	Fan Pulley Bracket	Toyota 4Runner (02-96); Tacoma (00-95); Tundra (04-00)
5785	Fan Pulley Bracket	Lexus LS400 (00-90)
5786	Fan Pulley Bracket	Chevy S10 Pickup (96-94) >> GMC S15 Pickup (96-94)
5907	Shoulder Bushing	Chrysler Daytona (89); Intrepid (01-98) >> Dodge Dakota (91-90) >> Plymouth Reliant (89)
5908	Shoulder Bushing	
5910	Pulley Bearing	
5920	Pulley Bolt	AMC (88-70); Dodge (86-80); Plymouth (84-80)

HAYDEN® AUTOMOTIVE

2019 Application and Illustrated Guide

Cooling Products

888-505-4567 Customer Service • 866-502-0068 Technical Support
Email: customerservice@smpcorp.com



Distributed By:

1801 Waters Ridge Drive
Lewisville, TX 75057

For Additional Information Visit:
www.haydenauto.com

Scan here to visit us on Facebook

Printed in the USA

A proud member of the Standard Motor Products family

WE SUPPORT VOLUNTARY TECHNICIAN CERTIFICATION THROUGH National Institute for AUTOMOTIVE SERVICE EXCELLENCE

ACPN Automotive Content Professionals Network

SMP Standard Motor Products, Inc